



Eighty-Fourth
Annual Report of the
Registrar-General for
Scotland

1938

Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses :

120 George Street, Edinburgh 2 ; York House, Kingsway, London, W.C. 2 ;

26 York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ;

80 Chichester Street, Belfast ;

or through any bookseller

1939

Price 4s. 0d. net

CONTENTS.

| | PAGE |
|--|--------|
| <i>REPORT.</i> | |
| Introductory Letter, | v |
| General Summary, | vi |
| Population Estimates, | ix |
| Births, | x |
| Marriages, | xv |
| Deaths, | xvii |
| Local Death Rates | xix |
| Causes of Death, | xxiii |
| <i>APPENDIX I.</i> | |
| Seventy-fourth Annual Report on Vaccination (1937), | xl |
| <i>APPENDIX II.</i> | |
| Additional Marriage Statistics for Year 1937, | xliii |
| <i>APPENDIX III.</i> | |
| Weather Report for Year 1938, | li |
| <i>APPENDIX IV.</i> | |
| Re-registration of Births, | lvi |
| Entries in Adopted Children Register, | " |
| Searches and Extracts in General Registry Office, | " |
| <i>APPENDIX V.</i> | |
| Alteration of Boundaries of Burghs, Registration Districts, etc., which became effective during 1938, | lviii |
| <i>APPENDIX VI.</i> | |
| Preliminary Report on Statistics obtained under the Population (Statistics) Act, 1938, | lx |
| <i>APPENDIX VII.</i> | |
| Hour of Birth and of Death, | lxxvii |

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1938:

| | |
|---|----------|
| Table 1. Births, Deaths, and Marriages, 1855 to 1938, | lxxxiii |
| " 2. Birth, Death, and Marriage rates, 1855 to 1938, | lxxxiv |
| " 3. Quarterly Returns of Births, Deaths, and Marriages, 1928 to 1938, | lxxxv |
| " 4. Birth, Death, and Marriage rates in Counties and Large Burghs, | lxxxvi |
| " 5. Do. do. Small Burghs, | lxxxviii |
| " 6. Do. do. Landward Areas, | xcii |
| " 7. Birth-rate among Married and among Unmarried Women, | xciii |
| (For Births, Deaths, and Marriages by Calendar Months, see Table 34.) | |

MARRIAGES, 1937.

| | |
|--|-----|
| Table 8. Method of Celebration, etc., of Marriages, 1855-1937. Numbers and Percentages, | xcv |
|--|-----|

Contents.

iii

PAGE

| | | |
|----------|--|--------|
| Table 9. | Regular and Irregular Marriages, 1937, | xevi |
| „ 10. | Church of Celebration of Regular Marriages, 1937, | xevii |
| „ 11. | Civil Condition and Method of Signature of Persons Marrying, 1937, | xcviii |
| „ 12. | Ages of Men at Marriage, 1937, | c |
| „ 13. | Ages of Women at Marriage, 1937, | cii |
| „ 14. | Ages in Combination of Men and Women at Marriage, 1937,... | civ |
| „ 15. | Ages in Combination of Bachelors and Spinsters at Marriage, 1937, | cv |
| „ 16. | Ages in Combination of Bachelors and Widows at Marriage, 1937, | cvi |
| „ 17. | Ages in Combination of Widowers and Spinsters at Marriage, 1937, | cvii |
| „ 18. | Ages in Combination of Widowers and Widows at Marriage, 1937, | cviii |
| „ 18A. | Ages in Combination of Divorced Men and of Women at Marriage, 1937 | cix |
| „ 18B. | Ages in Combination of Men and of Divorced Women at Marriage, 1937 | cx |

DEATHS, 1938.

| | | |
|-----------|---|---------|
| Table 19. | Ages at Death and Death rates—Scotland, Large Burghs, Small Burghs and Landward—by Age Groups, | cx |
| „ 20. | Ages at Death, Single Years of Age, and Condition as to Marriage—Males and Females, | cxii |
| „ 21. | Deaths and Death-rates—Age-Groups and Selected Causes— Males and Females, | cxiv |
| „ 22. | Deaths and Death-rates from Selected Causes—Scotland, Large Burghs, Small Burghs and Landward, | cxvii |
| „ 23. | Deaths from Selected Causes and in Age-Groups, 1928-1938, | cxviii |
| „ 24. | Death-rates from Selected Causes and in Age-Groups, 1928-1938, | cxix |
| „ 25. | Deaths from Principal Epidemic and certain other Diseases, 1855-1938, | cxx |
| „ 26. | Death-rates from Principal Epidemic and certain other Diseases, 1855-1938, | cxxi |
| „ 27. | Deaths and Death-rates from Puerperal Conditions, | cxxii |
| „ 28. | Deaths from Malignant Disease, | cxxiv |
| „ 29. | Deaths from Suicide, | cxxvi |
| „ 30. | Deaths from Poison, Accidental and Suicidal, and from Secondary Anæsthetics, | cxxvii |
| „ 31. | Deaths of Children of less than One Year from Selected Causes, | cxxviii |
| „ 32. | Deaths of Children of less than One Year from Selected Causes, showing the Month of Registration of Death, | cxxix |
| „ 33. | Deaths of Children of less than One Year by Age-periods, with Infantile Mortality Rates—Counties and Large Burghs, | cxxx |

OTHER TABLES.

| | | |
|-----------|---|---------|
| Table 34. | Meteorology of Scotland, and Births, Deaths, Deaths under One Year, and Marriages by Month in 1938, | cxxxii |
| „ 35. | Weather, and Weekly Death-rates, | cxxxii |
| „ 36. | Vaccinations in Scotland, 1927-1937, with Percentage of Total Births, and Percentage of Survivors, | cxxxiii |
| „ 37. | Deaths from Small-pox in Scotland, 1855-1937, with Vac- cination Particulars, 1864-1937, | cxxxiv |

ABSTRACTS.

| | |
|---|-----|
| General Registration Summary—Births, Deaths, and Marriages in the Counties and Large Burghs in 1938, with Vaccination particulars for 1937, ... | 2-3 |
|---|-----|

CAUSES OF DEATH—FULL LIST.

| | |
|---|----|
| Scotland—Sex and Age, ... | 4 |
| Public Health Districts of Scotland (Large Burghs, &c.)—Both Sexes, ... | 24 |
| Scotland, by Month of Registration—Both Sexes, ... | 42 |
| Public Health Districts—Short List by Sex and Age, ... | 48 |

STATISTICS OF BURGHS AND LANDWARD AREAS.

| | |
|----------------------------|-----|
| In County of Aberdeen, ... | 106 |
| Do. Angus, ... | 107 |
| Do. Argyll, ... | 108 |
| Do. Ayr, ... | 109 |
| Do. Banff, ... | 111 |
| Do. Berwick, ... | 112 |
| Do. Bute, ... | 113 |
| Do. Caithness, ... | 113 |
| Do. Clackmannan, ... | 113 |
| Do. Dunbarton, ... | 114 |
| Do. Dumfries, ... | 115 |
| Do. East Lothian, ... | 116 |
| Do. Fife, ... | 117 |
| Do. Inverness, ... | 119 |
| Do. Kincardine, ... | 120 |
| Do. Kinross, ... | 121 |
| Do. Kirkcudbright, ... | 121 |
| Do. Lanark, ... | 121 |
| Do. Midlothian, ... | 123 |
| Do. Moray, ... | 123 |
| Do. Nairn, ... | 124 |
| Do. Orkney, ... | 125 |
| Do. Peebles, ... | 125 |
| Do. Perth, ... | 125 |
| Do. Renfrew, ... | 127 |
| Do. Ross and Cromarty, ... | 127 |
| Do. Roxburgh, ... | 128 |
| Do. Selkirk, ... | 129 |
| Do. Stirling, ... | 129 |
| Do. Sutherland, ... | 130 |
| Do. West Lothian, ... | 130 |
| Do. Wigtown, ... | 131 |
| Do. Zetland, ... | 131 |

| | |
|-------------------------------|-----|
| METEOROLOGICAL ABSTRACTS, ... | 132 |
|-------------------------------|-----|

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1938

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

NEW REGISTER HOUSE,

EDINBURGH, 22nd December 1939.

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to transmit with a view to its being laid before Parliament a Report on the Vital Statistics of Scotland for the year 1938.

The Statistical Summary and the portion dealing with Causes of Death have been prepared under the direction of Dr. Peter L. McKinlay, Superintendent of Statistics in this Office. In addition to the usual Appendices dealing respectively with (1) Vaccination, (2) Marriages, (3) the Weather, (4) Re-registration of Births, Adoptions, &c., there are also included two special Appendices, one dealing with the first six months' experience of the new particulars, principally regarding fertility, made available by the Population (Statistics) Act, which came into operation on 1st July 1938, the other showing the results of a special inquiry into the distribution of births and deaths according to the hour of the day at which they occur. Both these special Appendices yield information which has not hitherto been published in regard to Scotland.

I am, Sir,

Your obedient Servant,

J. G. KYD,

Registrar-General.

THE SECRETARY,

DEPARTMENT OF HEALTH FOR SCOTLAND.

REPORT TO THE REGISTRAR-GENERAL

By PETER L. MCKINLAY, M.D.,

Superintendent of Statistics.

SUMMARY.

THE vital statistics of the year 1938 are in some important respects the most favourable so far obtained. The population estimated to the middle of the year 1938 as approximately 5 millions, shows a slight increase over that of the previous year, mainly due to a natural increase (excess of births over deaths), and to a less noteworthy extent to an apparent diminution in net emigration, especially to England. Attention is also drawn in the text to the progressive change in age constitution and its effect on the trend of mortality from all and from certain important individual causes of death. The birth-rate is rather higher than for 1937, and the experience of recent years indicates a halt in the continuous decline recorded for so many years, and now almost accepted as inevitable and unchanging. Figures put forward later indicate the definite slackening in the rate of decline of the birth-rate, whether this is measured as a ratio of total births to total population or to women aged 15-44 years, or of legitimate births to married women of reproductive age. Part of the interruption of the previously steady decline may be due to the higher marriage-rate evidenced in Scotland during the past quinquennium, wherein the rates have been consistently higher than at any time except during the abnormal years immediately succeeding the Great War. This rate (7·76) in 1938 is actually the highest otherwise recorded in any registration year, with the single exception of 1873, when it reached 7·77 per 1,000 population. While slight differences are observed in the rate of decline registered in the birth-rate, dependent on the method of measurement of the rate, it is of interest to note that these are only of small magnitude, and further, that correction for change in the age distribution of married women of fertile ages would only account for a small portion of the total decline. Since 1861 there has been a progressive increase in the proportion of married women at the higher range of reproductive life (where fertility is diminished) and a corresponding reduction in the proportions at the more fertile ages, but this in itself would result, it has been estimated, in a reduction of only some 8 per cent. in the birth-rate.

As regards the health of the people as measured by mortality experience, the year under review has been a distinctly favourable one. The general death-rate in the infantile and pre-school periods, the mortalities from the principal epidemic diseases, tuberculosis, both pulmonary and non-pulmonary, and the chief respiratory diseases, all show record low levels. At individual age periods of

life, too, a continuation of previous improvement is manifest—compared with 1937 each age period except those for females of school ages, where the rates are substantially the same, shows lower rates in the year under review. Compared with earlier years the rate of improvement has been particularly a feature of the younger age groups, the decline, except in the first year of life, progressively diminishing with advance of age. Compared with the experience as recent as the beginning of the present century, infantile mortality is now only a half, pre-school mortality is less than one-third, that from 5–44 years is less by about a half, and at later ages smaller but still very marked reductions are recorded. These changes, in view of the changing age structure of our population, are to some extent obscured by inspection of the course of the crude general death-rate.

During the year the almost complete absence of influenza in epidemic form and the correlated diminution in the deaths from bronchitis and pneumonia account chiefly for the favourable difference compared with the previous year, but many other causes have contributed in less degree. In the infectious disease group, e.g., apart from influenza, lower values are found for whooping-cough, cerebro-spinal fever and scarlet fever (another record low figure). Measles, on the other hand, was more prevalent than in 1937, while deaths from diphtheria remained substantially the same. Tuberculosis and digestive diseases contribute also in varying degree to the better experience of the present year. Cancer and diseases of the circulatory system, on the contrary, show little change from their previous unfavourable history. The crude death-rate from cancer increased from 157 to 162 per 100,000, but when standardised for age and sex the rate differs but little from that for recent years. In diseases of the nervous system, of the genito-urinary system, of pregnancy and childbirth and in accidents there is no noteworthy difference in the present from the previous year.

The main causes of death retain their order of importance, deaths from heart disease accounting for 22·4 per cent., from cancer for 12·8 per cent., from bronchitis and pneumonia for 10·0 per cent., and from cerebral hæmorrhage and allied conditions for 9·9 per cent., from tuberculosis for 5·5 per cent., and from violence for 4·6 per cent. of the total. The tendency over recent years has been for the first two groups in particular to become ever more prominent in the death returns, this being no doubt partly due to the ageing of the population.

While comparisons with previous years indicate steadily progressive improvement in the health of Scotland generally, comparisons with certain other countries, both in respect of present position and of rates of improvement over recent years, give less cause for satisfaction, but suggest that much further advance is possible in this direction. The general death-rate of 12·6 per 1,000 population contrasted with 11·6 in England and Wales, in Sweden and in Switzerland, 10·7 in the U.S.A., 9·7 in New Zealand, 9·6 in Australia, 9·5 in Canada and 8·5 in the Netherlands. (It should

be noted that these are all crude death-rates, not corrected for age or sex distribution.) The record low infantile mortality rate of 70 per 1,000 births contrasts markedly with those of 63 for Canada, of 53 for England and Wales, of 52 for the Union of South Africa, of 51 for the U.S.A., and rates of under 40 for Australia, for New Zealand and for the Netherlands. In 1870–72 the death-rate in England and Wales, standardised to the population of that country in 1901, was 21·2, while that for Scotland standardised in like manner was 20·9. Until the turn of the century the rate was still lower than that for England and Wales, but since 1900–02 the position has been reversed. Comparing the experience of the years 1930–32 with that of 1870–72 the Scottish rates so standardised have declined from 20·9 to 11·3 and those for England and Wales from 21·2 to 9·8, percentage decreases of 46 and 54 respectively. Comparing the present positions of the two countries (1930–32) in respect of age and sex specific mortalities, the Scottish rates show excess in each sex at every age period of life, particularly so in infancy and pre-school life. Relatively the greatest improvement in the mortality experience of Scotland is shown for the principal infectious diseases, which are only one-third of what they were in 1891–1900, for tuberculosis, especially non-pulmonary forms, and for respiratory diseases. Unfavourable results are shown especially for cancer, for heart disease (chiefly in later life) and for diseases of the kidney. The increase in the number of deaths from heart disease may to some extent be due to improvement in certification.

The principal numbers and rates shown in the Report are as follows :—

Births registered during the year numbered 88,627, being 817 more than in the previous year. The birth-rate was 17·75 per 1,000 population, which is 0·10 more than in the previous year but 0·04 less than the average for the preceding five years. Illegitimate births numbered 5,449 and the proportion to the total births was 6·15 per cent., being the same as in the previous year.

Marriages registered during the year numbered 38,747, being 413 more than in 1937. The marriage-rate was 7·76 per 1,000. For the fifth year in succession both the number of marriages and the marriage-rate are higher than in any year since the post-war years 1919–21. Termination of marriage by decrees of divorce or nullity numbered 788, being 139 more than in the previous year.

Deaths from all causes numbered 62,953, the annual rate being 12·61 per thousand. Infant deaths numbered 6,163 and represented an infantile mortality rate of 69·5 per 1,000 births. This rate is less than that for the previous year by 10·8 and is the lowest on record for Scotland.

The total number of deaths from the principal epidemic diseases was 2,043, as compared with 4,468 in the previous year. The death-rate in 1937 was higher than normal on account of an epidemic of influenza in the early months of the year. The number of deaths for 1938 is the smallest which has ever been recorded in Scotland.

Deaths from tuberculosis of the respiratory system numbered 2,581 (compared with 2,791 in 1937), and those from other forms of tuberculosis numbered 851 as compared with 872 in 1937. The rate in 1938 from all forms of tuberculosis was 69 per 100,000, being 5 less than in the previous year and the lowest rate ever recorded in Scotland. Seventy years ago this death-rate was as high as 404. Deaths from malignant disease numbered 8,072, the rate being 162 per 100,000. The death-rate is higher than in the previous year by 5.

The number of deaths of women from causes relating to pregnancy and childbirth was 432, being slightly more than in 1937. These deaths are equal to a death-rate of 4·9 per 1,000 births, which is 0·1 more than in 1937. For the years 1931–37 this rate averaged 5·9.

Violent deaths numbered 2,878 as compared with 3,020 in 1937. Of this total 460 were believed to be suicidal and of the remainder 224 were from burning (including conflagration), 291 from drowning, 593 from accidents with motor vehicles, and 137 from accidents in mines and quarries. Deaths from drowning are 30 fewer than in the previous year, those from all road accidents are 25 fewer, and those from accidents in mines and quarries are 17 more.

The relative importance of the main causes and cause groups of deaths remained substantially unchanged, the most outstanding numerically being heart disease, cancer, cerebral hæmorrhage and the respiratory diseases, as already indicated.

POPULATION.

The estimated population of Scotland as at the middle of 1938 was 4,993,100, of whom 2,405,100 were males and 2,588,000 were females. This represents a net increase over the estimate for the previous year of about 16,500; this increase, which is larger than that recorded for each of the two preceding years, is attributable mainly to the excess of births over deaths. It is estimated that the population of Scotland has increased since the Census of 1931 by about 150,000 persons. In the Reports which have been issued since

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1938.

| GROUPS OF DISTRICTS. | Census 1931 (Resident). | | | Census 1921 (Enumerated). | | | Estimated to 30th June 1938. | | |
|----------------------|----------------------------|-----------|-----------|------------------------------|-----------|-----------|---------------------------------|-----------|-----------|
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| Large Burghs | 2,659,692 | 1,262,468 | 1,397,224 | 2,577,630 | 1,236,414 | 1,341,216 | 2,748,100 | 1,308,800 | 1,439,300 |
| Small Burghs | 731,678 | 339,935 | 391,743 | 776,534 | 357,060 | 419,474 | 761,200 | 354,800 | 406,400 |
| Landward | 1,451,610 | 723,120 | 728,490 | 1,528,333 | 754,168 | 774,165 | 1,483,800 | 741,500 | 742,300 |
| SCOTLAND | 4,842,980 | 2,325,523 | 2,517,457 | 4,882,497 | 2,347,642 | 2,534,855 | 4,993,100 | 2,405,100 | 2,588,000 |

that date attention has been drawn to the fact that the increase of population, although mainly attributable to the excess of births over deaths, has also been partially due to a small inward balance into Scotland by overseas migration. This balance, which in 1931 and 1932 amounted to fully 10,000 per annum, has steadily decreased until now it amounts to little over 2,000 per annum. On the other hand there is evidence that unrecorded emigration, principally to England, is tending to increase, although it is believed to have been somewhat less in 1937–38 than in the two previous years. This emigration has in recent years considerably exceeded the small inward balance of overseas migration. For the greater part of the ten years between the Censuses of 1921 and 1931 the population of Scotland was declining on account of very large emigration, principally overseas, but this decline appears to have been arrested about the year 1930. While these estimates of population have shown an increase for each year since 1930, the annual increase, which was at a maximum (for recent years) between 1931 and 1932, when it amounted to about 40,000, showed a decline in each year until 1937, when the increase was only slightly over 10,000. As already indicated, the increase for 1937–38 is about 16,500, due to a low death-rate during the winter of 1937–38 and a decline in the estimate of the number of persons who “drift south.”

BIRTHS.

The number of living children whose births were registered in Scotland during the year 1938 amounted to 88,627, of whom 45,447 were males and 43,180 were females. The sex ratio was thus 1,053 males to every 1,000 females, being the same as in 1937, but rather above the average for the past 40 years. This ratio moves within somewhat narrow limits, the highest proportion ever recorded in Scotland having been 1,072 in 1933 and the lowest 1,032 in 1905. (*Tables 1 and 2.*)

Since the year 1876, when the birth-rate reached the highest point recorded since the institution in 1855 of national registration in Scotland (35·62 per thousand of the total population), the general trend, apart from minor fluctuations, has been steadily downwards, the rates in recent years amounting to little more than half those recorded when the birth-rate was at its maximum, while in 1933, in 1935, in 1937 and 1938 it has fallen to rather less than half of the maximum quoted above. The only major interruption of this steady decline occurred in the years immediately following the War. From 1920 the downward tendency was practically continuous till 1933, when the rate reached 17·62, the absolute minimum ever recorded for Scotland. The birth-rate for 1938 was 17·75, being 0·10 more than in the previous year but 0·04 less than the previous five years' average. It is 0·13 above the minimum rate recorded in 1933. Compared with the previous year the differences in the quarterly rates were not of great significance, the principal increase (0·5 per

thousand) occurring in the first quarter. It has been observed that if the ten years 1915–24—representing the War years, when the rates declined rapidly, and the years of high birth-rates following the War—are omitted, the trend of the crude birth-rates since 1924 has tended to follow the downward course of the rates for the years immediately preceding 1915, occupying the approximate positions which they would have held if the trend of these pre-war years had continued.

A feature of the birth-rate for recent years (1933–38), however, has been its comparative steadiness. During these six years it has not fallen below 17·6 (in 1933) nor risen above 18·0 (in 1934), the maximum range being thus 0·4 in six years. The birth-rate for 1933, therefore, still stands as the lowest on record after five succeeding years. Apart from the abnormal years following the War, no low record among birth-rates has ever previously stood for five years during all the period in which the birth-rate has been falling in Scotland, that is, since 1876. The possible influence of the high marriage-rates of recent years must not be overlooked.

Variations of the birth-rate may also be studied along the lines indicated in Table 7, that is, in relation to the numbers of females aged 15–44 and (for legitimate births only) in relation to numbers of married women aged under 45 years. Table B (1), based on the three years round each Census, will illustrate under each standard the fall which has taken place.

It will be seen that for the entire period 1861 to 1931 there is little difference in the percentage declines (44·6 and 46·5 respectively) by the two standards, while judged by the crude birth-rate (births per thousand population) the decline is 45·5 per cent. No allowance is made in this table for any influence which a change in the proportions of women at the earlier and therefore more fertile ages may have had on the rates, but it is estimated that this would only account for about 8 per cent. of the decline. The Annual Report for 1908

TABLE B (1).—Birth-rate in Scotland, per 1000 Women aged 15–44, 1861–1931.

| YEAR. | Births per 1000 Women aged 15–44. | | | Legitimate Births per 1000 Married Women aged under 45. | | |
|---------|-----------------------------------|--|---------------------------------|---|--|---------------------------------|
| | Rate. | Percentage of Rate for Preceding Period. | Percentage of Rate for 1860–62. | Rate. | Percentage of Rate for Preceding Period. | Percentage of Rate for 1860–62. |
| 1860–62 | 144·6 | 100 | 100 | 316·0 | 100 | 100 |
| 1870–72 | 149·4 | 103·3 | 103·3 | 319·4 | 101·1 | 101·1 |
| 1880–82 | 145·8 | 97·6 | 100·8 | 311·5 | 97·5 | 98·6 |
| 1890–92 | 132·5 | 90·9 | 91·6 | 296·4 | 95·2 | 93·8 |
| 1900–02 | 121·9 | 92·0 | 84·3 | 271·8 | 91·7 | 86·0 |
| 1910–12 | 107·3 | 88·0 | 74·2 | 233·2 | 85·8 | 73·8 |
| 1920–22 | 105·1 | 97·9 | 72·7 | 226·7 | 97·2 | 71·7 |
| 1930–32 | 80·1 | 76·2 | 55·4 | 169·0 | 74·5 | 53·5 |

contained a special supplement in which this factor was allowed for in the case of married women, but its influence was found to be comparatively slight, the decline between 1861 and 1901 (single years in each case) being found to be 14·9 per cent. without such allowance and 13·4 per cent. with that allowance. It will be seen from the above table that measured by the three-yearly periods round each Census the rate of decline is on the increase, being (for legitimate births) 4·8 per cent. in 1891, 8·3 per cent. in 1901, 14·2 per cent. in 1911 and 14·9 per cent. per decennium for the twenty-year period 1911 to 1931. (The period of abnormal birth-rates following the War makes comparisons with 1921 rather misleading.) It will be observed, however, that while acceleration of the decline was marked between 1871 and 1911 the mean annual rate of decline for the twenty years ending in 1931 was practically the same as for 1901–11.

Similar rates have been worked out for each year since 1931, but as they are dependent on age estimates they do not have the authority of rates based on observations for years round a Census date. They are as follows :—

| | | | Crude Birth- rate per 1000 Population. | Births per 1000 Women aged 15–44. | Legitimate births per 1000 Married Women aged under 45. |
|------|-----|-----|--|---|---|
| 1931 | ... | ... | 19·0 | 79·8 | 168·3 |
| 1932 | ... | ... | 18·6 | 78·4 | 164·9 |
| 1933 | ... | ... | 17·6 | 74·5 | 156·0 |
| 1934 | ... | ... | 18·0 | 76·5 | 158·8 |
| 1935 | ... | ... | 17·8 | 74·9 | 155·2 |
| 1936 | ... | ... | 17·9 | 75·1 | 155·3 |
| 1937 | ... | ... | 17·6 | 73·7 | 152·4 |
| 1938 | ... | ... | 17·7 | 74·0 | 152·4 |

It will be observed that the trend of the rates in the last two columns corresponds generally with that of the crude birth-rates for these years, although the fall in the case of the last column is rather more pronounced. Like the crude birth-rates, these rates show at least a slackening in the rate of decline in the past few years, but, unlike the crude birth-rate, the legitimate birth-rate is for each of the past four years below those for 1933 and 1934.

TABLE B (2).—Birth-rate in Scotland and its Groups of Public Health Districts in 1938.

| GROUPS OF DISTRICTS. | Births. | | | | | Birth-rate per 1000 of Estimated Population. | | | Illegitimate Births per 100 Total Births. |
|----------------------|---------|-------------|----------|---------------|----------|--|------------|---------------|---|
| | Total. | Legitimate. | | Illegitimate. | | Total. | Legitimate | Illegitimate. | |
| | | Males. | Females. | Males. | Females. | | | | |
| Large Burghs . | 50,480 | 24,480 | 23,259 | 1,412 | 1,329 | 18·37 | 17·37 | 1·00 | 5·43 |
| Small Burghs . | 12,480 | 5,997 | 5,772 | 383 | 328 | 16·39 | 15·46 | 0·93 | 5·70 |
| Landward . | 25,667 | 12,142 | 11,528 | 1,033 | 964 | 17·30 | 15·95 | 1·35 | 7·78 |
| SCOTLAND . | 88,627 | 42,619 | 40,559 | 2,828 | 2,621 | 17·75 | 16·66 | 1·09 | 6·15 |

The birth-rate for the year was 18·37 in the large burghs, 16·39 in the small burghs and 17·30 in the landward districts. In the previous year these three rates were 18·48, 16·03 and 16·92. Last year it was observed that the decline had been most marked in the small burghs and in the landward districts, but this loss has been largely recovered in 1938, and in each case the rates differ only very slightly from those shown in 1936. On the other hand the birth-rate in the large burghs has declined slowly from 18·66 in 1936 to 18·37 in 1938, as already stated. Of the total number of births, 57·0 per cent. were registered in the large burghs, 14·1 in the small burghs and 29·0 in the landward districts. In the case of births and deaths but not of marriages, all local rates quoted in this Report have been corrected by transfer to place of usual residence, if such be in Scotland. (*Table B (2).*)

The geographical variations in the birth-rate will be seen in Tables 4 to 6. In counties, including burghs, the rate ranged from 21·3 in Wigtown, 19·9 in West Lothian, 19·7 in Lanark and 18·6 in Stirling, to 12·9 in Peebles, 12·5 in Berwick, 12·3 in Bute and 11·7 in Selkirk. In the large burghs the highest rates were found in Port Glasgow (23·6), in Hamilton and in Coatbridge (23·0), in Airdrie (21·5) and in Stirling (20·6), while the lowest rates were 15·1 in Perth, 14·8 in Dunfermline, 14·3 in Rutherglen and 14·0 in Arbroath. In small burghs with populations of 5,000 and over this rate ranged from 23·9 in Armadale, 23·7 in Ardrossan, 23·2 in Johnstone and 22·4 in Stranraer, to 11·2 in Troon, 11·0 in St. Andrews, 10·9 in Dunoon and in Galashiels and 7·8 in Largs. In the landward areas of counties it ranged from 21·2 in Wigtown, 19·9 in Lanark, 19·8 in Ayr and 19·1 in West Lothian, to 13·2 in Argyll, 12·4 in Zetland and in Berwick, 12·1 in Peebles and 10·2 in Bute. (*Tables 4–6.*)

The monthly birth-rate ranged from 19·6 in May, 19·4 in April, 18·8 in June and 18·5 in March, to 16·7 in December, 16·6 in September, in October and in November. Compared with the previous year the increases in these rates are most marked in February, in March and in May, being 0·6 in each case, while there is a decline of 0·7 in July and of 0·5 in April. (*Table 34.*)

The geographical variations of the birth-rates may be more accurately determined if measured according to the number of births per thousand women aged 15–44 years, as the proportion of the females of those ages to population varies considerably in the local areas. These rates are shown in Table C. So measured the rate is highest in the landward areas (79·1 per thousand), followed by that for the large burghs (73·1) and for the small burghs (68·4), the rate for the whole of Scotland being 74·0. Table 7 shows also the number of legitimate births per thousand married women aged under 45, the rate for Scotland being 152·4 per thousand. This index of the local variations of the legitimate birth-rate is preferable to the crude birth-rate. In the landward areas this rate was 158·6, in the large burghs 151·6 and in the small burghs 144·4. This latter standard modifies

considerably the relative position of many areas from that shown in the crude birth-rates of Table 4. Thus the highest rates in the counties in Table 7 (legitimate births per 1,000 married women) are 187·0 in Ross and Cromarty and in Sutherland, 186·5 in Nairn, 183·9 in Inverness (exclusive of Inverness burgh) and 182·9 in Caithness. With the exception of the rate for Nairn, in which the crude birth-rate is the same as for Scotland, and Caithness, in which it is 0·1 above that for Scotland, in each of the counties named the crude birth-rate is decidedly below that for Scotland. Among the large burghs this rate was highest in Port Glasgow (201·8 per thousand), in Coatbridge (191·8), in Hamilton (186·3), in Airdrie (173·6) and in Stirling (170·6). These five burghs have also the five highest crude birth-rates, and in each series the rates occur in almost the same order. In the counties the lowest rates are found in Peebles (119·3), in Berwick (109·4) and in Selkirk (105·5). In 1937 these counties also showed the lowest birth-rates in this series. They also show the three lowest crude birth-rates for 1938, apart from the county of Bute (12·3). (*Table 7.*)

The total number of women who gave birth to living children during the year was 87,563, of whom 86,502 or 98·79 per cent. gave birth to single children, 1,058 or 1·21 per cent. to twin children and three to triplets. Thus, of the total number of mothers, 1,061 or 1·21 per cent. gave birth to two or more children. This rate is fractionally above that recorded for the years 1934, 1936 and 1937 (1·20); but with those exceptions is the lowest percentage of multiple births recorded for Scotland since 1906, when it was 1·18. As indicated in the Report for 1937, this percentage has since 1855 shown rather a remarkable and steady variation. Between 1855 and 1875 the quinquennial average was invariably 1·20 or over, but from 1876 to 1900 it was always below 1·20, and in only two individual years was it as high as 1·20. From 1901–20 the tendency was for the proportion of multiple births to increase, and in the five years 1916–20 the percentage was as high as 1·39, being 1·53 in the year 1919. Since then the tendency has been towards a diminution, and for the five years preceding 1938 the average was only 1·22. This average,

TABLE C.—Birth-rate per 1000 Women aged 15–44, 1938.

| GROUPS OF DISTRICTS. | Estimated Number of Women aged 15–44. | Births. | Birth-rate per 1000 of Population. | | Birth-rate per 1000 Women aged 15–44. | |
|----------------------|---------------------------------------|---------|------------------------------------|--|---------------------------------------|--|
| | | Number. | Rate. | Relative Quantity, Scotland being = 100. | Rate. | Relative Quantity, Scotland being = 100. |
| Large Burghs . . . | 690,300 | 50,480 | 18·37 | 103·5 | 73·1 | 98·8 |
| Small Burghs . . . | 182,600 | 12,480 | 16·39 | 92·3 | 68·4 | 92·4 |
| Landward . . . | 324,400 | 25,667 | 17·30 | 97·5 | 79·1 | 106·9 |
| SCOTLAND . . . | 1,197,200 | 88,627 | 17·75 | 100·0 | 74·0 | 100·0 |

therefore, which between 1855 and 1875 had a mean value of about 1·22, declined during the following 25 years to a mean value of 1·15, while in the following thirty years it attained a mean value of 1·31. In 1930 the percentage was 1·37, but since then the general tendency has been to decline. (*Tables 1 and 2.*)

Illegitimate Births.—These numbered 5,449 and constituted 6·15 per cent. of the total births, being the same as in the previous year. This rate is without exception the lowest ever recorded in Scotland, being 0·06 less than in 1903, which was the previous minimum. This rate of 6·15 is 0·44 below the average for the five preceding years. In the large burghs this percentage was 5·4, in the small burghs 5·7 and in the county districts 7·8. Taken as the rate per thousand unmarried women and widows aged 15–44, this rate for Scotland is 8·4, for the large burghs 7·3, for the small burghs 7·0 and for the landward areas 11·4. (*Tables 1, 2, 4 and 7.*)

International Birth-rates.—Compared with the Scottish birth-rate of 17·7 per thousand, that of England and Wales is 2·6 lower, but that of Northern Ireland is 2·3 higher and that of Eire is 1·6 higher. The accompanying table shows the birth-rates in 1938 for certain countries of the world. The greater portion of these and of the other international rates published in this Report have been kindly furnished by the Secretary-General of the International Statistical Institute.

BIRTH-RATES.

| | | | |
|------------------------|------|--------------------------|-------------|
| Union of South Africa* | 25·1 | Denmark | 18·1 |
| Poland | 24·5 | New Zealand . . . | 17·9 |
| Italy | 23·6 | Scotland | 17·7 |
| Netherlands . . . | 20·5 | United States of America | 17·6 |
| Canada | 20·4 | Australia | 17·5 |
| Northern Ireland . | 20·0 | Norway | 15·8 |
| Hungary | 19·6 | Belgium | 15·5 |
| Eire | 19·3 | Switzerland . . . | 15·2 |
| Germany† | 19·2 | England and Wales . | 15·1 |
| Finland (1937) . . | 18·9 | Sweden | 14·9 |
| Czecho-Slovakia . . | 18·3 | France | 14·6 |

* European population only.

† Including Austria. Exclusive of Austria the rate is 19·7, that for Austria alone being 13·9.

MARRIAGES.

Marriages registered in Scotland during the year 1938 numbered 38,747, which is 413 more than in the previous year. The marriage-rate is 7·76 per thousand, being 0·06 above that for the previous year and 0·27 above the average for the previous five years. For the fifth year in succession both the number and the rate are higher than in any year since the post-war years 1919–21. Apart from these years, the rate for the triennial period 1936–38 is higher than for any other triennial period in Scotland. The previous highest triennial average (apart from the post-war period, when it was 8·93) was 7·63 per thousand (1872–74), but the average for 1936–38 is 7·70. During the three years following the War the marriage-rates were 9·14 in

1919, 9·61 in 1920 and 8·04 in 1921. The marriage-rate has never at any time since the institution of National Registration in Scotland in 1855 been less than 6 per thousand. (*Tables 1 and 2.*)

The marriage-rate was highest in the aggregate of large burghs (9·08) and lowest in the landward districts (5·40), while in the smaller burghs it was 7·60. (*Table D.*) The relative position of these three aggregates is in conformity with the experience of previous years. For individual geographical areas the rates are shown in Tables 4 to 6. As already indicated, the numbers referring to marriages have not been corrected in any way for transfer to place of usual residence. The high rate in the large burghs is to some extent due to the tendency to resort to these areas for the purpose of celebrating marriages, especially irregular marriages.

The monthly marriage-rate ranged from 11·7 in July, 10·6 in June, 9·2 in December and 9·1 in September, to 5·4 in February, 5·3 in March and 4·0 in May. Compared with the rates in the previous year, that for October is higher by 1·1 and that for April by 0·8, while the rate for March is less by 0·7 and that for November is less by 0·6. (*Table 34.*)

Compared with the Scottish marriage-rate of 7·8 per thousand, that for England and Wales is 8·7, for Northern Ireland 6·7 and for Eire 5·1. Marriage-rates for various countries are given in the following table :—

MARRIAGE-RATES.

| | | | |
|-----------------------------|------|----------------------------|------------|
| Union of South Africa* | 11·0 | Canada | 7·9 |
| Germany† | 9·7 | Scotland | 7·8 |
| Australia | 9·1 | Czecho-Slovakia | 7·7 |
| Sweden | 9·0 | Netherlands | 7·7 |
| Denmark | 8·9 | Switzerland | 7·4 |
| England and Wales | 8·7 | Italy | 7·3 |
| Finland (1937) | 8·5 | Northern Ireland | 6·7 |
| Norway | 8·3 | France | 6·5 |
| Hungary | 8·2 | Eire | 5·1 |
| Poland | 8·0 | | |

* European population only.

† Including Austria. Exclusive of Austria the rate is 9·4, that for Austria alone being 12·7.

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1938.

| GROUPS OF DISTRICTS. | Marriages. | Marriage-rate per 1000 of Population. | |
|------------------------|------------|---------------------------------------|--|
| | Number. | Rate. | Relative Quantity, Scotland being = 100. |
| Large Burghs | 24,956 | 9·08 | 117·0 |
| Small Burghs | 5,784 | 7·60 | 97·9 |
| Landward | 8,007 | 5·40 | 69·6 |
| SCOTLAND | 38,747 | 7·76 | 100·0 |

Divorce.—By decrees pronounced in Scotland during the year 788 marriages were terminated, 783 by divorce and 5 by decrees of nullity. Of these, 702 affected marriages registered in Scotland and 86 affected marriages registered elsewhere. The trend of these figures over the whole period of registration has been upwards, increasing steadily from an annual average of 17 in 1855–64 and 14 in 1865–74 to one of 458 in 1915–24, with a maximum of 829 in 1919. For the ten years 1925–34 this average shows a small increase to 488, the number in 1938 being thus no fewer than 300 above that average. The number in 1938 is 139 more than in the previous year, and is the largest number recorded in any year with the single exception of 1919, when (as indicated) the number was 829. (*Table E.*)

DEATHS.

Deaths registered during the year numbered 62,953, the annual rate per thousand population being 12·61. This rate is 1·24 below that for the previous year and 0·71 below the average for the preceding five years, and is the lowest death-rate ever recorded for Scotland. Among males the death-rate was 13·22 per thousand and among females 12·04. Apart from slight annual variations, the general trend of the rate for both sexes since the early days of registration has until very recent years been steadily downwards, death-rates of over 23 per thousand having been recorded in 1864 (a maximum of 23·58), in 1874 and in 1875. In 1934 the rate had declined to 12·92, which was the lowest rate recorded up to that year, but thereafter there was a certain definite increase in the rate, which in 1935 rose to 13·19, in 1936 to 13·44 and in 1937 to 13·85, the last named being the highest death-rate which has been recorded in Scotland since 1929. It is gratifying to note that a large decline in the death-rate took place in 1938, the rate being, as above indicated, only 12·61 per thousand. The high rate in the previous year was to a large extent accounted for by an excess of mortality in the first quarter of the year when influenza was prevalent and the death-rate reached 18·0 per thousand. In 1938 the death-rate in the first quarter was 14·2, being 3·8 less than in the corresponding quarter of the previous year, and the lowest death-rate ever recorded for the

TABLE E.—Number of Divorces in Scotland, 1855–1938, including Decrees of Nullity of Marriage.

| <i>Years.</i> | <i>Annual Average.</i> | <i>Year.</i> | <i>Annual Numbers.</i> |
|---------------|------------------------|--------------|------------------------|
| 1855–64 | = 17 | 1928 | = 504 |
| 1865–74 | = 14 | 1929 | = 519 |
| 1875–84 | = 60 | 1930 | = 469 |
| 1885–94 | = 100 | 1931 | = 569 |
| 1895–1904 | = 159 | 1932 | = 488 |
| 1905–14 | = 222 | 1933 | = 510 |
| 1915–24 | = 458 | 1934 | = 468 |
| 1925–34 | = 488 | 1935 | = 498 |
| | | 1936 | = 642 |
| | | 1937 | = 649 |
| | | 1938 | = 788 |

first quarter of any year. The death-rates for the remaining quarters of the year differed but little from the average.

As the general death-rate, after the years of childhood, increases with age, it follows that, other things being equal, the death-rate will tend to increase as the population grows older. Both in 1921 and 1931 it was found that the population was on the average older by almost two years than at the preceding Census, and this increase appears to be continuing. The effect of differences in age and sex distribution may be eliminated by standardising the death-rates. By applying the ascertained death-rates for each sex at the various age-periods to a standard population, there is obtained a standard death-rate for both sexes at all ages, which represents the death-rate which would have resulted (at current death-rates) if the population had been distributed between the two sexes and in the age-groups in the same relative proportion as is found in the standard population. Such rates are appended according to two standard populations in common use—(a) based on that for England and Wales in 1901, and (b) based on a composite population totalling nearly 220 millions, representing various countries of Europe (including the United Kingdom) according to the Census nearest to 1900, as selected by the International Statistical Institute. It will be understood that death-rates so standardised are of most value when they are based on a Census year or a group of years surrounding a Census, and the following rates are subject to the qualification that all rates except those for 1931 are based on age estimates.

| | | | | Standardised according to Population. | |
|------|-----|----------------------|--|---------------------------------------|-------------------------|
| | | | | (a) | (b) |
| | | | | England and Wales, 1901. | International, 1900. |
| | | Crude Death-rate. | | | |
| 1931 | ... | 13·26 | | 11·28 | 12·45 |
| 1932 | ... | 13·53 | | 11·47 | 12·65 |
| 1933 | ... | 13·20 | | 11·05 | 12·22 |
| 1934 | ... | 12·92 | | 10·85 | 11·98 |
| 1935 | ... | 13·19 | | 10·81 | 11·99 |
| 1936 | ... | 13·44 | | 10·94 | 12·14 |
| 1937 | ... | 13·85 | | 11·10 | 12·33 |
| 1938 | ... | 12·61 | | 10·02 | 11·13 |

The population of England and Wales in 1901 included a relatively small proportion of infants and of old people, and this standard is therefore conducive to low standardised mortalities. It will be seen that in 1931 (as well as in years following) the death-rate by standard (b) was much nearer to the crude death-rate than that by standard (a). But whatever the standard, the results are broadly comparable with others in the same series over a number of years. Thus, while between 1931 and 1938 the crude death-rate in Scotland declined by 4·9 per cent., it declined by 11·2 per cent. by standard (a) and by 10·6 per cent. by standard (b). The real decline in the death-rate was therefore more than twice as much as is indicated by the crude death-rate.

Comparison of the mortality-rates in the three large aggregates

of districts shows a direct relationship to urbanisation. When the crude death-rate, i.e., the rate shown only as “corrected for transfer” to place of usual residence, is taken as a standard for comparison this association is not so apparent, but when these rates are standardised for differences in age and sex constitution from the population of Scotland in 1931 the excess mortality in urban as compared with rural areas is marked. In the landward areas the standardised rate was 11·21 per thousand, in the small burghs it was 11·91 and in the large burghs it was 13·70. Compared with the previous year the death-rate in the landward areas was 1·15 less, in the small burghs 1·04 less and in the large burghs 1·38 less. The proportionate decline was therefore least in the small burghs. (Table F.)

LOCAL DEATH-RATES.

In the counties, inclusive of burghs, the highest death-rates (standardised for age and sex as indicated) were found in Lanark (14·5), in Kinross (13·6), in West Lothian (13·0) and in Angus (12·9), and the lowest in Banff and in Zetland (10·7), in Inverness (10·5), in Caithness and in Orkney (9·8) and in Peebles (9·0). In the large burghs taken individually this rate ranged from 15·0 in Glasgow, 14·8 in Coatbridge and 13·8 in Kilmarnock, in Rutherglen and in Greenock, to 12·1 in Aberdeen, 11·8 in Perth, 11·7 in Stirling and in Dunfermline and 11·6 in Falkirk. In small burghs with populations of 5,000 and over this rate ranged from 19·7 in Armadale, 14·7 in Kilwinning, 14·6 in Bathgate, 14·4 in Buckhaven and Methil and 14·1 in Dalkeith, to 10·0 in Crieff, 9·6 in Lochgelly, 8·1 in Peebles and 6·4 in Cupar. In the landward areas of counties it ranged from 13·2 in Kinross, 12·8 in Lanark, 12·5 in Berwick and 12·4 in West Lothian, to 9·6 in Orkney, 9·1 in Peebles and 8·8 in Selkirk. (Tables 4 to 6.)

The monthly death-rate ranged from 15·7 in January, 14·5 in

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1938.

| GROUPS OF DISTRICTS. | Deaths. | | Death-rate per 1000 of Population. | |
|----------------------|--------------------|--------------------------|------------------------------------|--|
| | Registered Number. | Corrected for Transfers. | Corrected for Transfers. | Corrected for Transfers and Adjusted for Age and Sex Distribution, 1931. |
| Large Burghs | 38,601 | 35,288 | 12·84 | 13·70 |
| Small Burghs | 8,516 | 9,931 | 13·05 | 11·91 |
| Landward | 15,836 | 17,734 | 11·95 | 11·21 |
| SCOTLAND | 62,953 | 62,953 | 12·61 | 12·61 |

December and 13·4 in February and in March, to 11·1 in September, 11·0 in July and 10·8 in August. Compared with the previous year there is a marked decline in the death-rates in the first four months of the year, this decline amounting to 4·9 in January, to 3·9 in February, to 2·8 in March and to 1·3 in April. (As already stated, the death-rate in the early months of 1937 was considerably above the average.) The death-rate in December was also lower by 2·1 than in December 1937 and that in November was 1·6 lower. The rates in other months of the year showed only minor changes. (*Table 34.*)

The following table gives the crude death-rates of various countries, and while these rates give a general indication of the mortality in these countries they are not standardised in any way for the differences in the age and sex distribution of the population concerned. Compared with the Scottish death-rate of 12·6 per thousand, that for England and Wales is 11·6, for Northern Ireland 13·7 and for Eire 13·6. Rates for various countries are included in the following table :—

DEATH-RATES.

| | | | |
|----------------------------|-------------|------------------------------------|------|
| France | 15·4 | England and Wales | 11·6 |
| Hungary | 14·3 | Switzerland | 11·6 |
| Italy | 13·9 | Sweden | 11·5 |
| Poland | 13·8 | United States of America | 10·6 |
| Northern Ireland | 13·7 | Denmark | 10·4 |
| Czecho-Slovakia | 13·6 | Norway | 10·0 |
| Eire | 13·6 | New Zealand | 9·7 |
| Scotland | 12·6 | Australia | 9·6 |
| Belgium | 12·5 | Canada | 9·5 |
| Finland (1937) | 12·3 | Union of South Africa† | 9·4 |
| Germany* | 11·9 | Netherlands | 8·5 |

* Including Austria. Exclusive of Austria the rate is 11·7, that for Austria alone being 14·0.

† European population only.

Age and Sex.—The death-rates in separate age and sex groups show generally the differences usually found, namely higher male than female mortality at each age period, and the characteristic increase of the mortality rates with age after the period of childhood has been passed. Table G (1) shows the population estimates by age

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1938.

| Age. | Both Sexes. | Males. | Females. | Age. | Both Sexes. | Males. | Females. |
|-------|-------------|---------|----------|-------------|-------------|-----------|-----------|
| 0 | 83,400 | 42,700 | 40,700 | 45-54 | 554,300 | 252,900 | 301,400 |
| 1-4 | 318,100 | 160,700 | 157,400 | 55-64 | 468,900 | 219,400 | 249,500 |
| 5-9 | 403,600 | 203,300 | 200,300 | 65-74 | 290,200 | 133,400 | 156,800 |
| 10-14 | 431,300 | 216,400 | 214,900 | 75-84 | 102,000 | 40,500 | 61,500 |
| 15-24 | 859,100 | 430,900 | 428,200 | 85 and over | 11,700 | 3,500 | 8,200 |
| 25-34 | 804,300 | 391,800 | 412,500 | | | | |
| 35-44 | 666,200 | 309,600 | 356,600 | All Ages | 4,993,100 | 2,405,100 | 2,588,000 |

periods on which the rates for 1938 have been calculated, those estimates being based on the numbers found at the Census of 1931, with a deduction for the deaths at each age registered since that year and an allowance at each age period for migration. In Table G (2) there are shown for each sex the death-rates in each age group which have been recorded for each quinquennial period from 1911–15 to 1931–35, together with the rates for each individual year since 1931. From this table, therefore, there may be seen the measure of improvement in each age group during a period of more than 25 years. Apart from the final age group, for which comparative rates are not available for the entire series, mortality throughout this period has fallen in each separate group. This change is specially marked among children aged between 1 to 5 years, at which age the mortality in 1938 was little more than a third of the corresponding death-rate in 1911–15. The improvement in the rate diminishes generally with advancing age, the rates at the highest ages showing only a comparatively small decline. Comparing the 1938 death-rates at each age with those for the previous year, a decline is found in every age group, with the single exception of the female death-rate from 5 to 9, which is the same as in the previous year, and the female death-rate for 10 to 14, which is 0·1 higher than in the previous year. Apart from extreme ages, the relative decline in the death-rate is fairly evenly spread over the various age periods. In Table 19 there will be found the death-rates (both sexes combined) for each age period in each of the three groups of districts. In every case the highest rate is found in the large burghs, while the death-rate in the landward areas is less than in the small burghs, except at ages between 15 and 44. At age 10 to 14 the death-rate is the same as in the two last named groups. (Table 19.)

Infantile Mortality.—Deaths of children aged less than one year numbered 6,163, and as births numbered 88,627, the infantile mortality rate is 69·5 per thousand births, that for males being 76·6 and for females 62·1. Compared with the previous year the rate for

TABLE G (2).—Age group Death-rates per 1000 of Population from 1911 to 1938.

| YEARS. | MALES. | | | | | | | | | | | | FEMALES. | | | | | | | | | | | |
|---------|--------|-------|-----|-----|-----|-----|-----|------|------|------|-------|--------------|----------|------|-----|-----|-----|-----|-----|------|------|------|-------|--------------|
| | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| 1911-15 | 140·0 | 18·5 | 3·7 | 2·4 | 4·1 | 5·6 | 8·8 | 16·2 | 33·5 | 67·4 | 162·7 | .. | 111·2 | 17·5 | 3·7 | 2·6 | 3·8 | 5·5 | 8·3 | 12·9 | 26·4 | 54·3 | 147·0 | .. |
| 1916-20 | 110·8 | 15·5 | 3·6 | 2·4 | 4·5 | 6·2 | 8·5 | 16·2 | 34·3 | 69·1 | 170·2 | .. | 85·4 | 14·7 | 3·6 | 2·7 | 4·3 | 6·0 | 7·8 | 12·6 | 25·9 | 49·8 | 149·5 | .. |
| 1921-25 | 109·1 | 115·1 | 2·9 | 1·9 | 3·2 | 4·6 | 6·9 | 12·0 | 26·8 | 61·9 | 144·5 | 289·7 | 82·6 | 13·7 | 2·7 | 1·9 | 3·2 | 4·5 | 6·3 | 10·1 | 21·5 | 49·2 | 118·7 | 252·6 |
| 1926-30 | 103·8 | 11·8 | 2·7 | 1·9 | 3·1 | 4·2 | 7·0 | 11·9 | 25·9 | 62·4 | 143·2 | 303·8 | 79·0 | 10·2 | 2·4 | 1·7 | 2·9 | 4·1 | 5·9 | 10·0 | 20·6 | 48·4 | 118·6 | 271·4 |
| 1931-35 | 96·2 | 9·3 | 2·6 | 1·6 | 2·9 | 3·8 | 6·3 | 11·8 | 24·3 | 59·7 | 149·7 | 289·8 | 74·1 | 8·3 | 2·2 | 1·5 | 2·8 | 3·7 | 5·2 | 9·1 | 19·4 | 47·0 | 117·4 | 260·6 |
| 1931 | 100·5 | 10·1 | 2·6 | 1·7 | 3·0 | 3·9 | 6·3 | 11·6 | 24·5 | 60·4 | 140·8 | 293·8 | 74·4 | 9·5 | 2·3 | 1·4 | 2·9 | 3·7 | 5·3 | 9·2 | 19·5 | 47·0 | 118·6 | 266·2 |
| 1932 | 100·4 | 10·6 | 2·7 | 1·6 | 3·0 | 3·8 | 6·6 | 11·6 | 24·1 | 60·1 | 142·1 | 273·7 | 80·0 | 9·7 | 2·3 | 1·7 | 2·9 | 4·0 | 5·5 | 9·4 | 19·8 | 47·7 | 119·7 | 268·5 |
| 1933 | 94·1 | 8·5 | 2·4 | 1·7 | 3·0 | 4·0 | 6·4 | 12·2 | 24·9 | 59·8 | 139·4 | 290·5 | 73·6 | 7·4 | 2·1 | 1·5 | 2·8 | 3·7 | 5·3 | 9·1 | 19·4 | 47·8 | 117·0 | 257·1 |
| 1934 | 93·5 | 9·8 | 2·9 | 1·6 | 2·8 | 3·8 | 6·1 | 11·6 | 24·0 | 57·3 | 135·7 | 275·7 | 73·0 | 8·3 | 2·5 | 1·5 | 2·8 | 3·6 | 5·0 | 8·9 | 19·2 | 45·0 | 110·9 | 246·6 |
| 1935 | 92·3 | 7·2 | 2·4 | 1·7 | 2·7 | 3·5 | 6·1 | 11·8 | 24·2 | 61·0 | 145·5 | 314·5 | 69·6 | 6·4 | 2·0 | 1·4 | 2·7 | 3·4 | 5·1 | 9·0 | 19·3 | 47·4 | 119·9 | 265·0 |
| 1936 | 93·6 | 7·9 | 2·4 | 1·5 | 2·8 | 3·5 | 6·1 | 12·6 | 24·6 | 61·2 | 145·4 | 318·6 | 75·6 | 7·8 | 1·9 | 1·2 | 2·6 | 3·2 | 4·9 | 9·2 | 18·9 | 47·8 | 117·4 | 263·5 |
| 1937 | 93·2 | 7·2 | 2·2 | 1·5 | 2·8 | 3·8 | 6·3 | 12·8 | 25·8 | 63·0 | 150·3 | 351·2 | 75·5 | 6·6 | 1·9 | 1·2 | 2·7 | 3·4 | 4·9 | 9·1 | 19·5 | 50·0 | 121·2 | 288·6 |
| 1938 | 81·6 | 7·0 | 1·9 | 1·4 | 2·5 | 3·2 | 5·6 | 11·6 | 23·8 | 57·0 | 137·7 | 312·9 | 65·7 | 6·2 | 1·9 | 1·3 | 2·5 | 3·0 | 4·4 | 8·3 | 18·2 | 45·2 | 108·6 | 261·0 |

Rates calculated on revised population estimates for years since 1921.

both sexes is less by 10·8, that for males being less by 13·0 and for females by 8·4. The rate for both sexes is 10·1 below the average for the five preceding years. Up to and including 1915 this rate was invariably over 100, but since that year it has exceeded that figure on only three occasions. Apart from comparatively small year-to-year variations the tendency has been fairly steadily downwards since the beginning of the century, although the rates for 1936 and 1937 were both higher than for the two years immediately preceding. In 1938, however, as indicated, there was a marked fall in this rate, which in that year reached the lowest level ever recorded in Scotland. The preceding smallest was 76·8 in 1935, although a rate as low as 78·9 was recorded as far back as 1923. But the decline now recorded is the greatest for any single year in the past fifteen years. As is usually the case the rate was highest in the large burghs, where it was 77, that for the small burghs being 63 and for the landward areas 59. Compared with the previous year this rate is less by 13 in the large burghs, by 6 in the small burghs and by 7 in the landward areas. The fall has therefore been most marked in the case of the large burghs. In the individual large burghs the rate ranged from 91 in Arbroath, 89 in Airdrie, 87 in Glasgow and in Dumfries and 84 in Coatbridge, to 58 in Perth, 55 in Rutherglen, 54 in Kirkcaldy and 49 in Falkirk. In Glasgow the rate fell from 104 in 1937 to 87 in 1938. In the counties, exclusive of large burghs, the rate ranged from 81 in Kinross, 74 in Ayr, 70 in Wigtown and 69 in Dumfries and in Lanark, to 38 in Roxburgh, 34 in Bute, 32 in Zetland and 21 in Peebles. (*Table 4.*)

The rate ranged from 94 in January, 88 in December and 76 in February, to 59 in September, 57 in July and 56 in August. (*Table 34.*)

Among legitimate children the infantile mortality-rate amounted to 67 per thousand legitimate births for Scotland as a whole. For the large burghs this rate was 74 per thousand births and for the rest of Scotland 58. The rate among illegitimate children was 109 for Scotland, 127 for the large burghs and 91 for the rest of Scotland. In 1937 the latter rates were 122, 145 and 96 respectively. The proportionate decline since the previous year has thus been rather more pronounced among the legitimate than among the illegitimate children, especially in the area outwith the large burghs, where the decline in the illegitimate infantile mortality has been comparatively small. As in the previous year the excess of the rates among illegitimate children is greatest between the ages of one week and two months. While the infantile mortality is published in Table 33 for each Public Health District, it must be kept in mind that the comparative paucity of numbers deprives some of the rates in this table of any great significance. (*Table 33.*)

Compared with the infantile mortality-rate of 69·5 in Scotland, that in England and Wales was 53, in Northern Ireland 75 and in

Eire 66. Rates for various countries are included in the following table :—

INFANTILE MORTALITY PER 1,000 BIRTHS..

| | | | |
|----------------------------|-----------|------------------------------------|----|
| Poland | 140 | Canada | 63 |
| Hungary | 133 | Germany* | 61 |
| Czecho-Slovakia | 121 | England and Wales | 53 |
| Italy | 108 | Union of South Africa† | 52 |
| Northern Ireland | 75 | United States of America | 51 |
| Belgium | 75 | Switzerland | 43 |
| Scotland | 70 | Sweden | 41 |
| Finland (1937) | 69 | Australia | 38 |
| Denmark (1937) | 66 | Netherlands | 36 |
| Eire | 66 | New Zealand | 36 |
| France | 66 | | |

* Including Austria. Exclusive of Austria the rate is 60, that for Austria alone being 80.

† European population only.

Centenarians.—Only 7 deaths of reputed centenarians were registered during 1938, one being of a male and six of females, and of these the age was verified as being at least 100 years in three cases, proof being lacking in the other four. The three females whose ages were verified were aged 100, 101 and 106 years respectively, the last deceased being aged 106 years and 288 days. With two exceptions this is the greatest age ever verified since 1910, when this series of investigations was commenced. Since that year 395 such deaths have been registered, 65 being of males and 330 of females. The age has been verified as being at least 100 years in 208 instances, in 73 cases the evidence was rather against the claim, while in 114 cases no satisfactory evidence of age could be obtained. The proportion of ages verified as being at least 100 years has increased steadily and has exceeded 60 per cent. in the last ten years.

CAUSES OF DEATH.

Certified Deaths.—Of the 62,953 deaths registered in 1938, 62,772 or 99·7 per cent. were certified as to cause of death by a registered medical practitioner or by Procurator-Fiscal's report and 181 or 0·3 per cent. were uncertified. The latter number is the lowest on record, being 18 less than in 1937, which was the smallest number recorded up to that date. It is in marked contrast to the figure prevailing fifty years ago, when the average number of uncertified deaths was over 6,000. Of the 181 cases, 69 were registered in Ross and Cromarty and 77 in Inverness County. (*Table H and page 2.*)

The cause of death was specified in 61,962 cases, or 98·4 per cent. of the total deaths, while in 991 or 1·6 per cent. it was either ill-defined or not specified. Of the latter, 971 were attributed to sudden death, syncope, heart failure or other ill-defined cause, while in 20 cases the cause was unspecified.

Principal Epidemic Diseases.—Deaths from the principal epidemic diseases (Nos. 1-18 of the International List) number

2,043, as compared with 4,468 in the previous year. The death-rate is 41 per 100,000 against 90 in the previous year. The comparatively high death-rate for 1937 was principally due to an epidemic of influenza in the early months of the year and was the highest since 1929, but the rate for the year under review is the smallest which has ever been recorded in Scotland. The most important cause of death in this group in 1938 was *measles*, to which 549 deaths were classified, the equivalent annual death-rate being 11 per 100,000. The very great majority of these deaths occurred in the first five months of the year. Compared with the five years' average this number is 165 more and the rate per 100,000 is 3 more. Next to measles the most important cause of death was *diphtheria*, which was responsible for 430 deaths, the death-rate being 9 per 100,000. Compared with the five years' average the number is 23 less, while the rate is the same. Deaths from *influenza* numbered 396 and were equal to an annual death-rate of 8 per 100,000. This number is 2,297 less than in the previous year and was the smallest number registered in any year since 1920. Deaths from *whooping-cough* numbered 219, the equivalent annual death-rate being 4 per 100,000. This number is 349 less than the five years' average and the rate is 7 less. It is the smallest number of deaths from whooping-cough ever registered in any year in Scotland. Deaths from *cerebro-spinal fever* numbered 106, the rate being 2 per 100,000. Those deaths are 38 fewer than in the previous year and 45 fewer than the five years' average. The number is the smallest since 1925. Apart from 1937, when they showed an increase, deaths from cerebro-spinal fever have shown a practically continuous decline since 1931, when they numbered 290. Deaths from *scarlet fever* numbered 98, the rate being 2 per 100,000. This is the smallest number of deaths from scarlet fever registered in Scotland in any year. The previous lowest figure was 109 in 1929. Deaths from *typhoid fever* numbered 23 and from *paratyphoid fevers* 4. The combined number is 3 less than the five years' average. Other diseases in the epidemic group include 87 from lethargic encephalitis (2 more than in the previous year),

TABLE H.—Deaths from Uncertified Causes, 1881-1938.

| Year. | Uncertified Causes. | Percentage of Uncertified to Total. | Year. | Uncertified Causes. | Percentage of Uncertified to Total. |
|---------------|---------------------|-------------------------------------|---------------|---------------------|-------------------------------------|
| 1881-1890 . . | 6061 | 8·2 | 1929 . . | 326 | 0·5 |
| 1891-1900 . . | 3239 | 4·1 | 1930 . . | 340 | 0·5 |
| 1901-1910 . . | 1839 | 2·4 | 1921-1930 . . | 499 | 0·8 |
| 1911-1920 . . | 1239 | 1·7 | 1931 . . | 333 | 0·5 |
| 1921 . . | 716 | 1·1 | 1932 . . | 303 | 0·5 |
| 1922 . . | 675 | 0·9 | 1933 . . | 272 | 0·4 |
| 1923 . . | 573 | 0·9 | 1934 . . | 225 | 0·4 |
| 1924 . . | 608 | 0·9 | 1935 . . | 230 | 0·4 |
| 1925 . . | 498 | 0·8 | 1936 . . | 213 | 0·3 |
| 1926 . . | 418 | 0·7 | 1937 . . | 199 | 0·3 |
| 1927 . . | 481 | 0·7 | 1938 . . | 181 | 0·3 |
| 1928 . . | 356 | 0·5 | | | |

75 from erysipelas (34 fewer), 40 from dysentery (15 more) and 16 from acute poliomyelitis (5 more). In very many of the deaths certified as due to lethargic encephalitis the original attack took place several years before.

Deaths from syphilis numbered 73 and from other venereal diseases 12. The "other infectious diseases" referred to on page 7 will be found in detail in Table J. They include 7 deaths from pink disease, 5 from spirochaetosis ictero-haemorrhagica, 2 from undulant fever, and 1 each from chickenpox, vaccinia, rubella and mumps.

Tuberculosis.—Deaths from all forms of tuberculosis, exclusive of those associated with influenza, numbered 3,432 and are 231 fewer than in 1937. The equivalent annual death-rate is 69 per 100,000, being the lowest rate ever recorded in Scotland. The death-rate from tuberculosis has declined rapidly in recent times, the rate in the period 1866–70 having been as high as 382, but during the four years 1934–37 this rate showed little change, being 75 in 1934 and 74 in 1935, in 1936 and in 1937. There has therefore been an appreciable decline in 1938. The death-rate from tuberculosis of the respiratory system was 52 per 100,000 as against 56 in the previous year, while the rate from other forms of tuberculosis was 17 as against 18.

Mortality from all forms of tuberculosis was highest in the large burghs (86 per 100,000), while in the small burghs it was 50 and in the landward areas it was 47. Compared with the previous year the rate in the large burghs has declined by 3, in the small burghs by 5 and in the landward areas by 8. In the individual large burghs this rate ranged from 111 in Port Glasgow, 109 in Glasgow and in

TABLE J.—The Causes of Death shown in the International Headings, Nos. 44 and 69, on pages 7 and 9, consisted of the following (age in brackets):—

| No. 44. | Males. | | | | Females. | | | Total. |
|---|----------|----------|-----------|-----------|----------|----------|----------|--------|
| Pink disease | (3 mos.) | (9 mos.) | (10 mos.) | (10 mos.) | (5 mos.) | (7 mos.) | (9 mos.) | 7 |
| Spirochaetosis Ictero-haemorrhagica | (37) | (45) | (59) | (67) | (9 mos.) | | | 5 |
| Undulant fever | | (28) | (56) | | — | | | 2 |
| Chickenpox | | (8 mos.) | | | — | | | 1 |
| Vaccinia | | (2) | | | — | | | 1 |
| Rubella | | — | | | (4) | | | 1 |
| Mumps | | — | | | (5) | | | 1 |
| TOTAL | 12 | | | | 6 | | | 18 |
| No. 69. | | | | | | | | |
| Acidosis | — | | | | (2 days) | (1) | (88) | 3 |
| Pellagra | — | | | | (6) | (43) | (74) | 3 |
| Diabetes insipidus | (2) | (60) | | | — | | | 2 |
| Cyclical vomiting | (3 mos.) | | | | — | | | 1 |
| Beri-beri | — | | | | (41) | | | 1 |
| Beri-beri and pellagra | — | | | | (8) | | | 1 |
| Acholic jaundice | — | | | | (24) | | | 1 |
| Haemolytic jaundice | — | | | | (47) | | | 1 |
| Obesity | — | | | | (50) | | | 1 |
| Osteomalacia | — | | | | (60) | | | 1 |
| Toxaemia | — | | | | (6 mos.) | | | 1 |
| TOTAL | 3 | | | | 13 | | | 16 |

Greenock, 91 in Coatbridge and 88 in Arbroath, to 47 in Inverness, 39 in Perth, 26 in Kirkcaldy and 25 in Airdrie. In Edinburgh it was 77. In the counties, exclusive of large burghs, this rate ranged from 99 in Zetland, 88 in Ross and Cromarty, 65 in Argyll and 61 in East Lothian, to 33 in Clackmannan, 30 in Berwick and in Kincardine, 27 in Wigtown and 24 in Nairn.

Mortality from tuberculosis, as already indicated, has been steadily declining for many years past, both absolutely and relatively. Thirty years ago (1901–1905) the pulmonary and non-pulmonary forms of the disease accounted for approximately 8·5 and 4·3 per cent. respectively of the total male deaths, whereas now the corresponding proportions are 4·4 and 1·4 per cent. Among females a similar trend is manifest. Formerly 8·7 per cent. of all female deaths were from pulmonary forms of tuberculosis and 3·9 per cent. from non-pulmonary, but these proportions have now fallen to 3·8 and 1·3 respectively. A special report on the decline of the death-rate from tuberculosis was included in the Annual Report for 1935.

Malignant Disease.—Deaths from this group of causes numbered 8,072 and are equal to a death-rate of 162 per 100,000. Compared with the previous year the deaths are more by 262 and the rate is more by 5, while the rate is 6 above the average for the five preceding years. What has already been said (see page xviii) about the effect on the general death-rate of the ageing of the population applies in an even more marked degree to the death-rate from cancer, which is essentially a disease of the more advanced ages. If allowance is made for the altered age incidence since 1931 it is found that even this death-rate, which is 14 per thousand above that recorded in 1931, differs but little from the rate for that year, when standardised to the age distribution of the population of Scotland in that year, the rate so standardised being 151. The crude death-rates and the standardised rates are as follows :—

DEATH-RATE PER 100,000 OF POPULATION FROM
MALIGNANT DISEASE.

| | | | Crude. | Standardised to Scotland 1931. | Effect of Standardisation. |
|------|-----|-----|--------|-----------------------------------|-------------------------------|
| 1931 | ... | ... | 148 | 148 | — |
| 1932 | ... | ... | 153 | 151 | — 2 |
| 1933 | ... | ... | 153 | 151 | — 2 |
| 1934 | — | ... | 153 | 149 | — 4 |
| 1935 | ... | ... | 157 | 152 | — 5 |
| 1936 | ... | ... | 159 | 151 | — 8 |
| 1937 | ... | ... | 157 | 147 | —10 |
| 1938 | ... | ... | 162 | 151 | —11 |

The most frequent sites among males were the digestive system (stomach, intestine, rectum, liver and œsophagus), the genito-urinary system, the respiratory system, and the buccal cavity (mouth, tongue, &c.). Among females the sites affected, in order of numerical importance, were the digestive system, breast and

genitalia. Compared with the previous year increases are noted in male deaths from cancer of the digestive system and of the genito-urinary system, and among females in deaths from cancer of the digestive system, of the respiratory system and of the breast. (Table 28.)

Comparing deaths from cancer with the average for the ten years 1921–30 it is found that for all sites combined there is a general increase of almost 25 per cent. This rate of increase is greatly exceeded in the case of cancer of the respiratory organs, in which the number has more than doubled, while deaths from cancer of the breast and of the male genito-urinary organs also show increases considerably above the average rate of increase. On the other hand deaths from cancer of the uterus have never in any single year since 1931 reached the average number for 1921–30 (490), although in the most recent years they have been tending to increase towards that average. Deaths from cancer of the buccal cavity are also below the 1921–30 average (421), having failed to reach that average in any single year since 1931, when they were slightly in excess of the average.

Diabetes.—Deaths from this cause numbered 859, being 8 fewer than in the previous year. Male deaths numbered 287 and female 572. The death-rate, 17 per 100,000, is the same as in the previous year. In 1925 deaths from diabetes numbered 457, which was lower than for the years immediately preceding, but since that year the number has steadily increased. The only years in which a decrease has been noted were in 1930, in 1935 and in 1938, the year now under review. Compared with the average for the past five years deaths from diabetes numbered 81 more. Of this increase 32 occurred among males and 49 among females. A detailed examination of the trend of mortality from this cause was given in an Appendix to the Annual Report in 1931. It was then found that at that date any improvement was greater among males than among females, that there was a definite improvement in the younger ages, but that in later life mortality had increased. In 1938, compared with the previous year, male deaths increased by 7 while female deaths decreased by 15.

Other General Diseases.—In addition to the foregoing diseases there were 227 from rheumatic fever, being 1 more than in the previous year, 138 from chronic rheumatism (2 more than in the previous year), and 316 from anæmia, of which 259 were attributed to pernicious anæmia. The deaths from all forms of anæmia were 4 more than in the previous year, those from pernicious anæmia being 6 more. Deaths from diseases of the thyroid and parathyroid numbered 175, being 15 fewer than in the previous year, and those from leukæmia and aleukæmia numbered 190, being 13 more than in the previous year. Deaths from pernicious anæmia were more fully dealt with in an Appendix to the Report in 1931. The diseases summarised under No. 69 on page 9 are shown in detail in Table J.

Diseases of the Nervous System.—Deaths from this group of diseases numbered 7,772 and are 227 fewer than in the previous year. They include 65 from cerebral abscess and other inflammation of the brain and 189 from meningitis (other than tuberculous or cerebro-spinal), each of these numbers being slightly more than in the previous year. Deaths from general paralysis of the insane number 117, being 23 more than in the previous year. Deaths in the previous year, however, were exceptionally few, that number (94) having been the lowest ever recorded in Scotland. Deaths from locomotor-ataxy number 52, being 4 fewer than in the previous year. These deaths have on the whole shown a declining tendency for the past ten years. Deaths from cerebral hæmorrhage, apoplexy, thrombosis and softening numbered 5,916, or 102 fewer than in the previous year, while those from hemiplegia and other or unspecified forms of paralysis numbered 338, or 55 fewer than in the previous year. Deaths certified as due to hemiplegia and unspecified forms of paralysis have shown a tendency to decline during the past ten years, being less than half of the number so described in 1928. (*Page 11.*)

Diseases of the Circulatory System.—Deaths from this group of diseases numbered 15,438, being 294 fewer than in the previous year. Of them, 14,115 were attributed to heart disease, 741 to arteriosclerosis, 203 to gangrene, 133 to aneurysm, 98 to other diseases of the arteries and 56 to diseases of the veins. In the Report for 1937 the increase in the number of deaths certified as due to heart disease was commented upon. It was pointed out that in eleven years (1925 to 1936) they had increased from 7,375 to 13,698, and an increase of 662 compared with the previous year was noted in that Report. The numbers for 1938, as indicated, are however fewer than in that year by 245. Deaths from myocarditis, other than acute, have practically doubled since 1931. Special mention was made in the Report for 1937 of the increase in the number of deaths from diseases of the coronary arteries (including angina pectoris), and it is found that these deaths continue to increase, numbering 1946 in 1938, as against 1756 in 1937 and 1584 in 1936. These increases may be partly due to more exact diagnosis. Male deaths from this cause are almost twice as many as female, and this excess of male deaths is specially marked at ages between 40 and 60. (*Table 23 and page 13.*)

Diseases of the Respiratory System.—Deaths from these causes (excluding those associated with influenza and with tuberculosis) numbered 7,074, being 2,013 fewer than in the previous year. Of them, 2,462 were attributed to bronchitis, 3,832 to pneumonia (of which 1,188 were certified as due to lobar pneumonia), 135 to pleurisy, 19 to diseases of the nose and 30 to diseases of the larynx, while 596 were ascribed to other diseases of the respiratory system, of which 317 were due to congestion of the lungs. In all of the most important individual causes in this group there were considerable decreases as compared with the numbers for the previous year, while for the order as a whole the number of deaths was lower than in any

previous year. Deaths from bronchitis are fewer than in the previous year by 811, those from pneumonia by 1,026, those from pleurisy by 27 and those from congestion of the lungs by 61. If to the deaths from bronchitis and from pneumonia there are added those in which influenza was specified as leading to the respiratory condition named, it is found that the death-rate from bronchitis was 50 per 100,000, being 23 less than in the previous year and 18 below the average for the preceding five years. In the case of pneumonia the corresponding death-rate was 80 per 100,000, being 43 below that for the previous year and 28 below the five years' average. In the case of bronchitis this death-rate is the lowest on record for Scotland, while in the case of pneumonia it is the lowest since 1872. The rate for the deaths from pneumonia was then 78 per 100,000, but it is probable that at that date many deaths, really due to pneumonia, may have been certified as from bronchitis. The low death-rates from diseases of the respiratory system are largely due to the exceptionally low rates in the first quarter of the year, when the mean temperature was well above the average, particularly in the month of March. (*Table 26 and page 14.*)

Diseases of the Digestive System.—The total number of deaths ascribed to this group of diseases, apart from malignant disease and tuberculosis, was 3,660, being 121 fewer than in 1937. Deaths from gastric and duodenal ulcer numbered 688 as against 694 in the previous year. These numbers are considerably higher than those returned for several years prior to 1937. Those from diarrhoea and enteritis at all ages numbered 920 as compared with 1,013 in the previous year. As is usually the case the number of deaths from diarrhoea was most marked in the summer months, but this summer excess was not so great as is generally the case, the deaths in the later summer months, when the excess is usually most pronounced, being actually fewer than in May and June. Of the total number of these deaths 360 occurred in Glasgow. Deaths from ulceration of the intestines numbered 61, being the same as in the previous year, and those from appendicitis numbered 430, being 22 fewer than in the previous year. Deaths from all diseases of the liver numbered 599 as compared with 584 in the previous year. They include 203 from cirrhosis of the liver, 123 from gallstones and 204 from cholecystitis, there being in each case a slight increase as compared with 1937. (*Page 16.*)

Diseases of the Genito-Urinary System.— These collectively numbered 2,737 and are 184 fewer than in 1937. This is the smallest number of deaths from this group since 1933, when they numbered 2,629. Deaths from diseases of the kidney numbered 1,946, a decrease as compared with the previous year of 125, from urinary calculus and conditions affecting the bladder and urethra 238, a decrease of 20, from diseases of the male reproductive organs 467, a decrease of 48, and from diseases of the female reproductive organs 86, an increase of 9. (*Page 18.*)

Diseases of Pregnancy and Childbirth. — These collectively numbered 432 and are 8 more than in the previous year, which was the smallest number recorded for many years. Deaths from puerperal (including post-abortive) sepsis numbered 150, being 6 more than in the previous year. Those from puerperal albuminuria and convulsions numbered 68, being 3 fewer than in the previous year. Those from puerperal hæmorrhage numbered 75, being 14 more than in the previous year. Those from abortion not returned as septic numbered 13, being the same as in the previous year, while those from phlegmasia alba dolens or embolism numbered 33, being 1 fewer than in the previous year. Apart from the increase in deaths from hæmorrhage, there is therefore little change to record as compared with the numbers shown for 1937. Deaths from all puerperal causes are equal to a death-rate of 4·9 per thousand births, the rate for sepsis alone being 1·7 and for other puerperal conditions 3·2. In the previous year these three rates were 4·8, 1·6 and 3·2 respectively. For the second year in succession the death-rate from puerperal sepsis has been considerably lower than for the years immediately preceding. From 1928 to 1936 inclusive this rate ranged between 2·2 and 2·7, but in 1937 it fell to 1·64 and in 1938 it was 1·69. In the large burghs the rate from all puerperal causes was 5·2, in the small burghs 4·7 and in the landward districts 4·2. These rates differ but little from those for

TABLE K (1).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1938.*

| Short List No. | CAUSE OF DEATH. | All Ages. | Ages. | | | | | | |
|----------------|---|-----------|-------|-------|-------|-------|-------|-------|--------------|
| | | | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45 and over. |
| 1 | Typhoid fever | 1 | — | 1 | — | — | — | — | — |
| 5 | Scarlet fever | 1 | — | — | — | — | 1 | — | — |
| 7 | Diphtheria | 1 | — | 1 | — | — | — | — | — |
| 8 | Influenza | 2 | 1 | — | — | — | — | 1 | — |
| | Influenza with pneumonia | 2 | — | — | — | 1 | 1 | — | — |
| 14 (1) | Cerebro-spinal fever | 1 | — | — | 1 | — | — | — | — |
| 14 (2) | Other epidemic diseases | 1 | — | — | — | 1 | — | — | — |
| 10 | Tuberculosis of respiratory system | 12 | 2 | 3 | 5 | 2 | — | — | — |
| 11 | Other tuberculous diseases | 1 | — | — | 1 | — | — | — | — |
| 15 | Cancer, malignant disease | 4 | — | 1 | — | 1 | 1 | 1 | — |
| 18 | Diabetes | 1 | — | — | 1 | — | — | — | — |
| 20 | Other general dis., chronic poisonings | 6 | — | 1 | 1 | 1 | 1 | 2 | — |
| 22 | Cerebral hæmorrhage | 1 | — | — | — | 1 | — | — | — |
| 23 | Other diseases of nervous system and sense organs | 4 | 1 | — | — | 3 | — | — | — |
| 24 | Heart disease | 27 | — | 6 | 8 | 5 | 6 | 2 | — |
| 25 | Other circulatory diseases | 1 | — | — | — | 1 | — | — | — |
| 26 | Bronchitis | 2 | — | — | — | 2 | — | — | — |
| 27 | Pneumonia (all forms) | 6 | — | 2 | — | 1 | 3 | — | — |
| 28 | Other respiratory diseases | 1 | — | — | — | — | 1 | — | — |
| 30 | Appendicitis | 1 | — | 1 | — | — | — | — | — |
| 31 (2) | Other diseases of liver, &c. | 7 | — | — | 3 | 2 | 2 | — | — |
| 32 (2) | Other digestive diseases | 2 | — | 1 | — | — | — | 1 | — |
| 33 | Chronic nephritis | 6 | — | 2 | — | 2 | 1 | 1 | — |
| 34 | Other dis. of genito-urinary system | 1 | — | — | — | — | — | 1 | — |
| 42 | Other violence | 4 | — | 1 | 1 | — | 1 | — | 1 |
| | All causes | 96 | 4 | 20 | 21 | 23 | 18 | 9 | 1 |

* See explanatory note on page xxxi.

the previous year. From puerperal sepsis alone the rates for the three groups were respectively 2.0, 1.2 and 1.3. Deaths from septic and from non-septic conditions are shown for each Public Health District in Table 27. As is usually the case these rates show considerable variations, which are not necessarily statistically significant, owing to the small numbers involved. (*Table 27 and page 19.*)

In addition to the deaths assigned to puerperal conditions, there were 96 deaths associated with pregnancy and parturition but which were not so classified. These are shown in Table K (1). In 1937 these deaths numbered 142. The total number of deaths in which pregnancy or parturition occurred was considerably less than in 1937, numbering 528 as against 566. This decline is entirely due to a decline in the number of these deaths which were certified as due to some disease of the respiratory system, including pneumonia. In 1937 such deaths numbered 46 and in 1938 they numbered only 9. Included in this supplementary list for 1938 are 13 deaths from tuberculosis, 9 from the principal epidemic diseases, 4 from cancer, 10 from diseases of the digestive system and 7 from diseases of the genito-urinary system. In 1937 those from the epidemic group numbered 28, of which 25 were certified as due to influenza. It must be borne in mind that this supplementary table includes all cases in which the certifier stated that the death had occurred during pregnancy or within four weeks thereafter, but in the great majority of these cases the puerperal condition was not actually specified as even a contributory cause of death.

TABLE K (2).—Deaths from Puerperal Causes per 1000 Births in Scotland according to age of Mother.

| | Age of Mother. | | | | | | | |
|--------------------------------------|----------------|----------|-------|-------|-------|-------|-------|--------|
| | All ages. | Under 20 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
| <i>1938.</i> | | | | | | | | |
| All puerperal causes | 4.87 | 4.07 | 2.88 | 3.67 | 5.77 | 8.11 | 11.33 | 8.85 |
| Puerperal sepsis | 1.69 | 2.14 | 1.07 | 1.12 | 2.07 | 2.65 | 4.07 | — |
| Other puerperal causes | 3.18 | 1.93 | 1.81 | 2.54 | 3.70 | 5.46 | 7.26 | 8.85 |
| <i>1934-38.</i> | | | | | | | | |
| All puerperal causes | 5.55 | 4.29 | 3.90 | 4.29 | 6.22 | 8.67 | 12.40 | 12.31* |
| Post-abortion sepsis | 0.42 | 0.34 | 0.22 | 0.33 | 0.51 | 0.70 | 0.93 | — |
| Abortion, non septic | 0.17 | 0.09 | 0.07 | 0.10 | 0.24 | 0.27 | 0.70 | — |
| Toxæmias, other acc. of preg. . . | 0.53 | 0.34 | 0.36 | 0.46 | 0.65 | 0.72 | 0.93 | — |
| Placenta prævia | 0.21 | 0.04 | 0.05 | 0.13 | 0.25 | 0.55 | 0.70 | — |
| Accidental hæmorrhage | 0.21 | 0.04 | 0.07 | 0.11 | 0.34 | 0.39 | 0.87 | — |
| Other puerperal hæmorrhage . . . | 0.43 | 0.04 | 0.24 | 0.37 | 0.53 | 0.67 | 1.28 | — |
| Puerperal sepsis (not post-abortion) | 1.74 | 1.63 | 1.48 | 1.40 | 1.84 | 2.57 | 2.50 | — |
| Puerperal albuminuria | 0.81 | 1.33 | 0.83 | 0.64 | 0.64 | 0.92 | 1.92 | — |
| Puerp. phleg. alba dolens, emb. . | 0.39 | 0.69 | 0.20 | 0.25 | 0.47 | 0.82 | 0.93 | — |
| Other accidents of childbirth . . | 0.56 | 0.30 | 0.32 | 0.42 | 0.63 | 1.01 | 1.51 | — |
| Oth. or unspec. puerp. conditions | 0.08 | 0.04 | 0.07 | 0.07 | 0.11 | 0.05 | 0.12 | — |

Note.—Ages of mothers are known only for the last six months of 1938, and it is assumed that they had the same distribution throughout as in that period.

* Numbers for individual causes are too small for calculation of significant rates.

The additional information now available under the Population (Statistics) Act (see Appendix VI) makes it possible to calculate the maternal mortality according to the age of the mother, and such mortality rates by quinquennial age groups are shown in Table K (2) for deaths from all puerperal causes, from puerperal sepsis, and from other puerperal causes. It is assumed that the ages of mothers are distributed for the entire year in the same proportion as has been ascertained for the last six months of 1938. The rates apply to all mothers, married and unmarried, without distinction. As will be observed they are at a minimum for all puerperal causes at age period 20–24, and thereafter they rise consistently with increasing age of mother, the mortality at age period 40–44 being four times as high as at 20–24. The relationship between the mortality at these two age periods applies equally to the two main component parts of the rate, that from puerperal sepsis and from other puerperal causes. The mortality at age period 15–19 is rather higher than the rate at 20–24, and this is specially marked in the case of the rate from puerperal sepsis.

The number of maternal deaths registered in 1938 does not justify more detailed calculation of death-rates by age periods, but the deaths for 1934–38 inclusive have been summed, and corresponding rates of mortality for these years are also shown in the Table, it being assumed, as in the case of the deaths for 1938, that the age distribution of mothers was the same as that ascertained in the last six months of 1938. Rates have been calculated for the chief individual causes or groups of causes. The general tendency for increase of mortality with advancing age of mother after the minimum at ages of 20–24 years is seen in most of the groups, exceptions being provided by each sub-division of the puerperal hæmorrhage group, by phlegmasia alba dolens, and by “other accidents of childbirth,” in all of which the minimum death-rate is in the age group under 20. In the case of puerperal albuminuria the mortality is at a minimum between 25 and 35. In each heading there is no interruption of the general increase of mortality after the earliest years of reproductive life. In considering the rates shown in that part of the Table which refers to 1934–38 it must be remembered that the rates of mortality in that period were appreciably higher than those shown for 1938. It should also be pointed out that the large excess of the death-rate in 1938 from puerperal sepsis at age under 20 as compared with that at age group 20–24 is not so marked in the case of the five-yearly period, in which the death-rate from this cause was considerably higher in age group 20–24 than it was in 1938.

Diseases of the Skin and Cellular Tissue.—These numbered 243 as compared with 332 in the previous year. In this group the decline is most marked in deaths from cellulitis or acute abscess, which number 139 as against 200 in 1937. Deaths from carbuncle or boil number 39 as against 62. (*Page 20.*)

Diseases of the Organs of Locomotion.—These account for 108 deaths and are 20 fewer than in the previous year. Of them, 58 were ascribed as acute infective osteomyelitis and 32 to diseases of the joints. (*Page 20.*)

Malformations.—To this group there were assigned 594 deaths as compared with 615 in the previous year. In the Report for 1937 attention was drawn to the tendency towards an increase in the deaths classified to this group, especially in very recent years. In the year now under review there is a small decrease. Usually male deaths are in considerable excess of female, but in 1938 the excess was slight (301 as against 293). Of the total number, 57 were attributed to congenital hydrocephalus, being 12 fewer than in the previous year, 175 to spina bifida or meningocele (13 more), 188 to congenital heart disease (17 fewer) and 174 to other congenital defects (5 fewer). The majority (538) of deaths from malformations occurred in the first year of life. (*Table L.*)

Diseases of Early Infancy.—Deaths from these causes collectively numbered 2,550 and are 244 fewer than in the previous year. Of them, 595 were ascribed to congenital debility, 1,369 to premature birth, 306 to injury at birth, and 280 to other diseases peculiar to early infancy. Deaths from injury at birth numbered 306, as compared with 263 in 1937 and 216 in 1936. Deaths ascribed to this cause have increased very rapidly in recent years. In the years 1921–24 they never exceeded 100, numbering only 25 in 1921. From 1925–34 they numbered between 100 and 200, whilst from 1935–37 they exceeded 200 in each year, and the number now exceeds 300. (*Page 21.*)

Senility.—Deaths assigned to senility numbered 2,304, being 190 fewer than in the previous year. (*Page 21.*)

Violence.—Deaths from this cause numbered 2,878 and are 142 fewer than in the previous year. Although this number is less than in 1937 it is greater than in any other year since 1930. Of these

TABLE L —Deaths from Congenital Malformations in 1938.

| | Both Sexes. | Males. | Females. | Under 1 day. | 1–6 days. | 1 week. | 2 weeks. | 3 and 4 weeks. | 1–2 months. | 3–5 months. | 6–8 months. | 9–11 months. | 1–4 years. | 5–9 years. | 10–14 years. | 15–24 years. | 25 years and over. |
|--------------------------------|-------------|------------|------------|--------------|------------|-----------|-----------|----------------|-------------|-------------|-------------|--------------|------------|------------|--------------|--------------|--------------------|
| Congenital Hydrocephalus . . . | 57 | 28 | 29 | 6 | 6 | 3 | 1 | 2 | 4 | 11 | 8 | 3 | 11 | 2 | .. | .. | .. |
| Spina Bifida, Meningocele . . | 175 | 72 | 103 | 19 | 40 | 36 | 20 | 18 | 18 | 9 | 4 | 8 | 3 | .. | .. | .. | .. |
| Congenital Heart Disease . . . | 188 | 92 | 96 | 30 | 46 | 15 | 13 | 6 | 27 | 14 | 7 | 3 | 8 | 8 | 2 | 6 | 3 |
| Other Congenital Defects . . . | 174 | 109 | 65 | 20 | 37 | 3 | 7 | 9 | 63 | 17 | 4 | 1 | 10 | 2 | 1 | .. | .. |
| TOTAL . | 594 | 301 | 293 | 75 | 129 | 57 | 41 | 35 | 112 | 51 | 23 | 15 | 32 | 12 | 3 | 6 | 3 |

deaths 1,949 were of males and 929 of females. Deaths attributed to suicide numbered 460, an increase of 7 compared with the previous year, to homicide 25, an increase of 7, to war injuries 14, an increase of 8, and to accidental causes 2,379, a decrease of 164. The number of deaths from suicide, although slightly greater than in 1937, is with that exception the lowest number recorded from that cause since 1926. Of the 460 suicidal deaths, 279 were by poisoning, of which 202 were by coal gas and 58 by lysol and allied preparations. Deaths from suicidal coal gas poisoning show an increase of 44 and those from lysol an increase of 9. Suicidal deaths from cuts and stabs number 46, from drowning 43, a decrease of 28, from gunshot wounds 26, and from hanging 44, a decrease of 9. Apart from the differences noted the deaths from the various forms show no great change compared with the numbers for 1937. Suicidal deaths from poisoning other than as specified above numbered 19, including 2 from the barbiturate group (medinal, &c.) (*Tables 29 and 30 and page 21.*)

Of the accidental deaths, 212 were attributed to burns and 12 to conflagration, 291 to drowning, 53 to gaseous poisoning, of which 37 were by coal gas, 11 to other acute accidental poisoning, 108 to suffocation, 2 to food poisoning, 5 to injuries by firearms, 20 to weather agencies and 9 to electricity (lightning excepted). Deaths from accidental drowning are 30 fewer than in the previous year (the early part of which was of an exceptionally stormy character with consequent loss of life at sea) but are more than in any other year since 1933. Deaths from accidental burning continue to show a fairly steady decline, being 45 fewer than in 1937. In the years from 1921–25 deaths from accidental burns exceeded 300 in each year, but they have been fewer than 250 in four recent years. A considerable proportion of these deaths occurred under the age of 5, this proportion being rather higher in the case of boys than of girls. In addition to the deaths from accidental poisoning there were 161 others in which death occurred during or after administration of an anæsthetic for therapeutic purposes, and in which the anæsthetic may or may not have been a contributory cause. In 20 of these cases the anæsthetic specified was chloroform, in 17 it was ether, in 16 it was chloroform and ether, and in 21 it was ethyl chloride and ether. The total number of cases in which chloroform was included in the specification of the anæsthetic used was 38. In 93 cases ether was so specified, and in 50 nitrous oxide was included, being used alone in 12 cases and in 35 in combination with ether alone. The full list of the anæsthetics used and also of the poisons in the suicidal and accidental deaths will be found in Table 30.

In recent Reports attention has been drawn to alterations in the number of deaths certified as occurring during or after the administration of various anæsthetics. For example, cases in which chloroform alone was specified as the anæsthetic used declined from 55 in 1931 to 14 in 1936. In 1938 they numbered 20. Those in which ether alone was specified increased from 12 in 1931 to 35 in

1936, but have now declined to 17. The number in which nitrous oxide alone was specified has remained fairly constant, ranging from 18 in 1932 and in 1933 to 12 in 1934, in 1936 and in 1938, but it has been increasingly specified in combination with some other anæsthetic, the numbers from such combinations having increased from 4 cases in 1931 to 38 in 1938. Taking all the cases in which any of these three anæsthetics was used, alone or in combination, it was found that deaths in which chloroform was named have declined from 87 in 1931 to 38 in 1938, that those in which ether was named have increased from 51 in 1931 to 93 in 1938, and that those in which nitrous oxide was named have increased from 19 in 1931 to 50 in 1938.

Deaths due to accidents in coal and other mines and quarries numbered 137, being 17 more than in the previous year, to accidents with machinery 17, being 16 fewer than in the previous year, and to railway accidents 106, being 8 fewer than in the previous year. Deaths from accidents in connection with all forms of road transport numbered 668, being 25 fewer than in 1937. These included 593 in connection with motor and other forms of mechanical transport, a decrease of 15, while accidents with horse-drawn vehicles numbered 8, a decrease of 8, accidents with tramways 22, an increase of 2, and accidents with other or unspecified vehicles 45, a decrease of 4. Deaths from causes connected with aircraft numbered 8, as against 16 in the previous year. (*Table M.*)

TABLE M.—Supplementary Tabulation of Accidental Deaths, 1938.

| ACCIDENTS ASSOCIATED WITH | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
|---|------|-----------|----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| Mines and Quarries . . . | { M. | 137 | .. | .. | .. | 3 | 23 | 29 | 36 | 22 | 19 | 5 | .. | .. |
| | { F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Machinery | { M. | 17 | .. | .. | .. | 1 | 3 | 6 | 2 | 1 | 4 | .. | .. | .. |
| | { F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Railways | { M. | 101 | .. | 2 | 2 | 1 | 5 | 20 | 23 | 21 | 19 | 6 | 1 | 1 |
| | { F. | 5 | .. | .. | .. | .. | 2 | .. | 1 | 2 | .. | .. | .. | .. |
| Tramways | { M. | 13 | .. | .. | .. | .. | 1 | .. | 1 | 2 | 1 | 4 | 4 | .. |
| | { F. | 9 | .. | .. | .. | .. | 1 | .. | .. | 2 | .. | 6 | .. | .. |
| Motor and other mechanical transport . . . | { M. | 454 | 1 | 44 | 43 | 37 | 79 | 60 | 52 | 40 | 45 | 33 | 17 | 3 |
| | { F. | 139 | .. | 18 | 30 | 4 | 10 | 9 | 15 | 13 | 18 | 17 | 3 | 2 |
| Horse-drawn vehicles . . . | { M. | 8 | .. | 1 | .. | 1 | .. | .. | 1 | .. | 3 | 1 | 1 | .. |
| | { F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Other or unspecified vehicles | { M. | 33 | .. | .. | 1 | 4 | 8 | 4 | 1 | 5 | 1 | 5 | 4 | .. |
| | { F. | 12 | .. | 1 | .. | 1 | 2 | 2 | .. | 1 | 2 | 2 | .. | 1 |
| Water transport (ships, &c.) | { M. | 39 | .. | .. | .. | .. | 13 | 12 | 4 | 3 | 6 | 1 | .. | .. |
| | { F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Aerial transport | { M. | 7 | .. | .. | .. | .. | 3 | 8 | 1 | .. | .. | .. | .. | .. |
| | { F. | 1 | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Other specified means of violence | { M. | 780 | 55 | 64 | 33 | 32 | 83 | 72 | 77 | 84 | 112 | 74 | 72 | 22 |
| | { F. | 570 | 46 | 46 | 16 | 8 | 22 | 15 | 20 | 31 | 48 | 97 | 150 | 71 |
| Other unspecified means of violence | { M. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | { F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| TOTAL | { M. | 1689 | 56 | 111 | 79 | 79 | 218 | 266 | 198 | 178 | 210 | 129 | 99 | 26 |
| | { F. | 736 | 46 | 65 | 47 | 13 | 87 | 26 | 36 | 49 | 68 | 122 | 153 | 74 |

Motor Accidents.—Of the 593 deaths from motor accidents, 454 were of males and 139 of females. While this excess of male deaths occurred at every age period, it is specially marked between the ages of 10 and 35, in which male deaths numbered 176 as against 23 female. It was also very high between the ages of 1 and 5 and between 35 and 65, but the excess was less than 50 per cent. between the ages of 5 and 10. The accompanying Table N has been prepared to show the number of accidents in connection with motors and horse-drawn vehicles respectively since 1911. It will be seen that deaths from motor accidents increased to a maximum of 747 in 1930. From 1931 to 1934 the number was fairly steady and almost 100 per annum fewer. In 1935 it declined to 555, but in 1936 it increased very slightly to 564, while in 1937 it further increased to 608, and now it shows a slight reduction to 593. Deaths from accidents with horse-drawn vehicles have shown a marked decline, the annual average for 1911-20 being 49 compared with only 18·5 in 1921-30, and as already indicated the number for 1938 was only 8.

Relative Frequency of Causes of Death.—Table O shows in order of frequency the causes of death to which were ascribed at least 1 per cent. of all deaths during 1938, together with the corresponding figures for the preceding year. The list includes 48,486 deaths or 77·0 per cent. of the total registered during the year. As is usually the case, the four most frequent causes were heart disease, malignant tumours, cerebral hæmorrhage and allied conditions, and pneumonia. Compared with the previous year deaths from heart disease increased from 20·8 per cent. of the total to 22·4, those from malignant tumours from 11·3 per cent. to 12·8, and those from cerebral hæmorrhage and allied conditions from 9·3 to 9·9. The leading feature of this table is the decline in the proportion of deaths from respiratory conditions, i.e., the percentage from pneumonia has declined from 7·0 per cent. to 6·1, and that from bronchitis from 4·7 per cent. to 3·9. The percentage from tuberculosis (all forms) has risen from 5·3 to 5·45 and that from violence from 4·4 to 4·6. Other changes are relatively unimportant. Since 1921 the leading

TABLE N.—Accidents with Motor and Horse-drawn Vehicles, 1911-1938.

| | <i>Motors.</i> | <i>Horse-drawn Vehicles.</i> | | <i>Motors.</i> | <i>Horse-drawn Vehicles.</i> |
|------------|----------------|----------------------------------|------------|----------------|----------------------------------|
| 1911 . . . | 38 | 81 | 1925 . . . | 319 | 22 |
| 1912 . . . | 51 | 54 | 1926 . . . | 416 | 11 |
| 1913 . . . | 32 | 40 | 1927 . . . | 448 | 18 |
| 1914 . . . | 48 | 34 | 1928 . . . | 507 | 18 |
| 1915 . . . | 113 | 49 | 1929 . . . | 679 | 13 |
| 1916 . . . | 118 | 45 | 1930 . . . | 747 | 20 |
| 1917 . . . | 107 | 51 | 1931 . . . | 627 | 15 |
| 1918 . . . | 79 | 47 | 1932 . . . | 648 | 18 |
| 1919 . . . | 141 | 57 | 1933 . . . | 662 | 9 |
| 1920 . . . | 161 | 36 | 1934 . . . | 662 | 14 |
| 1921 . . . | 220 | 30 | 1935 . . . | 555 | 20 |
| 1922 . . . | 213 | 19 | 1936 . . . | 564 | 15 |
| 1923 . . . | 199 | 19 | 1937 . . . | 608 | 16 |
| 1924 . . . | 239 | 15 | 1938 . . . | 593 | 8 |

feature in this table has been the steady increase in the proportion of deaths from heart disease. In 1921–30 deaths from heart disease accounted for 11·5 per cent. of the total deaths. In 1937 this percentage had increased to 20·8 and in 1938 it amounted to 22·4.

Infant Deaths—The most important causes of death under one year of age were congenital causes, all forms of pneumonia, diarrhoea, bronchitis, measles, convulsions and whooping-cough. Deaths from these and other causes at the various stages of life under one year will be found in Table 31. From this table it will be observed that of the 6,163 children who died before completing their first year, 1,028 did not survive one day, 1,127 others did not survive one week, and 949 others did not survive one month. Table P (1) shows the proportions who died at these ages in recent years. It will be observed that at ages under one month the improvement since 1922 was comparatively slight up to 1937. The figures for 1938 show a fair measure of reduction, although in the case of the female children aged under one week there was little change. Between one month and three months progress is also relatively slow, although more marked in 1938. Between three months and six months the rates since 1931 have shown an improvement as compared with those for the preceding decade, and here again the decrease in mortality is more marked in 1938. The greatest improvement of all occurs in the mortality among children between six months and twelve months, in which case the decline has been more steady, and the rate is, in 1938, only half of that for the four years ending 1925. In Table 32 will be found the months of the year in which these infant deaths occurred. The numbers ranged from 699 in January and 626 in December to 411 in August and 405 in September. The range is somewhat less than was observed in 1937. In the case of deaths from respiratory diseases this range was from 222 in January and 208 in December to 53 in July and 48 in August. In the case of deaths from diarrhoea the range was from

TABLE O.—Relative Frequency of Causes of Death.

| <i>Causes of Death.</i> | 1938. | | 1937. | |
|--|----------------|--------------------------------|----------------|--------------------------------|
| | <i>Number.</i> | <i>Per cent. of Total.</i> | <i>Number.</i> | <i>Per cent. of Total.</i> |
| Heart disease | 14,115 | 22·42 | 14,360 | 20·83 |
| Malignant tumours | 8,072 | 12·82 | 7,810 | 11·33 |
| Cerebral hæmorrhage, &c. | 6,254 | 9·93 | 6,411 | 9·30 |
| Pneumonia | 3,832 | 6·09 | 4,858 | 7·05 |
| Tuberculosis (all forms) | 3,432 | 5·45 | 3,663 | 5·31 |
| Diseases of early infancy and mal- formations | 3,144 | 4·99 | 3,409 | 4·94 |
| Violence | 2,878 | 4·57 | 3,020 | 4·38 |
| Bronchitis | 2,462 | 3·91 | 3,273 | 4·75 |
| All nephritis | 1,769 | 2·81 | 1,885 | 2·73 |
| Diarrhoea, &c. (all ages) | 981 | 1·56 | 1,074 | 1·56 |
| Diabetes | 859 | 1·36 | 867 | 1·26 |
| Gastric and duodenal ulcer | 688 | 1·09 | 694 | 1·01 |
| | 48,486 | 77·02 | 51,324 | 74·45 |

75 in June and 71 in May to 38 in March and 34 in February. Attention has already been drawn to the unusually early period of 1938 at which this maximum from diarrhoea occurred. Table 33 shows for each Public Health District the distribution of these infant deaths according to age (days, weeks, &c.). In this table also the rates, being based on the variations of comparatively small numbers, may not always be statistically significant. (*Tables 31–33.*)

In 1937 there were added to these tables for the first time extended figures for the deaths of illegitimate children. The infantile mortality rate among illegitimate children is fully 50 per cent. greater than among all children. From Table 33 it will be seen that this ratio is practically double between the ages of two weeks and three months, but the excess is not so marked at ages under one week. Between the ages of three and twelve months the excess is once again about 50 per cent. This relative excess is slightly more marked in the case of the large burghs than in the rest of Scotland. This rate is calculated for each of the 57 Public Health Districts, but the caution expressed in the preceding paragraph relative to the paucity of numbers involved should be specially emphasised here. In some cases the mortality among the illegitimate is actually lower than that for all infants. Table 31 shows these deaths classified not only according to age, but also according to cause of death. In the case of the more important causes of infant deaths the excess mortality among illegitimate children as compared with all children is greatest in the case of deaths from congenital debility, from diarrhoea and from syphilis, but is less marked than the average in the case of deaths from congenital malformation. (*Table 33.*)

Children under Five Years.—Table P (2) shows the deaths from certain causes in children under five years of age. The total number of deaths in this age group is 8,261, being 984 fewer than in the previous year, but if children under one year are excluded the

TABLE P (1).—Deaths under One Year per 1000 Births in Scotland, 1922–1938.

| YEAR. | MALES. | | | | | | FEMALES | | | | | |
|---------|---------------|---------------|---------------------------|-----------------------------|------------------------------|-------------------------------|---------------|---------------|---------------------------|-----------------------------|------------------------------|-------------------------------|
| | Under 1 year. | Under 1 week. | 1 week and under 1 month. | 1 month and under 3 months. | 3 months and under 6 months. | 6 months and under 12 months. | Under 1 year. | Under 1 week. | 1 week and under 1 month. | 1 month and under 3 months. | 3 months and under 6 months. | 6 months and under 12 months. |
| 1922–25 | 103·7 | 42·6 | | 16·0 | 16·6 | 28·5 | 80·0 | 32·7 | | 11·8 | 12·6 | 23·0 |
| 1926–30 | 96·0 | 41·1 | | 14·9 | 16·5 | 23·5 | 74·4 | 31·8 | | 10·6 | 12·1 | 19·9 |
| 1931–35 | 90·3 | 27·9 | 13·0 | 14·3 | 15·0 | 20·1 | 70·8 | 21·6 | 11·0 | 10·2 | 11·4 | 16·6 |
| 1931 | 93·2 | 27·5 | 12·6 | 13·9 | 15·9 | 23·3 | 69·9 | 21·7 | 9·6 | 9·9 | 10·4 | 18·4 |
| 1932 | 94·6 | 26·8 | 13·4 | 15·4 | 17·0 | 22·1 | 77·3 | 20·7 | 11·1 | 12·3 | 13·8 | 19·4 |
| 1933 | 89·3 | 23·8 | 12·0 | 14·8 | 14·2 | 19·5 | 72·4 | 23·3 | 10·9 | 10·0 | 11·4 | 16·7 |
| 1934 | 86·9 | 27·7 | 12·2 | 14·3 | 14·0 | 18·7 | 68·0 | 21·6 | 10·8 | 9·5 | 11·1 | 15·0 |
| 1935 | 86·9 | 28·8 | 14·6 | 13·2 | 13·3 | 16·7 | 66·2 | 20·7 | 12·8 | 9·1 | 10·1 | 13·6 |
| 1936 | 92·2 | 23·4 | 14·1 | 15·9 | 15·2 | 18·7 | 71·9 | 21·3 | 11·2 | 10·7 | 13·0 | 15·8 |
| 1937 | 89·6 | 23·2 | 14·2 | 15·0 | 16·2 | 16·0 | 70·5 | 22·0 | 12·0 | 10·8 | 11·5 | 14·2 |
| 1938 | 76·6 | 26·6 | 11·4 | 13·4 | 12·2 | 13·0 | 62·1 | 21·9 | 10·0 | 8·9 | 9·1 | 12·1 |

number (i.e. at ages 1–4 inclusive) is 2,098, which is 97 fewer than in the previous year, and as will be seen from Table 24 the death-rate is 6·6 per thousand as against 6·9 in 1937. Compared with the previous year deaths from measles are more by 277, those from diphtheria by 15 and those from tuberculosis by 14. On the other hand deaths from whooping-cough are fewer by 231 and those from pneumonia (all forms) by 108. The leading causes of death in this group (1–4) are 456 from pneumonia, 355 from measles, 225 from tuberculosis, 193 from diphtheria, 165 from diseases of the digestive system and 105 from whooping-cough.

TABLE P (2).—Number of Deaths from Selected Causes among Children aged under Five Years in 1938.

| Deaths from | Total aged under 5 years. | Under 1 year. | Total aged 1–4 years. | 1 year. | 2 years. | 3 years. | 4 years. |
|--|------------------------------------|------------------|--------------------------------|--------------|-------------|-------------|-------------|
| Measles | 506 | 151 | 355 | 229 | 81 | 32 | 13 |
| Scarlet fever | 48 | 5 | 43 | 16 | 13 | 7 | 7 |
| Whooping-cough | 216 | 111 | 105 | 76 | 17 | 5 | 7 |
| Diphtheria | 216 | 23 | 193 | 36 | 48 | 60 | 49 |
| Erysipelas | 17 | 16 | 1 | 1 | ... | ... | ... |
| Tubercular meningitis | 164 | 35 | 129 | 56 | 31 | 18 | 24 |
| Abdominal tuberculosis | 24 | 9 | 15 | 7 | 5 | ... | 3 |
| Other tuberculous diseases | 113 | 32 | 81 | 36 | 18 | 16 | 11 |
| Meningitis (not tuberculous) | 112 | 75 | 37 | 20 | 9 | 5 | 3 |
| Convulsions | 162 | 128 | 34 | 25 | 5 | 3 | 1 |
| Pneumonia (all forms) | 1,515 | 1,059 | 456 | 317 | 71 | 47 | 21 |
| Bronchitis | 225 | 194 | 31 | 22 | 6 | 1 | 2 |
| Digestive diseases | 903 | 738 | 165 | 88 | 33 | 26 | 18 |
| Congenital causes | 3,120 | 3,088 | 32 | 22 | 5 | 2 | 3 |
| Other causes | 920 | 499 | 421 | 145 | 116 | 90 | 70 |
| TOTAL | 8,261 | 6,163 | 2,098 | 1,096 | 458 | 312 | 232 |

APPENDIX I.

SEVENTY-FOURTH ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1937).

This report deals with the vaccination of children born in Scotland during the year 1937 who in the ordinary course should have been vaccinated during that year or during the first half of the year 1938.

Children whose births were shown in the Vaccination Returns for the year 1937 numbered 87,805, of whom 5,538 died before reaching the age of statutory vaccination (six months), while 82,267 survived at that date, and it is the latter number which more especially falls to be accounted for here. (*Table 36.*)

Of the 82,267 children surviving at the time of statutory vaccination, 35,551 or 43·21 per cent. were either certified to have been successfully vaccinated or reported to be insusceptible to vaccination by reason of previous uncertified vaccination, 1,087 or 1·32 per cent. were certified as insusceptible to vaccination for reasons other than previous vaccination, and 45,629 or 55·47 per cent. were not reported as vaccinated, the majority of these, 41,484 or 50·43 per cent. of the total, being unvaccinated by reason of Declaration of Conscientious Objection on the part of the parents. This is the tenth year in succession in which the last-named percentage has shown an increase, and the first occasion on which these cases have accounted for more than half of the surviving births.

The vaccinated children numbered 35,551, for whom the statutory certificates of vaccination were submitted in respect of 35,394 and certificates of previous vaccination in respect of 157. The percentage (43·21) of those surviving at the time of statutory vaccination is 1·23 less than in the previous year. Prior to the passing of the Vaccination (Scotland) Act, 1907, by which conscientious objection on the part of the parents became a valid reason for avoiding statutory vaccination, over 91 per cent. of the children born in Scotland and surviving at the time of statutory vaccination were successfully vaccinated, but thereafter the proportion fell to a minimum of 54 per cent. in 1918. In the year 1920, when there was an outbreak of smallpox in Glasgow, this rate rose to 71 per cent., but since then it has steadily declined, reaching the lowest so far recorded of 43 per cent. in the year under review. In the counties, burghs included, the percentage of children surviving at the time of statutory vaccination who were successfully vaccinated ranged from 78·1 in Kincardine, 74·0 in Kirkcudbright, 72·9 in Aberdeen, 72·8 in Moray and 72·4 in Berwick, to 24·6 in Dunbarton, 23·2 in Sutherland, 20·9 in Caithness, 13·3 in Orkney, and 4·5 in

Zetland. In sixteen counties less than half of the children surviving at the time of statutory vaccination were reported to be successfully vaccinated. In Zetland the births registered during the year numbered 274, and children surviving at the time of compulsory vaccination numbered 267, of whom only 12 were reported to be vaccinated. In the large burghs the percentage successfully vaccinated ranged from 77·9 in Aberdeen, 60·4 in Perth and 60·0 in Edinburgh, to 22·6 in Clydebank, 19·5 in Greenock and 18·8 in Hamilton and in Dumbarton. In Glasgow it was 44·1 and in Dundee 24·7.

Children reported as not vaccinated, or as being constitutionally insusceptible, numbered 46,716 or 56·79 per cent. of the total survivors. In the previous year the number and percentage were 46,288 and 55·56 respectively. Of the 46,716 unvaccinated children, 1,087 were certified as constitutionally insusceptible to vaccination, 41,484 were unvaccinated by reason of Statutory Declaration of Conscientious Objection, 1,400 were unvaccinated by reason of postponement of vaccination with medical certificates, and 2,745 were unvaccinated, or presumed to be so, through being lost sight of by removal from the district of registration or otherwise. (*Table 36.*)

Certificates of Constitutional Insusceptibility numbered 1,087, which is 18 fewer than in the previous year. This is the smallest number recorded since 1927, when they amounted to 1,030. In the counties certificates of insusceptibility were relatively frequent in Kinross (5·9 per cent.) and in Perth (3·1 per cent.), but were less than 1 per cent. in 14 counties. In the large burghs this percentage varied from 6·5 in Rutherglen and 3·9 in Perth to less than 1 per cent. in thirteen burghs. Prior to 1926 these cases normally numbered less than 1,000 per annum, but they have exceeded 1,000 in every year since that date, and in 1929 and in 1932 they numbered more than 2,000. Since the latter date there has been a substantial decline each year, except for 1937, when, as stated, the decline was slight. (*Table 36.*)

Children exempted from vaccination by reason of parental conscientious objection numbered 41,484 and constituted 50·43 per cent. of the total surviving at the time of statutory vaccination. This number is 688 more than in the previous year and 2,948 more than the mean of those of the preceding five years. The percentage is 1·46 more than that for the previous year and 4·01 more than the mean of the previous five years. It is the highest percentage of children unvaccinated for this reason which has hitherto been recorded. For the fourth year in succession the percentage of children in this group is greater than among the successfully vaccinated. In the counties, burghs included, this percentage ranged from 94·8 in Zetland, 84·8 in Orkney, 72·5 in Caithness and 70·6 in Dumbarton, to 22·0 in Moray, 21·5 in Kirkcudbright, 20·8 in Aberdeen and 14·8 in Kincardine. In the large burghs it ranged from 79·8 in Dumbarton, 77·0 in Greenock, 76·8 in Hamilton, 73·9 in Dundee and 72·6 in Clydebank, to 34·9 in Edinburgh, 32·7 in

Perth and 15·9 in Aberdeen. As has been previously pointed out, the same counties and burghs tend to appear year after year among those showing maximum and minimum percentages of cases of conscientious objection, and correspondingly among those counties and burghs which show low and high percentages respectively of children successfully vaccinated. (*Table 36.*)

Children who were still unvaccinated at the end of 1938 by reason of postponement on medical grounds numbered 1,400 and constituted 1·70 per cent. of those surviving at the time of statutory vaccination. In the previous year this number was 1,489 and the percentage 1·79. During the past few years the percentage of children in this group has on almost every occasion been less than in the year preceding. (*Table 36.*)

Children whose vaccinations were unaccounted for through removal from the district of registration or otherwise numbered 2,745 and amounted to 3·34 per cent. of the total surviving. In the previous year the corresponding number and percentage were 2,898 and 3·48 respectively. (*Table 36.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1937.

A preliminary statement regarding the marriages registered in Scotland during the year 1937 was incorporated in the Eighty-Third Annual Report of the Registrar-General dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the report was prepared the statement was necessarily restricted and dealt only with the number of marriages registered in 1937 and the marriage-rates. It is now supplemented by this detailed report on these marriages, including a statistical account of the method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying, and the method of signing the marriage schedules, by writing or by mark.

In the Eighty-Third Annual Report it was stated that the number of marriages registered in Scotland during the year 1937 was 38,351, but after complete examination of the registers the adjusted number was found to be 38,334, the provisional figure being in excess by 17. The marriage-rate for the year 1937, which is 7·70, differs but little from the provisional rate, which was given as 7·71. The corrected number of marriages is 2,299 more than the mean of the number registered annually during the five preceding years, while the marriage-rate is 0·39 above the mean. (*Table 8.*)

Regular and Irregular Marriages.—Of the 38,334 marriages registered during the year 1937, 33,620 or 87·7 per cent. were regular, i.e. solemnized by a minister of religion after proclamation of banns or after publication of notice at a registrar's office, while 4,714 or 12·3 per cent. were irregular, i.e. contracted without proclamation of banns or publication of notice and not solemnized by a minister of religion. In the previous year regular marriages constituted 88·1 per cent. of all marriages registered. In the early years of registration irregular marriages were very few, the annual average prior to 1870 being less than 50, but it was 263 between 1871 and 1880, 650 during 1881-90, 1,428 during 1891-1900 and 2,034 during 1901-10. During the period 1911-20, which included the years of the Great War, the average number increased to 5,312, but during the period 1921-30 it declined to 4,287, and compared with that average the total for 1937 is more by 427. The proportion which irregular marriages bear to the total has likewise increased. In 1855-60 it was only 0·09 per cent. and in 1861-70 it was 0·18 per cent., but in 1871-80 the decennial average amounted to 1·04 per cent., and thereafter it steadily increased to a maximum of 14·90 per cent. in 1911-20, with a subsequent decline to 12·74 per cent. in

1921-30. The highest figures for individual years were registered during the War period, the percentages then varying from 16·38 in 1917 to 20·48 in 1915. From 1929 to 1935 the tendency was for this percentage to decline slowly, and the percentage for the latter year (11·5) was the lowest since pre-war years, but the rate in 1936 increased to 11·9 and now in 1937 to 12·3. Practically three-fourths of these irregular marriages are registered in Glasgow and in Edinburgh. Of the total marriages registered in the large burghs during 1937, 18·0 per cent. were irregular, while for the rest of Scotland the corresponding percentage was only 1·7. Of these irregular marriages, 4,476 took place in the large burghs and 238 in the remainder of Scotland. The former number is 207 more than in the previous year and the latter is 4 more. In the large burghs taken individually the percentage of irregular to total marriages ranged from 26·9 in Edinburgh, 24·2 in Dunfermline, 21·7 in Glasgow and 20·0 in Inverness, to 0·8 in Port Glasgow, 0·4 in Greenock and 0 in Clydebank and in Coatbridge. In counties, all burghs included, the percentage ranged from 23·7 in Midlothian, 19·5 in Dumfries, 16·6 in Lanark and 14·3 in Inverness, to 0 in Berwick, East Lothian, Kinross and Nairn. Of the 4,714 irregular marriages, 4,708 were registered by warrant of the Sheriff and 6 on production of Extract Decree of Declarator. (*Table 9.*)

Method of Publication. — Of the 33,620 regular marriages registered throughout the year, 25,169 or 74·8 per cent. of such marriages were solemnized after proclamation of banns in respect of both parties, 7,689 or 22·9 per cent after publication of notice in respect of both parties, and 762 or 2·3 per cent, after proclamation of banns for one and publication of notice for the other party. (*Table Q.*) The percentage of regular marriages celebrated after proclamation by banns has been steadily increasing in recent years.

TABLE Q.—Regular Marriages in Scotland in 1937, following Proclamation of Banns or Publication of Notice at Registrar's Office.

| Church of Celebration. | Number. | | | | Percentage of Total for each Church, &c. | | | Percentage of Total Regular Marriages. |
|--------------------------------|---------|--------|-----------------------|------------------------|--|------------------------|------------------------|--|
| | Total. | Banns. | Publication of Notice | Banns and Publication. | Banns. | Publication of Notice. | Banns and Publication. | |
| Church of Scotland | 24,219 | 21,565 | 2,165 | 489 | 89·0 | 8·9 | 2·0 | 72·0 |
| United Free Church | 348 | 252 | 86 | 10 | 72·4 | 24·7 | 2·9 | 1·0 |
| Free " | 394 | 230 | 152 | 12 | 58·4 | 38·6 | 3·0 | 1·2 |
| Roman Catholic " | 4,874 | 771 | 3,955 | 148 | 15·8 | 81·1 | 3·0 | 14·5 |
| Scottish Episcopal " | 1,004 | 643 | 327 | 34 | 64·0 | 32·6 | 3·4 | 3·0 |
| Congregational " | 1,169 | 765 | 381 | 23 | 65·4 | 32·6 | 2·0 | 3·5 |
| Baptist " | 470 | 342 | 115 | 13 | 72·8 | 24·5 | 2·8 | 1·4 |
| Methodist " | 352 | 226 | 114 | 12 | 64·2 | 32·4 | 3·4 | 1·0 |
| Jews | 70 | 20 | 49 | 1 | 28·6 | 70·0 | 1·4 | 0·2 |
| All other Regular Marriages | 720 | 355 | 345 | 20 | 49·3 | 47·9 | 2·8 | 2·1 |
| All Regular Marriages | 33,620 | 25,169 | 7,689 | 762 | 74·8 | 22·9 | 2·3 | 100·0 |

In 1913, the year before the War, it was 60·3, in 1919 it was 66·1, in 1929 it was 69·9, and although it declined to a small extent in the three years following it has now risen to 74·8, as already stated. The percentage of those celebrated after publication shows a corresponding decline. (*Table 9.*)

Of the regular marriages in large burghs, 13,616 or 67·0 per cent. of such marriages were celebrated after banns, 6,247 or 30·8 per cent. after publication of notice, and 448 or 2·2 per cent. after banns in respect of one and publication of notice in respect of the other party. In the other districts of Scotland 11,553 or 86·8 per cent. were after banns, 1,442 or 10·8 per cent. after publication of notice, and 314 or 2·4 per cent. after banns and publication of notice. In the counties of Caithness, Kirkcudbright and Zetland all the regular marriages were after proclamation by banns, and this was the case with 98 per cent. or more of the regular marriages celebrated in the counties of Berwick, Orkney, Sutherland and Wigtown.

Table Q has been constructed to show the frequency and denomination of those married after proclamation of banns and after publication of notice. Marriage after banns was relatively most frequent in the Church of Scotland (89·0), in the Baptist Church (72·8) and in the United Free Church (72·4), while marriage after publication of notice was relatively most frequent in the Roman Catholic Church (81·1 per cent.) and among the Jews (70·0 per cent.).

Church of Celebration.—Of the 33,620 regular marriages, 24,219 or 72·0 per cent. were celebrated according to the forms of the Church of Scotland, 4,874 or 14·5 per cent. according to those of the Roman Catholic Church, 1,169 or 3·5 per cent. according to those of the Congregational Church, 1,004 or 3·0 per cent. according to the forms of the Scottish Episcopal Church. Those according to the forms of the Baptist Church numbered 470, of the Free Church of Scotland 394, of the Methodist Church 352 and of the United Free Church of Scotland 348, while 215 were solemnized according to the forms of the Christian Brethren. (*Table Q.*)

TABLE R.—Regular and Irregular Marriages in 1937.

| | Number. | | | Percentage of Total Marriages. | | |
|---------------------------------|-----------|---------------|------------------|--------------------------------|---------------|------------------|
| | SCOTLAND. | Large Burghs. | Other Districts. | SCOTLAND. | Large Burghs. | Other Districts. |
| Regular Marriages. | | | | | | |
| Church of Scotland | 24,219 | 13,557 | 10,662 | 63·2 | 54·7 | 78·7 |
| United Free Church | 348 | 191 | 157 | 0·9 | 0·8 | 1·2 |
| Free Church | 394 | 200 | 194 | 1·0 | 0·8 | 1·4 |
| Roman Catholic Ch. | 4,874 | 3,585 | 1,289 | 12·7 | 14·5 | 9·5 |
| Scottish Episcopal Ch. | 1,004 | 737 | 267 | 2·6 | 3·0 | 2·0 |
| Other Religious Forms | 2,781 | 2,041 | 740 | 7·3 | 8·2 | 5·5 |
| Irregular Marriages | 4,714 | 4,476 | 238 | 12·3 | 18·1 | 1·8 |
| Total Marriages | 38,334 | 24,787 | 13,547 | 100·0 | 100·0 | 100·0 |

The relative frequency of marriage according to the principal denominations in the aggregate of large burghs and other districts is shown in Table R, for previous years in Table 8, and in individual burghs and counties in Table 10. It will be observed that the proportion of marriages according to the forms of the Presbyterian Churches is relatively smaller in the large burghs than in other districts. Marriages according to the forms of the Church of Scotland constituted at least 85 per cent. of all marriages registered in the counties of Berwick, East Lothian, Kincardine, Kirkcudbright, Nairn and Wigtown, while Roman Catholic marriages constituted at least 15 per cent. of the total in the counties of Dunbarton, Lanark and Renfrew. In the large burghs Church of Scotland marriages were relatively most frequent (70 per cent. or over) in Kirkcaldy, in Kilmarnock, in Falkirk, in Rutherglen and in Arbroath, while Roman Catholic marriages were most frequent (25 per cent. or over) in Greenock, in Clydebank, in Coatbridge, in Dumbarton and in Port Glasgow. A list of the principal denominations and communities named in the Marriage Registers for 1937 is given in Table S. (*Table 10.*)

Conjugal Condition of those Marrying.—Of the 38,334 males marrying during the year, 35,731 or 93·2 per cent. were bachelors, 2,257 or 5·9 per cent. were widowers, and 346 or 0·9 per cent. had been divorced. Of the 38,334 women marrying, 36,823 or 96·1 per cent. were spinsters, 1,164 or 3·0 per cent. were widows, and 347 or 0·9 per cent. had been divorced. The combination of the various conjugal conditions are shown in the following table :—

| | Spinsters. | Widows. | Divorced Women. | Total. |
|------------------------|------------|---------|-----------------|--------|
| Bachelors | 34,913 | 571 | 247 | 35,731 |
| Widowers | 1,616 | 567 | 74 | 2,257 |
| Divorced men | 294 | 26 | 26 | 346 |
| Total | 36,823 | 1,164 | 347 | 38,334 |

TABLE S.—Marriages in Scotland in 1937 by Denominations, &c. in Order of Frequency.

| | | | |
|---|--------|--|--------|
| 1. Church of Scotland | 24,219 | 16. Church of Christ | 30 |
| 2. Roman Catholic Church | 4,874 | 17. Apostolic Church | 19 |
| 3. Congregational | 1,169 | 18. Reformed Presbyterian Church | 17 |
| 4. Scottish Episcopal | 1,004 | 19. Four Square Gospel Church | 13 |
| 5. Baptist | 470 | 20. Church of God | 11 |
| 6. Free | 394 | 21. Catholic Apostolic Church | 10 |
| 7. Methodist | 352 | 22. Church of England | 9 |
| 8. United Free | 348 | 23. Other Religious Forms | 109 |
| 9. Christian Brethren | 215 | | |
| 10. Salvation Army | 98 | | |
| 11. Free Presbyterian Church | 70 | All Religious Forms | 33,620 |
| 12. Jews | 70 | | |
| 13. Original Secession Church | 46 | Irregular Marriages | 4,714 |
| 14. Unitarian | 39 | | |
| 15. Church of the Nazarene | 34 | All Marriages | 38,334 |

From the above table it may be deduced that 97·7 per cent. of the bachelors married spinsters, while 1·6 per cent. married widows; that 71·6 per cent. of the widowers married spinsters, while 25·1 per cent. married widows, and that of all males who had been divorced 85·0 per cent. married spinsters, 7·5 per cent. married widows and 7·5 per cent. married women who had been divorced. In the case of all men marrying 96·1 per cent. married spinsters, 3·0 per cent. married widows and 0·9 per cent. married women who had been divorced. Of all spinsters marrying 94·8 per cent. married bachelors and 4·4 per cent. married widowers; among widows 49·1 per cent. married bachelors and 48·7 per cent. married widowers; of women who had been divorced 71·2 per cent. married bachelors, 21·3 per cent. married widowers, and 7·5 per cent. married men who had been divorced. In the case of all women marrying 93·2 per cent. married bachelors, 5·9 per cent. married widowers, and 0·9 per cent. married men who had been divorced. It will be observed that although 346 divorced men and 347 divorced women remarried during the year, in only 26 cases was it stated that each of the parties to the marriage had been divorced. In 1936 this number was also 26. (*Table 11.*)

Method of Signature.—Of the 76,668 persons who were married during 1937, 77 (36 men and 41 women) signed the marriage schedule by mark and the remainder in writing. This number is lower than that for 1936 (94), and is below the average for recent years. It is the smallest number yet recorded, with the single exception of that for 1933 (76), which was 1 less. The great decrease in this number since the early days of registration is noteworthy. In the decade 1861–70 an annual number of 7,123 persons signed by mark, but by 1891–1900 this average had fallen to less than 2,000, and by 1911–1920 to a little over 500 per annum. Since 1925 the annual number has always been less than 200 and since 1932 it has never exceeded 100. The change in the sex proportions is likewise striking. Whereas prior to 1870 females signing by mark outnumbered males by 2 to 1, towards the end of the century this

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1937.

| Age Group. | Numbers. | | | Percentage who signed by Mark in each Age Group. | | |
|-------------|-------------|--------|----------|--|--------|----------|
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| Under 20 | 2 | ... | 2 | 0·04 | ... | 0·05 |
| 20–29 | 19 | 12 | 7 | 0·04 | 0·05 | 0·03 |
| 30–39 | 16 | 7 | 9 | 0·10 | 0·07 | 0·13 |
| 40–49 | 10 | 3 | 7 | 0·29 | 0·15 | 0·50 |
| 50–59 | 17 | 6 | 11 | 1·35 | 0·68 | 2·89 |
| 60 and over | 13 | 8 | 5 | 1·99 | 1·61 | 3·18 |
| All Ages | 77 | 36 | 41 | 0·10 | 0·09 | 0·11 |

ratio was 1·5 to 1. In recent years the numbers of males and females assigned to this group have been more nearly equal, while on four occasions males have actually exceeded females. (*Table 8.*)

The age distribution of persons signing by mark is shown in Table T and the Church of Celebration in Table U. In the former table it will be observed that, compared with the total marriages registered among persons of a given age, those signing by mark are relatively most frequent at the older ages, 50 years and over. This is more particularly evident among women. In the case of women aged 60 and over the proportion who signed by mark is 3·2 per cent. It may be noted that those signing by mark include a certain number of blind persons. Of the 77 persons who signed by mark 33 were married according to the forms of the Church of Scotland, 14 according to those of the Roman Catholic Church and 8 according to those of churches of other denominations, while 22 were married irregularly. In 1936 the last-mentioned number was 26.

Ages of those Marrying.—The average age of all men marrying during the year was 29·7 and of all women 26·7 years. In the aggregate of large burghs the average age at marriage was 29·9 for men and 26·9 for women. In each of these cases this age was slightly higher than in the previous year. In the other districts of Scotland these averages were 29·4 for men and 26·3 for women, these averages being 0·3 and 0·2 respectively more than in the previous year. It will be observed that, as is usually the case, the average age is rather higher in the case of marriages celebrated in the large burghs than in those celebrated elsewhere in Scotland. (*Tables 12 and 13.*)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form :—

| Average ages of— | Spinsters. | Widows. | Divorced Women. | All Women. |
|---------------------------|------------|-----------|-----------------|------------|
| Bachelors marrying . . . | 28·3 | 37·1 | 34·2 | 28·5 |
| Widowers marrying . . . | 45·6 | 53·1 | 47·9 | 47·6 |
| Divorced men marrying . . | 37·6 | 45·7 | 40·0 | 38·4 |
| Average ages of— | Bachelors. | Widowers. | Divorced Men. | All Men. |
| Spinsters marrying . . . | 25·6 | 35·8 | 30·0 | 26·1 |
| Widows marrying . . . | 37·9 | 47·3 | 42·1 | 42·6 |
| Divorced women marrying . | 34·0 | 40·2 | 39·4 | 35·7 |

The average age of all bachelors marrying is 0·2 more than in the previous year, and that of all widowers, of all divorced men and of all spinsters 0·1 more, but that of all widows is 0·7 less and that of all divorced women is 0·2 less. Tables 14 to 18B show in combination the ages of those married, together with their conjugal condition before marriage. The ages of divorced men and of divorced women marrying are published in Tables 18A and 18B, but without differentiation to show the conjugal condition of the other spouse, although the results have been tabulated. (*Tables 14–18B.*)

The excess of the average age of bridegrooms over that of brides is 3·0, being 0·1 more than in the previous year. Bachelors marrying spinsters were on an average older than the bride by 2·7 years, widowers marrying spinsters older by 9·8 years and widowers marrying widows older by 5·8 years, but the average age of bachelors marrying widows is less by 0·8 year. Although over all this excess is slightly higher than in the previous year, it is slightly less in the case of widowers, while the difference in the case of bachelors marrying widows is also slightly less.

The average age of men at marriage ranged in the counties, inclusive of burghs, from 34·1 in Ross and Cromarty, 32·8 in Zetland, 32·6 in Bute and 32·5 in Inverness, to 28·6 in Dumfries, 28·4 in East Lothian, 28·1 in West Lothian and 28·0 in Clackmannan. The average age of women marrying during the year ranged from 29·5 in Ross and Cromarty, 28·9 in Zetland, 28·5 in Argyll and 28·4 in Inverness, to 25·9 in Banff, 25·7 in Caithness, 25·6 in East Lothian, 25·5 in Clackmannan and 25·2 in West Lothian and in Wigtown. In the large burghs the average age among males ranged from 32·1 in Inverness, 30·7 in Ayr, 30·5 in Perth, 30·3 in Edinburgh and 30·1 in Glasgow, to 28·5 in Airdrie, 28·4 in Greenock and 28·3 in Rutherglen. In Dundee it was 29·3 and in Aberdeen 30·0. Among females this average ranged from 28·3 in Inverness, 28·0 in Perth, 27·3 in Edinburgh and 27·1 in Glasgow and in Ayr, to 25·9 in Rutherglen, 25·7 in Motherwell and Wishaw and in Airdrie, 25·6 in Port Glasgow and 25·4 in Greenock. In Dundee it was 26·6 and in Aberdeen 26·9. (*Tables 12 and 13.*)

The youngest bridegrooms of the year were 4 bachelors aged 16 and 35 bachelors aged 17. All of these married spinsters, of whom 8 were only 16 years of age. The youngest brides were 220 aged 16, all of whom except one married bachelors whose ages ranged from 17

TABLE U.—Church, &c., of Celebration of Persons Marrying who Signed by Mark in 1937.

| Church, &c. | Entries in which Mark was Used by | | | Persons Using Mark. | | |
|---------------------------|-----------------------------------|-------------|-------|---------------------|--------|--------|
| | Man only. | Woman only. | Both. | Men. | Women. | Total. |
| Church of Scotland . . . | 11 | 20 | 1 | 12 | 21 | 33 |
| Roman Catholic Church . . | 5 | 5 | 2 | 7 | 7 | 14 |
| Congregational „ . . . | 2 | 1 | ... | 2 | 1 | 3 |
| Methodist „ . . . | 1 | ... | ... | 1 | ... | 1 |
| Episcopal „ . . . | 1 | 1 | ... | 1 | 1 | 2 |
| Jews . . . | 1 | ... | ... | 1 | ... | 1 |
| Other Religious Forms . . | ... | 1 | ... | ... | 1 | 1 |
| Irregular Marriages . . . | 10 | 8 | 2 | 12 | 10 | 22 |
| TOTAL . . . | 31 | 36 | 5 | 36 | 41 | 77 |

to over 40. The remaining bride of this age married a widower aged over 21. (*Tables 14-17.*)

The oldest men marrying were 8 aged over 80, of whom one was over 85. One of these was a bachelor and 7 were widowers. All of them married brides aged between 40 and 80. The oldest women marrying were 23 over 70 years of age, of whom three were over 75. All but three were widows, and all married bridegrooms aged between 60 and 85. Five girls aged 16 married men aged over 30, and four aged under 25 married men of over 60. The youngest divorced men who remarried were 8 aged under 25, while 1 was aged over 65. The youngest divorced woman was aged 20, while 9 were aged over 55.

APPENDIX III.

REPORT ON THE WEATHER IN SCOTLAND FOR THE
YEAR ENDING 31st DECEMBER 1938.*Supplied by the Meteorological Office, Edinburgh.*

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Monthly Returns" published by authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations. (Pp. 133–137.)

General.—The outstanding features of the year are indicated in the course of the report. The most notable were :—

1. The dryness of the months February to April and the exceptional wetness of the early summer and autumn.
2. The excessive total rainfall in spite of a dry spring, only four years having been as wet since 1870.
3. The warmest March and November of the century.
4. The frequency and severity of gales in the first and last quarters of the year and the unusually stormy character of June.

Pressure and Winds.—For the year as a whole barometric pressure was 0·01 inch below the normal. The monthly pressure means were above normal in February, March, April, August and December, and below normal in the remaining seven months. The greatest departures from the normal were in February and April when the mean pressures of 30·197 and 30·322 inches were 0·325 and 0·403 inches in excess of their respective normals. The only other months in which the departures from normal exceeded 0·2 inch were January, October and November, all being below normal.

In January there was a marked excess of south-westerly or westerly winds. Gales, many of unusual severity, occurred with great frequency, especially in the west and north. Winds were mainly from a northerly point during February and there were stormy periods, notably on the 1st, between the 10th and 13th and at the close of the month. There was a pronounced excess of winds between south and west during March, and the north of Scotland experienced several gales, the most severe being between the 2nd and 5th. Quieter conditions prevailed in April with a predominance of west and north-west winds. May too was a quiet month with a slight excess of north and north-east winds. Depressions passing to the north of Great Britain during June accounted for an excess of

winds, frequently of gale force, between south-west and north-west. The wind distribution from July to September generally approximated to the normal. October was marked by frequent gales, many of great violence, especially in the north of Scotland, and these conditions continued throughout November with a considerable excess of south-westerly winds. In December there was an excess of south-easterly or southerly winds as the result of a large anti-cyclone spreading westward from Russia in the middle of the month and causing cold wintry weather over the whole of the British Isles.

Noteworthy Gales.—A succession of unusually severe gales in January caused widespread damage. On the night of the 22nd–23rd the wind reached a mean speed of 60 miles per hour at the height of the gale at Stornoway, Lerwick and Kirkwall, while in gusts it attained extreme speeds of 88, 94 and 100 miles per hour. Between the 28th and the end of the month wild conditions again occurred and wind gusts in excess of 70 miles per hour were recorded at several stations. At Stornoway in the course of the month the wind averaged gale force during 123 hours. In the severe gale of February 1st the mean wind speed reached 52 miles per hour at Stornoway and on the Bell Rock, with gusts up to 73 and 72 miles per hour respectively. Between February 10th and 13th a northerly wind of gale force blowing over the North Sea at a period corresponding with spring tides caused serious flooding in eastern coast districts of England. The River Thames reached its highest level since the disaster of 1928. No reports were received of exceptional river levels being reached in the northern half of Britain. In March the north of Scotland had several gales of unusual severity, especially between the 2nd and 5th, when gusts up to 86 miles per hour were registered at Lerwick, and between 16th and 19th, when 80 miles per hour was reached at Stornoway. Gales were reported on 15 days in June, and those in Skye on the 6th, 7th, 9th and 21st were said to be the worst ever remembered in summer. In Edinburgh on the 6th the wind attained a mean speed of 45 miles per hour with gusts up to 70 miles per hour. October was marked by several gales of great violence, that of the 3rd/4th causing widespread damage and loss of life on both land and sea. The gales of the 6th/7th, 19th/20th and 23rd/24th were also very severe. Many severe gales occurred in the north and west during November; on the 18th a gust of 98 miles per hour was registered at Stornoway. December was a wild month in the extreme north. At Lerwick the wind blew with gale force for 69 hours between the 15th and 18th.

Temperature.—Mean temperature for the country as a whole was 1.4°F. above normal. It was the eighth successive year with a mean temperature equal to or in excess of the normal. Only May, June, July and December had mean temperatures below normal, and in not one of these months was the deficiency so much as one

degree F. The remarkably high mean temperature in March established a new record for that month, the excess over the normal for Scotland as a whole being 6.9°F . November was also exceptionally mild, the mean value being 4.0°F . above normal and the highest for November since 1899. These were the only two months with an excess over the normal amounting to as much as 2°F . The warmest spell was from August 8th to 12th, during which shade temperatures reached maxima of 82°F . at Ardtornish, Ruthwell, Kilmarnock and Forres, and 80°F . at many places in the south and central districts. Shade temperature reached 80°F . on two other days during the summer, namely June 13th (at Perth) and September 12th (at Stonehaven). The highest temperature in July was 75°F . recorded at Banff and Forres on the 22nd and at Dundee on the 25th. A cold spell occurred from January 8th to 11th, when the lowest values reported were 14°F . in the screen and 11°F . on the ground at West Linton. Mid-February was also very cold; a screen minimum of 17°F . was recorded at Dalwhinnie on the 16th and at Braemar on the 21st. Some unusually low temperatures were also registered at the beginning of May, Braemar having a screen minimum of 18°F . and Dalwhinnie 19°F ., both on the 2nd. The coldest spell of all occurred in the latter half of December, when extreme values reported were 4°F . at Braemar on the 22nd, 6°F . at Dalwhinnie on the 20th, 7°F . at Kettins on the 21st and 22nd, and 8°F . at Perth on the 22nd. A ground minimum of 0°F . was registered at Braemar on the 22nd and 1°F . on the 20th and 21st.

Rainfall.—Despite a very dry spring, 1938 was a notably wet year over most of Scotland, the general rainfall representing 123 per cent. of the normal. Since 1870 only four years have been as wet or wetter than 1938, namely 1872, 1877, 1903 and 1928, with 134, 131, 129 and 123 per cent. of the normal respectively. Small areas in northern Aberdeenshire and at Colmonell, Ayrshire, had slightly less than the normal rainfall. More than 130 per cent. occurred in a large belt extending roughly from Dumfriesshire across Renfrewshire, Argyll and Inverness-shire to Sutherland, and the totals were 150 per cent. of the normal or more over a large area from Fort Augustus to south of Inveraray and also at Durrisdeer, Dumfriesshire. In parts of the Western Highlands 1938 ranks as the wettest year for over 70 years, the value 186 per cent. of normal at Inveraray being, so far as can be ascertained, the largest value for any station since before 1868. Mention may be made of the remarkable total of 213 inches of rain at Loan, near the head of Loch Quoich. June was a very wet month, having slightly more than double its normal rainfall over the country as a whole. The excess was appreciably higher in the west, where Fort William with 9.10 inches had its wettest June since 1877. January, October and November were also exceptionally wet with 162, 186 and 157 per cent. of their respective normals. October was actually the wettest

month in Scotland since January 1928. Among many high totals recorded in this month were 24·37 inches and 23·40 inches at Kinlochquoich and Loan respectively. The driest month was April with only 34 per cent. of the normal, August taking second place with 68 per cent. The total rainfall in April did not exceed one-tenth of an inch over large areas in the east and south, and this, following upon two very dry months, caused concern to farming interests and water authorities, especially in the east and south. December with a general rainfall representing 84 per cent. of normal was the only month after August with a deficient rainfall. March was a month of remarkable contrasts, places in east Scotland having virtually a drought, while some places in west Scotland had record high totals. At Loan the total was 50·03 inches, the greatest monthly fall ever measured in Great Britain.

Snow.—There was little snow at ordinary levels during January, February and March. In the closing months of the year the only noteworthy falls were in the week preceding Christmas when snow fell over the whole of Britain and in some places lay to a considerable depth. The falls were unusually heavy in all parts of the south of England. Many roads were blocked and traffic dislocated.

Thunder.—The number of thunderstorms was appreciably in excess of the average in most places. Thunder was reported locally in every month and was most frequent in January and July. Storms were widespread in the south-west on June 8th and extended to many places in east Scotland. A storm of unusual intensity occurred in Lanarkshire on August 11th, when 5·11 inches of rain fell at Strathaven, 3·96 inches at Stonehouse and 3·18 inches at Glassford Filters. Storms occurred over practically the whole of the southern half of Scotland on October 7th. A storm at Linlithgow on December 2nd was unusually prolonged and was accompanied by heavy rain and hail.

Flooding.—Flooding occurred in the Glasgow area and at many Ayrshire resorts following heavy rains in the last week of June. The main street of Dingwall was flooded to a depth of a foot as the result of heavy rains accompanying a storm on July 26th. The intense thunderstorm in Lanarkshire on August 11th was followed by flooding which resulted in washouts at two points on the railway near Strathaven and caused the derailment of a passenger train. Torrential rain in the second week of November caused extensive floods in the Border districts and made roads there impassable. The Tweed and its tributaries reached the highest level for years, in some sections being 15 feet above normal. Two bridges spanning the River Teviot were swept away, and as each carried cables and gas mains these services were dislocated.

Sunshine.—For Scotland as a whole there was a slight deficiency of sunshine. In the north and north-west and in some southern counties the deficiency was in places appreciable, while the counties

of Ayr, Renfrew, Dunbarton and Stirling, and a stretch of country along the east coast from Edinburgh to Aberdeen were favoured somewhat beyond the normal. Of the individual months, August had both relatively and absolutely the highest totals. Orkney and Shetland set up new records in that month and registered the highest aggregates in Great Britain. March and November, besides being very mild, were relatively the dullest months. The highest aggregates for the year, all registered in east Scotland, were 1,511 hours at Arbroath, 1,474 hours at Dunbar, 1,454 hours at St. Andrews and 1,448 hours at Leuchars.

Fog.—Fog occurred in every month but there were few periods of thick or persistent fog. It was thick in the Clyde area on January 3rd and 4th when two cargo liners were involved in a collision and several road accidents occurred. Fog was widespread from September 26th to 28th, especially near the east coast and in the Firth of Clyde. In the last quarter of the year it was fairly prevalent in the Clyde area; Greenock had fog on 10 days in October and 16 days in December.

Aurora.—Aurora was observed in every month except June and July. It was most frequent in January (19 nights), October and November (17 nights each). On January 25th there was a magnificent display—probably the finest for at least 30 years—which was observed over the whole of the British Isles. The phenomenon was widely observed on March 25th and 26th, September 14th, October 7th, 16th, 25th, 26th and 28th, November 14th and 17th, December 2nd, 3rd and 10th. A magnetic storm which accompanied a display on April 16th was one of the most violent ever recorded.

[*For Statistical Tables, see page 133.*]

APPENDIX IV.

RE-REGISTRATION OF BIRTHS.

REGISTRATION OF BIRTHS, &C. (SCOTLAND) (AMENDMENT) ACT, 1934.

This Act, which came into force on 1st January 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows :—

| <i>Year.</i> | | | | | <i>No.</i> |
|--------------|-----|-----|-----|-----|------------|
| 1935 | ... | ... | ... | ... | 1,259 |
| 1936 | ... | ... | ... | ... | 1,063 |
| 1937 | ... | ... | ... | ... | 1,048 |
| 1938 | ... | ... | ... | ... | 979 |

ADOPTED CHILDREN REGISTER.

ADOPTION OF CHILDREN (SCOTLAND) ACT, 1930.

This enactment provides for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. This Register is open for search and Extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if such date is recorded in the relative entry. The Act came into operation on 1st October 1930, and the following Table shows the number of Adoptions recorded in each year :

| <i>Year.</i> | | | <i>No.</i> | <i>Year.</i> | | | <i>No.</i> |
|--------------|-----|-----|------------|--------------|-----|-----|------------|
| 1930 | ... | ... | 3 | 1935 | ... | ... | 683 |
| 1931 | ... | ... | 347 | 1936 | ... | ... | 704 |
| 1932 | ... | ... | 492 | 1937 | ... | ... | 820 |
| 1933 | ... | ... | 437 | 1938 | ... | ... | 812 |
| 1934 | ... | ... | 602 | | | | |

SEARCHES AND EXTRACTS.

The principal records maintained in the General Registry Office, Edinburgh, are the duplicate Registers of Births, Deaths and Marriages for every Registration District in Scotland, kept under the provisions of the Scottish Registration Acts, 1854–1938, and the

Parochial Registers of Births and Baptisms, Proclamations of Banns and Marriages, and Deaths and Burials kept prior to 1855 in the respective parishes under the administration of the Church of Scotland. The earlier Census records in the custody of the Registrar-General, including those relating to the decennial censuses from 1841 to 1871 inclusive, have also been made available for search and extract purposes under prescribed conditions.

The following Table shows the number of searches made and extracts issued during each of the past ten years :—

| YEAR. | Total Searches. | Official Searches. | Paid Searches. | Extracts. | Total Fees received. | | |
|----------|-----------------|--------------------|----------------|-----------|----------------------|----|----|
| | | | | | £ | s. | d. |
| 1928 . . | 48,239 | 34,351 | 13,888 | 10,863 | 2,084 | 11 | 5 |
| 1929 . . | 38,691 | 24,304 | 14,387 | 11,805 | 2,190 | 7 | 7 |
| 1930 . . | 92,926 | 79,362 | 13,564 | 12,599 | 2,168 | 12 | 9 |
| 1931 . . | 40,355 | 28,184 | 12,171 | 8,907 | 1,727 | 15 | 7 |
| 1932 . . | 35,188 | 22,608 | 12,580 | 8,930 | 1,751 | 3 | 4 |
| 1933 . . | 33,199 | 20,535 | 12,664 | 8,767 | 1,739 | 4 | 0 |
| 1934 . . | 32,817 | 19,823 | 12,994 | 8,505 | 1,750 | 0 | 2 |
| 1935 . . | 34,725 | 21,084 | 13,641 | 9,528 | 1,885 | 1 | 1 |
| 1936 . . | 30,734 | 16,341 | 14,393 | 9,192 | 2,057 | 8 | 10 |
| 1937 . . | 37,107 | 21,338 | 15,769 | 10,923 | 2,184 | 11 | 5 |
| 1938 . . | 39,360 | 22,432 | 16,928 | 12,419 | 2,348 | 17 | 8 |

Of the 22,432 official searches made in 1938, 17,570 (including 3,193 searches in the Census Returns) were for the purposes of Widows, &c. Contributory Pensions Acts, 2,176 (including 169 Census searches) for those of the Old Age Pensions Acts, 1,019 for Defence Forces, and 1,667 for other public purposes. The number of Extracts shown for 1938 includes 1,446 Abbreviated Certificates of Birth issued under Section 4 of the Registration (Scotland) Amendment Act, 1934.

APPENDIX V.

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS
OF COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS
REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1938.

| Area. | Nature of Alteration. | Population at Census 1931. | | | | | |
|----------------------|---|----------------------------|---------|----------|-------------------|---------|----------|
| | | Before Alteration. | | | After Alteration. | | |
| | | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| I. BURGHS— | | | | | | | |
| Dumfries - - - | Extension within the Civil Parish of Terregles. | 22,795 | 10,366 | 12,429 | 22,818 | 10,372 | 12,446 |
| Clydebank - - - | Extension within the Civil Parish of New Kilpatrick. | 46,952 | 23,755 | 23,197 | 46,991 | 23,773 | 23,218 |
| Helensburgh - - - | Extension within the Civil Parish of Rhu. | 8,893 | 3,636 | 5,257 | 8,899 | 3,639 | 5,260 |
| Burntisland - - - | Extension within the Civil Parish of Burntisland. | 5,389 | 2,696 | 2,693 | 5,409 | 2,707 | 2,702 |
| St. Andrews - - - | Extension within the Civil Parishes of St. Andrews and St. Leonards. | 8,300 | 3,336 | 4,964 | 8,301 | 3,337 | 4,964 |
| Glasgow - - - | Extension within the Civil Parishes of Cadder, Carmunnock, Glasgow, Old Monkland, Rutherglen, New Kilpatrick, Cathcart, Eastwood, Neilston and Paisley. | 1,088,524 | 524,505 | 564,019 | 1,093,337 | 526,912 | 566,425 |
| Hamilton - - - | Extension within the Civil Parishes of Blantyre and of Hamilton. | 37,990 | 19,224 | 18,766 | 38,112 | 19,284 | 18,828 |
| Rutherglen - - - | Extension within the Civil Parishes of Carmunnock and of Rutherglen. | 25,157 | 11,929 | 13,228 | 25,182 | 11,942 | 13,240 |
| Peebles - - - | Extension within the Civil Parish of Peebles. | 5,915 | 2,535 | 3,380 | 5,931 | 2,546 | 3,385 |
| Renfrew - - - | Extension within the Civil Parishes of Renfrew and of Paisley. | *14,952 | *7,410 | *7,542 | 15,012 | 7,440 | 7,572 |
| Lerwick - - - | Extension within the Civil Parish of Lerwick. | 4,221 | 1,937 | 2,284 | 5,307 | 2,449 | 2,858 |
| II. LANDWARD AREAS— | | | | | | | |
| Dunbarton County - | Extension of Burghs of Clydebank, of Glasgow and of Helensburgh. | 52,477 | 25,493 | 26,984 | 51,411 | 24,987 | 26,424 |
| Fife County - - - | Extension of Burghs of Burntisland and of St. Andrews. | 100,806 | 51,155 | 49,651 | 100,785 | 51,143 | 49,642 |
| Kirkcudbright County | Extension of Dumfries Burgh. | 20,816 | 10,186 | 10,630 | 20,793 | 10,180 | 10,613 |
| Lanark County - | Extension of Burghs of Rutherglen, of Hamilton and of Glasgow. | 291,191 | 146,840 | 144,351 | 287,862 | 145,121 | 142,741 |
| Peebles County - - | Extension of Peebles Burgh. | 6,777 | 3,219 | 3,558 | 6,761 | 3,208 | 3,553 |
| Renfrew County - | Extension of Burghs of Glasgow and of Renfrew. | *54,438 | *25,136 | *29,302 | 53,768 | 24,830 | 28,938 |
| Zetland County - - | Extension of Lerwick Burgh. | 17,200 | 7,608 | 9,592 | 16,114 | 7,096 | 9,018 |

* Revised Population.

APPENDIX V—continued.

| Area. | Nature of Alteration. | Population at Census 1931. | | | | | |
|----------------------------------|--|----------------------------|---------|----------|-------------------|---------|----------|
| | | Before Alteration. | | | After Alteration. | | |
| | | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| III. COUNTIES— | | | | | | | |
| Dunbarton - - - | Extension of Glasgow Burgh. | 147,744 | 72,071 | 75,673 | 146,723 | 71,586 | 75,137 |
| Lanark - - - | | 1,586,032 | 775,116 | 810,916 | 1,587,663 | 775,877 | 811,786 |
| Renfrew - - - | | 288,601 | 138,326 | 150,275 | 287,991 | 138,050 | 149,914 |
| IV. CIVIL PARISHES - | None. | ... | ... | ... | ... | ... | ... |
| V. REGISTRATION DISTRICTS— | | | | | | | |
| 479 Falkirk - - - | Area within Burgh of Grangemouth transferred to Registration District of Grangemouth. | 40,559 | ... | ... | 40,087 | ... | ... |
| 481b(2) Grangemouth - | See above. | 11,859 | ... | ... | 12,331 | ... | ... |
| 598 Kilmaurs - - - | Area within Burgh of Kilmarnock transferred to Registration District of Kilmarnock. | 4,396 | ... | ... | 4,322 | ... | ... |
| 611 ¹ Riccarton - - - | United to Registration District of Kilmarnock. | 4,489 | ... | ... | ... | ... | ... |
| 597 Kilmarnock - - - | See above. | 35,731 | ... | ... | 40,294 | ... | ... |
| 645 Glassford - - - | United to Registration District of Avondale. | 1,177 | ... | ... | ... | ... | ... |
| 621 Avondale - - - | See above. | 5,529 | ... | ... | ... | ... | ... |
| 621 Avondale and Glassford | See above. | ... | ... | ... | 6,706 | ... | ... |
| 863 Crossmichael - - | Part transferred to Registration District of Kelton (including area within Burgh of Castle Douglas). | 1,160 | ... | ... | 1,005 | ... | ... |
| 869 Kelton - - - | See above. | 3,621 | ... | ... | 3,776 | ... | ... |
| 855 Anwoth - - - | United to Registration District of Girthon. | 555 | ... | ... | ... | ... | ... |
| 866 Girthon - - - | See above. | 1,015 | ... | ... | ... | ... | ... |
| 866 Girthon and Anwoth | See above. | ... | ... | ... | 1,570 | ... | ... |
| 886 Inch - - - | Area within Burgh of Stranraer transferred to Registration District of Stranraer. | 1,743 | ... | ... | 1,668 | ... | ... |
| 891 Leswalt - - - | Do. | 874 | ... | ... | 841 | ... | ... |
| 899 Stranraer - - - | See above. | 6,527 | ... | ... | 6,635 | ... | ... |

APPENDIX VI.

PRELIMINARY REPORT ON INFORMATION OBTAINED UNDER THE POPULATION (STATISTICS) ACT, 1938.

Under the provisions of the Population (Statistics) Act, which which came into operation on 1st July 1938, certain additional items of information were furnished confidentially to Registrars of Births, Deaths and Marriages. These included :—

In the case of a birth—

- (1) The age of the mother.

Where parents were married to each other—

- (2) The number of the previous children (including still-born) by present husband, with number still living.
- (3) The same particulars for children by any former husband.

In the case of a death—

If deceased was a married man or married woman at time of death—

- (4) The age of the surviving spouse.

If deceased was a married woman or a woman who had been married—

- (5) Year of marriage.
- (6) If married at date of death, duration of marriage.
- (7) If widowed or if marriage otherwise terminated before date of death, duration of marriage in completed years.
- (8) Whether deceased had any children by her husband or by any former husband. (Yes or No.)

Under (5), (6) and (7) the marriage referred to is the *last* marriage.

Although some of the information, particularly under item (7), is not always readily available, the recording of the additional particulars has been carried through with remarkable smoothness, due largely to the willing co-operation of informants and of the registrars concerned.

A series of observations spread over a period of only six months cannot be expected, when sub-divided into groups, to yield entirely stable results, but in view of the interest which has been taken in the matter it has been deemed advisable to publish some of the figures which have been tabulated, without going deeply into the

conclusions which may be drawn from such observations. The chief interest in these new statistics centres round the light which they throw on the decline of the birth-rate, although in the absence of comparative data many points must await elucidation until further facts are available. When compulsory registration was introduced into Scotland in 1855 the original birth schedule provided for the ascertainment of the age of each parent and of the number of children previously born to a married couple. This provision was, however, dropped in the following year, and in Scotland no statistics on fertility according to the age of the mother are available for any recent period, with the exception of those contained in Appendix VI of the Registrar-General's Report for 1937. That Appendix was based upon an investigation into the numbers of children aged under one year in Scotland at the Census of 1931 as found in a one-in-ten sample of those cases in which mother and child were shown on the same schedule.

In Table F (1) will be found a tabulation of 42,382 births in the second six months of 1938, for which particulars were available. These are tabulated according to the age of the mother and (in the case of legitimate births) according to the duration of the marriage, the latter being a regular requirement in registration of births in Scotland. The completeness of the data is indicated by the fact that in only 14 cases was the age of the mother not obtained, and in only two of the 39,822 cases of legitimate birth was the duration of the marriage not available. There were 11 cases in which the mother was under 16 years of age, 108 cases of mothers over 45 years of age, but no case where the mother was over 50 years.

Of the 39,822 legitimate births the maximum number in any quinquennial age-period was 12,261, or 30·8 per cent. of the total, which occurred when the mother was aged between 25 and 30, those occurring in the preceding and following quinquennial age-groups numbering 9,441 and 9,365 respectively. Nearly 80 per cent. of all the legitimate children were born to mothers within these three age-groups, i.e. between 20 and 35. In the case of illegitimate births, fully one-third were born to mothers aged 20–24, but in almost one-fourth of the illegitimate births the mother was over 30 years of age. The average age of mothers of legitimate children was 29·1 years and of illegitimate children 25·7 years.

The ratio of male births per 100 female births was 104·2 for the entire series, being 103·9 for the legitimate births and 109·2 for the illegitimate. Among legitimate infants the preponderance of males is almost confined to those cases in which the mother was under 30 years of age. In the case of illegitimate births, owing to the smaller numbers, greater irregularity in the proportions at the various ages is observed, but on the whole here again the highest ratios are at ages under 30.

Table F (1) also shows the births tabulated according to the interval which elapsed between marriage and the birth of the child.

irrespective of order of birth. As might be expected, the first year after marriage produced the greatest number of births, almost one-fifth of the legitimate births occurring within that period. The number steadily declines with each succeeding year since marriage.

An important subject upon which information is only now becoming available in Scotland is the age-specific fertility rate, i.e. the number of children born per 1,000 women according to the age of the mother. Particulars as to this are shown in Table F (2). In estimating the populations at risk on which the fertility rates are based, allowance has been made for the effect of recent high marriage-rates on the numbers of married women in the population, but it is difficult to assess the effect of migration (and especially of the "drift south") on the population as estimated in regard to age distribution and conjugal condition. Unless an accurate count of the female population by age and by conjugal condition is available, such rates must be regarded as approximate. The Scottish Birth Registers for 1855, already alluded to, were examined by Lewis and Lewis,* and those for Glasgow and Edinburgh by Matthews Duncan.† The rates obtained from these investigations are shown below for comparison with those given in Table F (2) and with those published for 1931 in the Annual Report for 1937.

Legitimate Children born per 1,000 Married Women.

| Age of Mother. | Scotland, 1855 (Lewis and Lewis). | Glasgow and Edinburgh, 1855 (Matthews Duncan). | Scotland: | |
|--------------------|--|---|-----------|-------|
| | | | 1931. | 1938. |
| Under 20 | 511 | 500 | 588 | 636 |
| 20-24 | 427 | 418 | 386 | 363 |
| 25-29 | 366 | 346 | 257 | 232 |
| 30-34 | 302 | 266 | 166 | 152 |
| 35-39 | 242 | 204 | 107 | 88 |
| 40-44 | 113 | 80 | 36 | 28 |
| 45-49 | 18 | 13 | 4 | 2 |

The most conspicuous feature of the comparison between these rates is that, for married women aged under 20 years, the observed fertility for recent years is higher than in 1855, and that for 1938 is actually higher than was found in the Census sample of 1931. Although rates based on estimated numbers of women and not on those actually ascertained at a Census must be used with caution, and

* Natality and Fecundity. J. C. Lewis, D.Sc., M.D., and J. Norman Lewis, F.I.A., F.F.A. Edinburgh, Oliver & Boyd, 1906.

† Fecundity, Fertility, Sterility and Allied Topics. J. Matthews Duncan, M.D., F.R.S.E. Edinburgh, A. & C. Black, 1871.

especially so in ages where the married population involved is comparatively small, as at 15–19 years, the fact that the 1931 and the 1938 investigations, which are completely independent of one another, both show higher rates than those found in 1855 probably reflects a real increase in observed fertility at these young ages.* It must be remembered, however, that the rates for 1855 were depressed on account of the fact that a full year's births were not registered in that year as a result of the lag between date of registration and date of birth. In the following year, when the new system of compulsory registration was in full operation, the birth-rate was fully 8 per cent. higher than in 1855. In one respect the whole series of observations given above shows a notable consistency. The decline in fertility observed in other countries appears to be most marked at the higher ages of mothers, the least change being shown at the earlier ages. It will be observed that this is true also of Scotland. For age group 20–24 the decline between 1855 and 1938 is 15 per cent., for 25–29 it is 37 per cent., for 30–34 it is 50 per cent., for 35–39 it is 64 per cent., and for 40–44 it is 75 per cent. Under age 25 the birth-rate shows comparatively little change, but in the age group 40–44 it is in 1938 only one-quarter of what it was in 1855. If the rates for 1931 and 1938 are compared a similar series of differences, though naturally on a reduced scale, is observed.

It is of interest to note that differences, similar in kind to but on a rather less extensive scale than these long-term changes, are found on comparison of the two series of age-specific rates available for 1855. Those given by Matthews Duncan, referable only to Glasgow and Edinburgh, are consistently lower than those of Lewis and Lewis, which relate to all Scotland, the differences being relatively least at earlier and greatest at later ages. At ages under 25, e.g., the divergence is only 2 per cent., but gradually increases until at 40–44 years the difference is as much as 29 per cent. It is possible, therefore, that the factors causing the decline in the birth-rate over the years from 1855 onwards had already begun to operate in the large towns prior to the institution of registration, and that since then the diminution in observed fertility had proceeded at a greater rate in parts of the country outwith Glasgow and Edinburgh, since, as shown in Appendix VI of the 1937 Annual Report, there are noted no consistent differences in age-specific fertility rates for these two towns and the country as a whole. It is unfortunate that more frequent observations are not available, in view of their obvious relevance to suggested explanations of the causes of decline in fertility; but the similarity in the nature of the geographical differences as far back as 1855 to those which have occurred nationally over the whole registration period is at least worthy of attention.

From the above data and recent (1930–32) survivorship figures

* It may be mentioned that the figures obtained from the National Register (adjusted to allow for the number of marriages which took place between the middle of 1938 and the end of September 1939) confirm the estimate used in ascertaining the fertility rate among young married women.

for Scotland, a Net Reproduction Rate has been calculated. This useful measure indicates whether or not the mothers of the present population are likely to produce a sufficient number of female children to ensure that the number of potential mothers in the next generation is not less than the number in this. On the basis of current rates of mortality there can be computed the present number of female infants born who will survive to reproductive ages in the future, and applying current age-specific fertility rates, how many of these survivors will reproduce themselves by bearing female children. If, under these conditions, the survivors of present-day female births ultimately produce as many females as are born to-day, the Net Reproduction Rate is unity, and the population is, in this respect, holding its own. If less than unity, replacement is insufficient to prevent an ultimate decline of population, although this may for a time be postponed by further reduction of mortality at later ages, but only in respect of ages above the reproductive span. If the Net Reproduction Rate is above unity the population is biologically healthy, tending to increase at the important early ages of life. From the age-specific fertility rates now available, and utilising the survivorship data of the Scottish Life Tables for 1930–32, the Net Reproduction Rate for Scotland is found to be 0·961. In other words, although the Scottish population is not quite reproducing itself (in the sense defined above), it in fact compares favourably with estimates of this kind for most other countries in Western Europe or in the Dominions in recent years. An unofficial estimate which has been published for England and Wales for the year 1935 gives the Net Reproduction Rate as 0·734. It should be borne in mind that these rates are based not on legitimate births but on all births, and that they would be affected by any future rise or fall in the marriage-rate even if survival and fertility rates remain constant.

In Table F (3) will be found a tabulation of first births after marriage according to the age of the mother and the interval since marriage. These births in all numbered 13,901, and of these 7,357 occurred within one year of marriage and 3,483 in the second year of marriage. At the other extreme there were 190 cases in which more than ten years had elapsed between marriage and the birth of the first child, in 58 of which more than 15 years had elapsed and in six cases more than 20 years. The table shows by months for the first year of marriage the interval between marriage and birth of first child, and by three-monthly periods for the second year. From this table it will be observed that in 3,995 cases, or 28·7 per cent. of all first births, the birth took place within seven months of marriage, in the eighth and the ninth month in 809 cases, or 5·8 per cent., and in the period from the tenth to the twelfth month (inclusive) in 2,553 cases, or 18·4 per cent. Thereafter the numbers diminish for each succeeding three-monthly period in the second year of marriage and for each year following. The average interval between marriage and the birth of the first child was approximately 1 year and 8 months. As might be

expected there is rather a preponderance of younger mothers in those cases in which the duration of marriage was less than one year, the average age for such cases being 24·6 years, while for first births in the second year of marriage the average maternal age was 27·1 and for those in the third year of marriage it was 28·7. In the case of births occurring before the end of the seventh month after marriage the average age of the mother was 23·5 years.

The proportion of births occurring within seven months of marriage declines progressively with increasing age of mother. Thus of infants born to mothers aged under 20, 70·7 per cent. occur within seven months of marriage, at age 20–24 the percentage is 39·8, at 25–29 it is 17·0, at 30–34 it is 10·1 and at 35–39 it is 9·2.

In Table F (4) will be found the age of the mother classified according to the number of previous children by her present husband and by any previous husband. The number of legitimate children was 39,822, including 9 cases in which particulars as to number of previous children were not obtained. The total number of children previously born to the existing marriage was 72,659 and to a former marriage 1,287. Including the child now born, the children born to the existing marriage numbered 112,481 (Table F (5)), while including those born to the former marriage the total was 113,768. Still-born children and children who have died are included in the numbers of previous children born.

In 13,901 cases the child now registered was the first born to the present marriage, in 9,369 cases it was the second, in 5,889 cases the third, in 3,666 cases the fourth and in 2,346 cases the fifth. In 760 cases there had been at least nine previous children, and in 9 cases there had been at least 15 previous children, while in one case it was stated that there had been 20 previous children, the mother in this case being over 45 years of age. Of the 1,668 cases in which the mother was under 20 years of age, the child was the second in 249 instances, the third in 25 and the fourth in one case. It is found that the number of families of ten children is about one-third less than the number of those of nine children, and those of nine are also about one-third less than those of eight. This proportionate reduction in the number of families as the number of children increases is found to exist with considerable regularity throughout the table.

The effect of the decline of fertility on the distribution by order of birth of infants born in a given year is strikingly illustrated by comparing the numbers in Table F (4) with corresponding figures taken from Lewis' work on the births of 1855. The following tabulation shows the percentage of total births which were first, second, third, &c. in Scotland in 1855 and in 1938, and also the ratio which the number of second, third, &c. births bore to first births.

| Order of Birth. | Percentage of Total Births. | | Ratio to First Births (100). | | Ratio to Preceding Number in Columnar Order (100). | |
|-----------------|-----------------------------|-------|------------------------------|-------|--|-------|
| | 1855. | 1938. | 1855. | 1938. | 1855. | 1938. |
| 1 | 19.0 | 34.9 | 100.0 | 100.0 | ... | ... |
| 2 | 16.1 | 23.5 | 84.8 | 67.4 | 85 | 67 |
| 3 | 15.3 | 14.8 | 80.6 | 42.4 | 95 | 63 |
| 4 | 12.7 | 9.2 | 66.8 | 26.4 | 83 | 62 |
| 5 | 10.5 | 5.9 | 55.1 | 16.9 | 82 | 64 |
| 6 | 8.2 | 3.9 | 43.2 | 11.2 | 79 | 66 |
| 7 | 6.3 | 2.7 | 33.1 | 7.9 | 77 | 71 |
| 8 | 4.6 | 1.8 | 24.2 | 5.3 | 73 | 67 |
| 9 | 3.1 | 1.3 | 16.3 | 3.6 | 68 | 68 |
| 10 | 1.8 | 0.9 | 9.7 | 2.5 | 59 | 69 |
| 11 and over. | 2.1 | 1.0 | 10.1 | 2.9 | ... | ... |
| Not known. | 0.3 | ... | 0.1 | ... | ... | ... |
| | 100.0 | 100.0 | ... | ... | ... | ... |

From the above it will be seen that in 1855 first, second and third births accounted for 50.4 per cent. of the total births, while in 1938 these births numbered 73.2 per cent. of the total. From the second set of ratios it is observed that for every 100 mothers who had their first birth in 1855 there were 84.8 who had their second and 80.6 their third. In 1938 these ratios were only 67.4 and 42.4. Thus the proportion of third births to first was in 1938 little more than one-half of what it was in 1855. Fifth births in 1855 were 55 per cent. of first births, whereas in 1938 they were only 17 per cent., a decline of fully two-thirds. As already indicated, the 1938 numbers show a fairly consistent, although irregular, decline of about one-third in the successive numbers of children grouped according to order of birth, the most marked decline being in the case of a third or a fourth child. A scrutiny of the above table will indicate the striking change in fertility of the women of Scotland which has taken place since 1855.

In only 498 cases was the birth of any child from a previous marriage reported, the 498 cases accounting for 1,287 children. This gives an average of 2.58 children for each previous fruitful marriage. The number of cases decreases with the increase in the numbers of previous children. It will be observed that in two cases there were 10 or more children from a previous marriage.

Table F (5) shows the numbers of previous children of the current marriage, tabulated according to the duration of the marriage. The average number of children rises steadily with the number of years which have elapsed since marriage. Thus, where a child has been born in the second year of married life, calculations based on the table show that the average number of children born to the marriage

(including the present child) is 1·35, in the third 1·80, in the fourth 2·20 and in the fifth 2·53. In the case of those marriages where a child is born between the 10th and 15th year of marriage, the average number of children of the marriage is 5·16, between the 15th and the 20th year 7·03, between the 20th and the 25th year 8·88, and when a child is born after 25 years of married life the average number of children of the marriage is 11·09. For all cases, irrespective of duration, the average number of children is 2·83. From this table it is also possible to calculate the average interval between the birth of each successive child. The first child is born on an average one year and eight months after marriage, the second child after 4·1 years, the third after 6·4 years, the fourth after 8·5 years and the fifth after 10·4 years. For the tenth child this average interval is 16·8 years.

Table F (6) contains a classification of twin and triplet births according to sex and the age of the mother. The number of cases in which twin children were both males, both females, and one male and one female were approximately equal, being respectively 163, 174 and 171 out of a total of 508 legitimate cases. In 18 cases the births were illegitimate, and in 11 of these cases the children were both males. The percentage of mothers who bear twins rises steadily until the age-group 30–34, after which there is a decline. Thus at ages under 20 the percentage is 0·45, at 20–24 it is 0·86, at 25–29 it is 1·15 and at 30–34 it is 1·80, after which it declines to 1·69 at 35–39 and 1·17 at 40–44. No case of multiple birth occurred in the case of women over 45. In the only case recorded of a triplet birth two of the children were male and one female. These figures are subject to the qualification that they do not include still-births, these not having been registered in Scotland until 1939. The totals, irrespective of age, are, however, quite comparable with figures relative to multiple births as published in this and in all previous Reports for Scotland.

At the registration of the death of a woman who had been married the question is asked whether or not the deceased had had any children, and the results of this inquiry are shown in Table F (7), correlated with the age and the conjugal condition of the deceased.

The deaths of 9,880 such women were registered during the six months and the question was answered in all but 59 cases. It will be readily understood that the information was sometimes not available, particularly in the case of elderly women, and in fact in 32 of these 59 cases the deceased was aged over 70. The question was answered in 9,821 cases, of which 4,698 were of women who were married at the time of death, 5,107 were of widows and 16 of divorced women. In the case of 759 married women, of 718 widows and of 4 divorced women the deceased had had no children. Expressed as a percentage of the total number of women in each category, the percentages of those who had had no children were 16·2 in the case of married women, 14·1 in the case of widows and 25·0

in the case of divorced women. In the case of married women this percentage, in general terms, diminishes with increasing age. It is 21·4 at age under 20, when the duration of married life will naturally have been shortest, but it is 29·1 between 20 and 24, 22·4 at 25–29, 23·0 at 30–34, 19·3 at 35–39, and it decreases at each succeeding age group until it reaches 13·2 at 60–69, after which it rises to 17·1 at over 70. Only 20 widows were aged under 40 years and in every case there had been children, but thereafter the percentage of childless widows does not show the comparative regularity of that for married women, being 8·7 at ages 40–44, 16·7 at 45–49, 12·4 at 50–59, 15·2 at 60–69 and 14·0 at ages over 70. These irregularities may be due to paucity of numbers, deaths of widows being fewer than those of married women at all age-periods under 70.

In Table F (8) the numbers of women who had been married and who die childless are related to the duration of the marriage. As would be expected the percentage of women who have had no children is highest at the shorter durations and diminishes steadily with increasing durations. Thus of the 105 women (all conditions) whose marriage had lasted less than one year, deceased had had no children in 60 per cent. of the cases, but this percentage declines to 40·4 for the second year, to 38·3 for the third year and to 29·8 for the fourth year. Thereafter the percentage continues to fall somewhat irregularly and it is still as high as 24·4 at 15–19 years' duration, after which it declines steadily. At 40–49 years' duration it is 7·5, at 50–59 it is 5·4 and at 60–69 it is 5·3. As already indicated the percentage who had no children is 16·2 in the case of women who were married at the time of death and 14·1 in the case of widows, and this relative position is maintained in most of the durations, although from 3 to 6 years' duration inclusive the percentage is higher in the case of widows. It may be pointed out that while in the case of the deaths of married women the year of marriage may be approximately determined from the duration of the marriage, this is not possible where deceased was a widow, being dependent on the duration of her widowhood, which has not been tabulated.

Tables have also been prepared showing, in the case of the death of a married man or married woman, the age of the surviving spouse, but as these are of limited interest it is not proposed to publish them in this Supplement. The results are, however, available to interested persons on application to this Office.

TABLE F (1).—Births by Age of Mother and Duration of Marriage—Scotland—July to December 1938.

| DURATION OF MARRIAGE. (Years.) | AGE OF MOTHER. | | | | | | | | | | | | | |
|-----------------------------------|----------------|-----------|-----|-----|-----|-------|--------|--------|--------|--------|--------|--------|--------------|-------------|
| | All Ages. | Under 16. | 16. | 17. | 18. | 19. | 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50 and over. | Not stated. |
| Under one year | 7,580 | ... | 30 | 150 | 520 | 586 | 3,393 | 1,937 | 702 | 221 | 38 | 2 | ... | 1 |
| 1 | 5,193 | ... | ... | 17 | 89 | 161 | 2,064 | 1,832 | 779 | 215 | 36 | ... | ... | ... |
| 2 | 4,022 | ... | ... | ... | 29 | 72 | 1,451 | 1,484 | 744 | 196 | 45 | 1 | ... | ... |
| 3 | 3,456 | ... | ... | ... | ... | 14 | 1,115 | 1,391 | 691 | 214 | 30 | 1 | ... | ... |
| 4 | 3,005 | ... | ... | ... | ... | ... | 745 | 1,295 | 709 | 224 | 29 | 3 | ... | ... |
| 5 | 2,501 | ... | ... | ... | ... | ... | 412 | 1,127 | 675 | 245 | 36 | 3 | ... | ... |
| 6 | 2,130 | ... | ... | ... | ... | ... | 185 | 1,025 | 647 | 235 | 37 | 1 | ... | ... |
| 7 | 1,809 | ... | ... | ... | ... | ... | 63 | 857 | 621 | 228 | 40 | ... | ... | ... |
| 8 | 1,614 | ... | ... | ... | ... | ... | 13 | 604 | 689 | 267 | 38 | 2 | ... | ... |
| 9 | 1,377 | ... | ... | ... | ... | ... | ... | 380 | 662 | 298 | 37 | ... | ... | ... |
| 10-14 | 4,456 | ... | ... | ... | ... | ... | ... | 329 | 2,215 | 1,599 | 298 | ... | ... | ... |
| 15-19 | 2,185 | ... | ... | ... | ... | ... | ... | ... | 231 | 1,379 | 551 | 23 | ... | ... |
| 20-24 | 446 | ... | ... | ... | ... | ... | ... | ... | ... | 81 | 331 | 33 | ... | ... |
| 25 and over | 46 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 23 | 23 | ... | ... |
| Not stated | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| All Legitimate Births | 39,822 | ... | 30 | 167 | 638 | 833 | 9,441 | 12,261 | 9,365 | 5,402 | 1,569 | 105 | ... | 11 |
| Male | 20,288 | ... | 18 | 90 | 354 | 406 | 4,818 | 6,343 | 4,702 | 2,705 | 794 | 50 | ... | 8 |
| Female | 19,534 | ... | 12 | 77 | 284 | 427 | 4,623 | 5,918 | 4,663 | 2,697 | 775 | 55 | ... | 3 |
| Illegitimate Births | 2,560 | 11 | 50 | 124 | 203 | 179 | 860 | 523 | 328 | 199 | 77 | 3 | ... | 3 |
| Male | 1,336 | 7 | 21 | 72 | 104 | 95 | 447 | 277 | 170 | 99 | 42 | ... | ... | 2 |
| Female | 1,224 | 4 | 29 | 52 | 99 | 84 | 413 | 246 | 158 | 100 | 35 | 3 | ... | 1 |
| All Births | 42,382 | 11 | 80 | 291 | 841 | 1,012 | 10,301 | 12,784 | 9,693 | 5,601 | 1,646 | 108 | ... | 14 |
| Male | 21,624 | 7 | 39 | 162 | 458 | 501 | 5,265 | 6,620 | 4,872 | 2,804 | 836 | 50 | ... | 10 |
| Female | 20,758 | 4 | 41 | 129 | 383 | 511 | 5,036 | 6,164 | 4,821 | 2,797 | 810 | 58 | ... | 4 |

TABLE F (2).—Fertility by Age of Mother.

| | AGE OF MOTHER. | | | | | | | |
|---|----------------|--------|--------|--------|--------|--------|--------|-------------|
| | 15-49. | 15-19. | 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. |
| Births—July to December 1938 :— | | | | | | | | |
| Total | 42,382 | 2,235 | 10,301 | 12,784 | 9,693 | 5,601 | 1,646 | 108 |
| Legitimate | 39,822 | 1,668 | 9,441 | 12,261 | 9,365 | 5,402 | 1,569 | 105 |
| Illegitimate | 2,560 | 567 | 860 | 523 | 328 | 199 | 77 | 3 |
| Rates per annum per 1000 females :— | | | | | | | | |
| All Births | 65* | 21 | 107 | 127 | 101 | 63 | 20 | 1·4 |
| Legitimate Births (per 1000 married females) | 127* | 636 | 363 | 232 | 152 | 88 | 28 | 2·1 |
| Illegitimate Births (per 1000 unmarried females, including widowed and divorced) | 7·8* | 5·3 | 12·3 | 10·9 | 9·5 | 7·1 | 3·1 | 0·1 |
| | | | | | | | | Not stated. |

* Expressed as per 1000 females aged 15-44 these rates are respectively 74, 152 and 8·4. (See Table 7, page xciii.)

TABLE F (3).—Interval between Marriage and Birth of First Child—Scotland—July to December 1938.

| DURATION OF MARRIAGE. | AGE OF MOTHER. | | | | | | | | | | | | |
|-----------------------|----------------|-----|-----|-----|-----|--------|--------|--------|--------|--------|--------|--------------|-------------|
| | All Ages. | 16. | 17. | 18. | 19. | 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50 and over. | Not stated. |
| <i>Months.</i> | | | | | | | | | | | | | |
| Under One | 230 | 4 | 9 | 19 | 29 | 100 | 43 | 16 | 6 | 4 | - | - | - |
| 1 | 235 | 2 | 6 | 28 | 20 | 112 | 39 | 20 | 5 | 3 | - | - | - |
| 2 | 414 | 4 | 18 | 54 | 41 | 199 | 62 | 23 | 11 | 2 | - | - | - |
| <i>Under 3 months</i> | 879 | 10 | 33 | 101 | 90 | 411 | 144 | 59 | 22 | 9 | - | - | - |
| 3 | 619 | 4 | 27 | 63 | 80 | 286 | 116 | 25 | 13 | 5 | - | - | - |
| 4 | 794 | 4 | 21 | 94 | 82 | 405 | 127 | 50 | 10 | 1 | - | - | - |
| 5 | 958 | 4 | 25 | 86 | 113 | 457 | 203 | 49 | 18 | 3 | - | - | - |
| 3-5 | 2,371 | 12 | 73 | 243 | 275 | 1,148 | 446 | 124 | 41 | 9 | - | - | - |
| 6 | 745 | 2 | 16 | 58 | 72 | 380 | 153 | 53 | 8 | 3 | - | - | - |
| 7 | 379 | 1 | 6 | 36 | 29 | 185 | 81 | 31 | 10 | - | - | - | - |
| 8 | 430 | - | 9 | 21 | 22 | 177 | 130 | 57 | 14 | - | - | - | - |
| 6-8 | 1,554 | 3 | 31 | 115 | 123 | 742 | 364 | 141 | 32 | 3 | - | - | - |
| 9 | 962 | 1 | 4 | 23 | 42 | 383 | 335 | 129 | 39 | 6 | - | - | - |
| 10 | 800 | 1 | 3 | 15 | 20 | 310 | 299 | 109 | 35 | 7 | 1 | - | - |
| 11 | 791 | 1 | 3 | 13 | 25 | 302 | 295 | 108 | 41 | 3 | - | - | - |
| 9-11 | 2,553 | 3 | 10 | 51 | 87 | 995 | 929 | 346 | 115 | 16 | 1 | - | - |
| 12-14 | 1,511 | - | 2 | 22 | 36 | 528 | 565 | 274 | 66 | 18 | - | - | - |
| 15-17 | 894 | - | 1 | 8 | 19 | 300 | 368 | 151 | 41 | 6 | - | - | - |
| 18-20 | 536 | - | 1 | 5 | 11 | 196 | 194 | 93 | 33 | 3 | - | - | - |
| 21-23 | 542 | - | - | 6 | 7 | 158 | 216 | 115 | 35 | 5 | - | - | - |
| <i>Years.</i> | | | | | | | | | | | | | |
| Under One | 7,357 | 28 | 147 | 510 | 575 | 3,296 | 1,883 | 670 | 210 | 37 | 1 | - | - |
| 1 | 3,483 | - | 4 | 41 | 73 | 1,182 | 1,343 | 633 | 175 | 32 | - | - | - |
| 2 | 1,303 | - | - | 6 | 9 | 257 | 572 | 359 | 74 | 25 | 1 | - | - |
| 3 | 638 | - | - | - | - | 92 | 263 | 209 | 65 | 9 | - | - | - |
| 4 | 359 | - | - | - | - | 24 | 165 | 124 | 43 | 3 | - | - | - |
| 5 | 224 | - | - | - | - | 16 | 73 | 98 | 32 | 4 | 1 | - | - |
| 6 | 124 | - | - | - | - | 5 | 32 | 56 | 28 | 2 | 1 | - | - |
| 7 | 90 | - | - | - | - | 2 | 18 | 43 | 21 | 6 | - | - | - |
| 8 | 74 | - | - | - | - | - | 16 | 38 | 20 | - | - | - | - |
| 9 | 59 | - | - | - | - | - | 4 | 29 | 20 | 6 | - | - | - |
| 10-14 | 132 | - | - | - | - | - | 12 | 59 | 52 | 9 | - | - | - |
| 15-19 | 52 | - | - | - | - | - | - | 8 | 32 | 12 | - | - | - |
| 20 and over | 6 | - | - | - | - | - | - | - | 2 | 4 | - | - | - |
| Not stated | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOTAL | 13,901 | 28 | 151 | 557 | 657 | 4,874 | 4,381 | 2,326 | 774 | 149 | 4 | - | - |

TABLE F (4).—Number of Previous Children (of Married Women) by Age of Mother—Scotland—July to December 1938.

| NUMBER OF PREVIOUS CHILDREN (INCLUDING STILL-BORN AND DEAD). | AGE OF MOTHER. | | | | | | | | | | | | |
|--|----------------|-----|-----|-----|-----|--------|--------|--------|--------|--------|--------|--------------|-------------|
| | All Ages. | 16. | 17. | 18. | 19. | 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50 and over. | Not stated. |
| <i>Present Husband.</i> | | | | | | | | | | | | | |
| None. | 13,901 | 28 | 151 | 557 | 657 | 4,874 | 4,381 | 2,326 | 774 | 149 | 4 | ... | ... |
| 1 | 9,369 | 1 | 15 | 73 | 160 | 2,731 | 3,274 | 2,114 | 866 | 130 | 5 | ... | ... |
| 2 | 5,889 | 1 | 1 | 8 | 15 | 1,284 | 2,100 | 1,542 | 770 | 163 | 5 | ... | ... |
| 3 | 3,666 | ... | ... | ... | 1 | 423 | 1,285 | 1,158 | 641 | 148 | 9 | ... | 1 |
| 4 | 2,346 | ... | ... | ... | ... | 107 | 713 | 813 | 568 | 136 | 9 | ... | ... |
| 5 | 1,552 | ... | ... | ... | ... | 19 | 326 | 566 | 490 | 139 | 12 | ... | ... |
| 6 | 1,095 | ... | ... | ... | ... | 3 | 135 | 398 | 385 | 163 | 11 | ... | ... |
| 7 | 731 | ... | ... | ... | ... | ... | 31 | 229 | 320 | 141 | 10 | ... | ... |
| 8 | 504 | ... | ... | ... | ... | ... | 12 | 116 | 247 | 121 | 8 | ... | ... |
| 9 | 350 | ... | ... | ... | ... | ... | 3 | 72 | 165 | 99 | 10 | ... | 1 |
| 10-14 | 401 | ... | ... | ... | ... | ... | 1 | 31 | 175 | 173 | 21 | ... | ... |
| 15-19 | 8 | ... | ... | ... | ... | ... | ... | ... | 1 | 7 | ... | ... | ... |
| 20 and over | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... |
| Not stated | 9 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| TOTAL—Present Husband . | 39,822 | 30 | 167 | 638 | 833 | 9,441 | 12,261 | 9,365 | 5,402 | 1,569 | 105 | ... | 11 |
| <i>Any Previous Husband.</i> | | | | | | | | | | | | | |
| 1 | 185 | ... | ... | ... | ... | 17 | 42 | 55 | 38 | 33 | ... | ... | ... |
| 2 | 124 | ... | ... | ... | ... | 6 | 20 | 31 | 39 | 25 | 3 | ... | ... |
| 3 | 72 | ... | ... | ... | ... | 5 | 12 | 28 | 15 | 12 | ... | ... | ... |
| 4 | 45 | ... | ... | ... | ... | 1 | 7 | 7 | 15 | 15 | ... | ... | ... |
| 5 | 26 | ... | ... | ... | ... | 1 | ... | 6 | 11 | 7 | 1 | ... | ... |
| 6 | 20 | ... | ... | ... | ... | ... | ... | 6 | 11 | 3 | ... | ... | ... |
| 7 | 12 | ... | ... | ... | ... | ... | ... | 2 | 2 | 8 | ... | ... | ... |
| 8 | 5 | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 1 | ... | ... |
| 9 | 7 | ... | ... | ... | ... | ... | ... | 1 | 3 | 3 | ... | ... | ... |
| 10 and over | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| TOTAL—Any Previous Husband . | 498 | ... | ... | ... | ... | 30 | 81 | 136 | 136 | 109 | 6 | ... | ... |

TABLE F (5).—Births by Duration of Marriage and No. of Previous Children—Scotland—July to December 1938.

| DURATION of MARRIAGE. | | Total Births. | NO. OF PREVIOUS CHILDREN (INCLUDING STILL-BORN AND DEAD). | | | | | | | | | | | | | | | Total number of Children. | | | |
|---|--|---------------|---|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------------------------|-------------|---------|----------|
| | | | None. | 1. | 2. | 3. | 4. | 5. | 6. | 7. | 8. | 9. | 10. | 11. | 12. | 13. | 14. | 15 and over. | Not stated. | Number. | Average. |
| <i>By Present Husband.</i> | | | | | | | | | | | | | | | | | | | | | |
| Under one year - | | | 7,580 | 7,357 | 183 | 11 | 4 | 9 | 2 | 1 | 1 | - | - | - | - | - | - | - | 1 | 7,905 | 1·04 |
| 1 | | | 5,193 | 3,483 | 1,606 | 91 | 2 | 4 | - | - | - | 1 | - | - | - | - | - | - | - | 7,036 | 1·35 |
| 2 | | | 4,022 | 1,302 | 2,275 | 407 | 3 | 5 | - | - | - | - | - | - | - | - | - | - | - | 7,235 | 1·80 |
| 3 | | | 3,456 | 638 | 1,685 | 971 | 13 | 1 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | 7,602 | 2·20 |
| 4 | | | 2,005 | 359 | 1,173 | 1,056 | 355 | 6 | - | 1 | - | - | - | - | - | - | - | - | - | 7,612 | 2·53 |
| 5 | | | 2,501 | 224 | 800 | 793 | 505 | 19 | 5 | 1 | - | - | - | - | - | - | - | - | 3 | 7,135 | 2·86 |
| 6 | | | 2,130 | 124 | 507 | 678 | 488 | 62 | 10 | 2 | 1 | - | - | - | - | - | - | - | - | 6,881 | 3·23 |
| 7 | | | 1,809 | 90 | 361 | 456 | 455 | 119 | 38 | 6 | 1 | 1 | - | - | - | - | - | - | - | 6,457 | 3·57 |
| 8 | | | 1,614 | 74 | 244 | 395 | 409 | 143 | 45 | 14 | 3 | - | - | - | 1 | 1 | - | - | - | 6,147 | 3·81 |
| 9 | | | 1,377 | 59 | 174 | 312 | 290 | 265 | 86 | 23 | 9 | 1 | - | - | 1 | - | - | - | - | 5,660 | 4·11 |
| 10-14 | | | 4,456 | 132 | 315 | 600 | 782 | 734 | 553 | 329 | 168 | 93 | 27 | 7 | 1 | 1 | - | - | 2 | 22,985 | 5·16 |
| 15-19 | | | 2,185 | 52 | 44 | 114 | 178 | 268 | 300 | 289 | 254 | 201 | 117 | 48 | 24 | 16 | 2 | 2 | 1 | 15,353 | 7·03 |
| 20-24 | | | 446 | 6 | 2 | 5 | 14 | 26 | 52 | 61 | 62 | 47 | 48 | 37 | 27 | 13 | 5 | 4 | 1 | 3,953 | 8·88 |
| 25 and over - | | | 46 | - | - | - | - | 4 | 2 | 3 | 5 | 5 | 8 | 3 | 9 | 2 | 2 | 3 | - | 510 | 11·09 |
| Not Stated | | | 2 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 10 | ... |
| TOTAL—Present Husband | | | 39,822 | 13,901 | 9,369 | 5,889 | 3,666 | 2,346 | 1,552 | 1,095 | 731 | 504 | 350 | 200 | 96 | 63 | 33 | 9 | 9 | 112,481 | 2·83 |
| Any Previous Husband | | | 498 | - | 185 | 124 | 72 | 45 | 26 | 20 | 12 | 5 | 7 | 1 | 1 | - | - | - | - | 1,287 | 2·58 |
| All Husbands | | | 40,320 | 13,901 | 9,554 | 6,013 | 3,738 | 2,391 | 1,578 | 1,115 | 743 | 509 | 357 | 201 | 97 | 63 | 33 | 9 | 9 | 113,768 | ... |
| TOTAL—Children - (Including present Birth) | | | 113,768 | 13,901 | 18,923 | 17,915 | 14,880 | 11,910 | 9,442 | 7,785 | 5,932 | 4,576 | 3,563 | 2,210 | 1,163 | 819 | 462 | 135 | 152 | - | - |

Note.—Above numbers indicate that in some cases children born before marriage may have been included by Informants.

TABLE F (6).—Multiple Births by Age of Mother—Scotland—July to December 1938.

| | AGE OF MOTHER. | | | | | | | | | | Not stated. |
|---|----------------|------|------|-------|--------|--------|--------|--------|--------|-----------------|----------------|
| | All Ages. | 17. | 18. | 19. | 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45 and over. | |
| <i>Twin Births.</i> | | | | | | | | | | | |
| Legitimate— | | | | | | | | | | | |
| Both males - | 163 | ... | ... | ... | 22 | 45 | 52 | 38 | 6 | ... | ... |
| One male, one female - | 171 | ... | 1 | 2 | 29 | 50 | 52 | 31 | 6 | ... | ... |
| Both females - | 174 | ... | 2 | 1 | 31 | 45 | 66 | 23 | 6 | ... | ... |
| Total - | 508 | ... | 3 | 3 | 82 | 140 | 170 | 92 | 18 | ... | ... |
| Illegitimate— | | | | | | | | | | | |
| Both males - | 11 | 2 | 1 | ... | 3 | 4 | ... | ... | 1 | ... | ... |
| One male, one female - | 6 | 1 | ... | ... | 2 | 1 | 1 | 1 | ... | ... | ... |
| Both females - | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... |
| Total - | 18 | 3 | 1 | ... | 6 | 5 | 1 | 1 | 1 | ... | ... |
| <i>Triplet Birth.</i> | | | | | | | | | | | |
| Legitimate— | | | | | | | | | | | |
| Two males, one female - | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... |
| All mothers - | 41,854 | 379 | 837 | 1,009 | 10,213 | 12,639 | 9,520 | 5,508 | 1,627 | 108 | 14 |
| Mothers of twin children - | 526 | 3 | 4 | 3 | 88 | 145 | 171 | 93 | 19 | ... | ... |
| Mothers of twin children per 100 mothers - | 1.26 | 0.79 | 0.48 | 0.30 | 0.86 | 1.15 | 1.80 | 1.69 | 1.17 | ... | ... |

TABLE F (7).—Deaths, by Age-groups, of Women who had been married, and number returned at time of death as having had no Children—Scotland—July to December 1938.

| CONJUGAL CONDITION AT DATE OF DEATH. | AGE OF WOMEN. | | | | | | | | | |
|--|---------------|--------------|--------|--------|--------|--------|--------|--------|--------|-----------------|
| | All Ages. | Under 20. | 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50-59. | 60-69. |
| | | | | | | | | | | 70 and over. |
| All women*— | | | | | | | | | | |
| Married | 4,698 | 14 | 86 | 183 | 187 | 233 | 285 | 306 | 1,014 | 1,312 |
| Widowed | 5,107 | ... | 2 | 2 | 5 | 11 | 23 | 60 | 298 | 979 |
| Divorced | 16 | ... | ... | ... | 1 | ... | 1 | 1 | 6 | 5 |
| Women stated to have had no children— | | | | | | | | | | |
| Married | 759 | 3 | 25 | 41 | 43 | 45 | 47 | 48 | 150 | 173 |
| Widowed | 718 | ... | ... | ... | ... | ... | 2 | 10 | 37 | 149 |
| Divorced | 4 | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 |
| No statement as to children— | | | | | | | | | | |
| Married | 21 | ... | 1 | 1 | 2 | 1 | 1 | 3 | 3 | 4 |
| Widowed | 34 | ... | ... | ... | ... | ... | ... | 1 | 2 | 5 |
| Divorced | 4 | ... | ... | ... | ... | ... | ... | 1 | 1 | 26 |
| Percentage of women* in each group stated to have had no children— | | | | | | | | | | |
| Married - | 16.2 | 21.4 | 29.1 | 22.4 | 23.0 | 19.3 | 16.5 | 15.7 | 14.8 | 13. |
| Widowed - | 14.1 | ... | ... | ... | ... | ... | 8.7 | 16.7 | 12.4 | 15.2 |
| Divorced † | 25.0 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | | | | | | | | 17.1 |
| | | | | | | | | | | 14.0 |
| | | | | | | | | | | ... |

* Excluding cases in respect of which no statement was obtained as to deceased having had children.

† Numbers in age columns too small for the calculation of significant rates.

TABLE F (8).—Deaths of Women who had been married, by duration of Marriage, and number returned at time of death as having had no children—Scotland—July to December 1938.

| DURATION OF MARRIAGE. (Years.) | DEATHS OF WOMEN* WHO HAD BEEN MARRIED. | | | | NUMBER WHO HAD HAD NO CHILDREN. | | | | NO STATEMENT AS TO CHILDREN. | | | | PERCENTAGE OF WOMEN* IN EACH GROUP WHO HAD HAD NO CHILDREN. | | | |
|---|---|----------|----------|-----------|------------------------------------|----------|----------|-----------|---------------------------------|----------|----------|-----------|---|----------|----------|-----------|
| | Total. | Married. | Widowed. | Divorced. | Total. | Married. | Widowed. | Divorced. | Total. | Married. | Widowed. | Divorced. | Total. | Married. | Widowed. | Divorced. |
| Under 1 | 105 | 81 | 24 | ... | 63 | 49 | 14 | ... | ... | ... | ... | ... | 60·0 | 60·5 | 58·3 | ... |
| 1 | 94 | 75 | 19 | ... | 38 | 31 | 7 | ... | ... | ... | ... | ... | 40·4 | 41·3 | 36·8 | ... |
| 2 | 94 | 66 | 27 | 1 | 36 | 27 | 9 | ... | ... | ... | ... | ... | 38·3 | 40·9 | 33·3 | ... |
| 3 | 94 | 50 | 42 | 2 | 28 | 12 | 15 | 1 | ... | ... | ... | ... | 29·8 | 24·0 | 35·7 | ... |
| 4 | 105 | 57 | 48 | ... | 29 | 15 | 14 | ... | ... | ... | ... | ... | 27·6 | 26·3 | 29·2 | ... |
| 5 | 110 | 67 | 41 | 2 | 31 | 18 | 13 | ... | ... | ... | ... | ... | 28·2 | 26·9 | 31·7 | ... |
| 6 | 96 | 46 | 50 | ... | 20 | 9 | 11 | ... | ... | ... | ... | ... | 20·8 | 19·6 | 22·0 | ... |
| 7 | 122 | 59 | 63 | ... | 27 | 14 | 13 | ... | ... | ... | ... | ... | 22·1 | 23·7 | 20·6 | ... |
| 8 | 106 | 60 | 46 | ... | 31 | 16 | 15 | ... | 1 | ... | ... | ... | 29·2 | 26·7 | 32·6 | ... |
| 9 | 103 | 58 | 45 | ... | 20 | 14 | 6 | ... | ... | ... | ... | ... | 19·4 | 24·1 | 13·3 | ... |
| 10-14 | 619 | 276 | 339 | 4 | 136 | 64 | 72 | ... | ... | ... | ... | ... | 22·0 | 23·2 | 21·2 | ... |
| 15-19 | 729 | 390 | 338 | 1 | 178 | 88 | 89 | 1 | 1 | ... | ... | ... | 24·4 | 22·6 | 26·3 | ... |
| 20-29 | 1,800 | 838 | 956 | 6 | 313 | 152 | 159 | 2 | 3 | 1 | ... | ... | 17·4 | 18·1 | 16·6 | ... |
| 30-39 | 2,358 | 1,148 | 1,210 | ... | 260 | 142 | 118 | ... | ... | ... | ... | ... | 11·0 | 12·4 | 9·8 | ... |
| 40-49 | 2,101 | 1,022 | 1,079 | ... | 157 | 80 | 77 | ... | 2 | 1 | ... | ... | 7·5 | 7·8 | 7·1 | ... |
| 50-59 | 934 | 367 | 567 | ... | 50 | 21 | 29 | ... | ... | ... | ... | ... | 5·4 | 5·7 | 5·1 | ... |
| 60-69 | 94 | 28 | 66 | ... | 5 | 4 | 1 | ... | 2 | ... | ... | ... | 5·3 | 14·3 | 1·5 | ... |
| 70 and over | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Not stated | 156 | 10 | 146 | ... | 59 | 3 | 56 | ... | 50 | 17 | 29 | 4 | 37·8 | 30·0 | 38·4 | ... |
| TOTAL | 9,821 | 4,698 | 5,107 | 16 | 1,481 | 759 | 718 | 4 | 59 | 21 | 34 | 4 | 15·1 | 16·2 | 14·1 | 25·0 |

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

APPENDIX VII.

HOUR OF BIRTH AND OF DEATH.

Diurnal variations in physiological states are quite well recognised. Metabolism, as judged by temperature, pulse or respiration rate, shows a well-marked cycle, with a minimum in the early hours of the morning (about 4 a.m.) and a progressive rise till early afternoon, followed thereafter by a slow subsidence later in the evening. Popular impressions are curiously associated with certain phases of the daily cycle, and like many deep-rooted impressions are accepted in spite of the difficulty of determining the correctness of their basis as well as of, in proven cases, arriving at a satisfactory explanation. In the case of both birth and death a confirmed, but essentially vague, belief persists that at certain hours these events take place with unusually great frequency. Whether they are based on exceptional instances, limited or selective experience, or whether there is some real basis for these beliefs can be determined only by actual investigation of a large and representative sample of the events in question; but that these impressions do exist can be elicited by questioning (e.g.) medical practitioners, who for usually unexplained reasons never seem to believe that the events have no diurnal variation at all. Among the laity, too, evidence of a belief in substantial differences at different periods of the night and day is found in popular phrases such as "the mystic hour of birth and death," "the turn o' the night" (in the case of deaths), &c. Actual investigation of the point has confirmed the fact of diurnal variation in the case of deliveries, but with deaths, although variations are manifest, there is less uniformity in the findings.

In a recent extensive investigation of the prevalent hour of stillbirths, De Porte (1932) has presented data of hourly variations in respect of both live and still births in New York State. With the latter he has shown a definite afternoon excess in the rates, which Yerushalmy (1939) in a later investigation has indicated as correlated with the greater prevalence of operative delivery at that time of the day (in U.S.A.). With live-born infants the hour of delivery is given for 92,652 cases in the following distribution :—

| Hour of Delivery. | Number. | Percentage. |
|---------------------|---------|-------------|
| Midnight- | 11,990 | 12·9 |
| 3 a.m.- | 13,289 | 14·3 |
| 6 a.m.- | 12,699 | 13·7 |
| 9 a.m.- | 13,001 | 14·0 |
| Noon- | 9,604 | 10·4 |
| 3 p.m.- | 10,232 | 11·0 |
| 6 p.m.- | 9,910 | 10·7 |
| 9 p.m.- | 11,927 | 12·9 |
| TOTAL | 92,652 | 100·0 |

The maximum number, occurring between 3 and 6 a.m., is nearly 40 per cent. higher than that of deliveries at the least frequent hours, between noon and 3 p.m., and there is obviously a decided excess of forenoon over afternoon deliveries. (The distribution of still-births, in general, shows precisely the reverse trend.) In an article on "Population Phenomena in Amsterdam" (Van Zanten and Van den Brink) which appears in *Population*, the Journal of the International Union for the Scientific Investigation of Population Problems (Volume III, No. 1, January 1939), the following note is made:—"It appears, as was to be seen formerly, that, if we divide the day in eight periods of three hours each, the greatest number (15 per cent.) are born in the first period (from 0 till 3 o'clock) and the smallest number (11 per cent.) from 15 to 18 o'clock." There seems to be some difference in the hours of maximum frequency found in different inquiries, although all apparently agree in finding a forenoon excess. As a matter of interest merely, the point has been investigated for a sample of live-births occurring in Scotland.

In a preliminary analysis of 1,747 births in the Burgh of Paisley the distribution by hour of birth was as follows:—

| | Midnight- | 3 a.m.- | 6 a.m.- | 9 a.m.- | Noon- | 3 p.m.- | 6 p.m.- | 9 p.m.- | Total. |
|-----------|-----------|---------|---------|---------|-------|---------|---------|---------|--------|
| No. ... | 239 | 272 | 253 | 204 | 197 | 191 | 181 | 210 | 1,747 |
| Per cent. | 13·7 | 15·5 | 14·5 | 11·7 | 11·3 | 10·9 | 10·4 | 12·0 | 100·0 |

The inequality of frequency at different hours of the day and night is obvious (and statistically significant). An abnormally high proportion of live-born infants are delivered in the early hours of the morning, an abnormally low proportion in the afternoon and early evening. The maximum occurs between 3 and 6 a.m., the minimum between 6 and 9 p.m., the former exceeding the latter by exactly 50 per cent.

Although there is no immediately obvious explanation of such a well-defined diurnal fluctuation, the suggestion has been made that

the frequency of operative intervention may be a factor artificially distorting the normal frequencies of delivery at different hours of the day and night. When this actually occurs in this country we have no information. De Porte, in his investigation, transmitted the findings to some of the leading American obstetricians and, *inter alia*, received the following reply from J. Whitridge Williams (Johns Hopkins Hospital):—"It is a great surprise to me (the afternoon excess of still-births), as I should have placed it in the early morning hours, and would have attributed it to the fact that the doctor, becoming exhausted and impatient after being up a considerable part of the night, resorted to operative interference in order to get home in time for breakfast and the work of the day. This, however, is only a personal impression and is not based upon figures." This suggestion, so far as concerns the prevalent time for operative interference, was negatived later by Yerushalmy (*vide ante*), who has shown that the frequency of operative deliveries has two peaks, one around 11 a.m. (when hospital operating rooms are normally busy) and another (corresponding to the diurnal peak of still-births) in the afternoon. That varying frequency of operative deliveries is probably not the explanation of the observed diurnal variations of live-births receives further support from the Scottish figures. In Paisley burgh roughly one-third of all deliveries took place in hospital, one-third by general practitioners and one-third by midwives in domiciliary practice. A further selection of three groups of counties was taken, Group I (Selkirk and Berwick) in which all births were doctor-attended, Group II (Banff, Moray and Nairn) in which the majority were doctor-attended, and Group III (Caithness, Ross and Cromarty and Sutherland) in which the large proportion are midwife-attended. The diurnal variations in these three groups, widely separated geographically and differing in attendance at birth, are set forth below in Table I.

TABLE I.—*Frequency Distribution of Births by Hour of Birth.*

| | All Areas. | | Paisley. | | Selkirk and Berwick. | | Banff, Moray and Nairn. | | Caithness, Ross and Cromarty and Sutherland. | |
|-------------|------------|-----------|----------|-----------|----------------------|-----------|-------------------------|-----------|--|-----------|
| | No. | Per cent. | No. | Per cent. | No. | Per cent. | No. | Per cent. | No. | Per cent. |
| 12 midnight | 1,365 | 13·5 | 239 | 13·7 | 167 | 13·7 | 529 | 13·5 | 430 | 13·2 |
| 3 a.m.— | 1,491 | 14·7 | 272 | 15·5 | 163 | 13·3 | 581 | 14·9 | 475 | 14·6 |
| 6 a.m.— | 1,381 | 13·7 | 253 | 14·5 | 166 | 13·6 | 535 | 13·7 | 427 | 13·2 |
| 9 a.m.— | 1,279 | 12·6 | 204 | 11·7 | 171 | 14·0 | 479 | 12·3 | 425 | 13·1 |
| 12 noon— | 1,119 | 11·1 | 197 | 11·3 | 147 | 12·0 | 415 | 10·6 | 360 | 11·1 |
| 3 p.m.— | 1,125 | 11·1 | 191 | 10·9 | 128 | 10·5 | 440 | 11·3 | 366 | 11·3 |
| 6 p.m.— | 1,093 | 10·8 | 181 | 10·4 | 133 | 10·9 | 429 | 10·9 | 350 | 10·8 |
| 9 p.m.— | 1,268 | 12·5 | 210 | 12·0 | 146 | 12·0 | 499 | 12·8 | 413 | 12·7 |
| TOTAL | 10,121 | 100·0 | 1,747 | 100·0 | 1,221 | 100·0 | 3,907 | 100·0 | 3,246 | 100·0 |

In each group of areas the nature and extent of the variations are similar, an excess proportion in the forenoon, a minimum in the afternoon. In Selkirk and Berwick the peak time seems to be between 9 a.m. and noon, but in a comparable doctor-attended group (Banff, Moray and Nairn) it occurs at 3–6 a.m. Actually the similarity between the four geographical groups (i.e. including Paisley Burgh) is very much more striking than their differences (which, in actual fact, are not statistically important). For the whole sample of 10,121 births the percentage frequency distribution is compared with that for the U.S.A. in sample below :—

| | Scotland. | U.S.A. |
|-------------------|-----------|--------|
| Midnight— | 13·5 | 12·9 |
| 3 a.m.— | 14·7 | 14·3 |
| 6 a.m.— | 13·7 | 13·7 |
| 9 a.m.— | 12·6 | 14·0 |
| Noon— | 11·1 | 10·4 |
| 3 p.m.— | 11·1 | 11·0 |
| 6 p.m.— | 10·8 | 10·7 |
| 9 p.m.— | 12·5 | 12·9 |
| TOTAL | 100·0 | 100·0 |

There is in the U.S.A. figures a slightly higher proportion of cases occurring between 9 a.m. and noon—a discrepancy which may be not unconnected with the higher operative delivery rate in that country, but the really striking feature is the similarity in the two distributions.

It would definitely seem therefore that, quite apart from outside intervention, there is a decided and apparently inexplicable tendency for births to occur with more than usual frequency in the early hours of the morning.

A similar inquiry has been carried out in respect of deaths. The point has previously been investigated by Wigand, who noted the hour of the day when 672 persons died of non-epidemic diseases. These he divided into ten groups—malignant disease, heart and blood diseases, sepsis, renal disease, pneumonia, cerebral hæmorrhage, tuberculosis, diabetes, other internal diseases. In 93 patients with heart disease an unusually high frequency was observed between 10 a.m. and 12 noon, and a similar peak in 87 cases of malignancy and 55 of sepsis. Patients dying of pneumonia, cerebral hæmorrhage and diseases of blood and kidneys, however, showed a dip instead of a peak at mid-day. For the whole series mortality was only 10 per cent. higher by night than by day. Frey (quoted by Wigand) noted that, in 500 deaths after operation, the day mortality (6 a.m.–6 p.m.) was much lower than the night mortality in the ratio of 1 to 1·7.

Hoffman in his San Francisco Cancer Survey reports that a study of the time of death based on 25,101 certificates failed to yield results of value. The results were quite evenly divided throughout the hours of the day. Among males, a maximum of 13·5 per cent. occurred during the second quarter of the afternoon, while among females the maximum of 13·1 per cent. occurred during the third quarter of the morning.

In the present investigation no account was taken of the cause of death. The sample consists of 6,055 deaths occurring in the burghs of Kirkcaldy and Paisley and in the counties of Banff and East Lothian in the years 1931 and 1932. For these areas, separately and combined, the absolute and percentage frequency of deaths at the several periods of the day are shown in Table II.

TABLE II.—*Frequency Distribution of Deaths by Hour of Death.*

| | All Areas. | | Kirkcaldy Burgh. | | Banff County. | | East Lothian County. | | Paisley Burgh. | |
|--------------|------------|--------------|---------------------|--------------|------------------|--------------|----------------------------|--------------|-------------------|--------------|
| | No. | Per cent. | No. | Per cent. | No. | Per cent. | No. | Per cent. | No. | Per cent. |
| 12 midnight— | 686 | 11·3 | 120 | 11·1 | 145 | 10·6 | 131 | 12·8 | 290 | 11·2 |
| 3 a.m.— | 732 | 12·1 | 121 | 11·2 | 163 | 11·9 | 110 | 10·7 | 338 | 13·1 |
| 6 a.m.— | 790 | 13·1 | 118 | 10·9 | 202 | 14·7 | 141 | 13·7 | 329 | 12·8 |
| 9 a.m.— | 728 | 12·0 | 116 | 10·8 | 179 | 13·0 | 120 | 11·7 | 313 | 12·1 |
| 12 noon— | 758 | 12·5 | 144 | 13·4 | 172 | 12·6 | 136 | 13·2 | 306 | 11·9 |
| 3 p.m.— | 799 | 13·2 | 157 | 14·6 | 164 | 12·0 | 148 | 14·4 | 330 | 12·8 |
| 6 p.m.— | 769 | 12·7 | 153 | 14·2 | 172 | 12·6 | 108 | 10·5 | 336 | 13·0 |
| 9 p.m.— | 793 | 13·1 | 149 | 13·8 | 172 | 12·6 | 133 | 13·0 | 339 | 13·1 |
| Total | 6,055 | 100·0 | 1,078 | 100·0 | 1,369 | 100·0 | 1,027 | 100·0 | 2,581 | 100·0 |

With deaths there is obviously no such well defined diurnal variation as was found in births. In the first half of the day 48·4 per cent., and in the second half 51·6 per cent. took place; and in the period 6 a.m.—6 p.m. 50·8 per cent. took place compared with 49·2 per cent. in the night hours 6 p.m.—6 a.m. for the total series. The differences in the hourly variations from a uniform distribution throughout the 24 hours are scarcely significant, statistically or otherwise.

In the four areas separately, irregular fluctuations in adjacent 3-hourly periods are found in Paisley and East Lothian, whereas in Banff County and Kirkcaldy Burgh there is apparently more regular departure from uniformity, but in opposite directions, Banff showing an excess in the morning hours with a peak at 6–9 a.m., Kirkcaldy an afternoon excess with a peak period at 3–6 p.m. In the latter instance the deviations from uniformity are probably significant statistically, but in the other three areas the divergencies are such as might quite easily have arisen by chance. It is the

experience of Kirkcaldy alone which produces, in the combined series, the suggestion of higher frequency of deaths in the afternoon hours. Clearly then deaths differ markedly from births in this respect—diurnal variations in the former being of small degree, erratic and by no means of similar nature in individual areas. There is certainly no tendency towards excess frequency at the hours when such excess might be expected, namely, in the early hours of the morning.

These 6,055 deaths were further analysed to determine the influence of season, age and sex, but none of these separate factors seems to have any influence—in no case did significant divergencies emerge.

TABLE 1.—Population, Births, Deaths, and Marriages in Scotland, 1855-1938.
Quinquennial averages.

| YEAR | Estimated Mid-Year Popula- tion. | BIRTHS. | | | | | | MARRIAGES. | DEATHS. | | | | Excess of Births over Deaths. |
|-----------------|---|---------|--------|--------|----------|----------------|--------------------|------------|---------|--------|--------|------------------|-------------------------------------|
| | | Total. | Males. | Fem. | Illegit. | Twin Births | Triplet Births. | | Total. | Males. | Fem. | Under 1 Year. | |
| 1855-60 | 3,018,000 | 102,462 | 52,655 | 49,807 | 8,953 | 1,282 | *16 | 20,645 | 62,644 | 31,139 | 31,505 | 12,250 | 39,818 |
| 1861-65 | 3,127,000 | 109,764 | 56,336 | 53,428 | 10,742 | 1,298 | 13 | 22,013 | 69,265 | 34,380 | 34,885 | 13,166 | 40,499 |
| 1866-70 | 3,276,000 | 114,394 | 58,676 | 55,718 | 11,270 | 1,393 | *13 | 22,832 | 71,974 | 35,823 | 36,151 | 13,971 | 42,420 |
| 1871-75 | 3,441,000 | 120,376 | 61,964 | 58,412 | 10,941 | 1,416 | 13 | 25,754 | 77,988 | 38,961 | 39,027 | 15,314 | 42,388 |
| 1876-80 | 3,629,000 | 126,086 | 64,648 | 61,438 | 10,711 | 1,430 | 14 | 24,956 | 74,801 | 37,463 | 37,338 | 14,921 | 51,285 |
| 1881-85 | 3,799,000 | 126,409 | 64,805 | 61,604 | 10,453 | 1,417 | 14 | 26,176 | 74,396 | 37,041 | 37,355 | 14,864 | 52,013 |
| 1886-90 | 3,944,000 | 123,977 | 63,674 | 60,303 | 9,973 | 1,378 | 13 | 25,702 | 74,320 | 36,729 | 37,591 | 14,943 | 49,657 |
| 1891-95 | 4,122,000 | 125,800 | 64,558 | 61,242 | 9,326 | 1,420 | 13 | 27,962 | 78,350 | 38,797 | 39,553 | 15,896 | 47,450 |
| 1896- 1900 } | 4,345,000 | 130,209 | 66,554 | 63,655 | 8,870 | 1,465 | 16 | 31,771 | 78,021 | 39,070 | 38,951 | 16,857 | 52,188 |
| 1901-05 | 4,536,000 | 132,399 | 67,565 | 64,834 | 8,609 | 1,599 | *17 | 31,838 | 77,313 | 38,716 | 38,597 | 15,881 | 55,086 |
| 1906-10 | 4,680,000 | 128,987 | 65,811 | 63,176 | 9,125 | 1,609 | *14 | 31,811 | 75,534 | 37,596 | 37,938 | 14,501 | 53,453 |
| 1911-15 | 4,748,000 | 120,654 | 61,607 | 59,047 | 8,698 | 1,538 | 15 | 33,857 | 74,466 | 37,253 | 37,213 | 13,604 | 46,188 |
| 1916-20 | 4,820,000 | 109,750 | 56,269 | 53,481 | 8,315 | 1,491 | *10 | 37,437 | 72,365 | 36,455 | 35,910 | 10,869 | 37,385 |
| 1921 | 4,882,497 | 123,201 | 63,075 | 60,126 | 8,757 | 1,596 | 8 | 39,243 | 66,210 | 33,085 | 33,125 | 11,130 | 56,991 |
| 1922 | 4,898,000 | 115,085 | 58,826 | 56,259 | 7,881 | 1,498 | 11 | 34,375 | 72,905 | 36,244 | 36,661 | 11,664 | 42,180 |
| 1923 | 4,888,100 | 111,902 | 57,332 | 54,570 | 7,477 | 1,491 | 9 | 35,200 | 63,283 | 31,682 | 31,601 | 8,825 | 48,619 |
| 1924 | 4,862,200 | 106,900 | 54,919 | 51,981 | 7,086 | 1,400 | 13 | 32,328 | 70,357 | 35,168 | 35,189 | 10,446 | 36,543 |
| 1925 | 4,867,100 | 104,137 | 53,426 | 50,711 | 6,831 | 1,309 | 7 | 32,456 | 65,507 | 33,036 | 32,471 | 9,430 | 38,630 |
| 1921-25 | 4,879,600 | 112,245 | 57,516 | 54,729 | 7,606 | 1,459 | 10 | 34,720 | 67,652 | 33,843 | 33,809 | 10,299 | 44,593 |
| 1926 | 4,864,300 | 102,449 | 52,362 | 50,087 | 7,046 | 1,279 | *12 | 31,244 | 63,780 | 32,021 | 31,759 | 8,514 | 38,669 |
| 1927 | 4,853,100 | 96,672 | 49,314 | 47,358 | 6,978 | 1,237 | 9 | 32,553 | 65,830 | 33,097 | 32,733 | 8,576 | 30,842 |
| 1928 | 4,847,900 | 96,822 | 49,584 | 47,238 | 7,158 | 1,201 | 15 | 32,948 | 65,271 | 32,577 | 32,694 | 8,299 | 31,551 |
| 1929 | 4,832,200 | 92,880 | 47,769 | 45,111 | 7,163 | 1,157 | 12 | 32,967 | 70,917 | 35,386 | 35,531 | 8,061 | 21,963 |
| 1930 | 4,823,000 | 94,549 | 48,069 | 46,480 | 6,950 | 1,265 | 9 | 33,315 | 64,285 | 32,448 | 31,837 | 7,852 | 30,264 |
| 1926-30 | 4,845,100 | 96,674 | 49,419 | 47,255 | 7,059 | 1,228 | 11 | 32,605 | 66,017 | 33,106 | 32,911 | 8,260 | 30,657 |
| 1931 | 4,842,980 | 92,220 | 46,972 | 45,248 | 6,661 | 1,117 | 15 | 32,652 | 64,229 | 32,238 | 31,991 | 7,544 | 27,991 |
| 1932 | 4,883,100 | 91,000 | 46,579 | 44,421 | 6,456 | 1,106 | 17 | 33,157 | 66,045 | 32,743 | 33,302 | 7,840 | 24,955 |
| 1933 | 4,912,400 | 86,546 | 44,767 | 41,779 | 5,964 | 1,067 | 10 | 34,201 | 64,848 | 32,593 | 32,255 | 7,019 | 21,698 |
| 1934 | 4,934,300 | 88,836 | 45,414 | 43,422 | 6,119 | 1,034 | 15 | 36,934 | 63,741 | 32,093 | 31,648 | 6,901 | 25,095 |
| 1935 | 4,952,500 | 87,928 | 44,965 | 42,963 | 5,777 | 1,058 | 5 | 37,988 | 65,331 | 32,822 | 32,509 | 6,754 | 22,597 |
| 1931-35 | 4,905,000 | 89,306 | 45,739 | 43,567 | 6,195 | 1,076 | 12 | 34,986 | 64,839 | 32,498 | 32,341 | 7,212 | 24,467 |
| 1936 | 4,966,200 | 88,928 | 45,323 | 43,605 | 5,744 | 1,047 | 7 | 37,896 | 66,749 | 33,896 | 32,876 | 7,315 | 22,179 |
| 1937 | 4,976,600 | 87,810 | 45,035 | 42,775 | 5,404 | 1,035 | 10 | 38,334 | 68,942 | 34,964 | 33,978 | 7,050 | 18,868 |
| 1938 | 4,993,100 | 88,627 | 45,447 | 43,180 | 5,449 | 1,058 | 3 | 38,747 | 62,953 | 31,806 | 31,147 | 6,163 | 25,674 |

* Including one case of quadruplets.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1938.
Quinquennial averages.

| YEAR. | Rates per 1000 of Population. | | | | | | Illegit. Births per cent. of Total Births. | Male Births per 1000 Female Births. | Percentage of Mothers who had Multiple Births. | Deaths of Children under one year per 1000 Births. |
|-----------|-------------------------------|-------------------------|-------------|--------|-------|---|--|---|--|--|
| | Birth- rate. | Mar- riage- rate. | Death-rate. | | | Natural Increase (excess of Births over Deaths). | | | | |
| | | | Total. | Males. | Fem. | | | | | |
| 1855-60 | 34.104 | 6.839 | 20.750 | 21.72 | 19.84 | 13.36 | 8.74 | 1057 | 1.26 | 119.6 |
| 1861-65 | 35.096 | 7.046 | 22.139 | 23.16 | 21.21 | 12.96 | 9.79 | 1054 | 1.21 | 119.9 |
| 1866-70 | 34.911 | 6.971 | 21.969 | 22.96 | 21.06 | 12.94 | 9.85 | 1053 | 1.24 | 122.1 |
| 1871-75 | 34.974 | 7.482 | 22.655 | 23.67 | 21.67 | 12.32 | 9.09 | 1061 | 1.20 | 127.2 |
| 1876-80 | 34.758 | 6.882 | 20.617 | 21.49 | 19.81 | 13.94 | 8.49 | 1052 | 1.16 | 118.3 |
| 1881-85 | 33.275 | 6.891 | 19.582 | 20.21 | 18.98 | 13.69 | 8.27 | 1052 | 1.15 | 117.6 |
| 1886-90 | 31.444 | 6.515 | 18.843 | 19.26 | 18.42 | 12.60 | 8.04 | 1056 | 1.13 | 120.5 |
| 1891-95 | 30.522 | 6.784 | 19.014 | 19.48 | 18.58 | 11.51 | 7.41 | 1054 | 1.15 | 126.4 |
| 1896-1900 | 29.970 | 7.310 | 17.949 | 18.53 | 17.40 | 12.02 | 6.81 | 1046 | 1.15 | 129.5 |
| 1901-05 | 29.193 | 7.020 | 17.050 | 17.58 | 16.56 | 12.14 | 6.50 | 1042 | 1.24 | 119.9 |
| 1906-10 | 27.569 | 6.800 | 16.144 | 16.56 | 15.75 | 11.43 | 7.07 | 1042 | 1.27 | 112.4 |
| 1911-15 | 25.415 | 7.131 | 15.683 | 16.17 | 15.23 | 9.73 | 7.21 | 1043 | 1.30 | 112.8 |
| 1916-20 | 22.757 | 7.761 | 15.014 | 15.72 | 14.36 | 7.74 | 7.58 | 1052 | 1.39 | 99.0 |
| 1921 | 25.233 | 8.037 | 13.561 | 14.09 | 13.07 | 11.67 | 7.11 | 1049 | 1.32 | 90.3 |
| 1922 | 23.496 | 7.018 | 14.885 | 15.37 | 14.43 | 8.61 | 6.85 | 1046 | 1.33 | 101.4 |
| 1923 | 22.892 | 7.201 | 12.946 | 13.47 | 12.46 | 9.95 | 6.68 | 1051 | 1.36 | 78.9 |
| 1924 | 21.986 | 6.649 | 14.470 | 15.10 | 13.89 | 7.52 | 6.63 | 1057 | 1.34 | 97.7 |
| 1925 | 21.396 | 6.668 | 13.459 | 14.15 | 12.82 | 7.94 | 6.56 | 1054 | 1.28 | 90.6 |
| 1921-25 | 23.001 | 7.114 | 13.864 | 14.44 | 13.34 | 9.14 | 6.78 | 1051 | 1.33 | 91.8 |
| 1926 | 21.061 | 6.423 | 13.112 | 13.73 | 12.55 | 7.95 | 6.88 | 1045 | 1.28 | 83.1 |
| 1927 | 19.919 | 6.707 | 13.564 | 14.22 | 12.96 | 6.35 | 7.22 | 1041 | 1.31 | 88.7 |
| 1928 | 19.971 | 6.796 | 13.463 | 14.01 | 12.96 | 6.51 | 7.39 | 1050 | 1.28 | 85.7 |
| 1929 | 19.220 | 6.822 | 14.675 | 15.27 | 14.12 | 4.54 | 7.71 | 1059 | 1.27 | 86.8 |
| 1930 | 19.583 | 6.900 | 13.314 | 14.01 | 12.67 | 6.27 | 7.35 | 1034 | 1.37 | 83.0 |
| 1926-30 | 19.951 | 6.730 | 13.626 | 14.25 | 13.05 | 6.32 | 7.30 | 1046 | 1.30 | 85.4 |
| 1931 | 19.042 | 6.742 | 13.262 | 13.86 | 12.71 | 5.78 | 7.22 | 1038 | 1.24 | 81.8 |
| 1932 | 18.636 | 6.790 | 13.525 | 13.94 | 13.14 | 5.11 | 7.09 | 1049 | 1.25 | 86.2 |
| 1933 | 17.618 | 6.692 | 13.201 | 13.79 | 12.66 | 4.42 | 6.89 | 1072 | 1.26 | 81.1 |
| 1934 | 18.004 | 7.485 | 12.918 | 13.51 | 12.37 | 5.09 | 6.89 | 1046 | 1.20 | 77.7 |
| 1935 | 17.754 | 7.670 | 13.191 | 13.76 | 12.66 | 4.56 | 6.57 | 1047 | 1.23 | 76.8 |
| 1931-35 | 18.267 | 7.133 | 13.219 | 13.77 | 12.71 | 4.99 | 6.94 | 1050 | 1.23 | 80.8 |
| 1936 | 17.906 | 7.631 | 13.440 | 14.16 | 12.77 | 4.47 | 6.46 | 1039 | 1.20 | 82.3 |
| 1937 | 17.645 | 7.703 | 13.853 | 14.59 | 13.17 | 3.79 | 6.15 | 1053 | 1.20 | 80.3 |
| 1938 | 17.749 | 7.760 | 12.608 | 13.22 | 12.04 | 5.14 | 6.15 | 1053 | 1.21 | 69.5 |

Corresponding details for individual years prior to 1921 will be found in the Reports
for 1930 and previous years.

TABLE 3.—Births, Deaths and Marriages in Scotland, 1928 to 1938.

| | Numbers. | | | | | Rates. | | | | |
|--------------------|---------------|--------------------|-----------------|---------------|--------------------|--------------------------------------|-----------------|-------------|--|--|
| | Births. | | Marri- ages. | Deaths. | | Per 1000 of Estimated Population. | | | Illegit. Births per cent. of Total Births. | Deaths under One Year per 1000 Births. |
| | Total. | Illegiti- mate. | | All Ages. | Under One Year. | Births. | Marri- ages. | Deaths | | |
| 1st Quarter 1928 . | 24,252 | 1,764 | 7,383 | 19,387 | 2,593 | 20·1 | 6·1 | 16·1 | 7·3 | 107 |
| 2nd " " . | 25,723 | 1,895 | 7,905 | 16,567 | 2,112 | 21·3 | 6·6 | 13·7 | 7·4 | 82 |
| 3rd " " . | 23,444 | 1,805 | 9,236 | 13,458 | 1,610 | 19·2 | 7·6 | 11·1 | 7·7 | 69 |
| 4th " " . | 23,403 | 1,694 | 8,424 | 15,859 | 1,984 | 19·2 | 6·9 | 13·0 | 7·2 | 85 |
| Year 1928 . | 96,822 | 7,158 | 32,948 | 65,271 | 8,299 | 20·0 | 6·8 | 13·5 | 7·4 | 86 |
| 1st Quarter 1929 . | 23,449 | 1,827 | 6,727 | 26,386 | 3,011 | 19·6 | 5·6 | 22·1 | 7·8 | 128 |
| 2nd " " . | 24,380 | 1,903 | 8,117 | 15,895 | 1,842 | 20·2 | 6·7 | 13·1 | 7·8 | 76 |
| 3rd " " . | 23,053 | 1,802 | 9,686 | 13,283 | 1,437 | 18·9 | 7·9 | 10·9 | 7·8 | 62 |
| 4th " " . | 21,998 | 1,633 | 8,437 | 15,353 | 1,771 | 18·0 | 6·9 | 12·6 | 7·4 | 81 |
| Year 1929 . | 92,880 | 7,165 | 32,967 | 70,917 | 8,061 | 19·2 | 6·8 | 14·7 | 7·7 | 87 |
| 1st Quarter 1930 . | 23,686 | 1,798 | 7,297 | 19,055 | 2,600 | 19·8 | 6·1 | 15·9 | 7·6 | 110 |
| 2nd " " . | 24,822 | 1,846 | 8,285 | 15,889 | 1,823 | 20·5 | 6·9 | 13·2 | 7·4 | 73 |
| 3rd " " . | 22,954 | 1,731 | 9,528 | 13,356 | 1,358 | 18·8 | 7·8 | 10·9 | 7·5 | 59 |
| 4th " " . | 23,087 | 1,575 | 8,205 | 15,985 | 2,071 | 18·9 | 6·7 | 13·1 | 6·8 | 90 |
| Year 1930 . | 94,549 | 6,950 | 33,315 | 64,285 | 7,852 | 19·6 | 6·9 | 13·3 | 7·4 | 83 |
| 1st Quarter 1931 . | 23,558 | 1,769 | 7,071 | 20,189 | 2,652 | 19·7 | 5·9 | 16·9 | 7·5 | 113 |
| 2nd " " . | 24,130 | 1,753 | 8,153 | 15,916 | 1,867 | 20·0 | 6·8 | 13·2 | 7·3 | 77 |
| 3rd " " . | 22,659 | 1,669 | 9,348 | 13,244 | 1,353 | 18·6 | 7·7 | 10·9 | 7·4 | 60 |
| 4th " " . | 21,873 | 1,470 | 8,080 | 14,880 | 1,672 | 17·9 | 6·6 | 12·2 | 6·7 | 76 |
| Year 1931 . | 92,220 | 6,661 | 32,652 | 64,229 | 7,544 | 19·0 | 6·7 | 13·3 | 7·2 | 82 |
| 1st Quarter 1932 . | 23,069 | 1,573 | 7,686 | 19,634 | 2,573 | 19·0 | 6·3 | 16·2 | 6·8 | 112 |
| 2nd " " . | 24,245 | 1,720 | 7,877 | 16,407 | 1,976 | 20·0 | 6·5 | 13·5 | 7·1 | 81 |
| 3rd " " . | 22,033 | 1,625 | 9,337 | 13,192 | 1,396 | 18·0 | 7·6 | 10·7 | 7·4 | 63 |
| 4th " " . | 21,653 | 1,538 | 8,257 | 16,812 | 1,895 | 17·6 | 6·7 | 13·7 | 7·1 | 88 |
| Year 1932 . | 91,000 | 6,456 | 33,157 | 66,045 | 7,840 | 18·6 | 6·8 | 13·5 | 7·1 | 86 |
| 1st Quarter 1933 . | 21,785 | 1,474 | 7,052 | 20,750 | 2,359 | 18·0 | 5·8 | 17·1 | 6·8 | 108 |
| 2nd " " . | 23,211 | 1,639 | 8,178 | 15,127 | 1,706 | 19·0 | 6·7 | 12·4 | 7·1 | 73 |
| 3rd " " . | 21,135 | 1,462 | 10,252 | 13,088 | 1,343 | 17·1 | 8·3 | 10·6 | 6·9 | 64 |
| 4th " " . | 20,415 | 1,389 | 8,719 | 15,883 | 1,611 | 16·5 | 7·0 | 12·8 | 6·8 | 79 |
| Year 1933 . | 86,546 | 5,964 | 34,201 | 64,848 | 7,019 | 17·6 | 7·0 | 13·2 | 6·9 | 81 |
| 1st Quarter 1934 . | 22,744 | 1,630 | 7,692 | 17,406 | 2,097 | 18·7 | 6·3 | 14·3 | 7·2 | 92 |
| 2nd " " . | 23,247 | 1,641 | 8,852 | 16,730 | 1,803 | 18·9 | 7·2 | 13·6 | 7·1 | 78 |
| 3rd " " . | 21,301 | 1,475 | 10,760 | 13,300 | 1,211 | 17·1 | 8·7 | 10·7 | 6·9 | 57 |
| 4th " " . | 21,544 | 1,373 | 9,630 | 16,305 | 1,790 | 17·3 | 7·7 | 13·1 | 6·4 | 83 |
| Year 1934 . | 88,836 | 6,119 | 36,934 | 63,741 | 6,901 | 18·0 | 7·5 | 12·9 | 6·9 | 78 |
| 1st Quarter 1935 . | 21,978 | 1,468 | 7,695 | 19,177 | 2,111 | 18·0 | 6·3 | 15·7 | 6·7 | 96 |
| 2nd " " . | 23,259 | 1,419 | 9,106 | 16,205 | 1,655 | 18·8 | 7·4 | 13·1 | 6·1 | 71 |
| 3rd " " . | 21,566 | 1,433 | 11,281 | 13,461 | 1,180 | 17·3 | 9·0 | 10·8 | 6·6 | 55 |
| 4th " " . | 21,125 | 1,457 | 9,906 | 16,488 | 1,808 | 16·9 | 7·9 | 13·2 | 6·9 | 86 |
| Year 1935 . | 87,928 | 5,777 | 37,988 | 65,331 | 6,754 | 17·8 | 7·7 | 13·2 | 6·6 | 77 |
| 1st Quarter 1936 . | 22,544 | 1,447 | 7,731 | 20,196 | 2,441 | 18·3 | 6·3 | 16·4 | 6·4 | 108 |
| 2nd " " . | 23,594 | 1,611 | 9,451 | 16,214 | 1,677 | 19·1 | 7·7 | 13·1 | 6·8 | 71 |
| 3rd " " . | 21,464 | 1,352 | 11,403 | 13,709 | 1,378 | 17·2 | 9·1 | 11·0 | 6·3 | 64 |
| 4th " " . | 21,326 | 1,334 | 9,311 | 16,630 | 1,819 | 17·1 | 7·5 | 13·3 | 6·3 | 85 |
| Year 1936 . | 88,928 | 5,744 | 37,896 | 66,749 | 7,315 | 17·9 | 7·6 | 13·4 | 6·5 | 82 |
| 1st Quarter 1937 . | 21,589 | 1,316 | 8,089 | 22,123 | 2,104 | 17·6 | 6·6 | 18·0 | 6·1 | 97 |
| 2nd " " . | 23,864 | 1,450 | 9,359 | 15,781 | 1,733 | 19·2 | 7·5 | 12·7 | 6·1 | 73 |
| 3rd " " . | 21,745 | 1,395 | 11,511 | 13,616 | 1,299 | 17·3 | 9·2 | 10·9 | 6·4 | 60 |
| 4th " " . | 20,612 | 1,243 | 9,375 | 17,422 | 1,914 | 16·4 | 7·5 | 13·9 | 6·0 | 93 |
| Year 1937 . | 87,810 | 5,404 | 38,334 | 68,942 | 7,050 | 17·6 | 7·7 | 13·9 | 6·2 | 80 |
| 1st Quarter 1938 . | 22,245 | 1,368 | 7,891 | 17,448 | 1,790 | 18·1 | 6·4 | 14·2 | 6·1 | 80 |
| 2nd " " . | 23,999 | 1,537 | 9,428 | 15,603 | 1,563 | 19·3 | 7·6 | 12·5 | 6·4 | 65 |
| 3rd " " . | 21,423 | 1,350 | 11,902 | 13,807 | 1,233 | 17·0 | 9·5 | 11·0 | 6·3 | 58 |
| 4th " " . | 20,960 | 1,194 | 9,526 | 16,095 | 1,577 | 16·7 | 7·6 | 12·8 | 5·7 | 75 |
| Year 1938 . | 88,627 | 5,449 | 38,747 | 62,953 | 6,163 | 17·7 | 7·8 | 12·6 | 6·1 | 70 |

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Counties and Large Burghs in 1938.

| COUNTIES AND LARGE BURGHS. | Estimated Population 1938. | Birth-rate. | Marriage-rate. | DEATH-RATE. | | | | | | | | | | Illegitimate Births per cent. of Total Births. | Infantile Mortality. Rate per 1000 Births. | |
|----------------------------|----------------------------|-------------|----------------|----------------------------|---|-------------------|-------------------------------------|------------------------------|----------|----------------|-----------------|-------------|---------------------------|--|--|------------|
| | | | | (Corrected for Transfers). | Corrected and Adjusted for Age and Sex. | All Tuberculosis. | Tuberculosis of Respiratory System. | Principal Epidemic Diseases. | | | | | Bronchitis and Pneumonia. | | | |
| | | | | | | | | *Total. | Measles. | Scarlet Fever. | Whooping-cough. | Diphtheria. | | | | Influenza. |
| | | | | | | | | | | | | | | | | |
| SCOTLAND | 4,993,126 | 17·7 | 7·8 | 12·6 | 12·6 | 0·69 | 0·52 | 0·41 | 0·11 | 0·02 | 0·04 | 0·09 | 0·08 | 1·26 | 6·1 | 70 |
| LARGE BURGHS | 2,748,090 | 18·4 | 9·1 | 12·8 | 13·7 | 0·86 | 0·66 | 0·49 | 0·17 | 0·02 | 0·05 | 0·10 | 0·07 | 1·48 | 5·4 | 77 |
| SMALL BURGHS | 761,254 | 16·4 | 7·6 | 13·0 | 11·9 | 0·50 | 0·36 | 0·30 | 0·03 | 0·02 | 0·03 | 0·06 | 0·09 | 1·00 | 5·7 | 63 |
| LANDWARD | 1,483,782 | 17·3 | 5·4 | 12·0 | 11·2 | 0·47 | 0·33 | 0·31 | 0·04 | 0·02 | 0·04 | 0·07 | 0·08 | 1·00 | 7·8 | 59 |
| ABERDEEN COUNTY † | 325,231 | 17·6 | 8·2 | 11·9 | 11·2 | 0·43 | 0·29 | 0·35 | 0·07 | 0·02 | 0·07 | 0·09 | 0·03 | 1·02 | 9·2 | 68 |
| Aberdeen Burgh | 178,199 | 16·9 | 10·3 | 12·0 | 12·1 | 0·48 | 0·38 | 0·39 | 0·10 | 0·01 | 0·07 | 0·11 | 0·03 | 1·02 | 5·6 | 71 |
| Remainder of County | 147,032 | 18·5 | 5·6 | 11·8 | 10·2 | 0·37 | 0·18 | 0·30 | 0·03 | 0·04 | 0·06 | 0·07 | 0·04 | 1·03 | 13·3 | 64 |
| ANGUS COUNTY. | 272,847 | 16·4 | 7·3 | 13·9 | 12·9 | 0·73 | 0·56 | 0·50 | 0·27 | 0·03 | 0·02 | 0·05 | 0·07 | 1·29 | 6·0 | 75 |
| Arbroath Burgh | 18,173 | 14·0 | 8·2 | 15·5 | 12·9 | 0·88 | 0·66 | 0·17 | 0·11 | — | — | — | — | 1·38 | 4·3 | 91 |
| Dundee Burgh | 177,960 | 17·6 | 7·9 | 13·7 | 13·7 | 0·82 | 0·62 | 0·66 | 0·40 | 0·04 | 0·03 | 0·07 | 0·07 | 1·41 | 6·0 | 77 |
| Remainder of County | 76,714 | 14·3 | 5·8 | 13·9 | 11·5 | 0·50 | 0·40 | 0·21 | 0·03 | — | — | 0·03 | 0·09 | 0·99 | 6·4 | 64 |
| ARGYLL COUNTY | 61,600 | 13·7 | 4·5 | 15·5 | 11·5 | 0·65 | 0·47 | 0·18 | 0·06 | 0·05 | — | — | 0·05 | 0·76 | 7·8 | 39 |
| AYR COUNTY | 294,050 | 18·5 | 7·4 | 12·3 | 12·7 | 0·53 | 0·38 | 0·41 | 0·05 | 0·00 | 0·06 | 0·11 | 0·10 | 1·05 | 5·3 | 74 |
| Ayr Burgh | 40,779 | 16·8 | 8·7 | 13·3 | 13·7 | 0·54 | 0·44 | 0·39 | 0·07 | — | — | 0·22 | 0·10 | 0·88 | 6·3 | 69 |
| Kilmarnock Burgh | 40,151 | 19·2 | 7·2 | 12·8 | 13·8 | 0·57 | 0·35 | 0·60 | 0·10 | — | 0·15 | 0·15 | 0·07 | 1·27 | 3·8 | 79 |
| Remainder of County | 213,120 | 18·7 | 7·2 | 12·1 | 12·3 | 0·52 | 0·38 | 0·38 | 0·04 | 0·00 | 0·05 | 0·08 | 0·10 | 1·04 | 5·4 | 74 |
| BANFF COUNTY. | 53,567 | 18·0 | 6·0 | 12·0 | 10·7 | 0·41 | 0·32 | 0·37 | — | 0·06 | 0·02 | 0·13 | 0·04 | 1·14 | 15·1 | 54 |
| BERWICK COUNTY | 26,295 | 12·5 | 5·4 | 14·7 | 12·5 | 0·30 | 0·15 | 0·15 | — | — | 0·04 | — | 0·11 | 1·22 | 9·1 | 55 |
| BUTE COUNTY | 16,560 | 12·3 | 4·7 | 15·8 | 11·2 | 0·42 | 0·42 | 0·24 | 0·12 | — | — | — | 0·06 | 1·45 | 7·8 | 34 |
| CAITHNESS COUNTY | 25,742 | 17·8 | 6·3 | 13·1 | 9·8 | 0·51 | 0·39 | 0·19 | — | 0·04 | 0·04 | — | 0·08 | 0·74 | 10·0 | 48 |
| CLACKMANNAN COUNTY | 33,117 | 16·8 | 7·6 | 12·9 | 12·8 | 0·33 | 0·27 | 0·30 | — | — | — | 0·03 | 0·18 | 1·09 | 5·0 | 57 |
| DUNBARTON COUNTY | 155,243 | 17·1 | 6·0 | 11·4 | 12·2 | 0·57 | 0·43 | 0·44 | 0·10 | 0·04 | 0·04 | 0·08 | 0·05 | 1·39 | 4·7 | 58 |
| Clydebank Burgh | 47,912 | 18·2 | 6·5 | 10·7 | 13·3 | 0·67 | 0·44 | 0·54 | 0·15 | 0·08 | 0·04 | 0·13 | 0·02 | 1·67 | 3·6 | 63 |
| Dumbarton Burgh | 22,214 | 18·8 | 5·1 | 12·4 | 12·9 | 0·72 | 0·63 | 0·59 | 0·14 | — | 0·18 | 0·09 | 0·09 | 2·03 | 5·5 | 69 |
| Remainder of County | 85,117 | 16·1 | 6·0 | 11·4 | 11·3 | 0·47 | 0·36 | 0·34 | 0·06 | 0·02 | — | 0·06 | 0·06 | 1·07 | 5·2 | 49 |
| DUMFRIES COUNTY | 81,818 | 15·5 | 10·0 | 13·5 | 12·3 | 0·59 | 0·44 | 0·26 | 0·06 | 0·02 | 0·09 | 0·02 | 0·02 | 0·88 | 8·8 | 74 |
| Dumfries Burgh | 23,797 | 15·5 | 10·1 | 13·6 | 13·4 | 0·59 | 0·34 | 0·25 | 0·08 | — | 0·08 | 0·08 | — | 1·05 | 6·5 | 87 |
| Remainder of County | 58,021 | 15·5 | 10·0 | 13·4 | 11·8 | 0·59 | 0·48 | 0·26 | 0·05 | 0·03 | 0·09 | — | 0·03 | 0·81 | 9·7 | 69 |
| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) |

| | (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) |
|-----------------------------|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| EAST LoTHIAN COUNTY | | 47,753 | 16.4 | 6.7 | 11.0 | 10.9 | 0.61 | 0.40 | 0.23 | — | 0.02 | 0.04 | 0.02 | — | 0.13 | 0.44 | 52 |
| FIFE COUNTY | | 284,082 | 16.6 | 7.0 | 11.5 | 11.5 | 0.36 | 0.26 | 0.33 | 0.04 | 0.01 | 0.04 | 0.02 | 0.15 | 0.94 | 5.5 | 55 |
| Dunfermline Burgh | | 37,068 | 14.8 | 9.4 | 11.5 | 11.7 | 0.49 | 0.46 | 0.22 | 0.03 | 0.05 | — | — | 0.05 | 0.73 | 3.8 | 62 |
| Kirkcaldy Burgh | | 45,421 | 16.8 | 7.9 | 12.2 | 12.3 | 0.26 | 0.20 | 0.35 | 0.02 | 0.02 | 0.02 | — | 0.18 | 1.06 | 5.2 | 54 |
| Remainder of County | | 201,603 | 17.0 | 6.4 | 11.3 | 11.3 | 0.36 | 0.23 | 0.35 | 0.04 | — | 0.05 | 0.03 | 0.17 | 0.95 | 5.8 | 54 |
| INVERNESS COUNTY | | 81,342 | 15.4 | 6.2 | 13.7 | 10.5 | 0.50 | 0.36 | 0.27 | 0.05 | 0.02 | 0.01 | — | 0.11 | 0.82 | 8.6 | 53 |
| Inverness Burgh | | 23,316 | 16.6 | 13.4 | 14.9 | 13.0 | 0.47 | 0.43 | 0.30 | 0.04 | — | 0.04 | — | 0.09 | 0.94 | 6.7 | 82 |
| Remainder of County | | 58,026 | 14.9 | 3.3 | 13.2 | 9.7 | 0.52 | 0.33 | 0.26 | 0.05 | 0.03 | — | — | 0.12 | 0.78 | 9.5 | 39 |
| KINCARDINE COUNTY † | | 26,443 | 16.1 | 6.2 | 13.3 | 10.8 | 0.30 | 0.19 | 0.38 | — | — | 0.08 | 0.11 | 0.15 | 0.53 | 10.8 | 61 |
| KINROSS COUNTY | | 7,028 | 15.8 | 5.3 | 16.6 | 13.6 | 0.57 | 0.57 | 0.14 | — | — | — | 0.14 | — | 1.28 | 9.0 | 81 |
| KIRKCUDBRIGHT COUNTY | | 30,359 | 16.0 | 6.3 | 13.1 | 10.9 | 0.56 | 0.26 | 0.13 | — | 0.07 | — | 0.03 | 0.03 | 1.09 | 10.5 | 58 |
| LANARK COUNTY | | 1,635,937 | 19.7 | 8.8 | 12.8 | 14.5 | 0.94 | 0.72 | 0.56 | 0.19 | 0.02 | 0.07 | 0.11 | 0.09 | 1.64 | 5.4 | 82 |
| Airdrie Burgh | | 28,134 | 21.5 | 7.5 | 11.9 | 13.6 | 0.25 | 0.11 | 0.53 | 0.14 | 0.04 | — | 0.04 | 0.21 | 1.49 | 4.5 | 89 |
| Coatbridge Burgh | | 45,045 | 23.0 | 6.4 | 13.1 | 14.8 | 0.91 | 0.82 | 0.67 | 0.20 | — | 0.07 | 0.07 | 0.24 | 1.98 | 3.8 | 84 |
| Glasgow Burgh | | 1,127,825 | 19.5 | 9.7 | 13.3 | 15.0 | 1.09 | 0.85 | 0.61 | 0.23 | 0.02 | 0.08 | 0.12 | 0.08 | 1.76 | 5.7 | 87 |
| Hamilton Burgh | | 39,315 | 23.0 | 8.0 | 10.7 | 12.2 | 0.59 | 0.41 | 0.61 | 0.13 | — | 0.10 | 0.10 | 0.18 | 1.48 | 4.7 | 70 |
| Motherwell and Wishaw Burgh | | 67,696 | 19.5 | 7.5 | 11.3 | 13.4 | 0.75 | 0.49 | 0.44 | 0.07 | 0.03 | 0.07 | 0.07 | 0.13 | 1.70 | 3.5 | 61 |
| Rutherglen Burgh | | 25,441 | 14.3 | 9.4 | 12.5 | 13.8 | 0.79 | 0.67 | 0.43 | 0.08 | — | — | 0.28 | — | 1.22 | 3.3 | 55 |
| Remainder of County | | 302,481 | 19.8 | 6.1 | 11.3 | 12.8 | 0.56 | 0.37 | 0.39 | 0.10 | 0.01 | 0.06 | 0.08 | 0.39 | 1.22 | 5.4 | 69 |
| MIDLOTHIAN COUNTY | | 559,202 | 16.1 | 9.2 | 12.5 | 12.5 | 0.72 | 0.57 | 0.28 | 0.07 | 0.01 | 0.01 | 0.09 | 0.05 | 1.12 | 6.0 | 61 |
| Edinburgh Burgh | | 469,448 | 16.1 | 9.6 | 12.7 | 12.6 | 0.77 | 0.61 | 0.29 | 0.08 | 0.01 | 0.01 | 0.08 | 0.04 | 1.26 | 6.2 | 61 |
| Remainder of County | | 89,754 | 16.5 | 6.8 | 11.3 | 11.9 | 0.45 | 0.36 | 0.28 | 0.01 | 0.01 | — | 0.10 | 0.07 | 0.84 | 5.0 | 59 |
| MORAY COUNTY | | 40,844 | 18.0 | 7.2 | 13.7 | 11.4 | 0.59 | 0.39 | 0.17 | 0.05 | — | — | 0.10 | 0.02 | 1.13 | 12.9 | 60 |
| NAIRN COUNTY. | | 8,303 | 17.7 | 6.4 | 14.6 | 11.1 | 0.24 | 0.24 | — | — | — | — | — | — | 0.42 | 9.5 | 61 |
| ORKNEY COUNTY | | 21,799 | 14.9 | 6.9 | 14.5 | 9.8 | 0.41 | 0.28 | 0.23 | — | 0.05 | — | 0.05 | 0.14 | 0.96 | 8.3 | 56 |
| PEEBLES COUNTY | | 14,471 | 12.9 | 5.4 | 10.7 | 9.0 | 0.41 | 0.28 | 0.07 | — | — | — | — | 0.07 | 0.48 | 6.4 | 21 |
| PERTH COUNTY | | 119,657 | 14.3 | 6.6 | 13.4 | 11.3 | 0.42 | 0.26 | 0.18 | 0.06 | — | — | 0.04 | 0.06 | 1.07 | 8.8 | 62 |
| Perth Burgh | | 36,232 | 15.1 | 9.7 | 12.7 | 11.8 | 0.39 | 0.28 | 0.39 | 0.11 | — | — | 0.11 | 0.11 | 1.19 | 6.6 | 58 |
| Remainder of County | | 83,425 | 13.9 | 5.3 | 13.7 | 11.1 | 0.43 | 0.25 | 0.10 | 0.04 | — | — | 0.01 | 0.04 | 1.02 | 9.0 | 64 |
| RENFREW COUNTY | | 317,179 | 18.1 | 6.1 | 11.8 | 12.6 | 0.73 | 0.56 | 0.40 | 0.07 | 0.04 | 0.04 | 0.13 | 0.08 | 1.17 | 3.6 | 69 |
| Greenock Burgh | | 81,297 | 20.2 | 6.9 | 12.8 | 13.8 | 1.09 | 0.79 | 0.39 | 0.02 | 0.07 | 0.02 | 0.04 | 0.16 | 1.43 | 4.4 | 75 |
| Paisley Burgh | | 91,167 | 18.7 | 7.1 | 12.0 | 13.0 | 0.65 | 0.54 | 0.53 | 0.14 | 0.03 | 0.05 | 0.25 | 0.01 | 1.22 | 3.6 | 76 |
| Port Glasgow Burgh | | 19,755 | 23.6 | 8.0 | 12.0 | 13.5 | 1.11 | 0.96 | 0.20 | — | 0.10 | — | — | 0.05 | 1.47 | 3.9 | 67 |
| Remainder of County | | 124,930 | 15.4 | 4.6 | 11.0 | 11.5 | 0.48 | 0.37 | 0.34 | 0.05 | 0.01 | 0.04 | 0.12 | 0.07 | 0.93 | 2.9 | 59 |
| ROSS AND CROMARTY COUNTY | | 62,846 | 15.0 | 4.8 | 15.6 | 11.0 | 0.88 | 0.75 | 0.24 | 0.03 | 0.05 | 0.06 | 0.03 | 0.03 | 1.34 | 8.4 | 50 |
| ROXBURGH COUNTY | | 45,783 | 13.1 | 5.7 | 13.0 | 11.6 | 0.39 | 0.24 | 0.24 | — | — | — | 0.07 | 0.02 | 0.66 | 6.7 | 38 |
| SELKIRK COUNTY | | 21,923 | 11.7 | 6.5 | 13.0 | 11.4 | 0.41 | 0.23 | 0.23 | 0.05 | 0.05 | — | — | — | 0.68 | 7.0 | 43 |
| STIRLING COUNTY | | 173,410 | 18.6 | 7.0 | 10.9 | 11.7 | 0.51 | 0.37 | 0.29 | 0.05 | 0.01 | — | 0.03 | 0.10 | 0.94 | 4.7 | 54 |
| Falkirk Burgh | | 38,173 | 17.7 | 8.0 | 10.5 | 11.6 | 0.73 | 0.58 | 0.34 | 0.08 | — | — | — | 0.13 | 0.94 | 3.4 | 49 |
| Stirling Burgh | | 23,552 | 20.6 | 9.0 | 11.7 | 11.7 | 0.51 | 0.42 | 0.34 | 0.13 | — | — | 0.04 | 0.13 | 0.72 | 6.2 | 64 |
| Remainder of County | | 111,685 | 18.5 | 6.3 | 10.8 | 11.6 | 0.44 | 0.29 | 0.26 | 0.02 | 0.02 | — | 0.04 | 0.08 | 0.98 | 4.7 | 53 |
| SUTHERLAND COUNTY | | 15,293 | 15.7 | 4.8 | 17.0 | 10.9 | 0.46 | 0.33 | 0.33 | — | — | 0.07 | 0.07 | 0.20 | 1.11 | 11.3 | 67 |
| WEST LoTHIAN COUNTY | | 83,524 | 19.9 | 6.9 | 11.4 | 13.0 | 0.38 | 0.26 | 0.50 | 0.05 | 0.02 | 0.02 | 0.25 | 0.06 | 1.10 | 3.3 | 63 |
| WIGTOWN COUNTY | | 29,723 | 21.3 | 7.4 | 13.8 | 12.2 | 0.27 | 0.20 | 0.54 | — | — | 0.13 | 0.17 | 0.24 | 0.98 | 15.8 | 70 |
| ZETLAND COUNTY | | 20,155 | 13.8 | 6.7 | 16.4 | 10.7 | 0.99 | 0.69 | 0.35 | 0.05 | — | — | — | 0.10 | 0.84 | 6.1 | 32 |

* Includes the following in addition to those indicated:—International Long List Nos. 1, 2, 3-6, 12-17, 18.
† Including for this purpose the entire Burgh of Aberdeen, part of which is in Kincardine County.
‡ Excluding for this purpose the portion of Aberdeen Burgh in Kincardine County.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1938.

| SMALL BURGHS. | Estimated Population 1938. | RATES PER 1000 OF POPULATION. | | | | | | | Illegitimate Births per cent. of Total Births. | Rate per 1000 Births. | |
|-----------------------------------|----------------------------|-------------------------------|----------------|----------------------------------|---|-------------------|--------------------------------------|--------------------------------|--|-----------------------|--|
| | | Birth-rate. | Marriage-rate. | Death-rate. | | | | | | | |
| | | | | Crude (Corrected for Transfers). | Corrected and Adjusted for Age and Sex. | All Tuberculosis. | Tuberculosis of Re-spiratory System. | *Principal Epi-demic Diseases. | | | |
| ABERDEEN COUNTY— | | | | | | | | | | | |
| Ballater | 1,254 | 13·6 | 4·0 | 14·4 | 10·8 | — | — | — | 11·8 | 59 | |
| Ellon | 1,390 | 16·5 | 19·4 | 18·7 | 13·5 | — | — | — | 4·3 | 217 | |
| Fraserburgh | 10,388 | 17·3 | 6·0 | 9·8 | 10·7 | 0·39 | 0·19 | 0·19 | 10·6 | 67 | |
| Huntly | 3,985 | 16·3 | 8·8 | 14·3 | 10·7 | — | — | 0·50 | 16·9 | 46 | |
| Inverurie | 4,728 | 15·7 | 9·3 | 11·6 | 10·0 | 0·21 | 0·21 | — | 9·5 | 27 | |
| Kintore | 799 | 12·5 | 11·3 | 17·5 | 12·9 | — | — | — | 10·0 | — | |
| Old Meldrum | 1,025 | 20·5 | 9·8 | 21·5 | 14·3 | — | — | — | 4·8 | 95 | |
| Peterhead | 13,056 | 20·5 | 7·4 | 12·4 | 12·5 | 0·69 | 0·38 | 0·46 | 7·5 | 90 | |
| Rosehearty | 1,124 | 17·8 | 7·1 | 22·2 | 16·6 | — | — | 0·89 | 5·0 | — | |
| Turriff | 2,562 | 20·7 | 7·4 | 12·9 | 9·7 | — | — | — | 15·1 | 94 | |
| ANGUS COUNTY— | | | | | | | | | | | |
| Brechin | 6,615 | 12·4 | 8·5 | 18·3 | 13·4 | 0·60 | 0·60 | 0·15 | 6·1 | 37 | |
| Carnoustie | 4,801 | 8·3 | 5·0 | 16·0 | 11·4 | — | — | 0·42 | 5·0 | 75 | |
| Forfar | 9,812 | 11·9 | 7·3 | 14·7 | 12·4 | 0·51 | 0·41 | — | 6·0 | 94 | |
| Kirriemuir | 3,432 | 10·5 | 8·2 | 20·4 | 13·3 | 0·29 | 0·29 | 0·29 | 5·6 | — | |
| Monifieth | 3,177 | 12·6 | 6·0 | 12·9 | 11·2 | — | — | 0·94 | — | 100 | |
| Montrose | 10,798 | 14·3 | 9·2 | 15·4 | 11·8 | 0·56 | 0·46 | — | 2·6 | 78 | |
| ARGYLL COUNTY— | | | | | | | | | | | |
| Campbeltown | 6,481 | 18·5 | 7·3 | 12·8 | 11·3 | 0·62 | 0·46 | 0·15 | 10·0 | 58 | |
| Dunoon | 7,902 | 10·9 | 5·7 | 19·4 | 13·3 | 0·25 | — | 0·13 | 4·7 | 47 | |
| Inveraray | 455 | 8·8 | — | 17·6 | 13·5 | — | — | — | — | — | |
| Lochgilphead | 1,082 | 14·8 | 8·3 | 14·8 | 10·5 | — | — | — | — | — | |
| Oban | 5,794 | 16·4 | 9·7 | 12·9 | 11·6 | 0·69 | 0·52 | 0·35 | 3·2 | 21 | |
| Tobermory | 736 | 6·8 | — | 14·9 | 10·2 | 2·72 | 2·72 | 1·36 | — | 200 | |
| AYR COUNTY— | | | | | | | | | | | |
| Ardrossan | 7,511 | 23·7 | 7·7 | 12·6 | 13·8 | 0·53 | 0·40 | 0·27 | 5·1 | 67 | |
| Cumnock and Holmhead | 4,053 | 22·9 | 10·6 | 15·3 | 14·5 | 0·49 | 0·49 | 0·74 | 1·1 | 65 | |
| Darvel | 3,356 | 12·5 | 9·2 | 13·4 | 13·0 | 0·89 | 0·89 | 0·30 | 2·4 | 24 | |
| Galston | 4,789 | 14·4 | 10·4 | 9·4 | 10·1 | — | — | 0·63 | 1·4 | 72 | |
| Girvan | 5,343 | 19·3 | 8·2 | 13·7 | 11·9 | 1·12 | 0·94 | 0·56 | 12·6 | 87 | |
| Irvine | 12,948 | 19·1 | 7·8 | 12·0 | 13·1 | 0·39 | 0·31 | 0·39 | 3·2 | 89 | |
| Kilwinning | 5,563 | 21·4 | 8·6 | 13·3 | 14·7 | 0·90 | 0·72 | 0·90 | 2·5 | 67 | |
| Largs | 6,129 | 7·8 | 5·5 | 16·2 | 11·4 | 0·65 | 0·49 | 0·16 | 2·1 | 104 | |
| Maybole | 4,448 | 18·9 | 9·2 | 9·4 | 9·3 | 1·35 | 1·12 | 1·35 | 10·7 | 83 | |
| Newmilns and Greenholm | 4,004 | 15·0 | 5·2 | 12·2 | 11·6 | — | — | 0·25 | 3·3 | 117 | |
| Prestwick | 9,692 | 13·2 | 5·3 | 13·3 | 11·0 | 0·31 | 0·31 | 0·31 | 3·9 | 86 | |
| Saltcoats | 10,653 | 21·1 | 9·3 | 12·2 | 12·4 | 0·47 | 0·47 | 0·19 | 5·8 | 89 | |
| Stewarton | 2,782 | 19·1 | 7·9 | 16·5 | 15·4 | 1·80 | 0·72 | — | 3·8 | 38 | |
| Troon | 8,666 | 11·2 | 6·2 | 11·0 | 10·9 | 0·23 | 0·12 | — | 6·2 | 72 | |
| BANFF COUNTY— | | | | | | | | | | | |
| Aberchirder | 893 | 17·9 | 12·3 | 24·6 | 16·9 | 1·12 | 1·12 | — | 25·0 | 188 | |
| Banff | 3,306 | 19·1 | 9·4 | 11·8 | 9·5 | 0·30 | 0·30 | 0·60 | 14·3 | 32 | |
| Buckie | 8,481 | 17·6 | 6·5 | 11·8 | 11·9 | 0·24 | 0·24 | 0·35 | 9·4 | 81 | |
| Charlestown of Aberlour | 1,218 | 13·1 | 5·7 | 10·7 | 10·9 | — | — | 2·46 | 6·3 | 63 | |
| Cullen | 1,738 | 12·1 | 5·8 | 13·2 | 10·9 | 1·73 | 1·15 | — | 4·8 | 48 | |
| Dufftown | 1,429 | 18·2 | 2·1 | 21·0 | 14·3 | 0·70 | — | — | 15·4 | 38 | |
| Findochty | 1,712 | 18·1 | 2·3 | 11·1 | 12·7 | 1·75 | 1·17 | — | 12·9 | 161 | |
| Keith | 4,440 | 20·3 | 9·9 | 12·2 | 10·3 | 0·23 | 0·23 | 0·45 | 8·9 | 56 | |
| Macduff | 3,283 | 18·3 | 3·7 | 12·5 | 10·2 | — | — | 0·61 | 15·0 | 50 | |
| Portknockie | 1,657 | 12·1 | 2·4 | 10·9 | 10·9 | 0·60 | 0·60 | — | 5·0 | 100 | |
| Portsoy | 1,734 | 13·3 | 6·9 | 10·4 | 7·8 | 0·58 | 0·58 | — | 21·7 | — | |

* See footnote Table 4.

Note:—Some of the rates in this Table are based on very few observations and are therefore of limited value. Numbers will be found on pages 106-131.

TABLE 5—continued.

| SMALL BURGHS. | Estimated Population 1938. | RATES PER 1000 OF POPULATION. | | | | | | | Illegitimate Births per cent. of Total Births. | Rate per 1000 Births. |
|------------------------------------|----------------------------|-------------------------------|----------------|----------------------------------|---|-------------------|---------------------------------------|--------------------------------|--|-----------------------|
| | | Birth-rate. | Marriage-rate. | Death-rate. | | | | | | |
| | | | | Crude (Corrected for Transfers). | Corrected and Adjusted for Age and Sex. | All Tuberculosis. | Tuberculosis of Re- spiratory System. | Principal Epi- demic Diseases. | | |
| BERWICK COUNTY— | | | | | | | | | | |
| Coldstream | 1,222 | 11·5 | 9·0 | 18·0 | 13·6 | — | — | — | — | 71 |
| Duns | 1,874 | 16·5 | 10·7 | 17·6 | 13·1 | 0·53 | 0·53 | — | 6·5 | — |
| Eyemouth | 2,196 | 11·8 | 6·4 | 9·1 | 8·7 | — | — | — | 11·5 | 38 |
| Lauder | 621 | 6·4 | 6·4 | 24·2 | 17·5 | 1·61 | — | — | — | 250 |
| BUTE COUNTY— | | | | | | | | | | |
| Millport | 1,508 | 8·0 | 1·3 | 13·9 | 10·4 | — | — | — | — | — |
| Rothsay | 8,161 | 14·9 | 5·8 | 16·8 | 12·1 | 0·61 | 0·61 | 0·12 | 10·7 | 41 |
| CAITHNESS COUNTY— | | | | | | | | | | |
| Thurso | 3,152 | 17·8 | 12·7 | 10·5 | 8·5 | 0·32 | 0·32 | 0·32 | 10·7 | 54 |
| Wick | 7,550 | 21·3 | 10·2 | 12·2 | 10·8 | 0·66 | 0·40 | 0·13 | 6·8 | 43 |
| CLACKMANNAN COUNTY— | | | | | | | | | | |
| Alloa | 13,436 | 17·9 | 7·7 | 12·0 | 12·7 | 0·52 | 0·45 | 0·07 | 6·2 | 50 |
| Alva | 3,986 | 15·6 | 9·8 | 15·3 | 13·3 | 0·25 | 0·25 | 0·50 | 3·2 | 81 |
| Dollar | 1,428 | 5·6 | 2·8 | 14·7 | 11·1 | — | — | — | — | — |
| Tillicoultry | 3,136 | 19·5 | 9·6 | 17·2 | 15·1 | 0·64 | 0·32 | 0·64 | 4·9 | 115 |
| DUNBARTON COUNTY— | | | | | | | | | | |
| Cove and Kilreggan | 857 | 5·8 | 5·8 | 9·3 | 6·2 | — | — | — | — | 200 |
| Helensburgh | 8,743 | 12·2 | 4·6 | 15·3 | 13·3 | 0·92 | 0·57 | 0·34 | 13·1 | 84 |
| Kirkintilloch | 12,845 | 20·7 | 7·6 | 11·4 | 12·5 | 0·70 | 0·70 | 0·08 | 1·9 | 64 |
| Milngavie | 6,278 | 11·3 | 4·9 | 12·3 | 11·8 | 0·64 | 0·48 | 0·16 | 9·9 | 28 |
| DUMFRIES COUNTY— | | | | | | | | | | |
| Annan | 3,916 | 15·6 | 9·7 | 12·5 | 11·5 | 0·77 | 0·77 | 0·26 | 8·2 | 49 |
| Langholm | 2,385 | 13·0 | 3·8 | 18·9 | 14·1 | 0·42 | 0·42 | — | 12·9 | 32 |
| Lochmaben | 1,045 | 14·4 | 8·6 | 15·3 | 11·8 | 0·96 | 0·96 | 0·96 | — | — |
| Lockerbie | 2,640 | 11·0 | 4·5 | 12·1 | 10·8 | 0·76 | 0·76 | — | 6·9 | 103 |
| Moffat | 1,990 | 13·6 | 8·5 | 15·1 | 11·2 | 1·01 | 0·50 | — | 3·7 | 37 |
| Sanquhar | 1,885 | 15·9 | 6·9 | 11·1 | 10·5 | — | — | — | 6·7 | — |
| EAST LOTHIAN COUNTY— | | | | | | | | | | |
| Cockenzie and Port Seton | 2,690 | 19·7 | 10·4 | 8·9 | 10·1 | — | — | — | 3·8 | 57 |
| Dunbar | 3,827 | 19·3 | 6·0 | 12·3 | 10·4 | — | — | — | 4·1 | 27 |
| East Linton | 895 | 13·4 | 3·4 | 10·1 | 6·6 | — | — | — | — | — |
| Haddington | 4,664 | 14·2 | 7·9 | 13·9 | 12·2 | 0·64 | 0·64 | — | 10·6 | 91 |
| North Berwick | 3,165 | 11·1 | 5·7 | 9·8 | 8·0 | 0·63 | — | 0·32 | — | 29 |
| Prestonpans | 2,669 | 24·4 | 4·9 | 10·5 | 11·7 | — | — | 0·37 | 6·2 | 31 |
| Tranent | 5,034 | 21·7 | 7·2 | 10·1 | 11·6 | 0·99 | 0·79 | 0·40 | 1·8 | 73 |
| FIFE COUNTY— | | | | | | | | | | |
| Auchtermuchty | 1,224 | 9·0 | 2·5 | 16·3 | 11·0 | — | — | — | — | — |
| Buckhaven and Methil | 19,209 | 19·3 | 7·8 | 12·1 | 14·4 | 0·36 | 0·36 | 0·83 | 6·2 | 70 |
| Burntisland | 5,672 | 18·2 | 6·5 | 12·7 | 11·8 | 0·18 | 0·18 | 0·53 | 2·9 | 19 |
| Cowdenbeath | 12,440 | 18·0 | 8·0 | 11·6 | 13·9 | 0·48 | 0·48 | 0·32 | 7·1 | 89 |
| Crail | 1,025 | 22·4 | 5·9 | 12·7 | 7·5 | — | — | — | 8·7 | 43 |
| Culross | 537 | 9·3 | 18·6 | 9·3 | 7·8 | — | — | — | — | — |
| Cupar | 5,004 | 21·2 | 8·6 | 8·2 | 6·4 | — | — | 0·60 | 4·7 | 19 |
| Elie and Earlsferry | 950 | 5·3 | 5·3 | 14·7 | 9·3 | — | — | 1·05 | — | — |
| Falkland | 900 | 15·6 | 10·0 | 10·0 | 7·3 | 1·11 | 1·11 | — | — | 71 |
| Inverkeithing | 3,472 | 14·7 | 5·2 | 12·1 | 12·3 | 0·29 | 0·29 | 0·58 | 2·0 | 20 |
| Kilrenny and Anstruther | 3,332 | 13·5 | 4·2 | 13·5 | 10·3 | 0·30 | — | — | 4·4 | 44 |
| Kinghorn | 2,008 | 8·5 | 5·0 | 11·0 | 10·5 | 0·50 | 0·50 | 0·50 | 5·9 | 59 |
| Ladybank and Monkston | 1,212 | 8·3 | 8·3 | 14·9 | 11·4 | — | — | 1·65 | — | — |

TABLE 5—continued.

| SMALL BURGHS. | Estimated Population 1938. | RATES PER 1000 OF POPULATION. | | | | | | | Illegitimate Births per cent. of Total Births. | Rate per 1000 Births. |
|----------------------------------|----------------------------|-------------------------------|----------------|----------------------------------|---|-------------------|--------------------------------------|-------------------------------|--|-----------------------|
| | | Birth-rate. | Marriage-rate. | Death-rate. | | | | | | |
| | | | | Crude (Corrected for Transfers). | Corrected and Adjusted for Age and Sex. | All Tuberculosis. | Tuberculosis of Re-spiratory System. | Principal Epi-demic Diseases. | | |
| FIFE COUNTY— <i>contd.</i> — | | | | | | | | | | |
| Leslie | 2,691 | 19·0 | 6·7 | 13·4 | 12·3 | 0·74 | — | — | 5·9 | 78 |
| Leven | 8,201 | 16·1 | 7·7 | 12·9 | 12·6 | 0·24 | — | 0·37 | 6·1 | 68 |
| Lochgelly | 9,238 | 15·5 | 8·9 | 8·1 | 9·6 | 0·11 | 0·11 | — | 3·5 | 49 |
| Markinch | 2,226 | 16·2 | 12·1 | 12·6 | 12·2 | — | — | 0·45 | 2·8 | 28 |
| Newburgh | 2,323 | 16·8 | 6·9 | 8·2 | 6·4 | — | — | — | 5·1 | 26 |
| Newport | 3,116 | 10·9 | 5·5 | 15·4 | 10·8 | 0·32 | — | 0·32 | 5·9 | — |
| Pittenweem | 1,703 | 10·6 | 6·5 | 12·3 | 9·9 | 0·59 | 0·59 | — | — | — |
| St. Andrews | 8,383 | 11·0 | 6·0 | 12·8 | 11·4 | 0·84 | 0·48 | — | 3·3 | 65 |
| St. Monance | 1,671 | 10·8 | 5·4 | 20·9 | 17·7 | 0·60 | 0·60 | 0·60 | 5·6 | 111 |
| Tayport | 3,300 | 14·8 | 6·4 | 13·6 | 11·3 | — | — | — | 2·0 | 61 |
| INVERNESS COUNTY— | | | | | | | | | | |
| Fort-William | 3,056 | 18·0 | 12·8 | 8·8 | 8·9 | — | — | 0·33 | 3·6 | 36 |
| Kingussie | 981 | 8·2 | 6·1 | 19·4 | 15·5 | 2·04 | 2·04 | — | 12·5 | — |
| KINCARDINE COUNTY— | | | | | | | | | | |
| Banchory | 1,830 | 8·7 | 9·3 | 14·8 | 10·5 | 0·55 | 0·55 | 0·55 | 12·5 | — |
| Inverbervie | 952 | 13·7 | 12·6 | 18·9 | 15·3 | 1·05 | 1·05 | — | 7·7 | 77 |
| Laurencekirk | 1,337 | 13·5 | 7·5 | 17·2 | 10·1 | — | — | — | 11·1 | 56 |
| Stonehaven | 4,229 | 14·7 | 8·0 | 15·4 | 10·5 | 0·24 | 0·24 | 0·71 | 6·5 | 48 |
| KINROSS COUNTY— | | | | | | | | | | |
| Kinross | 2,391 | 15·5 | 8·8 | 16·7 | 14·6 | 0·84 | 0·84 | — | 10·8 | 54 |
| KIRKCUDBRIGHT COUNTY— | | | | | | | | | | |
| Castle-Douglas | 3,192 | 13·2 | 8·1 | 13·8 | 12·0 | 0·63 | 0·63 | — | 7·1 | 48 |
| Dalbeattie | 3,160 | 15·2 | 6·0 | 15·2 | 12·5 | 1·58 | 0·32 | 0·32 | 12·5 | 83 |
| Gatehouse | 867 | 10·4 | 10·4 | 18·5 | 11·3 | 1·15 | 1·15 | 1·15 | 22·2 | — |
| Kirkcudbright | 2,332 | 14·2 | 10·3 | 12·0 | 9·4 | 0·43 | — | 0·43 | 6·1 | 61 |
| New Galloway | 314 | 28·7 | 3·2 | 25·5 | 18·2 | — | — | — | — | 111 |
| LANARK COUNTY— | | | | | | | | | | |
| Biggar | 1,301 | 13·1 | 4·6 | 13·1 | 9·1 | — | — | — | 11·8 | — |
| Lanark | 6,027 | 15·4 | 12·6 | 14·8 | 13·6 | 1·16 | 0·50 | — | 4·3 | 65 |
| MIDLOTHIAN COUNTY— | | | | | | | | | | |
| Bonnyrigg and Lasswade | 5,375 | 19·7 | 3·5 | 13·2 | 12·7 | 0·74 | 0·37 | 0·37 | 6·6 | 57 |
| Dalkeith | 7,658 | 14·5 | 9·3 | 14·1 | 14·1 | 0·65 | 0·65 | 0·25 | 8·1 | 99 |
| Loanhead | 4,144 | 15·9 | 9·2 | 9·9 | 11·3 | — | — | — | 6·1 | 91 |
| Musselburgh | 17,562 | 15·1 | 8·1 | 11·9 | 13·2 | 0·34 | 0·28 | 0·40 | 3·4 | 72 |
| Penicuik | 4,222 | 22·3 | 9·2 | 10·4 | 9·3 | 0·24 | 0·24 | 0·47 | — | 43 |
| MORAY COUNTY— | | | | | | | | | | |
| Burghead | 1,324 | 15·9 | 3·8 | 19·6 | 16·1 | 0·76 | 0·76 | 0·76 | 19·0 | 95 |
| Elgin | 9,154 | 15·4 | 14·3 | 14·0 | 12·1 | 0·22 | 0·11 | 0·11 | 15·6 | 64 |
| Forres | 4,317 | 17·6 | 7·9 | 15·3 | 11·8 | 0·69 | 0·46 | — | 9·2 | 53 |
| Grantown-on-Spey | 1,442 | 17·3 | 7·6 | 16·6 | 13·3 | — | — | 0·69 | 12·0 | — |
| Lossiemouth | 3,984 | 19·6 | 4·5 | 13·8 | 12·9 | 0·50 | 0·50 | — | 10·3 | 77 |
| Rothies | 1,294 | 22·4 | 4·6 | 14·7 | 11·2 | 5·41 | 2·32 | — | 20·7 | 103 |
| NAIRN COUNTY— | | | | | | | | | | |
| Nairn | 4,333 | 16·6 | 8·8 | 15·7 | 11·6 | 0·23 | 0·23 | — | 5·6 | 14 |
| ORKNEY COUNTY— | | | | | | | | | | |
| Kirkwall | 3,673 | 17·2 | 13·9 | 13·6 | 9·6 | 0·54 | 0·54 | 0·27 | 4·8 | 63 |
| Stromness | 1,550 | 13·5 | 6·5 | 16·1 | 11·7 | 0·65 | — | 1·29 | 4·8 | 95 |
| PEEBLES COUNTY— | | | | | | | | | | |
| Innerleithen | 2,270 | 10·1 | 7·9 | 13·7 | 11·3 | — | — | — | 8·7 | 87 |
| Peebles | 5,941 | 14·8 | 5·9 | 9·8 | 8·1 | 0·50 | 0·34 | 0·17 | 5·7 | 11 |

TABLE 5—continued.

| SMALL BURGHS. | Estimated Population 1938. | RATES PER 1000 OF POPULATION. | | | | | | | Illegitimate Births per cent. of Total Births. | Rate per 1000 Births. |
|-----------------------------------|----------------------------|-------------------------------|----------------|----------------------------------|---|-------------------|---------------------------------------|--------------------------------|--|-----------------------|
| | | Birth-rate. | Marriage-rate. | Death-rate. | | | | | | |
| | | | | Crude (Corrected for Transfers). | Corrected and Adjusted for Age and Sex. | All Tuberculosis. | Tuberculosis of Re- spiratory System. | Principal Epi- demic Diseases. | | |
| PERTH COUNTY— | | | | | | | | | | |
| Aberfeldy | 1,475 | 10·8 | 6·8 | 21·0 | 15·3 | 0·68 | — | — | — | 63 |
| Abernethy | 618 | 9·7 | 6·5 | 21·0 | 13·7 | — | — | — | — | — |
| Alyth | 1,807 | 22·1 | 5·0 | 20·5 | 13·3 | 1·11 | — | — | 5·0 | 75 |
| Auchterarder | 2,182 | 11·9 | 6·9 | 12·8 | 9·1 | 0·92 | 0·46 | — | 7·7 | 38 |
| Blairgowrie and Rattray | 4,789 | 15·7 | 8·4 | 17·3 | 12·1 | 0·84 | 0·21 | 0·42 | 5·3 | 133 |
| Callander | 1,484 | 8·8 | 7·4 | 15·5 | 12·6 | 0·67 | 0·67 | 0·67 | 7·7 | 77 |
| Coupar-Angus | 2,028 | 12·8 | 8·4 | 16·8 | 12·2 | — | — | — | 7·7 | 77 |
| Crieff | 5,242 | 12·4 | 5·7 | 12·8 | 10·0 | 0·38 | 0·19 | — | 12·3 | 31 |
| Doune | 841 | 17·8 | 10·7 | 10·7 | 8·7 | — | — | — | — | — |
| Dunblane | 2,762 | 12·3 | 9·1 | 11·2 | 8·0 | 0·72 | 0·72 | 0·36 | 2·9 | 29 |
| RENFREW COUNTY— | | | | | | | | | | |
| Barrhead | 12,265 | 17·4 | 7·2 | 11·3 | 12·6 | 0·49 | 0·49 | 0·16 | 3·7 | 61 |
| Gourock | 9,170 | 14·7 | 4·9 | 10·8 | 10·6 | 0·33 | 0·11 | 0·11 | 3·7 | 52 |
| Johnstone | 13,882 | 23·2 | 6·8 | 12·5 | 13·6 | 0·94 | 0·79 | 0·72 | 1·9 | 93 |
| Renfrew | 16,509 | 16·7 | 4·7 | 10·6 | 12·5 | 0·73 | 0·48 | 0·24 | 1·4 | 72 |
| ROSS AND CROMARTY COUNTY— | | | | | | | | | | |
| Cromarty | 785 | 8·9 | 8·9 | 24·2 | 16·3 | 1·27 | 1·27 | — | — | 143 |
| Dingwall | 2,828 | 16·3 | 15·6 | 14·5 | 11·5 | 1·06 | 0·71 | — | 13·0 | 87 |
| Fortrose | 872 | 9·2 | 3·4 | 22·9 | 13·3 | — | — | — | 12·5 | — |
| Invergordon | 1,490 | 14·8 | 5·4 | 17·4 | 15·3 | 2·01 | 2·01 | — | — | — |
| Stornoway | 4,557 | 16·5 | 5·0 | 15·6 | 12·7 | 1·32 | 1·10 | 0·66 | 5·3 | 53 |
| Tain | 1,421 | 15·5 | 17·6 | 6·3 | 4·3 | — | — | — | 4·5 | — |
| ROXBURGH COUNTY— | | | | | | | | | | |
| Hawick | 17,102 | 12·0 | 6·0 | 13·2 | 12·7 | 0·53 | 0·41 | 0·35 | 4·9 | 44 |
| Jedburgh | 3,447 | 20·3 | 6·4 | 9·9 | 9·8 | 0·29 | — | — | 7·1 | 43 |
| Kelso | 3,864 | 13·5 | 4·9 | 12·4 | 9·7 | — | — | 0·26 | 3·8 | 19 |
| Melrose | 2,052 | 7·8 | 7·3 | 16·1 | 11·6 | — | — | — | 6·3 | — |
| SELKIRK COUNTY— | | | | | | | | | | |
| Galashiels | 12,885 | 10·9 | 6·4 | 13·3 | 11·8 | 0·31 | 0·16 | 0·31 | 6·4 | 35 |
| Selkirk | 5,466 | 11·9 | 9·7 | 14·5 | 12·0 | 0·55 | 0·37 | — | 6·2 | 46 |
| STIRLING COUNTY— | | | | | | | | | | |
| Bridge-of-Allan | 2,899 | 11·4 | 7·6 | 14·1 | 10·9 | — | — | — | 6·1 | 91 |
| Denny and Dunipace | 5,995 | 19·8 | 6·7 | 9·3 | 10·9 | 0·33 | 0·17 | 0·17 | 0·8 | 67 |
| Grangemouth | 13,716 | 20·4 | 5·5 | 10·6 | 11·9 | 0·58 | 0·29 | 0·36 | 2·1 | 50 |
| Kilsyth | 8,703 | 20·9 | 8·7 | 10·2 | 12·0 | 0·34 | — | 0·11 | 1·6 | 38 |
| SUTHERLAND COUNTY— | | | | | | | | | | |
| Dornoch | 676 | 14·8 | 16·3 | 25·1 | 20·4 | — | — | — | 10·0 | 100 |
| WEST LOTHIAN COUNTY— | | | | | | | | | | |
| Armadale | 5,391 | 23·9 | 10·6 | 16·0 | 19·7 | 0·19 | 0·19 | 1·48 | 2·3 | 124 |
| Bathgate | 10,401 | 16·9 | 7·8 | 12·4 | 14·6 | 0·58 | 0·19 | 0·48 | 2·8 | 91 |
| Borrowstounness | 10,394 | 18·9 | 10·5 | 10·0 | 11·8 | 0·29 | 0·19 | 0·67 | 2·0 | 66 |
| Linlithgow | 3,550 | 16·6 | 10·4 | 11·8 | 11·8 | 1·13 | 0·56 | 0·85 | 3·4 | 51 |
| Queensferry | 2,013 | 31·8 | 7·5 | 14·4 | 15·3 | 0·99 | 0·99 | 0·99 | 4·7 | 47 |
| Whitburn | 4,081 | 30·9 | 4·7 | 10·0 | 11·6 | 0·49 | 0·49 | — | 0·8 | 48 |
| WIGTOWN COUNTY— | | | | | | | | | | |
| Newton-Stewart | 1,993 | 17·6 | 7·0 | 15·1 | 12·5 | 1·00 | 1·00 | 0·50 | 2·9 | 29 |
| Stranraer | 7,192 | 22·4 | 11·1 | 15·2 | 13·9 | 0·42 | 0·28 | 0·70 | 8·1 | 93 |
| Whithorn | 994 | 16·1 | 4·0 | 10·1 | 7·1 | — | — | — | 12·5 | 63 |
| Wigtown | 1,278 | 25·8 | 7·0 | 23·5 | 17·7 | 0·78 | — | — | 15·2 | 30 |
| ZETLAND COUNTY— | | | | | | | | | | |
| Lerwick | 5,084 | 17·9 | 15·5 | 16·9 | 13·0 | 1·18 | 0·59 | 0·20 | 8·8 | 11 |

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1938.

| COUNTY LANDWARD AREAS. | Estimated Population 1938. | RATES PER 1000 OF POPULATION. | | | | | | | Illegitimate Births per cent. of Total Births. | Infantile Mortality. Rate per 1000 Births. |
|------------------------------|----------------------------|-------------------------------|----------------|-------------------------------------|---|-------------------|--|------------------------------------|---|---|
| | | Birth-rate. | Marriage-rate. | Death-rate. | | | | | | |
| | | | | Crude (Corrected for Transfers). | Corrected and Adjusted for Age and Sex. | All Tuberculosis. | Tuberculosis of Re- spiratory System. | *Principal Epi- demic Diseases. | | |
| Aberdeen | 106,721 | 18·7 | 4·8 | 11·4 | 9·7 | 0·37 | 0·18 | 0·31 | 14·6 | 61 |
| Angus | 38,079 | 16·5 | 3·9 | 11·7 | 10·5 | 0·58 | 0·45 | 0·24 | 7·9 | 59 |
| Argyll | 39,150 | 13·2 | 3·1 | 15·5 | 11·1 | 0·72 | 0·54 | 0·15 | 9·1 | 37 |
| Ayr | 123,183 | 19·8 | 6·7 | 11·6 | 12·3 | 0·50 | 0·33 | 0·37 | 5·8 | 72 |
| Banff | 23,676 | 19·0 | 5·4 | 11·3 | 10·3 | 0·34 | 0·25 | 0·34 | 19·1 | 38 |
| Berwick | 20,382 | 12·4 | 4·5 | 14·5 | 12·5 | 0·29 | 0·15 | 0·20 | 9·9 | 59 |
| Bute | 6,891 | 10·2 | 4·2 | 15·1 | 10·5 | 0·29 | 0·29 | 0·44 | 4·3 | 29 |
| Caithness | 15,040 | 16·0 | 3·1 | 14·1 | 9·7 | 0·47 | 0·40 | 0·20 | 12·0 | 50 |
| Clackmannan | 11,131 | 16·7 | 6·6 | 11·6 | 12·1 | 0·09 | 0·09 | 0·45 | 4·3 | 43 |
| Dunbarton | 56,394 | 16·3 | 5·9 | 10·8 | 10·9 | 0·34 | 0·25 | 0·43 | 4·9 | 41 |
| Dumfries | 44,160 | 16·0 | 10·9 | 13·2 | 11·8 | 0·57 | 0·45 | 0·29 | 10·4 | 77 |
| East Lothian | 24,809 | 14·8 | 6·5 | 10·8 | 11·2 | 0·77 | 0·48 | 0·28 | 4·9 | 52 |
| Fife | 101,766 | 17·9 | 5·4 | 10·6 | 11·0 | 0·39 | 0·23 | 0·32 | 6·5 | 53 |
| Inverness | 53,989 | 14·9 | 2·7 | 13·3 | 9·7 | 0·52 | 0·31 | 0·26 | 9·9 | 40 |
| Kincardine | 18,095 | 17·6 | 5·0 | 12·2 | 10·7 | 0·28 | 0·11 | 0·33 | 11·6 | 66 |
| Kinross | 4,637 | 16·0 | 3·5 | 16·6 | 13·2 | 0·43 | 0·43 | 0·22 | 8·1 | 95 |
| Kirkcudbright | 20,494 | 16·8 | 5·5 | 12·4 | 10·5 | 0·39 | 0·20 | 0·05 | 11·0 | 55 |
| Lanark | 295,153 | 19·9 | 6·0 | 11·2 | 12·8 | 0·54 | 0·37 | 0·40 | 5·4 | 69 |
| Midlothian | 50,793 | 16·6 | 6·0 | 10·6 | 11·2 | 0·47 | 0·37 | 0·24 | 5·4 | 50 |
| Moray | 19,329 | 18·9 | 4·6 | 12·4 | 10·2 | 0·47 | 0·36 | 0·21 | 12·3 | 55 |
| Nairn | 3,970 | 18·9 | 3·8 | 13·4 | 10·4 | 0·25 | 0·25 | — | 13·3 | 107 |
| Orkney | 16,576 | 14·5 | 5·4 | 14·5 | 9·6 | 0·36 | 0·24 | 0·12 | 9·6 | 50 |
| Peebles | 6,260 | 12·1 | 4·0 | 10·5 | 9·1 | 0·48 | 0·32 | — | 6·6 | 13 |
| Perth | 60,197 | 14·0 | 4·5 | 13·1 | 11·0 | 0·37 | 0·25 | 0·07 | 10·1 | 63 |
| Renfrew | 73,104 | 13·3 | 3·8 | 10·8 | 10·9 | 0·36 | 0·27 | 0·36 | 3·4 | 44 |
| Ross and Cromarty | 50,893 | 14·9 | 3·7 | 15·7 | 10·9 | 0·83 | 0·71 | 0·24 | 8·8 | 50 |
| Roxburgh | 19,318 | 13·3 | 5·2 | 13·1 | 11·4 | 0·41 | 0·21 | 0·21 | 8·6 | 39 |
| Selkirk | 3,572 | 14·3 | 2·2 | 9·5 | 8·8 | 0·56 | 0·28 | 0·28 | 9·8 | 59 |
| Stirling | 80,372 | 18·1 | 6·1 | 10·9 | 11·6 | 0·45 | 0·34 | 0·27 | 5·9 | 54 |
| Sutherland | 14,617 | 15·7 | 4·2 | 16·6 | 10·5 | 0·48 | 0·34 | 0·34 | 11·3 | 65 |
| West Lothian | 47,694 | 19·1 | 5·5 | 10·9 | 12·4 | 0·29 | 0·23 | 0·36 | 4·9 | 52 |
| Wigtown | 18,266 | 21·2 | 6·1 | 12·6 | 11·4 | 0·11 | 0·11 | 0·55 | 20·4 | 67 |
| Zetland | 15,071 | 12·4 | 3·8 | 16·3 | 10·2 | 0·93 | 0·73 | 0·40 | 4·8 | 43 |

* See footnote Table 4.

TABLE 7.—Birth-rate among Married and among Unmarried Women in Scotland, 1938.

| | Estimated Number of Women aged 15-44. | | | Births. | | | Birth-rates. | | |
|--------------------------|--|------------------------------------|--|---------------|------------------|--------------------|--|---|--|
| | Total. | Married Women aged 16-44. | Un- married Women and Widows aged 15-44. | Total. | Legiti- mate. | Illegiti- mate. | Total per 1000 Women aged 15-44. | Legiti- mate Births per 1000 Married Women aged 16-44. | Illegiti- mate Births per 1000 Un- married Women aged 15-44. |
| SCOTLAND . . . | 1,197,200 | 545,700 | 651,500 | 88,627 | 83,178 | 5,449 | 74·0 | 152·4 | 8·4 |
| LARGE BURGHs . . | 690,300 | 315,000 | 375,300 | 50,480 | 47,739 | 2,741 | 73·1 | 151·6 | 7·3 |
| SMALL BURGHs . . | 182,600 | 81,500 | 101,100 | 12,480 | 11,769 | 711 | 68·4 | 144·4 | 7·0 |
| LANDWARD . . . | 324,400 | 149,200 | 175,100 | 25,667 | 23,670 | 1,997 | 79·1 | 158·6 | 11·4 |
| ABERDEEN Co.* . . | 77,600 | 35,200 | 42,400 | 5,733 | 5,203 | 530 | 73·9 | 147·9 | 12·5 |
| Aberdeen Burgh . . | 46,100 | 20,600 | 25,500 | 3,008 | 2,840 | 168 | 65·3 | 137·9 | 6·6 |
| Remainder of Co. . | 31,600 | 14,600 | 17,000 | 2,725 | 2,363 | 362 | 86·3 | 162·0 | 21·3 |
| ANGUS Co. . . . | 67,200 | 29,000 | 38,200 | 4,477 | 4,208 | 269 | 66·6 | 145·2 | 7·0 |
| Arbroath B. . . . | 4,300 | 1,800 | 2,400 | 254 | 243 | 11 | 59·7 | 134·3 | 4·5 |
| Dundee B. | 45,500 | 19,900 | 25,600 | 3,124 | 2,936 | 188 | 68·7 | 147·7 | 7·3 |
| Remainder of Co. . | 17,400 | 7,300 | 10,100 | 1,099 | 1,029 | 70 | 63·0 | 141·0 | 6·9 |
| ARGYLL Co. . . . | 13,200 | 4,900 | 8,300 | 842 | 776 | 66 | 63·6 | 157·3 | 7·9 |
| AYR Co. | 71,200 | 32,900 | 38,200 | 5,444 | 5,156 | 288 | 76·5 | 156·6 | 7·5 |
| Ayr B. | 10,400 | 4,600 | 5,800 | 684 | 641 | 43 | 65·6 | 138·0 | 7·4 |
| Kilmarnock B. . . | 10,400 | 4,800 | 5,500 | 769 | 740 | 29 | 74·2 | 152·8 | 5·3 |
| Remainder of Co. . | 50,400 | 23,400 | 27,000 | 3,991 | 3,775 | 216 | 79·2 | 161·1 | 8·0 |
| BANFF Co. . . . | 11,400 | 5,300 | 6,100 | 965 | 819 | 146 | 85·0 | 154·6 | 24·1 |
| BERWICK Co. . . | 5,900 | 2,700 | 3,200 | 328 | 298 | 30 | 55·4 | 109·4 | 9·4 |
| BUTE Co. | 3,700 | 1,400 | 2,300 | 204 | 188 | 16 | 54·5 | 134·0 | 6·8 |
| CAITHNESS Co. . | 5,300 | 2,300 | 3,100 | 458 | 412 | 46 | 85·7 | 182·9 | 14·9 |
| CLACKMANNAN Co. | 8,000 | 3,700 | 4,300 | 558 | 530 | 28 | 69·4 | 142·5 | 6·5 |
| DUNBARTON Co. . | 37,000 | 16,900 | 20,100 | 2,656 | 2,531 | 125 | 71·8 | 150·0 | 6·2 |
| Clydebank B. . . . | 11,400 | 5,800 | 5,600 | 871 | 840 | 31 | 76·4 | 144·6 | 5·5 |
| Dumbarton B. . . . | 5,000 | 2,400 | 2,600 | 418 | 395 | 23 | 84·0 | 164·4 | 8·9 |
| Remainder of Co. . | 20,600 | 8,700 | 11,900 | 1,367 | 1,296 | 71 | 66·3 | 149·5 | 5·9 |
| DUMFRIES Co. . . | 19,000 | 8,600 | 10,400 | 1,266 | 1,155 | 111 | 66·7 | 134·5 | 10·7 |
| Dumfries B. | 6,200 | 2,700 | 3,500 | 368 | 344 | 24 | 59·2 | 125·1 | 6·9 |
| Remainder of Co. . | 12,800 | 5,800 | 6,900 | 898 | 811 | 87 | 70·4 | 138·9 | 12·6 |
| EAST LoTHIAN Co. | 10,900 | 5,100 | 5,800 | 782 | 746 | 36 | 71·4 | 145·1 | 6·2 |
| FIFE Co. | 65,800 | 33,100 | 32,700 | 4,729 | 4,471 | 258 | 71·9 | 135·1 | 7·9 |
| Dunfermline B. . . | 9,300 | 4,600 | 4,700 | 547 | 526 | 21 | 58·7 | 114·7 | 4·4 |
| Kirkcaldy B. . . . | 11,200 | 5,300 | 5,800 | 764 | 724 | 40 | 68·5 | 136·4 | 6·8 |
| Remainder of Co. . | 45,300 | 23,200 | 22,100 | 3,418 | 3,221 | 197 | 75·5 | 138·9 | 8·9 |
| INVERNESS Co. . | 17,100 | 6,600 | 10,500 | 1,253 | 1,145 | 108 | 73·2 | 172·5 | 10·3 |
| Inverness B. . . . | 5,800 | 2,400 | 3,400 | 388 | 362 | 26 | 66·6 | 152·2 | 7·5 |
| Remainder of Co. . | 11,300 | 4,300 | 7,000 | 865 | 783 | 82 | 76·7 | 183·9 | 11·7 |

* See footnote Table 4.

TABLE 7—continued.

| | Estimated Number of Women aged 15-44. | | | Births. | | | Birth-rates. | | |
|-----------------------------|--|------------------------------------|--|---------|------------------|--------------------|--|---|--|
| | Total. | Married Women aged 16-44. | Un- married Women and Widows aged 15-44. | Total. | Legiti- mate. | Illegiti- mate. | Total per 1000 Women aged 15-44. | Legiti- mate Births per 1000 Married Women aged 16-44. | Illegiti- mate Births per 1000 Un- married Women aged 15-44. |
| KINCARDINE Co.* | 5,600 | 2,500 | 3,100 | 427 | 381 | 46 | 76·0 | 152·3 | 14·7 |
| KINROSS Co. . | 1,600 | 700 | 900 | 111 | 101 | 10 | 70·3 | 148·3 | 11·1 |
| KIRKCUDBRIGHT Co. | 6,800 | 3,000 | 3,800 | 486 | 435 | 51 | 71·6 | 145·2 | 13·5 |
| LANARK Co. . | 398,800 | 189,700 | 209,000 | 32,201 | 30,449 | 1,752 | 80·8 | 160·5 | 8·4 |
| Airdrie B. . . | 6,500 | 3,300 | 3,200 | 605 | 578 | 27 | 92·4 | 173·6 | 8·4 |
| Coatbridge B. . | 9,700 | 5,200 | 4,600 | 1,034 | 995 | 39 | 106·1 | 191·8 | 8·6 |
| Glasgow B. . . | 283,800 | 132,000 | 151,800 | 21,982 | 20,720 | 1,262 | 77·4 | 156·9 | 8·3 |
| Hamilton B. . . | 9,000 | 4,600 | 4,300 | 906 | 863 | 43 | 100·9 | 186·3 | 9·9 |
| Motherwell and Wishaw B. | 15,200 | 8,000 | 7,300 | 1,322 | 1,276 | 46 | 86·7 | 159·9 | 6·3 |
| Rutherglen B. . | 6,300 | 2,800 | 3,600 | 363 | 351 | 12 | 57·5 | 127·6 | 3·4 |
| Remainder of Co. | 68,100 | 33,800 | 34,300 | 5,989 | 5,666 | 323 | 87·9 | 167·5 | 9·4 |
| MIDLOTHIAN Co. . | 143,600 | 61,100 | 82,500 | 9,030 | 8,489 | 541 | 62·9 | 138·9 | 6·6 |
| Edinburgh B. . . | 123,600 | 51,000 | 72,600 | 7,547 | 7,080 | 467 | 61·1 | 138·8 | 6·4 |
| Remainder of Co. | 20,000 | 10,100 | 9,900 | 1,483 | 1,409 | 74 | 74·1 | 139·4 | 7·5 |
| MORAY Co. . . | 9,000 | 4,000 | 5,100 | 736 | 641 | 95 | 81·6 | 161·5 | 18·8 |
| NAIRN Co. . . | 1,800 | 700 | 1,100 | 147 | 133 | 14 | 80·2 | 186·5 | 12·5 |
| ORKNEY Co. . . | 4,500 | 1,900 | 2,600 | 324 | 297 | 27 | 72·1 | 156·2 | 10·4 |
| PEEBLES Co. . . | 3,500 | 1,500 | 2,100 | 187 | 175 | 12 | 53·1 | 119·3 | 5·8 |
| PERTH Co. . . | 28,100 | 11,600 | 16,500 | 1,709 | 1,568 | 141 | 60·8 | 135·0 | 8·5 |
| Perth B. . . . | 9,300 | 4,000 | 5,300 | 548 | 512 | 36 | 58·9 | 129·5 | 6·7 |
| Remainder of Co. | 18,800 | 7,700 | 11,200 | 1,161 | 1,056 | 105 | 61·7 | 137·9 | 9·4 |
| RENFREW Co. . . | 78,000 | 34,900 | 43,100 | 5,734 | 5,526 | 208 | 73·5 | 158·2 | 4·8 |
| Greenock B. . . | 18,500 | 9,300 | 9,300 | 1,644 | 1,572 | 72 | 88·6 | 169·5 | 7·8 |
| Paisley B. . . . | 23,500 | 10,300 | 13,100 | 1,706 | 1,644 | 62 | 72·7 | 159·0 | 4·7 |
| Port Glasgow B. | 4,400 | 2,200 | 2,200 | 466 | 448 | 18 | 105·7 | 201·8 | 8·2 |
| Remainder of Co. | 31,600 | 13,100 | 18,500 | 1,918 | 1,862 | 56 | 60·8 | 142·2 | 3·0 |
| ROSS & CROMARTY Co. | 13,100 | 4,600 | 8,500 | 940 | 861 | 79 | 71·6 | 187·0 | 9·3 |
| ROXBURGH Co. . | 11,200 | 4,600 | 6,700 | 600 | 560 | 40 | 53·4 | 122·8 | 6·0 |
| SELKIRK Co. . . | 5,400 | 2,300 | 3,100 | 257 | 239 | 18 | 47·5 | 105·5 | 5·7 |
| STIRLING Co. . . | 40,200 | 19,600 | 20,600 | 3,231 | 3,080 | 151 | 80·5 | 157·4 | 7·3 |
| Falkirk B. . . . | 9,100 | 4,600 | 4,500 | 677 | 654 | 23 | 74·3 | 142·4 | 5·1 |
| Stirling B. . . . | 5,800 | 2,700 | 3,100 | 485 | 455 | 30 | 84·2 | 170·6 | 9·7 |
| Remainder of Co. | 25,300 | 12,300 | 13,000 | 2,069 | 1,971 | 98 | 81·8 | 160·1 | 7·6 |
| SUTHERLAND Co. . | 3,100 | 1,100 | 2,000 | 240 | 213 | 27 | 77·5 | 187·0 | 13·8 |
| WEST LOTHIAN Co. | 18,100 | 9,600 | 8,500 | 1,662 | 1,599 | 63 | 91·7 | 166·6 | 7·4 |
| WIGTOWN Co. . . | 6,800 | 3,000 | 3,800 | 632 | 532 | 100 | 93·0 | 175·9 | 26·5 |
| ZETLAND Co. . . | 4,600 | 1,600 | 3,000 | 278 | 261 | 17 | 61·0 | 166·0 | 5·7 |

* See footnote Table 4.

TABLE 8.—Method of Celebration, etc. of Marriages in Scotland, 1855-1937.

| YEAR. | Total MARRIAGES. | | REGULAR MARRIAGES according to Forms of the | | | | | | | IRREGULAR MARRIAGES. | SIGNED BY MARK. | |
|---------------------------------------|------------------|------------------------------------|---|---------------|-----------------------------|--------------------|----------------------------|--------------|------------------|----------------------|-----------------|--------|
| | Number. | Proportion per 1000 of Population. | Church of Scotland. | Free Church. | United Presbyterian Church. | Rom. Cath. Church. | Scottish Episcopal Church. | Other Forms. | Form not stated. | | Men. | Women. |
| DECENNIAL AVERAGES. | | | | | | | | | | | | |
| 1855-1860 | 20645 | 6·840 | 9586 | 4747 | 2872 | 1846 | 383 | 1058 | 135 | 19 | 2335 | 4804 |
| 1861-1870 | 22422 | 7·004 | 9929 | 5278 | 3214 | 2071 | 464 | 1324 | 101 | 41 | 2387 | 4736 |
| 1871-1880 | 25355 | 7·172 | 11549 | 5649 | 3305 | 2286 | 646 | 1633 | 25 | 263 | 2150 | 4321 |
| 1881-1890 | 25939 | 6·700 | 11971 | 5277 | 3011 | 2558 | 732 | 1728 | 12 | 650 | 1381 | 2572 |
| 1891-1900 | 29866 | 7·054 | 13497 | 5638 | 3292 | 2934 | 899 | 2179 | 0 | 1428 | 740 | 1162 |
| | | | | Un. Free Ch.* | | | | | | | | |
| 1901-1910 | 31825 | 6·907 | 14414 | 8477 | | 3331 | 936 | 2634 | 0 | 2034 | 471 | 642 |
| 1911-1920 | 35647 | 7·451 | 14231 | 8340 | | 3964 | 1131 | 2669 | 0 | 5312 | 221 | 300 |
| 1921-1930 | 33663 | 6·923 | 14993 | 6910 | | 3911 | 971 | 2591 | 0 | 4287 | 75 | 95 |
| ANNUAL NUMBERS. | | | | | | | | | | | | |
| 1927 | 32553 | 6·707 | 13858 | 7534 | | 3804 | 945 | 2474 | 0 | 3938 | 83 | 88 |
| 1928 | 32948 | 6·796 | 13942 | 7607 | | 3937 | 941 | 2587 | 0 | 3934 | 63 | 94 |
| 1929 | 32967 | 6·822 | 15503 | 5849 | | 3925 | 930 | 2609 | 0 | 4151 | 62 | 64 |
| 1930 | 33315 | 6·900 | 21,328 | | | 4162 | 897 | 2863 | 0 | 4065 | 61 | 66 |
| 1931 | 32652 | 6·742 | 20,765 | | | 4115 | 870 | 2805 | 0 | 4097 | 70 | 55 |
| 1932 | 33157 | 6·790 | 21,034 | | | 4346 | 917 | 2837 | 0 | 4023 | 39 | 57 |
| 1933 | 34201 | 6·962 | 21,687 | | | 4577 | 925 | 3001 | 0 | 4011 | 34 | 42 |
| 1934 | 36934 | 7·485 | 23,476 | | | 4888 | 1040 | 3229 | 0 | 4301 | 52 | 48 |
| 1935 | 37988 | 7·670 | 24,069 | | | 5069 | 1018 | 3470 | 0 | 4362 | 43 | 49 |
| 1936 | 37896 | 7·631 | 23,791 | | | 4925 | 1026 | 3651 | 0 | 4503 | 58 | 36 |
| 1937 | 38334 | 7·703 | 24,219 | | | 4874 | 1004 | 3523 | 0 | 4714 | 36 | 41 |
| RATE PER HUNDRED MARRIAGES—DECENNIAL. | | | | | | | | | | | | |
| 1855-1860 | 100·00 | ... | 46·42 | 23·01 | 13·92 | 8·94 | 1·85 | 5·12 | 0·65 | 0·09 | 11·31 | 23·27 |
| 1861-1870 | 100·00 | ... | 44·30 | 23·54 | 14·33 | 9·22 | 2·07 | 5·89 | 0·47 | 0·18 | 10·65 | 21·12 |
| 1871-1880 | 100·00 | ... | 45·56 | 22·28 | 13·02 | 9·02 | 2·55 | 6·42 | 0·11 | 1·04 | 8·48 | 17·02 |
| 1881-1890 | 100·00 | ... | 46·17 | 20·34 | 11·61 | 9·85 | 2·82 | 6·66 | 0·05 | 2·51 | 5·32 | 9·79 |
| 1891-1900 | 100·00 | ... | 45·20 | 18·91 | 11·04 | 9·81 | 3·00 | 7·29 | 0·00 | 4·78 | 2·51 | 3·95 |
| | | | | Un. Free Ch.* | | | | | | | | |
| 1901-1910 | 100·00 | ... | 45·29 | 26·63 | | 10·46 | 2·94 | 8·28 | 0·00 | 6·39 | 1·48 | 2·01 |
| 1911-1920 | 100·00 | ... | 39·92 | 23·40 | | 11·12 | 3·17 | 7·49 | 0·00 | 14·90 | 0·62 | 0·84 |
| 1921-1930 | 100·00 | ... | 44·54 | 20·53 | | 11·62 | 2·88 | 7·70 | 0·00 | 12·74 | 0·22 | 0·28 |
| RATE PER HUNDRED MARRIAGES—ANNUAL. | | | | | | | | | | | | |
| 1927 | 100·00 | ... | 42·57 | 23·14 | | 11·69 | 2·90 | 7·60 | 0·00 | 12·10 | 0·25 | 0·27 |
| 1928 | 100·00 | ... | 42·31 | 23·09 | | 11·95 | 2·86 | 7·85 | 0·00 | 11·94 | 0·19 | 0·29 |
| 1929 | 100·00 | ... | 47·03 | 17·74 | | 11·91 | 2·82 | 7·91 | 0·00 | 12·59 | 0·19 | 0·19 |
| 1930 | 100·00 | ... | 64·02 | | | 12·49 | 2·69 | 8·60 | 0·00 | 12·20 | 0·18 | 0·20 |
| 1931 | 100·00 | ... | 63·60 | | | 12·60 | 2·66 | 8·59 | 0·00 | 12·55 | 0·21 | 0·17 |
| 1932 | 100·00 | ... | 63·44 | | | 13·11 | 2·77 | 8·56 | 0·00 | 12·13 | 0·12 | 0·17 |
| 1933 | 100·00 | ... | 63·41 | | | 13·38 | 2·70 | 8·77 | 0·00 | 11·73 | 0·10 | 0·12 |
| 1934 | 100·00 | ... | 63·56 | | | 13·23 | 2·82 | 8·74 | 0·00 | 11·65 | 0·14 | 0·13 |
| 1935 | 100·00 | ... | 63·36 | | | 13·34 | 2·68 | 9·13 | 0·00 | 11·48 | 0·11 | 0·13 |
| 1936 | 100·00 | ... | 62·78 | | | 13·00 | 2·71 | 9·63 | 0·00 | 11·88 | 0·15 | 0·09 |
| 1937 | 100·00 | ... | 63·18 | | | 12·71 | 2·62 | 9·19 | 0·00 | 12·30 | 0·09 | 0·11 |

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October 1929 under the designation of "The Church of Scotland."

TABLE 9.—Regular and Irregular Marriages in Scotland, 1937.

| | Total Marriages. | NUMBERS. | | | | | PERCENTAGE OF TOTAL MARRIAGES. | | | | |
|----------------------|------------------|--------------------|------------------------|------------------------|----------------------------------|-----------------------|--------------------------------|------------------------|------------------------|----------------------------------|-----------------------|
| | | REGULAR MARRIAGES. | | | IRREGULAR MARRIAGES | | REGULAR MARRIAGES. | | | IRREGULAR MARRIAGES. | |
| | | Banns. | Publication of Notice. | Banns and Publication. | Registered by Sheriff's Warrant. | Otherwise Registered. | Banns. | Publication of Notice. | Banns and Publication. | Registered by Sheriff's Warrant. | Otherwise Registered. |
| SCOTLAND | 38,334 | 25,169 | 7,689 | 762 | 4,708 | 6 | 65·7 | 20·1 | 2·0 | 12·3 | 0·0 |
| LARGE BURGHS | 24,787 | 13,616 | 6,247 | 448 | 4,473 | 3 | 54·9 | 25·2 | 1·8 | 18·0 | 0·0 |
| OTHER DISTRICTS | 13,547 | 11,553 | 1,442 | 314 | 235 | 3 | 85·3 | 10·6 | 2·3 | 1·7 | 0·0 |
| Counties. | | | | | | | | | | | |
| Aberdeen * | 2,593 | 1,887 | 418 | 42 | 245 | 1 | 72·8 | 16·1 | 1·6 | 9·4 | 0·0 |
| Angus | 2,141 | 1,390 | 453 | 23 | 275 | — | 64·9 | 21·2 | 1·1 | 12·8 | — |
| Argyll | 307 | 274 | 16 | 7 | 10 | — | 89·3 | 5·2 | 2·3 | 3·2 | — |
| Ayr | 2,181 | 1,897 | 159 | 55 | 70 | — | 87·0 | 7·3 | 2·5 | 3·2 | — |
| Banff | 330 | 310 | 7 | 2 | 11 | — | 93·9 | 2·1 | 0·6 | 3·3 | — |
| Berwick | 128 | 126 | — | 2 | — | — | 98·4 | — | 1·6 | — | — |
| Bute | 79 | 74 | 1 | 1 | 2 | 1 | 93·7 | 1·3 | 1·3 | 2·5 | 1·3 |
| Caithness | 149 | 142 | — | — | 7 | — | 95·3 | — | — | 4·7 | — |
| Clackmannan | 212 | 176 | 27 | 5 | 4 | — | 83·0 | 12·7 | 2·4 | 1·9 | — |
| Dunbarton | 962 | 673 | 258 | 26 | 5 | — | 70·0 | 26·8 | 2·7 | 0·5 | — |
| Dumfries | 683 | 502 | 40 | 8 | 133 | — | 73·5 | 5·9 | 1·2 | 19·5 | — |
| East Lothian | 303 | 285 | 11 | 7 | — | — | 94·1 | 3·6 | 2·3 | — | — |
| Fife | 1,990 | 1,569 | 237 | 53 | 131 | — | 78·8 | 11·9 | 2·7 | 6·6 | — |
| Inverness | 537 | 406 | 45 | 9 | 77 | — | 75·6 | 8·4 | 1·7 | 14·3 | — |
| Kincardine * | 172 | 163 | 5 | 2 | 2 | — | 94·8 | 2·9 | 1·2 | 1·2 | — |
| Kinross | 39 | 38 | — | 1 | — | — | 97·4 | — | 2·6 | — | — |
| Kirkcudbright | 178 | 176 | — | — | 2 | — | 98·9 | — | — | 1·1 | — |
| Lanark | 14,105 | 7,201 | 4,265 | 297 | 2,342 | — | 51·1 | 30·2 | 2·1 | 16·6 | — |
| Midlothian | 5,066 | 2,910 | 859 | 97 | 1,196 | 4 | 57·4 | 17·0 | 1·9 | 23·6 | 0·1 |
| Moray | 271 | 226 | 7 | 5 | 33 | — | 83·4 | 2·6 | 1·8 | 12·2 | — |
| Nairn | 41 | 40 | — | 1 | — | — | 97·6 | — | 2·4 | — | — |
| Orkney | 169 | 157 | 1 | 1 | 10 | — | 92·9 | 0·6 | 0·6 | 5·9 | — |
| Peebles | 97 | 94 | — | 2 | 1 | — | 96·9 | — | 2·1 | 1·0 | — |
| Perth | 755 | 661 | 30 | 6 | 58 | — | 87·5 | 4·0 | 0·7 | 7·7 | — |
| Renfrew | 1,983 | 1,357 | 554 | 51 | 21 | — | 68·4 | 27·9 | 2·6 | 1·1 | — |
| Ross and Cromarty | 269 | 163 | 96 | 3 | 7 | — | 60·6 | 35·7 | 1·1 | 2·6 | — |
| Roxburgh | 313 | 291 | 17 | 4 | 1 | — | 93·0 | 5·4 | 1·3 | 0·3 | — |
| Selkirk | 146 | 135 | 6 | 4 | 1 | — | 92·5 | 4·1 | 2·7 | 0·7 | — |
| Stirling | 1,243 | 1,034 | 125 | 32 | 52 | — | 83·2 | 10·1 | 2·6 | 4·2 | — |
| Sutherland | 57 | 55 | — | 1 | 1 | — | 96·5 | — | 1·8 | 1·8 | — |
| West Lothian | 534 | 464 | 51 | 15 | 4 | — | 86·9 | 9·6 | 2·8 | 0·7 | — |
| Wigtown | 200 | 193 | 1 | — | 6 | — | 96·5 | 0·5 | — | 3·0 | — |
| Zetland | 101 | 100 | — | — | 1 | — | 99·0 | — | — | 1·0 | — |
| Large Burghs. | | | | | | | | | | | |
| Glasgow | 10,587 | 4,777 | 3,333 | 182 | 2,295 | — | 45·1 | 31·5 | 1·7 | 21·7 | — |
| Edinburgh | 4,447 | 2,376 | 793 | 79 | 1,196 | 3 | 53·4 | 17·8 | 1·8 | 26·9 | 0·0 |
| Dundee | 1,521 | 818 | 427 | 15 | 261 | — | 53·8 | 28·1 | 1·0 | 17·2 | — |
| Aberdeen. | 1,720 | 1,047 | 397 | 33 | 243 | — | 60·9 | 23·1 | 1·9 | 14·1 | — |
| Paisley | 674 | 441 | 204 | 14 | 15 | — | 65·4 | 30·3 | 2·1 | 2·2 | — |
| Greenock | 552 | 380 | 158 | 12 | 2 | — | 68·8 | 28·6 | 2·2 | 0·4 | — |
| Motherwell & Wishaw | 496 | 342 | 130 | 13 | 11 | — | 69·0 | 26·2 | 2·6 | 2·2 | — |
| Clydebank | 335 | 227 | 101 | 7 | — | — | 67·8 | 30·1 | 2·1 | — | — |
| Kirkcaldy | 420 | 353 | 25 | 4 | 38 | — | 84·0 | 6·0 | 1·0 | 9·0 | — |
| Coatbridge | 312 | 179 | 120 | 13 | — | — | 57·4 | 38·5 | 4·2 | — | — |
| Kilmarnock | 313 | 248 | 44 | 5 | 16 | — | 79·2 | 14·1 | 1·6 | 5·1 | — |
| Hamilton | 324 | 226 | 65 | 12 | 21 | — | 69·8 | 20·1 | 3·7 | 6·5 | — |
| Ayr | 393 | 310 | 20 | 9 | 54 | — | 78·9 | 5·1 | 2·3 | 13·7 | — |
| Falkirk | 330 | 286 | 16 | 3 | 25 | — | 86·7 | 4·8 | 0·9 | 7·6 | — |
| Dunfermline | 314 | 163 | 68 | 7 | 76 | — | 51·9 | 21·7 | 2·2 | 24·2 | — |
| Perth | 336 | 256 | 21 | 3 | 56 | — | 76·2 | 6·2 | 0·9 | 16·7 | — |
| Airdrie | 198 | 109 | 74 | 5 | 10 | — | 55·1 | 37·4 | 2·5 | 5·1 | — |
| Rutherglen | 256 | 180 | 67 | 6 | 3 | — | 70·3 | 26·2 | 2·3 | 1·2 | — |
| Dumfries | 254 | 174 | 35 | 7 | 38 | — | 68·5 | 13·8 | 2·8 | 15·0 | — |
| Stirling | 218 | 144 | 40 | 7 | 27 | — | 66·1 | 18·3 | 3·2 | 12·4 | — |
| Inverness | 375 | 285 | 11 | 4 | 75 | — | 76·0 | 2·9 | 1·1 | 20·0 | — |
| Dumbarton | 131 | 79 | 46 | 2 | 4 | — | 60·3 | 35·1 | 1·5 | 3·1 | — |
| Port-Glasgow | 132 | 85 | 43 | 3 | 1 | — | 64·4 | 32·6 | 2·3 | 0·8 | — |
| Arbroath | 149 | 131 | 9 | 3 | 6 | — | 87·9 | 6·0 | 2·0 | 4·0 | — |

* See footnote Table 4.

TABLE 10.—Marriages in Scotland according to Church of Celebration, 1937.

| | Total Marriages. | ACCORDING TO FORMS OF | | | | | | | PERCENTAGE OF TOTAL MARRIAGES. | | | | | | |
|-----------------------|------------------|-----------------------|---------------------|--------------|------------------------|----------------------------|--------------|------------|--------------------------------|---------------------|--------------|------------------------|----------------------------|--------------|------------|
| | | Church of Scotland. | United Free Church. | Free Church. | Roman Catholic Church. | Scottish Episcopal Church. | Other Forms. | Irregular. | Church of Scotland. | United Free Church. | Free Church. | Roman Catholic Church. | Scottish Episcopal Church. | Other Forms. | Irregular. |
| SCOTLAND | 38,334 | 24,219 | 348 | 394 | 4,874 | 1,004 | 2,781 | 4,714 | 63·2 | 0·9 | 1·0 | 12·7 | 2·6 | 7·3 | 12·3 |
| LARGE BURGHS | 24,787 | 13,557 | 191 | 200 | 3,585 | 737 | 2,041 | 4,476 | 54·7 | 0·8 | 0·8 | 14·5 | 3·0 | 8·2 | 18·1 |
| OTHER DISTRICTS | 13,547 | 10,662 | 157 | 194 | 1,289 | 267 | 740 | 238 | 78·7 | 1·2 | 1·4 | 9·5 | 2·0 | 5·5 | 1·8 |
| Counties. | | | | | | | | | | | | | | | |
| Aberdeen * | 2,593 | 1,971 | 21 | 4 | 71 | 121 | 159 | 246 | 76·0 | 0·8 | 0·2 | 2·7 | 4·7 | 6·1 | 9·5 |
| Angus | 2,141 | 1,301 | 19 | 2 | 253 | 115 | 176 | 275 | 60·8 | 0·9 | 0·1 | 11·8 | 5·4 | 8·2 | 12·8 |
| Argyll | 307 | 220 | 8 | 23 | 27 | 5 | 14 | 10 | 71·7 | 2·6 | 7·5 | 8·8 | 1·6 | 4·6 | 3·3 |
| Ayr | 2,181 | 1,721 | 18 | 3 | 186 | 34 | 149 | 70 | 78·9 | 0·8 | 0·1 | 8·5 | 1·6 | 6·8 | 3·2 |
| Banff | 330 | 266 | 1 | - | 15 | 5 | 32 | 11 | 80·6 | 0·3 | - | 4·5 | 1·5 | 9·7 | 3·3 |
| Berwick | 128 | 119 | - | - | - | 3 | 6 | - | 93·0 | - | - | - | 2·3 | 4·7 | - |
| Bute | 79 | 58 | - | 2 | 11 | - | 5 | 3 | 73·4 | - | 2·5 | 13·9 | - | 6·3 | 3·8 |
| Caithness | 149 | 122 | - | 4 | 1 | 2 | 13 | 7 | 81·9 | - | 2·7 | 0·7 | 1·3 | 8·7 | 4·7 |
| Clackmannan | 212 | 150 | 23 | - | 13 | 8 | 14 | 4 | 70·8 | 10·8 | - | 6·1 | 3·8 | 6·6 | 1·9 |
| Dunbarton | 962 | 602 | 3 | 8 | 246 | 26 | 72 | 5 | 62·6 | 0·3 | 0·8 | 25·6 | 2·7 | 7·5 | 0·5 |
| Dumfries | 683 | 453 | 7 | - | 42 | 21 | 27 | 133 | 66·3 | 1·0 | - | 6·1 | 3·1 | 4·0 | 19·5 |
| East Lothian | 303 | 268 | - | - | 20 | 5 | 10 | - | 88·4 | - | - | 6·6 | 1·7 | 3·3 | - |
| Fife | 1,990 | 1,579 | 26 | 4 | 107 | 41 | 102 | 131 | 79·3 | 1·3 | 0·2 | 5·4 | 2·1 | 5·1 | 6·6 |
| Inverness | 537 | 306 | 2 | 57 | 40 | 15 | 40 | 77 | 57·0 | 0·4 | 10·6 | 7·4 | 2·8 | 7·4 | 14·3 |
| Kincardine * | 172 | 161 | - | - | 2 | 7 | - | 2 | 93·6 | - | - | 1·2 | 4·1 | - | 1·2 |
| Kinross | 39 | 33 | 5 | - | - | 1 | - | - | 84·6 | 12·8 | - | - | 2·6 | - | - |
| Kirkcudbright | 178 | 168 | - | - | 5 | 2 | 1 | 2 | 94·4 | - | - | 2·8 | 1·1 | 0·6 | 1·1 |
| Lanark | 14,105 | 7,391 | 107 | 123 | 2,657 | 205 | 1,280 | 2,342 | 52·4 | 0·8 | 0·9 | 18·8 | 1·5 | 9·1 | 16·6 |
| Midlothian | 5,066 | 2,961 | 43 | 19 | 404 | 206 | 233 | 1,200 | 58·4 | 0·8 | 0·4 | 8·0 | 4·1 | 4·6 | 23·7 |
| Moray | 271 | 207 | 2 | 7 | 4 | 6 | 12 | 33 | 76·4 | 0·7 | 2·6 | 1·5 | 2·2 | 4·4 | 12·2 |
| Nairn | 41 | 36 | - | 2 | 2 | - | 1 | - | 87·8 | - | 4·9 | 4·9 | - | 2·4 | - |
| Orkney | 169 | 140 | 4 | - | - | 1 | 14 | 10 | 82·8 | 2·4 | - | - | 0·6 | 8·3 | 5·9 |
| Peebles | 97 | 78 | 2 | - | 7 | 3 | 6 | 1 | 80·4 | 2·1 | - | 7·2 | 3·1 | 6·2 | 1·0 |
| Perth | 755 | 596 | 5 | 2 | 34 | 32 | 28 | 58 | 78·9 | 0·7 | 0·3 | 4·5 | 4·2 | 3·7 | 7·7 |
| Renfrew | 1,983 | 1,199 | 9 | 2 | 475 | 65 | 212 | 21 | 60·5 | 0·4 | 0·1 | 23·9 | 3·3 | 10·7 | 1·1 |
| Ross & Cromarty | 269 | 110 | 1 | 118 | - | 4 | 29 | 7 | 40·9 | 0·4 | 43·9 | - | 1·5 | 10·8 | 2·6 |
| Roxburgh | 313 | 254 | 1 | - | 15 | 29 | 13 | 1 | 81·2 | 0·3 | - | 4·8 | 9·3 | 4·2 | 0·3 |
| Selkirk | 146 | 117 | - | - | 8 | 14 | 6 | 1 | 80·1 | - | - | 5·5 | 9·6 | 4·1 | 0·7 |
| Stirling | 1,243 | 930 | 11 | 2 | 146 | 20 | 82 | 52 | 74·8 | 0·9 | 0·2 | 11·7 | 1·6 | 6·6 | 4·2 |
| Sutherland | 57 | 42 | - | 12 | - | - | 2 | 1 | 73·7 | - | 21·1 | - | - | 3·5 | 1·8 |
| West Lothian | 534 | 421 | 22 | - | 72 | 4 | 11 | 4 | 78·8 | 4·1 | - | 13·5 | 0·7 | 2·1 | 0·7 |
| Wigtown | 200 | 175 | 1 | - | 11 | 4 | 3 | 6 | 87·5 | 0·5 | - | 5·5 | 2·0 | 1·5 | 3·0 |
| Zetland | 101 | 64 | 7 | - | - | - | 29 | 1 | 63·4 | 6·9 | - | - | - | 28·7 | 1·0 |
| Large Burghs. | | | | | | | | | | | | | | | |
| Glasgow | 10,587 | 5,091 | 80 | 116 | 1,890 | 170 | 945 | 2,295 | 48·1 | 0·8 | 1·1 | 17·9 | 1·6 | 8·9 | 21·7 |
| Edinburgh | 4,447 | 2,444 | 36 | 19 | 333 | 196 | 220 | 1,199 | 55·0 | 0·8 | 0·4 | 7·5 | 4·4 | 4·9 | 27·0 |
| Dundee | 1,521 | 747 | 4 | 2 | 244 | 102 | 161 | 261 | 49·1 | 0·3 | 0·1 | 16·0 | 6·7 | 10·6 | 17·2 |
| Aberdeen | 1,720 | 1,179 | 18 | 4 | 65 | 92 | 119 | 243 | 68·5 | 1·0 | 0·2 | 3·8 | 5·4 | 6·9 | 14·1 |
| Paisley | 674 | 418 | 2 | - | 145 | 14 | 80 | 15 | 62·0 | 0·3 | - | 21·5 | 2·1 | 11·9 | 2·2 |
| Greenock | 552 | 315 | 4 | 1 | 151 | 18 | 61 | 2 | 57·1 | 0·7 | 0·2 | 27·3 | 3·3 | 11·0 | 0·4 |
| Motherwell and Wishaw | 496 | 296 | 11 | - | 105 | 9 | 64 | 11 | 59·7 | 2·2 | - | 21·2 | 1·8 | 12·9 | 2·2 |
| Clydebank | 335 | 192 | - | 1 | 94 | 6 | 42 | - | 57·3 | - | 0·3 | 28·1 | 1·8 | 12·5 | - |
| Kirkcaldy | 420 | 324 | 7 | 2 | 14 | 9 | 26 | 38 | 77·1 | 1·7 | 0·5 | 3·3 | 2·1 | 6·2 | 9·0 |
| Coatbridge | 312 | 173 | 1 | 6 | 93 | 4 | 35 | - | 55·4 | 0·3 | 1·9 | 29·8 | 1·3 | 11·2 | - |
| Kilmarnock | 313 | 251 | 3 | - | 23 | 6 | 14 | 16 | 80·2 | 1·0 | - | 7·3 | 1·9 | 4·5 | 5·1 |
| Hamilton | 324 | 210 | 1 | - | 72 | 1 | 19 | 21 | 64·8 | 0·3 | - | 22·2 | 0·3 | 5·9 | 6·5 |
| Ayr | 393 | 258 | 5 | 1 | 32 | 12 | 31 | 54 | 65·6 | 1·3 | 0·3 | 8·1 | 3·1 | 7·9 | 13·7 |
| Falkirk | 330 | 242 | 6 | - | 31 | 10 | 16 | 25 | 73·3 | 1·8 | - | 9·4 | 3·0 | 4·8 | 7·6 |
| Dunfermline | 314 | 175 | 2 | - | 14 | 4 | 43 | 76 | 55·7 | 0·6 | - | 4·5 | 1·3 | 13·7 | 24·2 |
| Perth | 336 | 218 | 4 | - | 18 | 18 | 22 | 56 | 64·9 | 1·2 | - | 5·4 | 5·4 | 6·5 | 16·7 |
| Airdrie | 198 | 102 | 1 | - | 49 | 3 | 33 | 10 | 51·5 | 0·5 | - | 24·7 | 1·5 | 16·7 | 5·1 |
| Rutherglen | 256 | 197 | - | - | 34 | 4 | 18 | 3 | 77·0 | - | - | 13·3 | 1·6 | 7·0 | 1·2 |
| Dumfries | 254 | 152 | 5 | - | 34 | 16 | 9 | 38 | 59·8 | 2·0 | - | 13·4 | 6·3 | 3·5 | 15·0 |
| Stirling | 218 | 145 | 1 | - | 36 | 5 | 4 | 27 | 66·5 | 0·5 | - | 16·5 | 2·3 | 1·8 | 12·4 |
| Inverness | 375 | 199 | - | 41 | 14 | 14 | 32 | 75 | 53·1 | - | 10·9 | 3·7 | 3·7 | 8·5 | 20·0 |
| Dumbarton | 131 | 62 | - | 7 | 40 | 10 | 8 | 4 | 47·3 | - | 5·3 | 30·5 | 7·6 | 6·1 | 3·1 |
| Port-Glasgow | 132 | 41 | - | - | 48 | 9 | 33 | 1 | 31·1 | - | - | 36·4 | 6·8 | 25·0 | 0·8 |
| Arbroath | 149 | 126 | - | - | 6 | 5 | 6 | 6 | 84·6 | - | - | 4·0 | 3·4 | 4·0 | 4·0 |

* See footnote Table 4.

TABLE 11—Civil Condition, etc. of Persons Marrying in Scotland, 1937.

| | Total Marriages. | CIVIL CONDITION. | | | | | PERCENTAGE OF TOTAL MARRIAGES | | | | | NUMBER WHO SIGNED BY MARK | |
|----------------------|---------------------|-----------------------------|--------------------------|----------------------------|-------------------------|-------------------------------|----------------------------------|--------------------------|----------------------------|-------------------------|------------|------------------------------------|-----------|
| | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | † Divorced (Either Party). | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Divorced. | Men. | Women. |
| | | | | | | | | | | | | | |
| SCOTLAND | 38,334 | 34,913 | 571 | 1,616 | 567 | 667 | 91·1 | 1·5 | 4·2 | 1·5 | 1·7 | 36 | 41 |
| LARGE BURGHS | 24,787 | 22,180 | 447 | 1,137 | 461 | 562 | 89·5 | 1·8 | 4·6 | 1·9 | 2·3 | 31 | 27 |
| OTHER DISTRICTS | 13,547 | 12,733 | 124 | 479 | 106 | 105 | 94·0 | 0·9 | 3·5 | 0·8 | 0·8 | 5 | 14 |
| Counties. | | | | | | | | | | | | | |
| Aberdeen * | 2,593 | 2,381 | 36 | 112 | 36 | 28 | 91·8 | 1·4 | 4·3 | 1·4 | 1·1 | 1 | 1 |
| Angus | 2,141 | 1,940 | 20 | 111 | 30 | 40 | 90·6 | 0·9 | 5·2 | 1·4 | 1·9 | - | 5 |
| Argyll | 307 | 277 | 7 | 18 | 3 | 2 | 90·2 | 2·3 | 5·9 | 1·0 | 0·7 | - | - |
| Ayr | 2,181 | 2,026 | 19 | 91 | 27 | 18 | 92·9 | 0·9 | 4·2 | 1·2 | 0·8 | - | 1 |
| Banff | 330 | 318 | 3 | 8 | - | 1 | 96·4 | 0·9 | 2·4 | - | 0·3 | - | - |
| Berwick | 128 | 121 | 1 | 4 | 1 | 1 | 94·5 | 0·8 | 3·1 | 0·8 | 0·8 | - | - |
| Bute | 79 | 69 | 1 | 7 | 1 | 1 | 87·3 | 1·3 | 8·9 | 1·3 | 1·3 | - | - |
| Caithness | 149 | 142 | 1 | 4 | 1 | 1 | 95·3 | 0·7 | 2·7 | 0·7 | 0·7 | - | 1 |
| Clackmannan | 212 | 199 | 1 | 10 | - | 2 | 93·9 | 0·5 | 4·7 | - | 0·9 | - | - |
| Dunbarton | 962 | 905 | 11 | 31 | 10 | 5 | 94·1 | 1·1 | 3·2 | 1·0 | 0·5 | 1 | - |
| Dumfries | 683 | 633 | 14 | 19 | 5 | 12 | 92·7 | 2·0 | 2·8 | 0·7 | 1·8 | - | - |
| East Lothian | 303 | 285 | 3 | 12 | 1 | 2 | 94·1 | 1·0 | 4·0 | 0·3 | 0·7 | - | - |
| Fife | 1,990 | 1,840 | 28 | 66 | 26 | 30 | 92·5 | 1·4 | 3·3 | 1·3 | 1·5 | 1 | 3 |
| Inverness | 537 | 494 | 11 | 24 | 5 | 3 | 92·0 | 2·0 | 4·5 | 0·9 | 0·6 | 1 | - |
| Kincardine * | 172 | 158 | 3 | 6 | 3 | 2 | 91·9 | 1·7 | 3·5 | 1·7 | 1·2 | - | - |
| Kinross | 39 | 37 | - | 2 | - | - | 94·9 | - | 5·1 | - | - | - | - |
| Kirkcudbright | 178 | 168 | 2 | 8 | - | - | 94·4 | 1·1 | 4·5 | - | - | - | - |
| Lanark | 14,105 | 12,653 | 260 | 622 | 273 | 297 | 89·7 | 1·8 | 4·4 | 1·9 | 2·1 | 22 | 22 |
| Midlothian | 5,066 | 4,511 | 88 | 230 | 82 | 155 | 89·0 | 1·7 | 4·5 | 1·6 | 3·1 | 5 | 2 |
| Moray | 271 | 253 | 5 | 9 | 3 | 1 | 93·4 | 1·8 | 3·3 | 1·1 | 0·4 | - | - |
| Nairn | 41 | 39 | - | 2 | - | - | 95·1 | - | 4·9 | - | - | - | - |
| Orkney | 169 | 154 | 3 | 8 | 2 | 2 | 91·1 | 1·8 | 4·7 | 1·2 | 1·2 | - | - |
| Peebles | 97 | 88 | - | 6 | 3 | - | 90·7 | - | 6·2 | 3·1 | - | - | - |
| Perth | 755 | 690 | 9 | 37 | 6 | 13 | 91·4 | 1·2 | 4·9 | 0·8 | 1·7 | 1 | 1 |
| Renfrew | 1,983 | 1,849 | 19 | 73 | 26 | 16 | 93·2 | 1·0 | 3·7 | 1·3 | 0·8 | 1 | 3 |
| Ross and Cromarty | 269 | 249 | - | 14 | 1 | 5 | 92·6 | - | 5·2 | 0·4 | 1·9 | 3 | - |
| Roxburgh | 313 | 295 | 3 | 10 | 2 | 3 | 94·2 | 1·0 | 3·2 | 0·6 | 1·0 | - | - |
| Selkirk | 146 | 138 | 1 | 6 | 1 | - | 94·5 | 0·7 | 4·1 | 0·7 | - | - | - |
| Stirling | 1,243 | 1,157 | 17 | 36 | 13 | 20 | 93·1 | 1·4 | 2·9 | 1·0 | 1·6 | - | 1 |
| Sutherland | 57 | 52 | 1 | 3 | - | 1 | 91·2 | 1·8 | 5·3 | - | 1·8 | - | 1 |
| West Lothian | 534 | 513 | 3 | 10 | 2 | 6 | 96·1 | 0·6 | 1·9 | 0·4 | 1·1 | - | - |
| Wigtown | 200 | 186 | - | 12 | 2 | - | 93·0 | - | 6·0 | 1·0 | - | - | - |
| Zetland | 101 | 93 | 1 | 5 | 2 | - | 92·1 | 1·0 | 5·0 | 2·0 | - | - | - |
| Large Burghs. | | | | | | | | | | | | | |
| Glasgow | 10,587 | 9,355 | 219 | 510 | 234 | 269 | 88·4 | 2·1 | 4·8 | 2·2 | 2·5 | 20 | 16 |
| Edinburgh | 4,447 | 3,910 | 85 | 220 | 79 | 153 | 87·9 | 1·9 | 4·9 | 1·8 | 3·4 | 5 | 2 |
| Dundee | 1,521 | 1,359 | 18 | 81 | 26 | 37 | 89·3 | 1·2 | 5·3 | 1·7 | 2·4 | - | 2 |
| Aberdeen | 1,720 | 1,554 | 31 | 79 | 30 | 26 | 90·3 | 1·8 | 4·6 | 1·7 | 1·5 | 1 | 1 |
| Paisley | 674 | 627 | 7 | 23 | 10 | 7 | 93·0 | 1·0 | 3·4 | 1·5 | 1·0 | - | 1 |
| Greenock | 552 | 514 | 7 | 19 | 10 | 2 | 93·1 | 1·3 | 3·4 | 1·8 | 0·4 | 1 | 3 |
| Motherwell & Wishaw | 496 | 470 | 4 | 14 | 4 | 4 | 94·8 | 0·8 | 2·8 | 0·8 | 0·8 | - | - |
| Clydebank | 335 | 316 | 4 | 9 | 4 | 2 | 94·3 | 1·2 | 2·7 | 1·2 | 0·6 | - | - |
| Kirkcaldy | 420 | 385 | 7 | 19 | 6 | 3 | 91·7 | 1·7 | 4·5 | 1·4 | 0·7 | 1 | - |
| Coatbridge | 312 | 292 | 4 | 8 | 7 | 1 | 93·6 | 1·3 | 2·6 | 2·2 | 0·3 | 1 | 1 |
| Kilmarnock | 313 | 291 | - | 16 | 4 | 2 | 93·0 | - | 5·1 | 1·3 | 0·6 | - | - |
| Hamilton | 324 | 294 | 6 | 14 | 4 | 6 | 90·7 | 1·9 | 4·3 | 1·2 | 1·9 | - | 1 |
| Ayr | 393 | 344 | 5 | 25 | 11 | 8 | 87·5 | 1·3 | 6·4 | 2·8 | 2·0 | - | - |
| Falkirk | 330 | 300 | 7 | 10 | 5 | 8 | 90·9 | 2·1 | 3·0 | 1·5 | 2·4 | - | - |
| Dunfermline | 314 | 281 | 7 | 11 | 6 | 9 | 89·5 | 2·2 | 3·5 | 1·9 | 2·9 | - | - |
| Perth | 336 | 304 | 4 | 17 | 4 | 7 | 90·5 | 1·2 | 5·1 | 1·2 | 2·1 | - | - |
| Airdrie | 198 | 184 | 2 | 5 | 4 | 3 | 92·9 | 1·0 | 2·5 | 2·0 | 1·5 | - | - |
| Rutherglen | 256 | 245 | 3 | 7 | - | 1 | 95·7 | 1·2 | 2·7 | - | 0·4 | 1 | - |
| Dumfries | 254 | 231 | 8 | 6 | 3 | 6 | 90·9 | 3·1 | 2·4 | 1·2 | 2·4 | - | - |
| Stirling | 218 | 194 | 4 | 12 | 4 | 4 | 89·0 | 1·8 | 5·5 | 1·8 | 1·8 | - | - |
| Inverness | 375 | 342 | 11 | 15 | 4 | 3 | 91·2 | 2·9 | 4·0 | 1·1 | 0·8 | 1 | - |
| Dunbarton | 131 | 124 | 3 | 2 | 1 | 1 | 94·7 | 2·3 | 1·5 | 0·8 | 0·8 | - | - |
| Port-Glasgow | 132 | 122 | 1 | 8 | 1 | - | 92·4 | 0·8 | 6·1 | 0·8 | - | - | - |
| Arbroath | 149 | 142 | - | 7 | - | - | 95·3 | - | 4·7 | - | - | - | - |

* See footnote Table 4.

† 294 divorced men married spinsters and 26 married widows. 247 divorced women married bachelors and 74 married widowers. In 26 cases each party had been divorced.

TABLE 12.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1937.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1937.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1937.

| | All Ages. | Average Age. | 16 | 17 | 18 | 19 | 20 | 21- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85 and over. |
|------------------|--------------|-----------------|-----|-----|-----|-----|-----|-------|--------|-------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|
| SCOTLAND | 38,334 | 29·7 | 4 | 35 | 181 | 442 | 914 | 9,169 | 14,186 | 7,196 | 2,802 | 1,270 | 762 | 520 | 357 | 241 | 158 | 69 | 20 | 7 | 1 |
| LARGE BURGHS . | 24,787 | 29·9 | 3 | 28 | 134 | 314 | 615 | 5,873 | 9,060 | 4,577 | 1,811 | 822 | 538 | 372 | 269 | 180 | 115 | 54 | 18 | 4 | - |
| OTHER DISTRICTS | 13,547 | 29·4 | 1 | 7 | 47 | 128 | 299 | 3,296 | 5,126 | 2,619 | 991 | 448 | 224 | 148 | 88 | 61 | 43 | 15 | 2 | 3 | 1 |
| <i>Counties.</i> | | | | | | | | | | | | | | | | | | | | | |
| Aberdeen * | 2,593 | 29·6 | - | - | 10 | 31 | 61 | 632 | 1,006 | 455 | 165 | 85 | 41 | 39 | 29 | 18 | 7 | 10 | 3 | 1 | - |
| Angus . | 2,141 | 29·5 | - | 3 | 10 | 19 | 70 | 549 | 796 | 375 | 133 | 65 | 35 | 29 | 19 | 18 | 13 | 7 | - | - | - |
| Argyll . | 307 | 32·4 | - | - | 1 | 3 | 4 | 42 | 96 | 82 | 30 | 20 | 10 | 7 | 5 | 5 | 2 | - | - | - | - |
| Ayr . | 2,181 | 29·3 | 1 | 1 | 8 | 21 | 57 | 556 | 806 | 413 | 158 | 58 | 36 | 26 | 20 | 12 | 6 | 1 | 1 | - | - |
| Banff . | 330 | 29·2 | - | - | 1 | 2 | 6 | 80 | 138 | 60 | 18 | 12 | 5 | 3 | 2 | 2 | 1 | - | - | - | - |
| Berwick . | 128 | 30·7 | - | - | 1 | - | 1 | 21 | 51 | 31 | 10 | 4 | 3 | 1 | 4 | 1 | - | - | - | - | - |
| Bute . | 79 | 32·6 | - | - | - | - | 3 | 17 | 22 | 19 | 3 | 5 | 2 | 2 | 1 | 5 | - | - | - | - | - |
| Caithness . | 149 | 29·8 | - | - | - | 1 | 2 | 38 | 57 | 29 | 6 | 10 | 2 | - | 2 | 2 | - | - | - | - | - |
| Clackmannan | 212 | 28·0 | - | 1 | - | 5 | 3 | 62 | 79 | 45 | 9 | 2 | 3 | 2 | - | 1 | - | - | - | - | - |
| Dunbarton | 962 | 29·8 | - | - | 7 | 10 | 18 | 215 | 366 | 192 | 76 | 29 | 15 | 13 | 10 | 4 | 4 | 2 | - | 1 | - |
| Dumfries . | 683 | 28·6 | - | - | 2 | 12 | 24 | 172 | 266 | 129 | 41 | 14 | 11 | 3 | 2 | 4 | 2 | 1 | - | - | - |
| East Lothian | 303 | 28·4 | - | - | - | 5 | 4 | 92 | 118 | 51 | 16 | 6 | 6 | 2 | 2 | 1 | - | 3 | 1 | - | - |
| Fife . | 1,990 | 28·8 | - | 2 | 8 | 23 | 45 | 534 | 796 | 335 | 124 | 51 | 26 | 13 | 9 | 13 | 5 | 2 | - | - | - |
| Inverness . | 537 | 32·5 | - | - | - | 3 | 5 | 73 | 173 | 133 | 63 | 34 | 26 | 17 | 4 | 1 | 3 | 2 | - | - | - |
| Kincardine * | 172 | 30·0 | - | 1 | 1 | 3 | 7 | 45 | 50 | 33 | 15 | 4 | 6 | 2 | - | 3 | 2 | - | - | - | - |
| Kinross . | 39 | 30·6 | - | - | - | - | 1 | 8 | 15 | 8 | 1 | 2 | 2 | 1 | - | 1 | - | - | - | - | - |
| Kirkcudbright | 178 | 29·4 | - | - | 1 | - | 6 | 40 | 68 | 36 | 15 | 3 | 3 | 3 | - | 1 | - | - | - | - | - |
| Lanark . | 14,105 | 29·8 | 2 | 16 | 92 | 185 | 367 | 3,434 | 4,982 | 2,627 | 1,087 | 474 | 315 | 198 | 136 | 91 | 64 | 24 | 8 | 3 | - |
| Midlothian | 5,066 | 30·1 | 1 | 6 | 13 | 53 | 98 | 1,141 | 1,929 | 952 | 365 | 185 | 111 | 79 | 63 | 32 | 24 | 9 | 4 | 1 | - |
| Moray . | 271 | 29·9 | - | - | 1 | 2 | 6 | 69 | 95 | 58 | 16 | 9 | 4 | 2 | 3 | 1 | 4 | - | - | - | - |
| Nairn . | 41 | 30·7 | - | - | - | - | - | 8 | 16 | 10 | 3 | 2 | 1 | - | - | - | 1 | - | - | - | - |
| Orkney . | 169 | 31·6 | - | 1 | - | 3 | 4 | 38 | 50 | 30 | 19 | 7 | 3 | 4 | 8 | - | 1 | 1 | - | - | - |
| Peebles . | 97 | 31·4 | - | - | - | - | - | 23 | 27 | 23 | 10 | 9 | - | 3 | 1 | - | 1 | - | - | - | - |
| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) |

AGES of MEN at Marriage in Scotland, 1937.

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) |
|---------------------------------|--------|------|-----|-----|-----|-----|-----|-------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Perth | 755 | 30.7 | - | - | 1 | 2 | 13 | 144 | 298 | 156 | 55 | 37 | 14 | 11 | 9 | 9 | 2 | 4 | - | - | - |
| Renfrew | 1,983 | 28.9 | - | 2 | 12 | 33 | 53 | 501 | 763 | 360 | 135 | 41 | 29 | 25 | 11 | 6 | 8 | 4 | - | - | - |
| Ross & Cromarty | 269 | 34.1 | - | - | - | 1 | 1 | 22 | 72 | 81 | 35 | 24 | 18 | 9 | 3 | 1 | 1 | 1 | - | - | - |
| Roxburgh | 313 | 29.4 | - | - | 2 | 2 | 1 | 74 | 123 | 62 | 28 | 9 | 8 | 3 | 1 | - | - | - | - | - | - |
| Selkirk | 146 | 29.9 | - | - | - | 1 | 2 | 35 | 55 | 30 | 12 | 4 | 1 | 2 | 3 | - | 1 | 1 | - | - | - |
| Stirling | 1,243 | 28.9 | - | 2 | 8 | 12 | 34 | 284 | 525 | 215 | 89 | 33 | 18 | 7 | 7 | 5 | 2 | - | 2 | - | - |
| Sutherland | 57 | 32.3 | - | - | 1 | - | 1 | 6 | 18 | 16 | 7 | 3 | 1 | 3 | - | 1 | - | - | - | - | - |
| West Lothian | 534 | 28.1 | - | - | 1 | 6 | 6 | 144 | 235 | 90 | 31 | 12 | 3 | 4 | 1 | - | 1 | - | - | - | - |
| Wigtown | 200 | 29.1 | - | - | - | 3 | 11 | 56 | 63 | 35 | 12 | 10 | 3 | 4 | 1 | 1 | 1 | - | - | - | - |
| Zetland | 101 | 32.8 | - | - | - | - | - | 14 | 32 | 25 | 15 | 7 | 1 | 3 | 1 | 2 | 1 | - | - | - | - |
| <i>Large Burghs.</i> | | | | | | | | | | | | | | | | | | | | | |
| Glasgow | 10,587 | 30.1 | 2 | 16 | 77 | 147 | 278 | 2,467 | 3,651 | 2,011 | 849 | 374 | 264 | 167 | 118 | 80 | 59 | 17 | 8 | 2 | - |
| Edinburgh | 4,447 | 30.3 | 1 | 6 | 12 | 48 | 87 | 978 | 1,678 | 832 | 333 | 163 | 106 | 73 | 61 | 32 | 23 | 9 | 4 | 1 | - |
| Dundee | 1,521 | 29.3 | - | 2 | 8 | 16 | 58 | 413 | 562 | 228 | 97 | 44 | 26 | 21 | 16 | 15 | 12 | 3 | - | - | - |
| Aberdeen | 1,720 | 30.0 | - | - | 9 | 18 | 40 | 401 | 664 | 305 | 108 | 61 | 30 | 30 | 22 | 15 | 4 | 9 | 3 | 1 | - |
| Paisley | 674 | 28.8 | - | - | 5 | 14 | 18 | 170 | 264 | 115 | 44 | 11 | 15 | 7 | 7 | - | 3 | 1 | - | - | - |
| Greenock | 552 | 28.4 | - | 2 | 5 | 10 | 18 | 157 | 211 | 86 | 30 | 10 | 5 | 8 | 4 | 4 | 1 | 1 | - | - | - |
| Motherwell and Wishaw | 496 | 28.6 | - | - | 3 | 7 | 11 | 122 | 202 | 96 | 29 | 11 | 6 | 2 | 4 | 2 | 1 | - | - | - | - |
| Clydebank | 335 | 29.3 | - | - | 2 | 2 | 3 | 80 | 134 | 77 | 17 | 7 | 4 | 3 | 4 | 1 | - | 1 | - | - | - |
| Kirkcaldy | 420 | 29.1 | - | - | - | 3 | 7 | 119 | 161 | 78 | 22 | 11 | 5 | 6 | 3 | 2 | - | 2 | 1 | - | - |
| Coatbridge | 312 | 29.3 | - | - | 1 | 3 | 10 | 80 | 118 | 54 | 23 | 11 | 3 | 3 | 1 | 2 | 1 | 2 | - | - | - |
| Kilmarnock | 313 | 29.2 | - | - | - | 6 | 7 | 77 | 119 | 61 | 18 | 10 | 5 | 4 | 5 | - | 1 | - | - | - | - |
| Hamilton | 324 | 28.9 | - | - | 1 | 6 | 9 | 88 | 112 | 59 | 31 | 7 | 2 | 4 | 4 | 1 | - | - | - | - | - |
| Ayr | 393 | 30.7 | - | - | 1 | 3 | 9 | 90 | 132 | 77 | 38 | 9 | 11 | 10 | 3 | 8 | 1 | 1 | - | - | - |
| Falkirk | 330 | 28.9 | - | 1 | 1 | 4 | 13 | 61 | 154 | 59 | 18 | 7 | 4 | 2 | 3 | 2 | 1 | - | - | - | - |
| Dunfermline | 314 | 29.4 | - | - | 2 | 4 | 9 | 69 | 132 | 52 | 22 | 8 | 6 | 2 | 1 | 5 | 2 | - | - | - | - |
| Perth | 336 | 30.5 | - | - | - | 2 | 5 | 65 | 142 | 69 | 15 | 15 | 5 | 5 | 4 | 5 | 2 | 2 | - | - | - |
| Airdrie | 198 | 28.5 | - | - | - | 4 | 2 | 67 | 68 | 33 | 11 | 7 | 2 | 3 | - | - | - | 1 | 2 | - | - |
| Rutherglen | 256 | 28.3 | - | - | 2 | 3 | 2 | 85 | 90 | 44 | 18 | 6 | 2 | 2 | - | - | - | - | - | - | - |
| Dumfries | 254 | 28.7 | - | - | - | 5 | 8 | 73 | 91 | 45 | 16 | 6 | 5 | 2 | 1 | 2 | - | - | - | - | - |
| Stirling | 218 | 29.1 | - | 1 | 3 | 4 | 5 | 44 | 97 | 35 | 15 | 5 | 4 | - | 3 | - | - | - | 2 | - | - |
| Inverness | 375 | 32.1 | - | - | - | 3 | 5 | 60 | 123 | 87 | 35 | 24 | 20 | 10 | 3 | 1 | 2 | 2 | - | - | - |
| Dumbarton | 131 | 30.0 | - | - | 1 | 2 | 5 | 30 | 46 | 21 | 9 | 5 | 5 | 4 | 2 | 1 | - | - | - | - | - |
| Port-Glasgow | 132 | 28.8 | - | - | 1 | - | 3 | 37 | 52 | 22 | 9 | 4 | 1 | 2 | - | - | 1 | - | - | - | - |
| Arbroath | 149 | 29.5 | - | - | - | - | 3 | 40 | 57 | 31 | 4 | 6 | 2 | 2 | - | 2 | - | 1 | - | - | - |

* See footnote Table 4.

TABLE 13.--Ages of WOMEN at Marriage in Scotland, 1937.

TABLE 13.--Ages of WOMEN at Marriage in Scotland, 1937.

| | All Ages. | Average age. | 16 | 17 | 18 | 19 | 20 | 21- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85 and over. |
|-----------------|--------------|-----------------|-----|-----|------|------|------|--------|--------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|
| SCOTLAND | 38,334 | 26·7 | 220 | 823 | 1409 | 1763 | 2255 | 12,216 | 10,969 | 4,821 | 1,933 | 924 | 463 | 235 | 146 | 81 | 53 | 20 | 3 | - | - |
| LARGE BURGHS | 24,787 | 26·9 | 145 | 552 | 918 | 1119 | 1405 | 7,756 | 7,061 | 3,111 | 1,290 | 667 | 338 | 191 | 109 | 59 | 48 | 16 | 2 | - | - |
| OTHER DISTRICTS | 13,547 | 26·3 | 75 | 271 | 491 | 644 | 850 | 4,460 | 3,908 | 1,710 | 643 | 257 | 125 | 44 | 37 | 22 | 5 | 4 | 1 | - | - |
| Countries. | | | | | | | | | | | | | | | | | | | | | |
| Aberdeen * | 2,593 | 26·5 | 20 | 64 | 87 | 130 | 155 | 842 | 732 | 312 | 121 | 72 | 25 | 10 | 13 | 5 | 3 | 2 | - | - | - |
| Angus | 2,141 | 26·7 | 17 | 64 | 76 | 84 | 113 | 706 | 633 | 233 | 103 | 44 | 25 | 20 | 8 | 4 | 9 | 2 | - | - | - |
| Argyll | 307 | 28·5 | - | 6 | 8 | 3 | 13 | 79 | 96 | 57 | 26 | 9 | 3 | 1 | 3 | 2 | 1 | - | - | - | - |
| Ayr | 2,181 | 26·4 | 9 | 37 | 81 | 118 | 134 | 717 | 623 | 268 | 102 | 52 | 23 | 7 | 5 | 4 | - | 1 | - | - | - |
| Banff | 330 | 25·9 | 1 | 9 | 8 | 18 | 27 | 107 | 102 | 32 | 18 | 4 | 2 | 1 | - | 1 | - | - | - | - | - |
| Berwick | 128 | 27·6 | 1 | 3 | 1 | 1 | 6 | 41 | 49 | 10 | 7 | 2 | 4 | 2 | - | - | - | - | - | - | - |
| Bute | 79 | 28·0 | 2 | - | 3 | 3 | 3 | 25 | 19 | 13 | 4 | 2 | 4 | - | 1 | - | - | - | - | - | - |
| Caitness | 149 | 25·7 | 1 | 8 | 4 | 10 | 15 | 41 | 38 | 21 | 4 | 3 | 4 | - | - | - | - | - | - | - | - |
| Clackmannan | 212 | 25·5 | 2 | 4 | 8 | 13 | 9 | 78 | 65 | 21 | 6 | 4 | 1 | - | 1 | - | - | - | - | - | - |
| Dunbarton | 962 | 26·6 | 2 | 18 | 39 | 44 | 58 | 302 | 301 | 102 | 51 | 29 | 6 | 3 | 3 | 2 | 1 | 1 | - | - | - |
| Dumfries | 683 | 26·1 | 3 | 15 | 41 | 27 | 49 | 234 | 167 | 83 | 35 | 16 | 8 | 1 | 3 | 1 | - | - | - | - | - |
| East Lothian | 303 | 25·6 | - | 3 | 11 | 13 | 23 | 119 | 86 | 30 | 12 | 4 | 1 | 1 | - | - | - | - | - | - | - |
| Fife. | 1,990 | 26·0 | 10 | 50 | 79 | 83 | 136 | 688 | 596 | 203 | 72 | 34 | 13 | 7 | 10 | 5 | 3 | 1 | - | - | - |
| Inverness | 537 | 28·4 | 4 | 1 | 14 | 20 | 19 | 121 | 174 | 109 | 36 | 21 | 13 | 4 | 1 | - | - | - | - | - | - |
| Kincardine * | 172 | 26·8 | - | 6 | 4 | 10 | 10 | 53 | 49 | 24 | 7 | 2 | 3 | 2 | 1 | - | - | 1 | - | - | - |
| Kinross | 39 | 26·4 | 1 | - | 1 | - | 3 | 16 | 10 | 4 | 2 | - | 2 | - | - | - | - | - | - | - | - |
| Kirkcudbright | 178 | 26·6 | 1 | 2 | 11 | 6 | 9 | 56 | 52 | 23 | 10 | 5 | 1 | - | - | - | - | - | - | - | - |
| Lanark | 14,105 | 26·8 | 83 | 321 | 582 | 686 | 848 | 4,386 | 3,911 | 1,794 | 730 | 362 | 179 | 96 | 58 | 34 | 24 | 11 | - | - | - |
| Midlothian | 5,066 | 27·2 | 26 | 89 | 148 | 215 | 268 | 1,585 | 1,501 | 648 | 293 | 130 | 67 | 53 | 27 | 7 | 6 | 1 | - | - | - |
| Moray | 271 | 26·8 | 2 | 7 | 8 | 13 | 19 | 70 | 86 | 41 | 12 | 9 | 3 | - | - | 1 | - | - | - | - | - |
| Nairn | 41 | 27·4 | - | - | 1 | 2 | 3 | 13 | 10 | 7 | 2 | 2 | - | 1 | - | - | - | - | - | - | - |
| Orkney | 169 | 27·7 | - | 4 | 5 | 7 | 11 | 44 | 44 | 25 | 16 | 3 | 4 | 3 | - | - | - | - | - | - | - |
| Peebles | 97 | 27·9 | - | - | 4 | 2 | 1 | 33 | 28 | 18 | 9 | - | - | - | - | 2 | - | - | - | - | - |
| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) |

AGES of WOMEN at Marriage in Scotland, 1937.

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) |
|---------------------------------|--------|------|-----|-----|-----|-----|-----|-------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Perth | 755 | 28.0 | 1 | 8 | 17 | 22 | 33 | 240 | 225 | 114 | 37 | 31 | 9 | 7 | 2 | 6 | 2 | - | - | - | - |
| Renfrew | 1,983 | 26.1 | 12 | 63 | 63 | 101 | 124 | 685 | 543 | 237 | 79 | 30 | 31 | 4 | 5 | 4 | 1 | - | - | - | - |
| Ross & Cromarty | 269 | 29.5 | 1 | 2 | 6 | 5 | 12 | 49 | 82 | 56 | 38 | 12 | 2 | 3 | 1 | - | - | - | - | - | - |
| Roxburgh | 313 | 26.7 | - | 3 | 8 | 9 | 10 | 102 | 113 | 42 | 20 | 4 | 2 | - | - | - | - | - | - | - | - |
| Selkirk | 146 | 27.4 | - | - | 1 | 4 | 5 | 58 | 44 | 20 | 4 | 5 | 3 | - | 1 | 1 | - | - | - | - | - |
| Stirling | 1,243 | 26.0 | 7 | 27 | 49 | 69 | 82 | 425 | 337 | 158 | 41 | 22 | 17 | 6 | - | - | 2 | - | - | - | - |
| Sutherland | 57 | 27.7 | 1 | - | 1 | 2 | 4 | 14 | 16 | 13 | 4 | 1 | 1 | - | - | - | - | - | - | - | - |
| West Lothian | 534 | 25.2 | 3 | 5 | 23 | 27 | 31 | 205 | 159 | 57 | 17 | 4 | 2 | 1 | - | - | 1 | - | - | - | - |
| Wigtown | 200 | 25.2 | 6 | 5 | 15 | 16 | 17 | 54 | 51 | 22 | 8 | 3 | 2 | - | - | - | - | - | - | - | - |
| Zetland | 101 | 28.9 | - | 1 | 2 | - | 5 | 28 | 27 | 24 | 7 | 3 | 3 | 1 | - | - | - | - | - | - | - |
| <i>Large Burghs.</i> | | | | | | | | | | | | | | | | | | | | | |
| Glasgow | 10,587 | 27.1 | 64 | 247 | 435 | 501 | 614 | 3,159 | 2,919 | 1,385 | 592 | 315 | 156 | 87 | 49 | 32 | 22 | 10 | - | - | - |
| Edinburgh | 4,447 | 27.3 | 23 | 80 | 125 | 180 | 225 | 1,371 | 1,322 | 579 | 265 | 124 | 60 | 51 | 27 | 6 | 6 | 1 | 2 | - | - |
| Dundee | 1,521 | 26.6 | 12 | 49 | 53 | 64 | 86 | 520 | 422 | 157 | 73 | 32 | 17 | 16 | 7 | 4 | 7 | 2 | - | - | - |
| Aberdeen | 1,720 | 26.9 | 13 | 34 | 48 | 66 | 100 | 565 | 506 | 195 | 90 | 58 | 19 | 9 | 8 | 4 | 3 | 2 | - | - | - |
| Paisley | 674 | 26.2 | 4 | 23 | 24 | 32 | 40 | 226 | 193 | 75 | 30 | 8 | 14 | 1 | 2 | 2 | - | - | - | - | - |
| Greenock | 552 | 25.4 | 2 | 26 | 23 | 39 | 43 | 191 | 130 | 61 | 14 | 12 | 5 | 2 | - | 1 | 1 | - | - | - | - |
| Motherwell and Wishaw | 496 | 25.7 | 1 | 10 | 14 | 21 | 32 | 179 | 157 | 53 | 19 | 6 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Clydebank | 335 | 26.3 | - | 7 | 10 | 10 | 16 | 117 | 117 | 34 | 14 | 6 | 2 | 2 | - | - | - | - | - | - | - |
| Kirkcaldy | 420 | 26.6 | 1 | 7 | 13 | 17 | 24 | 145 | 142 | 35 | 14 | 9 | 4 | 2 | 4 | 1 | 2 | - | - | - | - |
| Coatbridge | 312 | 26.2 | 2 | 3 | 11 | 23 | 19 | 108 | 83 | 37 | 15 | 5 | 2 | 1 | 2 | 1 | - | - | - | - | - |
| Kilmarnock | 313 | 26.4 | - | 3 | 8 | 19 | 17 | 108 | 88 | 47 | 10 | 5 | 7 | - | 1 | - | - | - | - | - | - |
| Hamilton | 324 | 26.0 | 4 | 4 | 19 | 22 | 15 | 100 | 94 | 41 | 15 | 5 | 3 | 2 | - | - | - | - | - | - | - |
| Ayr | 393 | 27.1 | 1 | 5 | 21 | 15 | 20 | 125 | 106 | 56 | 21 | 10 | 7 | 3 | 1 | 2 | 1 | - | - | - | - |
| Falkirk | 330 | 26.0 | 2 | 10 | 11 | 17 | 23 | 106 | 98 | 44 | 6 | 5 | 4 | 3 | - | - | 1 | - | - | - | - |
| Dunfermline | 314 | 26.5 | 3 | 10 | 16 | 8 | 15 | 98 | 98 | 43 | 8 | 6 | 6 | - | 1 | 1 | 1 | - | - | - | - |
| Perth | 336 | 28.0 | - | 6 | 10 | 9 | 16 | 108 | 98 | 39 | 18 | 16 | 5 | 4 | 2 | 4 | 1 | - | - | - | - |
| Airdrie | 198 | 25.7 | 3 | 6 | 7 | 7 | 15 | 70 | 54 | 22 | 8 | 2 | 2 | 1 | 1 | - | - | - | - | - | - |
| Rutherglen | 256 | 25.9 | 1 | 2 | 8 | 16 | 16 | 85 | 85 | 27 | 9 | 5 | 1 | - | - | - | 1 | - | - | - | - |
| Dumfries | 254 | 26.4 | - | 6 | 17 | 7 | 17 | 82 | 65 | 34 | 16 | 5 | 3 | 1 | - | - | - | - | - | - | - |
| Stirling | 218 | 26.7 | 3 | 4 | 15 | 8 | 12 | 74 | 53 | 25 | 10 | 8 | 3 | 2 | - | - | 1 | - | - | - | - |
| Inverness | 375 | 28.3 | 2 | - | 10 | 15 | 13 | 91 | 118 | 77 | 20 | 15 | 11 | 3 | - | - | - | - | - | - | - |
| Dumbarton | 131 | 26.9 | - | 3 | 7 | 10 | 10 | 37 | 31 | 16 | 9 | 5 | 1 | - | 1 | - | - | 1 | - | - | - |
| Port-Glasgow | 132 | 25.6 | 3 | 3 | 4 | 8 | 10 | 50 | 27 | 15 | 6 | 3 | 3 | - | - | - | - | - | - | - | - |
| Arbroath | 149 | 26.4 | 1 | 4 | 9 | 5 | 7 | 41 | 55 | 14 | 8 | 2 | 2 | - | - | - | 1 | - | - | - | - |

* See footnote Table 4.

AGES OF SPINSTERS.

Average age—Husbands, 28·3; Wives, 25·6.

TABLE 18.—AGES in Combination of WIDOWERS and WIDOWS at Marriage in Scotland, 1937.

| AGES OF WIDOWS. | | | | | | | | | | | | | | | | | | | | Total Widowers. | AGES OF WIDOWERS. | | | | | | | | | | | Total Widowers and Widows. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|------------|-----------------|-------------------|---|---|---|---|---|---|---|---|---|---|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 16- | 17- | 18- | 19- | 20- | 21- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85 and over. | Not stated | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16- | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Average age—Husbands, 53·1; Wives, 47·3.

TABLE 13A.—AGES in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1937.

| AGES OF WIVES. | | | | | | | | | | | | | | | | | | | Total Hus- bands. | AGES OF HUSBANDS. | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|-------------------------|-------------------|------------------------------------|--|--|--|--|--|--|--|--|
| 16- | 17- | 18- | 19- | 20- | 21- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85 and over. | | Not stated | Total Husbands and Wives. | | | | | | | | |
| 16- | 17- | 18- | 19- | 20- | 21- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85 and over. | Not stated | 346 | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | |

Average Age—Husbands, 38·4; Wives, 31·6.

TABLE 19.—Ages at Death in 1938, with Death-rate in each Age-group.

| Age Groups. | Number of Deaths. | | | | Rate per 1000 of Population. | | | |
|--------------|-------------------|---------------|---------------|------------|------------------------------|---------------|---------------|------------|
| | Scot-land. | Large Burghs. | Small Burghs. | Land-ward. | Scot-land. | Large Burghs. | Small Burghs. | Land-ward. |
| Under 1 - - | 6,163 | 3,878 | 782 | 1,503 | 73·8 | 82·1 | 67·6 | 60·9 |
| 1- - - | 2,098 | 1,434 | 225 | 439 | 6·6 | 8·2 | 5·0 | 4·5 |
| 5- - - | 769 | 471 | 102 | 196 | 1·9 | 2·1 | 1·7 | 1·6 |
| 10- - - | 576 | 359 | 68 | 149 | 1·3 | 1·6 | 1·1 | 1·1 |
| 15- - - | 2,150 | 1,360 | 244 | 546 | 2·5 | 2·8 | 2·0 | 2·2 |
| 25- - - | 2,478 | 1,502 | 309 | 667 | 3·1 | 3·3 | 2·6 | 3·0 |
| 35- - - | 3,295 | 2,017 | 436 | 842 | 4·9 | 5·3 | 4·3 | 4·5 |
| 45- - - | 5,462 | 3,264 | 827 | 1,371 | 9·9 | 10·6 | 9·6 | 8·6 |
| 55- - - | 9,750 | 5,739 | 1,478 | 2,533 | 20·8 | 22·6 | 19·6 | 18·1 |
| 65- - - | 14,697 | 7,960 | 2,493 | 4,244 | 50·6 | 55·1 | 47·8 | 45·3 |
| 75- - - | 12,258 | 6,005 | 2,291 | 3,962 | 120·2 | 132·0 | 113·4 | 109·1 |
| 85- - - | 3,257 | 1,299 | 676 | 1,282 | 278·4 | 288·7 | 279·8 | 268·0 |
| Not stated - | — | — | — | — | — | — | — | — |
| ALL AGES - | 62,953 | 35,288 | 9,931 | 17,734 | 12·6 | 12·8 | 13·0 | 12·0 |

Appendix Tables.

TABLE 20.—Deaths, Male and Female, at each year of Age,

| MALES. | | | | | | | | | | | | | | |
|--------|--------|---------|----------|----------|-----------|-------------|--------------|--------|---------|----------|----------|-----------|-------------|--|
| AGES. | TOTAL. | Single. | Married. | Widowed. | Divorced. | Not Stated. | AGES. | TOTAL. | Single. | Married. | Widowed. | Divorced. | Not Stated. | |
| 0 ... | 3483 | 3483 | - | - | - | - | 50 ... | 274 | 60 | 198 | 14 | 1 | 1 | |
| 1 ... | 586 | 586 | - | - | - | - | 51 ... | 314 | 55 | 234 | 24 | 1 | - | |
| 2 ... | 260 | 260 | - | - | - | - | 52 ... | 359 | 69 | 258 | 31 | 1 | - | |
| 3 ... | 164 | 164 | - | - | - | - | 53 ... | 357 | 66 | 251 | 37 | 3 | - | |
| 4 ... | 117 | 117 | - | - | - | - | 54 ... | 399 | 72 | 289 | 37 | 1 | - | |
| 5 ... | 113 | 113 | - | - | - | - | 55 ... | 385 | 74 | 271 | 37 | 3 | - | |
| 6 ... | 95 | 95 | - | - | - | - | 56 ... | 410 | 72 | 293 | 42 | 2 | 1 | |
| 7 ... | 67 | 67 | - | - | - | - | 57 ... | 437 | 75 | 310 | 49 | 2 | 1 | |
| 8 ... | 59 | 59 | - | - | - | - | 58 ... | 495 | 101 | 323 | 68 | 3 | - | |
| 9 ... | 56 | 56 | - | - | - | - | 59 ... | 525 | 103 | 361 | 56 | 5 | - | |
| 10 ... | 48 | 48 | - | - | - | - | 60 ... | 510 | 79 | 344 | 83 | 1 | 3 | |
| 11 ... | 60 | 60 | - | - | - | - | 61 ... | 584 | 120 | 362 | 102 | - | - | |
| 12 ... | 62 | 62 | - | - | - | - | 62 ... | 636 | 147 | 382 | 106 | 1 | - | |
| 13 ... | 60 | 60 | - | - | - | - | 63 ... | 638 | 120 | 418 | 97 | 2 | 1 | |
| 14 ... | 75 | 75 | - | - | - | - | 64 ... | 594 | 102 | 389 | 99 | 4 | - | |
| 15 ... | 95 | 95 | - | - | - | - | 65 ... | 722 | 145 | 414 | 163 | - | - | |
| 16 ... | 90 | 89 | 1 | - | - | - | 66 ... | 750 | 130 | 447 | 171 | 2 | - | |
| 17 ... | 103 | 103 | - | - | - | - | 67 ... | 695 | 119 | 403 | 170 | 3 | - | |
| 18 ... | 127 | 126 | 1 | - | - | - | 68 ... | 756 | 124 | 435 | 195 | 2 | - | |
| 19 ... | 108 | 108 | - | - | - | - | 69 ... | 763 | 138 | 409 | 216 | - | - | |
| 20 ... | 92 | 91 | - | 1 | - | - | 70 ... | 806 | 119 | 464 | 220 | 2 | 1 | |
| 21 ... | 104 | 101 | 3 | - | - | - | 71 ... | 735 | 119 | 399 | 217 | - | - | |
| 22 ... | 124 | 112 | 12 | - | - | - | 72 ... | 822 | 124 | 429 | 267 | 1 | 1 | |
| 23 ... | 117 | 100 | 16 | 1 | - | - | 73 ... | 801 | 113 | 387 | 301 | - | - | |
| 24 ... | 117 | 94 | 23 | - | - | - | 74 ... | 757 | 127 | 358 | 271 | 1 | - | |
| 25 ... | 125 | 97 | 26 | - | - | 2 | 75 ... | 717 | 94 | 324 | 299 | - | - | |
| 26 ... | 116 | 79 | 35 | 1 | - | 1 | 76 ... | 699 | 99 | 316 | 284 | - | - | |
| 27 ... | 109 | 67 | 41 | 1 | - | - | 77 ... | 699 | 98 | 310 | 289 | 1 | 1 | |
| 28 ... | 119 | 73 | 45 | 1 | - | - | 78 ... | 658 | 89 | 256 | 311 | 2 | - | |
| 29 ... | 124 | 67 | 57 | - | - | - | 79 ... | 611 | 92 | 230 | 288 | - | 1 | |
| 30 ... | 135 | 72 | 60 | 2 | 1 | - | 80 ... | 502 | 72 | 180 | 249 | 1 | - | |
| 31 ... | 114 | 51 | 60 | 3 | - | - | 81 ... | 520 | 51 | 176 | 293 | - | - | |
| 32 ... | 124 | 62 | 59 | 3 | - | - | 82 ... | 477 | 51 | 142 | 283 | - | 1 | |
| 33 ... | 131 | 53 | 75 | 3 | - | - | 83 ... | 355 | 34 | 121 | 199 | 1 | - | |
| 34 ... | 143 | 52 | 88 | 2 | 1 | - | 84 ... | 340 | 32 | 108 | 199 | 1 | - | |
| 35 ... | 150 | 60 | 88 | 2 | - | - | 85 ... | 250 | 34 | 61 | 155 | - | - | |
| 36 ... | 156 | 41 | 113 | 2 | - | - | 86 ... | 203 | 14 | 59 | 130 | - | - | |
| 37 ... | 169 | 68 | 95 | 6 | - | - | 87 ... | 161 | 9 | 47 | 105 | - | - | |
| 38 ... | 178 | 52 | 116 | 9 | 1 | - | 88 ... | 146 | 14 | 31 | 101 | - | - | |
| 39 ... | 142 | 38 | 98 | 6 | - | - | 89 ... | 97 | 10 | 25 | 62 | - | - | |
| 40 ... | 167 | 46 | 112 | 6 | 2 | 1 | 90 ... | 85 | 9 | 14 | 62 | - | - | |
| 41 ... | 174 | 44 | 128 | 2 | - | - | 91 ... | 40 | 5 | 3 | 32 | - | - | |
| 42 ... | 201 | 51 | 140 | 9 | 1 | - | 92 ... | 44 | 7 | 5 | 32 | - | - | |
| 43 ... | 203 | 49 | 148 | 4 | 2 | - | 93 ... | 38 | 3 | 3 | 32 | - | - | |
| 44 ... | 195 | 27 | 163 | 5 | - | - | 94 ... | 15 | 1 | - | 14 | - | - | |
| 45 ... | 209 | 47 | 148 | 12 | 2 | - | 95 ... | 9 | 1 | 1 | 7 | - | - | |
| 46 ... | 248 | 65 | 172 | 11 | - | - | 96 ... | 7 | 1 | - | 6 | - | - | |
| 47 ... | 247 | 41 | 191 | 15 | - | - | 97 ... | 5 | - | 2 | 3 | - | - | |
| 48 ... | 275 | 53 | 202 | 19 | 1 | - | 98 ... | 3 | 1 | - | 2 | - | - | |
| 49 ... | 264 | 45 | 195 | 22 | 1 | 1 | 99 ... | - | - | - | - | - | - | |
| | | | | | | | 100 and over | 1 | - | - | 1 | - | - | |
| | | | | | | | Not Stated | - | - | - | - | - | - | |
| | | | | | | | All Males | 31,806 | 11,118 | 13,953 | 6,659 | 59 | 17 | |

and by Condition as to Marriage, in Scotland, 1938.

| FEMALES. | | | | | | | | | | | | | |
|--------------|--------|---------|----------|----------|-----------|-------------|--------|--------|---------|----------|----------|-----------|-------------|
| AGES. | TOTAL. | Single. | Married. | Widowed. | Divorced. | Not Stated. | AGES. | TOTAL. | Single. | Married. | Widowed. | Divorced. | Not Stated. |
| 0 ... | 2680 | 2680 | - | - | - | - | 50 ... | 242 | 58 | 147 | 35 | 2 | - |
| 1 ... | 510 | 510 | - | - | - | - | 51 ... | 273 | 61 | 172 | 37 | 3 | - |
| 2 ... | 198 | 198 | - | - | - | - | 52 ... | 289 | 54 | 193 | 42 | - | - |
| 3 ... | 148 | 148 | - | - | - | - | 53 ... | 343 | 84 | 206 | 52 | 1 | - |
| 4 ... | 115 | 115 | - | - | - | - | 54 ... | 338 | 70 | 205 | 62 | 1 | - |
| 5 ... | 119 | 119 | - | - | - | - | 55 ... | 320 | 71 | 190 | 56 | 3 | - |
| 6 ... | 76 | 76 | - | - | - | - | 56 ... | 342 | 54 | 224 | 63 | 1 | - |
| 7 ... | 66 | 66 | - | - | - | - | 57 ... | 366 | 80 | 202 | 84 | - | - |
| 8 ... | 63 | 63 | - | - | - | - | 58 ... | 413 | 81 | 236 | 95 | 1 | - |
| 9 ... | 55 | 55 | - | - | - | - | 59 ... | 447 | 93 | 260 | 94 | - | - |
| 10 ... | 47 | 47 | - | - | - | - | 60 ... | 460 | 98 | 243 | 117 | 2 | - |
| 11 ... | 44 | 44 | - | - | - | - | 61 ... | 508 | 94 | 268 | 146 | - | - |
| 12 ... | 49 | 49 | - | - | - | - | 62 ... | 555 | 107 | 281 | 165 | 2 | - |
| 13 ... | 60 | 60 | - | - | - | - | 63 ... | 542 | 101 | 270 | 171 | - | - |
| 14 ... | 71 | 71 | - | - | - | - | 64 ... | 583 | 123 | 294 | 165 | 1 | - |
| 15 ... | 71 | 71 | - | - | - | - | 65 ... | 577 | 104 | 265 | 207 | 1 | - |
| 16 ... | 94 | 94 | - | - | - | - | 66 ... | 610 | 109 | 292 | 208 | 1 | - |
| 17 ... | 109 | 106 | 3 | - | - | - | 67 ... | 640 | 130 | 255 | 254 | 1 | - |
| 18 ... | 116 | 105 | 11 | - | - | - | 68 ... | 699 | 126 | 287 | 285 | 1 | - |
| 19 ... | 103 | 91 | 12 | - | - | - | 69 ... | 717 | 149 | 280 | 288 | - | - |
| 20 ... | 92 | 75 | 17 | - | - | - | 70 ... | 738 | 135 | 267 | 335 | 1 | - |
| 21 ... | 117 | 83 | 33 | 1 | - | - | 71 ... | 739 | 149 | 244 | 346 | - | - |
| 22 ... | 128 | 91 | 37 | - | - | - | 72 ... | 825 | 177 | 256 | 391 | 1 | - |
| 23 ... | 113 | 60 | 52 | 1 | - | - | 73 ... | 764 | 150 | 225 | 388 | 1 | - |
| 24 ... | 130 | 71 | 59 | - | - | - | 74 ... | 781 | 142 | 213 | 424 | 2 | - |
| 25 ... | 134 | 62 | 70 | 2 | - | - | 75 ... | 777 | 172 | 176 | 429 | - | - |
| 26 ... | 113 | 63 | 49 | 1 | - | - | 76 ... | 747 | 159 | 167 | 420 | 1 | - |
| 27 ... | 106 | 43 | 60 | 2 | - | 1 | 77 ... | 767 | 181 | 124 | 461 | 1 | - |
| 28 ... | 128 | 53 | 73 | 2 | - | - | 78 ... | 771 | 195 | 112 | 464 | - | - |
| 29 ... | 135 | 63 | 71 | 1 | - | - | 79 ... | 684 | 165 | 87 | 432 | - | - |
| 30 ... | 110 | 35 | 75 | - | - | - | 80 ... | 680 | 168 | 73 | 439 | - | - |
| 31 ... | 119 | 39 | 80 | - | - | - | 81 ... | 602 | 133 | 70 | 399 | - | - |
| 32 ... | 143 | 45 | 94 | 2 | 2 | - | 82 ... | 598 | 133 | 56 | 409 | - | - |
| 33 ... | 126 | 42 | 80 | 3 | 1 | - | 83 ... | 569 | 134 | 47 | 388 | - | - |
| 34 ... | 124 | 34 | 86 | 4 | - | - | 84 ... | 485 | 109 | 35 | 341 | - | - |
| 35 ... | 157 | 44 | 109 | 4 | - | - | 85 ... | 358 | 77 | 21 | 260 | - | - |
| 36 ... | 143 | 37 | 99 | 7 | - | - | 86 ... | 382 | 92 | 16 | 273 | 1 | - |
| 37 ... | 131 | 32 | 95 | 4 | - | - | 87 ... | 307 | 66 | 11 | 230 | - | - |
| 38 ... | 140 | 34 | 99 | 7 | - | - | 88 ... | 276 | 46 | 13 | 217 | - | - |
| 39 ... | 126 | 38 | 86 | 2 | - | - | 89 ... | 222 | 37 | 9 | 176 | - | - |
| 40 ... | 160 | 40 | 113 | 7 | - | - | 90 ... | 158 | 39 | 6 | 113 | - | - |
| 41 ... | 138 | 34 | 98 | 6 | - | - | 91 ... | 114 | 28 | 2 | 84 | - | - |
| 42 ... | 175 | 42 | 122 | 11 | - | - | 92 ... | 98 | 31 | - | 67 | - | - |
| 43 ... | 185 | 52 | 118 | 15 | - | - | 93 ... | 73 | 16 | 2 | 55 | - | - |
| 44 ... | 205 | 46 | 141 | 17 | 1 | - | 94 ... | 57 | 13 | 1 | 43 | - | - |
| 45 ... | 186 | 51 | 120 | 13 | 2 | - | 95 ... | 35 | 5 | - | 30 | - | - |
| 46 ... | 186 | 50 | 120 | 15 | 1 | - | 96 ... | 30 | 5 | - | 25 | - | - |
| 47 ... | 199 | 54 | 125 | 20 | - | - | 97 ... | 16 | 6 | - | 10 | - | - |
| 48 ... | 210 | 47 | 130 | 33 | - | - | 98 ... | 13 | 2 | 1 | 10 | - | - |
| 49 ... | 250 | 53 | 154 | 43 | - | - | 99 ... | 8 | 1 | - | 7 | - | - |
| 100 and over | | | | | | | | 6 | 2 | - | 4 | - | - |
| Not stated | | | | | | | | - | - | - | - | - | - |
| All Females | | | | | | | | 31,147 | 10,896 | 9,695 | 10,519 | 36 | 1 |

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1938.

| INTERNATIONAL Nos. | | CAUSES OF DEATH. | Sex. | NUMBERS AGED | | | | | | | | | | | | DEATH-RATE PER 100,000 AT AGES | | | | | | | | | | | |
|--------------------|-------------|--|-------|--------------|-------|---------|-------|--------|---------|---------|---------|----------|-----------|---------|-------------|--------------------------------|---------|-------|-------|--------|--------|--------|---------|---------|-------------|-------------|---------------|
| Long List. | Short List. | | | All Ages. | -1 | 1- | 5- | 10-15- | 15-25- | 25-35- | 35-45- | 45-55- | 55-65- | 65-75- | 75-and over | All Ages. | -1 | 1- | 5- | 10-15- | 15-25- | 25-35- | 35-45- | 45-55- | 55-65- | 65-75- | 75-and over |
| 1, 2 | 1 | Typhoid fever (incl. Paratyphoid) | M. F. | 14 13 | - | - | 1 1 | 3 2 | 4 2 | 5 - | - 4 | 1 1 | 1 - | - | 14 13 | - | - | 0 0 | - 1 | 1 0 | 2 - | - 1 | - 0 | 1 1 | - | 85 and over | |
| 7 | 4 | Measles | M. F. | 303 246 | 89 62 | 194 161 | 2 2 | 2 3 | 1 2 | - | - 2 | 1 1 | 1 - | - | 303 246 | 208 152 | 121 102 | 6 7 | 1 1 | 0 0 | - | - 1 | 0 1 | 2 - | 85 and over | | |
| 8 | 5 | Scarlet Fever | M. F. | 46 52 | 4 1 | 19 24 | 5 10 | 3 3 | 3 7 | 6 1 | 1 1 | - | - | - | 46 52 | 9 2 | 12 15 | 2 5 | 1 1 | 1 1 | 2 0 | 0 - | - | - | 85 and over | | |
| 9 | 6 | Whooping-cough | M. F. | 104 115 | 55 56 | 47 58 | 2 1 | - | - | - | - | - | - | - | 104 115 | 129 137 | 29 37 | 1 0 | - | - | - | - | - | - | 85 and over | | |
| 10 | 7 | Diphtheria | M. F. | 178 252 | 11 12 | 90 103 | 61 96 | 12 26 | 9 1 | - 2 | - 2 | - 2 | - 1 | - | 178 252 | 26 29 | 56 65 | 30 48 | 6 12 | 0 2 | - 1 | - 1 | - | - | 85 and over | | |
| 11 | 8 | Influenza | M. F. | 204 192 | 13 6 | 8 6 | 3 1 | 2 7 | 9 8 | 11 17 | 24 20 | 38 43 | 42 42 | 23 34 | 204 192 | 30 15 | 5 4 | 1 0 | 1 2 | 2 2 | 3 5 | 8 7 | 17 17 | 31 27 | 57 55 | | |
| 18 | 14 (1) | Cerebro-spinal fever | M. F. | 58 48 | 25 19 | 17 15 | 2 2 | 3 3 | 4 3 | 2 1 | - | 1 1 | - | - | 58 48 | 59 47 | 11 10 | 1 1 | 1 1 | 1 1 | 0 - | 0 - | 1 - | - | 85 and over | | |
| 3-6, 12-17 | 14 (2) | Other epidemic diseases (2, 3, 9)* | M. F. | 117 101 | 11 6 | 11 6 | - 3 | 3 - | 10 9 | 14 10 | 12 17 | 20 10 | 17 19 | 7 13 | 117 101 | 26 15 | 7 4 | - 1 | 1 - | 2 2 | 4 3 | 4 6 | 9 12 | 13 21 | 58 24 | | |
| 23 | 10 | Tuberculosis of respiratory system | M. F. | 1396 1185 | 8 5 | 23 21 | 9 6 | 13 32 | 252 432 | 263 159 | 248 93 | 173 74 | 67 48 | 14 8 | 1396 1185 | 19 12 | 14 13 | 4 3 | 6 15 | 58 101 | 83 74 | 85 45 | 98 31 | 50 31 | 35 13 | | |
| 24-32 | 11 | Other tuberculous diseases | M. F. | 435 416 | 31 32 | 102 79 | 53 48 | 35 39 | 35 38 | 30 23 | 29 21 | 22 12 | 9 7 | 7 7 | 435 416 | 73 78 | 63 50 | 26 24 | 16 18 | 19 22 | 9 6 | 11 7 | 10 5 | 7 12 | 17 11 | - 24 | |
| 19-22, 33-44 | 14 (3) | Other infectious and parasitic diseases (12, 13) | M. F. | 151 92 | 37 24 | 6 8 | 3 1 | 6 4 | 5 9 | 14 7 | 11 7 | 21 12 | 18 12 | 1 2 | 151 92 | 87 59 | 4 5 | 1 0 | 3 2 | 1 2 | 4 1 | 4 2 | 8 5 | 13 8 | 2 3 | 29 12 | |
| 45-53 | 15 | Cancer, malignant disease (c) | M. F. | 3667 4405 | 2 - | 3 3 | 2 1 | 6 4 | 27 17 | 161 271 | 457 633 | 972 1175 | 1325 1311 | 608 779 | 3667 4405 | 5 - | 2 2 | 1 0 | 3 2 | 6 4 | 13 19 | 52 76 | 181 210 | 443 471 | 993 836 | 1501 1266 | 1507 1625 (q) |

'TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-Group, 1938—continued.

| INTERNATIONAL Nos. | | CAUSES OF DEATH. | Sex. | NUMBERS AGED | | | | | | | | | | | | DEATH-RATE PER 100,000 AT AGES | | | | | | | | | | | | |
|-----------------------|-------------|--|------|------------------|--------------|-------------|------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------------------------|--------------|------------|------------|------------|------------|------------|------------|-------------|--------------|--------------|----------------|----------------|
| Long List. | Short List. | | | All Ages. | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over | All Ages. | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over | |
| 130-132 | 33 | Acute and chron. nephritis { M. F. | | 848 921 | 2 6 | 2 4 | 3 5 | 4 10 | 29 32 | 44 45 | 66 70 | 108 138 | 186 197 | 230 258 | 149 134 | 25 22 | 35 36 | 1 3 | 1 2 | 2 5 | 7 7 | 11 11 | 21 20 | 43 46 | 85 79 | 172 165 | 368 218 | 724 267 |
| 133-139 | 34 | Other dis. of genito-urinary { system - - - { M. F. | | 709 259 | 13 7 | 2 3 | - 1 | 1 3 | 7 12 | 5 27 | 9 39 | 31 35 | 85 31 | 275 49 | 234 39 | 47 13 | 29 10 | 30 17 | 1 2 | 0 1 | 0 3 | 2 7 | 1 11 | 3 12 | 39 26 | 206 31 | 578 63 | 1362 158 |
| 140, 145 | 35 | Puerperal sepsis - - - { F. | | 150 | - | - | - | - | 33 | 72 | 45 | - | - | - | - | - | 6 | - | - | - | 8 | 17 | 13 | - | - | - | - | - |
| 141-144, 146-150 | 36 | Other puerperal causes - - { F. | | 282 | - | - | - | - | 48 | 143 | 89 | 2 | - | - | - | - | 11 | - | - | - | 11 | 35 | 25 | 1 | - | - | - | - |
| 151-156 | 37 | Diseases of skin and loco- motor system - - - { M. F. | | 193 158 | 28 21 | 3 7 | 12 6 | 13 12 | 18 6 | 10 8 | 12 7 | 14 21 | 36 17 | 30 21 | 13 23 | 4 9 | 8 6 | 2 4 | 6 3 | 6 6 | 4 1 | 3 2 | 4 7 | 6 7 | 16 7 | 22 13 | 32 37 | 116 109 |
| 157-161 | 38 | Congen. debil., prem. birth, { malformations, &c. - { M. F. | | 1750 1394 | 1725 1363 | 15 17 | 4 8 | 1 2 | 4 2 | - 2 | 1 - | - | - | - | - | - | 73 54 | 9 11 | 2 4 | 0 1 | 1 0 | - 0 | - | - | - | - | - | - |
| 162 | 39 | Old age - - - - - { M. F. | | 870 1434 | - - | - - | - - | - - | - - | - - | - - | - - | 3 1 | 127 150 | 509 771 | 231 512 | 36 55 | - - | - - | - - | - - | - - | - - | 1 0 | 95 96 | 1257 1253 | 6694 6208 | |
| 163-171 | 40 | Suicide - - - - - { M. F. | | 297 163 | - - | - - | - - | - - | 18 10 | 30 28 | 53 29 | 62 45 | 79 29 | 43 18 | 10 3 | 2 1 | 12 6 | - - | - - | - - | 4 2 | 8 7 | 17 15 | 25 12 | 36 12 | 32 11 | 25 5 | 58 12 |
| 172-198 | 42 | Other violence (41) - - - { M. F. | | 1652 766 | 61 47 | 117 67 | 79 47 | 79 15 | 220 40 | 212 28 | 212 38 | 187 55 | 219 69 | 135 125 | 104 159 | 27 76 | 69 30 | 73 43 | 39 23 | 37 7 | 51 9 | 54 7 | 68 11 | 74 18 | 100 28 | 101 80 | 257 258 | 782 921 |
| 199-200 | 43 | Causes ill-defined or un- known - - - - - { M. F. | | 615 376 | 16 11 | 10 4 | 3 - | 2 - | 6 4 | 9 6 | 28 9 | 70 29 | 163 72 | 203 118 | 93 103 | 12 20 | 26 15 | 37 27 | 6 3 | 1 - | 1 1 | 2 3 | 9 10 | 28 29 | 74 75 | 152 167 | 230 242 | 348 242 |
| | | ALL CAUSES - - - - - { M. F. | | 31,806 31,147 | 3483 2680 | 1127 971 | 390 379 | 305 271 | 1077 1073 | 1240 1238 | 1735 1560 | 2946 2516 | 5214 4536 | 7607 7090 | 5578 6680 | 1104 2153 | 1322 1204 | 701 617 | 192 189 | 141 126 | 250 251 | 316 300 | 560 438 | 1165 835 | 2377 1818 | 5703 4522 | 13772 10858 | 31991 26103 |
| | | BOTH SEXES - - - - - { | | 62,953 | 6163 | 2098 | 769 | 576 | 2150 | 2478 | 3295 | 5462 | 9750 | 14697 | 12258 | 3257 | 1261 | 659 | 191 | 134 | 250 | 308 | 495 | 985 | 2079 | 5065 | 12015 | 27840 |

TABLE 22.—Deaths and Death-rates from Selected Causes in Scotland, 1938.

| INTERNATIONAL NOS. | | CAUSES OF DEATH. | | | | NUMBERS. | | | | DEATH-RATE PER 100,000 OF POPULATION. | | | |
|---------------------|-------------|---|---|---|---|-----------|---------------|---------------|-----------|---------------------------------------|---------------|---------------|-----------|
| Long List. | Short List. | | | | | Scotland. | Large Burghs. | Small Burghs. | Landward. | Scotland. | Large Burghs. | Small Burghs. | Landward. |
| 1, 2 | 1 | Typhoid fever (including Paratyphoid) | - | - | - | 27 | 14 | 9 | 4 | 1 | 1 | 1 | 0 |
| 7 | 4 | Measles | - | - | - | 549 | 457 | 26 | 66 | 11 | 17 | 3 | 4 |
| 8 | 5 | Scarlet fever | - | - | - | 98 | 62 | 12 | 24 | 2 | 2 | 2 | 2 |
| 9 | 6 | Whooping-cough | - | - | - | 219 | 144 | 21 | 54 | 4 | 5 | 3 | 4 |
| 10 | 7 | Diphtheria | - | - | - | 430 | 283 | 49 | 98 | 9 | 10 | 6 | 7 |
| 11 | 8 | Influenza | - | - | - | 396 | 206 | 67 | 123 | 8 | 7 | 9 | 8 |
| 18 | 14 (1) | Cerebro-spinal fever | - | - | - | 106 | 67 | 16 | 23 | 2 | 2 | 2 | 2 |
| 3-6, 12-17 | 14 (2) | Other epidemic diseases (2, 3, 9) * | - | - | - | 218 | 121 | 29 | 68 | 4 | 4 | 4 | 5 |
| 23 | 10 | Tuberculosis of respiratory system | - | - | - | 2,581 | 1,823 | 273 | 485 | 52 | 66 | 36 | 33 |
| 24-32 | 11 | Other tuberculous diseases | - | - | - | 851 | 528 | 111 | 212 | 17 | 19 | 15 | 14 |
| 19-22, 33-44 | 14 (3) | Other infectious and parasitic diseases (12, 13) | - | - | - | 243 | 143 | 29 | 71 | 5 | 5 | 4 | 5 |
| 45-53 | 15 | Cancer, malignant disease | - | - | - | 8,072 | 4,508 | 1,347 | 2,217 | 162 | 134 | 177 | 149 |
| 59 | 18 | Diabetes mellitus | - | - | - | 859 | 429 | 162 | 268 | 17 | 16 | 21 | 18 |
| 54-58, 60-77 | 20 | Other general dis., chronic poisonings (16, 17, 19) | - | - | - | 1,523 | 791 | 266 | 466 | 31 | 29 | 35 | 31 |
| 82 | 22 | Cerebral hæmorrhage, &c. | - | - | - | 6,254 | 3,189 | 1,141 | 1,924 | 125 | 116 | 150 | 130 |
| 78-81, 83-89 | 23 | Oth. dis. of nerv. system and sense org. (21) | - | - | - | 1,518 | 854 | 252 | 412 | 30 | 31 | 33 | 28 |
| 90-95 | 24 | Heart disease | - | - | - | 14,115 | 7,611 | 2,401 | 4,103 | 283 | 277 | 315 | 277 |
| 96-103 | 25 | Other circulatory diseases | - | - | - | 1,323 | 708 | 225 | 390 | 26 | 26 | 30 | 26 |
| 106 | 26 | Bronchitis | - | - | - | 2,462 | 1,537 | 330 | 595 | 49 | 56 | 42 | 40 |
| 107-109 | 27 | Pneumonia (all forms) | - | - | - | 3,832 | 2,518 | 430 | 884 | 77 | 92 | 56 | 60 |
| 104, 105, 110-114 | 28 | Other respiratory diseases | - | - | - | 780 | 411 | 124 | 245 | 16 | 15 | 16 | 17 |
| 117 | 32 (1) | Gastric and duodenal ulcer | - | - | - | 688 | 375 | 126 | 187 | 14 | 14 | 17 | 13 |
| 119, 120 | 29 | Diarrhoea, &c. (all ages) | - | - | - | 981 | 674 | 119 | 188 | 20 | 25 | 16 | 9 |
| 121 | 30 | Appendicitis | - | - | - | 430 | 240 | 56 | 134 | 9 | 9 | 7 | 3 |
| 124 | 31 (1) | Cirrhosis of liver | - | - | - | 203 | 123 | 34 | 46 | 4 | 4 | 4 | 3 |
| 125-127 | 31 (2) | Other diseases of liver, &c. | - | - | - | 396 | 209 | 65 | 122 | 8 | 8 | 9 | 8 |
| 115, 116, 118, 122, | 32 (2) | Other digestive diseases | - | - | - | 962 | 520 | 167 | 275 | 19 | 19 | 22 | 19 |
| 123, 128, 129 | 33 | Acute and chronic nephritis | - | - | - | 1,769 | 935 | 301 | 533 | 35 | 34 | 40 | 36 |
| 130-132 | 34 | Other dis. of genito-urinary system | - | - | - | 968 | 530 | 155 | 283 | 19 | 19 | 20 | 19 |
| 133-139 | 35 | Puerperal sepsis | - | - | - | 150 | 101 | 15 | 34 | 3 | 4 | 2 | 2 |
| 140, 145 | 36 | Other puerperal causes | - | - | - | 282 | 163 | 44 | 75 | 6 | 6 | 6 | 5 |
| 141-144, 146-150 | 37 | Diseases of skin and locomotor system | - | - | - | 351 | 217 | 51 | 83 | 7 | 8 | 7 | 6 |
| 151-156 | 38 | Congen. debil., prem. birth, malform., &c. | - | - | - | 3,144 | 1,894 | 469 | 871 | 63 | 66 | 62 | 59 |
| 157-161 | 39 | Old age | - | - | - | 2,304 | 953 | 442 | 909 | 46 | 35 | 58 | 61 |
| 162 | 40 | Suicide | - | - | - | 460 | 288 | 65 | 107 | 9 | 10 | 9 | 7 |
| 163-171 | 42 | Other violence (41) | - | - | - | 2,418 | 1,271 | 338 | 809 | 48 | 46 | 44 | 55 |
| 172-198 | 43 | Causes ill-defined or unknown | - | - | - | 991 | 481 | 164 | 346 | 20 | 18 | 22 | 23 |
| 199, 200 | | ALL CAUSES | - | - | - | 62,953 | 35,288 | 9,931 | 17,734 | 1,261 | 1,284 | 1,305 | 1,195 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis.

TABLE 23.—Deaths from Selected Causes and in Age Groups in Scotland, 1928–1938.

| International Nos. Short List. | CAUSES OF DEATH. | 1938. | 1937. | 1936. | 1935. | 1934. | 1933. | 1932. | 1931. | 1930. | 1929. | 1928. |
|-----------------------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | | | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | 27 | 16 | 39 | 45 | 22 | 30 | 32 | 31 | 45 | 33 | 43 |
| 4 | Measles | 549 | 119 | 610 | 141 | 1,014 | 36 | 892 | 641 | 792 | 149 | 1,005 |
| 5 | Scarlet Fever | 98 | 123 | 172 | 199 | 345 | 310 | 250 | 161 | 127 | 109 | 140 |
| 6 | Whooping-cough | 219 | 717 | 411 | 567 | 383 | 762 | 459 | 957 | 628 | 901 | 1,072 |
| 7 | Diphtheria | 430 | 426 | 387 | 513 | 583 | 356 | 363 | 356 | 460 | 471 | 488 |
| 8 | Influenza | 396 | 2,693 | 659 | 1,459 | 602 | 2,027 | 1,724 | 1,270 | 696 | 3,435 | 961 |
| 14 (1) | Cerebro-spinal fever | 106 | 144 | 124 | 114 | 153 | 219 | 229 | 290 | 229 | 282 | 156 |
| 14 (2) | Other epidemic dis. (2, 3, 9)* | 218 | 230 | 317 | 281 | 314 | 332 | 281 | 304 | 353 | 332 | 322 |
| 10 | Tuberculosis of respiratory system | 2,581 | 2,791 | 2,753 | 2,812 | 2,794 | 2,930 | 2,991 | 3,004 | 3,024 | 3,288 | 3,318 |
| 11 | Other tuberculous diseases | 851 | 872 | 912 | 834 | 908 | 980 | 1,132 | 1,201 | 1,262 | 1,292 | 1,404 |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 243 | 246 | 290 | 281 | 279 | 279 | 284 | 261 | 271 | 304 | 317 |
| 15 | Cancer, malignant disease | 8,072 | 7,810 | 7,909 | 7,793 | 7,561 | 7,520 | 7,458 | 7,158 | 7,120 | 7,108 | 6,901 |
| 18 | Diabetes mellitus | 859 | 867 | 808 | 740 | 762 | 711 | 666 | 660 | 604 | 616 | 523 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 1,523 | 1,551 | 1,519 | 1,547 | 1,506 | 1,486 | 1,540 | 1,415 | 1,340 | 1,497 | 1,505 |
| 22 | Cerebral hæmorrhage, &c. | 6,254 | 6,411 | 6,364 | 6,480 | 6,620 | 7,225 | 7,210 | 6,804 | 6,542 | 6,693 | 6,350 |
| 23 | Other dis. of nervous syst. and sense organs (21)† | 1,518 | 1,588 | 1,752 | 1,680 | 1,711 | 1,758 | 1,813 | 1,943 | 2,032 | 2,138 | 2,190 |
| 24 | Heart disease | 14,115 | 14,360 | 13,698 | 12,525 | 11,428 | 10,489 | 9,622 | 9,535 | 8,936 | 9,072 | 8,461 |
| 25 | Other circulatory diseases | 1,323 | 1,372 | 1,489 | 1,444 | 1,390 | 1,398 | 1,484 | 1,231 | 1,346 | 1,406 | 1,332 |
| 26 | Bronchitis | 2,462 | 3,273 | 3,330 | 3,079 | 2,735 | 3,291 | 3,419 | 3,673 | 3,777 | 4,731 | 3,491 |
| 27 | Pneumonia (all forms) | 3,832 | 4,858 | 4,793 | 4,602 | 4,533 | 4,600 | 5,430 | 4,958 | 5,682 | 7,143 | 5,731 |
| 28 | Other respiratory diseases | 780 | 956 | 966 | 910 | 855 | 872 | 967 | 873 | 1,021 | 1,074 | 1,001 |
| 32 (1) | Gastric and duodenal ulcer | 688 | 694 | 627 | 626 | 607 | 573 | 608 | 579 | 662 | 647 | 604 |
| 29 | Diarrhoea, &c. (all ages) | 981 | 1,074 | 1,235 | 937 | 887 | 1,117 | 1,168 | 919 | 897 | 1,019 | 1,046 |
| 30 | Appendicitis | 430 | 452 | 433 | 480 | 451 | 437 | 509 | 432 | 476 | 499 | 423 |
| 31 (1) | Cirrhosis of liver | 203 | 196 | 176 | 160 | 150 | 131 | 160 | 148 | 172 | 171 | 152 |
| 31 (2) | Other diseases of liver, &c. | 396 | 388 | 397 | 387 | 411 | 373 | 382 | 381 | 403 | 346 | 379 |
| 32 (2) | Other digestive diseases. | 962 | 977 | 1,054 | 1,070 | 1,027 | 1,140 | 992 | 1,027 | 1,048 | 1,131 | 1,129 |
| 33 | Acute and chronic nephritis | 1,769 | 1,885 | 1,776 | 1,759 | 1,922 | 1,749 | 1,804 | 1,797 | 1,954 | 2,023 | 1,914 |
| 34 | Other diseases of genito-urinary system | 968 | 1,036 | 1,023 | 1,054 | 926 | 880 | 882 | 873 | 857 | 849 | 935 |
| 35 | Puerperal sepsis | 150 | 144 | 195 | 227 | 238 | 212 | 243 | 208 | 221 | 221 | 234 |
| 36 | Other puerperal causes† | 282 | 280 | 299 | 327 | 313 | 300 | 333 | 337 | 436 | 417 | 442 |
| 37 | Diseases of skin and locomotor system | 351 | 460 | 459 | 401 | 422 | 411 | 413 | 465 | 461 | 392 | 378 |
| 38 | Congenital debility, prem. birth, malformations, &c. | 3,144 | 3,409 | 3,420 | 3,449 | 3,367 | 3,412 | 3,460 | 3,509 | 3,519 | 3,671 | 3,619 |
| 39 | Old age | 2,304 | 2,494 | 2,432 | 2,584 | 2,681 | 2,708 | 2,934 | 2,924 | 2,849 | 3,441 | 3,310 |
| 40 | Suicide | 460 | 453 | 496 | 467 | 532 | 523 | 500 | 493 | 495 | 474 | 474 |
| 42 | Other violence (41) | 2,418 | 2,567 | 2,330 | 2,238 | 2,291 | 2,313 | 2,311 | 2,237 | 2,565 | 2,520 | 2,440 |
| 43 | Causes ill-defined or unknown | 991 | 1,010 | 1,095 | 1,119 | 1,018 | 953 | 1,095 | 1,124 | 933 | 1,022 | 1,081 |
| | ALL CAUSES | 62,953 | 68,942 | 66,749 | 65,331 | 63,741 | 64,843 | 66,045 | 64,229 | 64,285 | 70,917 | 65,271 |
| | AGES AT DEATH. | | | | | | | | | | | |
| | Under 1 | 6,163 | 7,050 | 7,315 | 6,754 | 6,901 | 7,019 | 7,840 | 7,544 | 7,852 | 8,061 | 8,299 |
| | 1-4 | 2,098 | 2,195 | 2,437 | 2,202 | 2,961 | 2,633 | 3,386 | 3,306 | 3,426 | 4,140 | 4,247 |
| | 5-9 | 769 | 851 | 877 | 918 | 1,137 | 995 | 1,108 | 1,107 | 1,195 | 1,160 | 1,240 |
| | 10-14 | 576 | 603 | 624 | 726 | 747 | 745 | 719 | 657 | 737 | 736 | 728 |
| | 15-24 | 2,150 | 2,362 | 2,292 | 2,256 | 2,295 | 2,439 | 2,501 | 2,534 | 2,489 | 2,783 | 2,675 |
| | 25-34 | 2,478 | 2,862 | 2,666 | 2,759 | 2,904 | 2,960 | 2,950 | 2,798 | 2,831 | 3,170 | 3,026 |
| | 35-44 | 3,295 | 3,656 | 3,533 | 3,555 | 3,439 | 3,599 | 3,715 | 3,499 | 3,765 | 4,201 | 3,739 |
| | 45-54 | 5,462 | 5,951 | 5,895 | 5,653 | 5,593 | 5,789 | 5,714 | 5,631 | 5,784 | 6,524 | 5,804 |
| | 55-64 | 9,750 | 10,514 | 10,023 | 9,922 | 9,714 | 9,794 | 9,600 | 9,417 | 9,408 | 10,209 | 9,135 |
| | 65-74 | 14,697 | 15,861 | 14,972 | 14,587 | 13,570 | 14,035 | 13,814 | 13,521 | 13,275 | 14,609 | 13,001 |
| | 75-84 | 12,258 | 13,353 | 12,709 | 12,572 | 11,427 | 11,676 | 11,539 | 11,048 | 10,464 | 11,839 | 10,313 |
| | 85 and over | 3,257 | 3,632 | 3,406 | 3,425 | 3,053 | 3,158 | 3,159 | 3,167 | 3,054 | 3,485 | 3,063 |
| | Not stated | .. | 2 | .. | 2 | .. | 1 | .. | .. | 5 | .. | 1 |
| | ALL AGES | 62,953 | 68,942 | 66,749 | 65,331 | 63,741 | 64,843 | 66,045 | 64,229 | 64,285 | 70,917 | 65,271 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Cerebral softening is included with cerebral hæmorrhage from 1931 onwards.

‡ Post abortive sepsis is included with puerperal sepsis from 1931 onwards.

TABLE 24.—Death-rates from Selected Causes and in Age Groups in Scotland, 1928-1938.

| Internal- tional Nos. Short List. | | 1938. | 1937. | 1936. | 1935. | 1934. | 1933. | 1932. | 1931. | 1930. | 1929. | 1928. |
|---|---|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CAUSES OF DEATH. | | DEATH-RATE PER 100,000 OF POPULATION. | | | | | | | | | | |
| 1 | Typhoid fever (including paratyphoid) | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 4 | Measles | 11 | 2 | 12 | 3 | 21 | 1 | 18 | 13 | 16 | 3 | 21 |
| 5 | Scarlet fever | 2 | 2 | 3 | 4 | 7 | 6 | 5 | 3 | 3 | 2 | 3 |
| 6 | Whooping-cough | 4 | 14 | 8 | 11 | 8 | 16 | 9 | 20 | 13 | 19 | 22 |
| 7 | Diphtheria | 9 | 9 | 8 | 10 | 12 | 7 | 8 | 7 | 10 | 10 | 10 |
| 8 | Influenza | 8 | 54 | 13 | 29 | 12 | 41 | 35 | 26 | 14 | 71 | 20 |
| 14 (1) | Cerebro-spinal fever | 2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 5 | 6 | 3 |
| 14 (2) | Other epidemic dis. (2, 3, 9)* | 4 | 5 | 6 | 6 | 6 | 7 | 6 | 6 | 7 | 7 | 7 |
| 10 | Tuberculosis of respiratory system | 52 | 56 | 55 | 57 | 57 | 60 | 61 | 62 | 63 | 68 | 68 |
| 11 | Other tuberculous diseases | 17 | 18 | 18 | 17 | 18 | 20 | 23 | 25 | 26 | 27 | 29 |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 5 | 6 | 6 | 7 |
| 15 | Cancer, malignant disease | 162 | 157 | 159 | 157 | 153 | 153 | 153 | 148 | 147 | 147 | 142 |
| 18 | Diabetes mellitus | 17 | 17 | 16 | 15 | 15 | 14 | 14 | 14 | 13 | 13 | 11 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 31 | 31 | 31 | 31 | 31 | 30 | 32 | 29 | 28 | 31 | 31 |
| 22 | Cerebral hæmorrhage, &c. | 125 | 129 | 128 | 131 | 134 | 147 | 148 | 141 | 135 | 139 | 131 |
| 23 | Other dis. of nerv. syst. and sense organs (21)† | 30 | 32 | 35 | 34 | 35 | 36 | 37 | 40 | 42 | 44 | 45 |
| 24 | Heart disease | 283 | 289 | 276 | 253 | 232 | 214 | 197 | 197 | 185 | 188 | 175 |
| 25 | Other circulatory diseases | 26 | 28 | 30 | 29 | 28 | 28 | 30 | 25 | 28 | 29 | 27 |
| 26 | Bronchitis | 49 | 66 | 67 | 62 | 55 | 67 | 70 | 76 | 78 | 98 | 72 |
| 27 | Pneumonia (all forms) | 77 | 98 | 97 | 93 | 92 | 94 | 111 | 102 | 113 | 148 | 118 |
| 28 | Other respiratory diseases | 16 | 19 | 19 | 18 | 17 | 18 | 20 | 18 | 21 | 22 | 21 |
| 32 (1) | Gastric and duodenal ulcer | 14 | 14 | 13 | 13 | 12 | 12 | 12 | 12 | 14 | 13 | 12 |
| 29 | Diarrhoea, &c. (all ages) | 20 | 22 | 25 | 19 | 18 | 23 | 24 | 19 | 19 | 21 | 22 |
| 30 | Appendicitis | 9 | 9 | 9 | 10 | 9 | 9 | 10 | 10 | 10 | 10 | 9 |
| 31 (1) | Cirrhosis of liver | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 3 |
| 31 (2) | Other diseases of liver, &c. | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 7 | 8 |
| 32 (2) | Other digestive diseases | 19 | 20 | 21 | 22 | 21 | 23 | 20 | 21 | 22 | 23 | 23 |
| 33 | Acute and chronic nephritis | 35 | 38 | 36 | 36 | 39 | 36 | 37 | 37 | 40 | 42 | 39 |
| 34 | Other diseases of genito-urinary system | 19 | 21 | 21 | 21 | 19 | 18 | 18 | 18 | 18 | 18 | 19 |
| 35 | Puerperal sepsis | 3 | 3 | 4 | 5 | 5 | 4 | 5 | 4 | 5 | 5 | 5 |
| 36 | Other puerperal causes† | 6 | 6 | 6 | 7 | 6 | 6 | 7 | 7 | 9 | 9 | 9 |
| 37 | Diseases of skin and locomotor system | 7 | 9 | 9 | 8 | 9 | 8 | 8 | 10 | 10 | 8 | 8 |
| 38 | Congen. debil., prem. birth, malform., &c. | 63 | 69 | 69 | 70 | 68 | 69 | 71 | 72 | 73 | 76 | 75 |
| 39 | Old age | 46 | 50 | 49 | 52 | 54 | 55 | 60 | 60 | 59 | 71 | 68 |
| 40 | Suicide | 9 | 9 | 10 | 9 | 11 | 11 | 10 | 10 | 10 | 10 | 10 |
| 42 | Other violence (41) | 48 | 52 | 47 | 45 | 46 | 47 | 47 | 46 | 53 | 52 | 50 |
| 43 | Causes ill-defined or unknown | 20 | 20 | 22 | 23 | 21 | 20 | 22 | 23 | 20 | 21 | 22 |
| ALL CAUSES | | 1,261 | 1,385 | 1,344 | 1,319 | 1,292 | 1,320 | 1,353 | 1,326 | 1,331 | 1,468 | 1,346 |
| AGES AT DEATH. | | DEATH-RATE PER 1000 OF AGE-GROUP POPULATION. § | | | | | | | | | | |
| Under 1 | | 73·8 | 85·0 | 87·2 | 81·1 | 83·4 | 84·0 | 90·3 | 87·6 | 91·7 | 93·0 | 93·7 |
| 1-4 | | 6·6 | 6·9 | 7·6 | 6·8 | 9·0 | 8·0 | 10·2 | 9·8 | 10·0 | 11·8 | 11·5 |
| 5-9 | | 1·9 | 2·1 | 2·1 | 2·2 | 2·7 | 2·3 | 2·5 | 2·4 | 2·6 | 2·4 | 2·6 |
| 10-14 | | 1·3 | 1·4 | 1·4 | 1·6 | 1·6 | 1·6 | 1·6 | 1·5 | 1·8 | 1·9 | 1·7 |
| 15-24 | | 2·5 | 2·8 | 2·7 | 2·7 | 2·8 | 2·9 | 2·9 | 2·9 | 2·9 | 3·2 | 3·0 |
| 25-34 | | 3·1 | 3·6 | 3·4 | 3·5 | 3·7 | 3·8 | 3·9 | 3·8 | 3·9 | 4·4 | 4·2 |
| 35-44 | | 4·9 | 5·6 | 5·4 | 5·6 | 5·5 | 5·8 | 6·0 | 5·8 | 6·2 | 7·0 | 6·2 |
| 45-54 | | 9·9 | 10·8 | 10·7 | 10·3 | 10·1 | 10·5 | 10·4 | 10·3 | 10·5 | 11·9 | 10·5 |
| 55-64 | | 20·8 | 22·5 | 21·6 | 21·7 | 21·5 | 22·0 | 21·9 | 21·9 | 22·4 | 24·6 | 22·4 |
| 65-74 | | 50·6 | 56·0 | 53·9 | 53·6 | 50·6 | 53·2 | 53·2 | 53·0 | 52·7 | 59·5 | 54·1 |
| 75-84 | | 120·2 | 132·7 | 128·5 | 130·0 | 120·8 | 126·5 | 128·6 | 127·4 | 125·8 | 141·7 | 123·8 |
| 85 and over | | 278·4 | 307·3 | 280·2 | 280·3 | 255·6 | 267·5 | 270·1 | 274·6 | 266·6 | 307·4 | 272·6 |
| Not stated | | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| ALL AGES | | 12·6 | 13·9 | 13·4 | 13·2 | 12·9 | 13·2 | 13·5 | 13·3 | 13·3 | 14·7 | 13·5 |

*, †, ‡. See footnotes, Table 23.

§ The rates shown in this Table have been based on a revised age distribution of the population from 1928 to 1936.

TABLE 25.—DEATHS in SCOTLAND from PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1938. Quinquennial averages.

| YEAR. | NUMBER OF DEATHS FROM | | | | | | | | | | | | | | |
|-----------|-----------------------|---------------|------------|----------|----------------|-----------------|-------------|---------------|--------------|-----------|---------|--------------|-------------|---------------------------|-----------|
| | Typhoid Fever.* | Typhus Fever. | Small-pox. | Measles. | Scarlet Fever. | Whooping-Cough. | Diphtheria. | Tuberculosis. | | Syphilis. | Cancer. | Bronchitis.† | Pneumonia.† | All Diarrhoeal Diseases.† | Violence. |
| | | | | | | | | All Forms. | Respiratory. | | | | | | |
| 1855-60 | 2573 | | 995 | 1223 | 2766 | 2035 | 1226 | 10,140 | 7194 | 87 | 953 | 3538 | 2104 | 2976 | 2034 |
| 1861-65 | 3633 | | 992 | 1377 | 2423 | 2193 | 2549 | 11,171 | 7914 | 134 | 1207 | 5768 | 2071 | 2604 | 2216 |
| 1866-70 | 1346 | 1799 | 99 | 1206 | 3427 | 2064 | 1587 | 11,983 | 8472 | 180 | 1348 | 7095 | 2284 | 3212 | 2273 |
| 1871-75 | 1406 | 779 | 1268 | 1311 | 3591 | 2015 | 2090 | 12,262 | 8535 | 201 | 1569 | 8680 | 3072 | 3202 | 2756 |
| 1876-80 | 1341 | 276 | 20 | 1166 | 1873 | 2347 | 1733 | 12,213 | 8338 | 218 | 1792 | 8762 | 3135 | 3061 | 2686 |
| 1881-85 | 1029 | 162 | 17 | 1359 | 1340 | 2273 | 1680 | 11,099 | 7998 | 246 | 2058 | 7916 | 4075 | 2766 | 2725 |
| 1886-90 | 765 | 91 | 10 | 1628 | 882 | 2425 | 1623 | 10,192 | 7436 | 229 | 2441 | 7509 | 4270 | 2734 | 2628 |
| 1891-95 | 761 | 57 | 51 | 2110 | 811 | 2151 | 1513 | 9,935 | 7169 | 194 | 2831 | 7600 | 5229 | 3215 | 2842 |
| 1896-1900 | 716 | 39 | 14 | 1857 | 756 | 2206 | 921 | 10,149 | 7151 | 213 | 3351 | 6238 | 5656 | 3825 | 3128 |
| 1901-05 | 521 | 25 | 118 | 1470 | 403 | 2222 | 770 | 9,790 | 6618 | 206 | 3845 | 5570 | 6578 | 3166 | 3084 |
| 1906-10 | 322 | 14 | 2 | 1647 | 399 | 1841 | 839 | 9,464 | 6079 | 229 | 4663 | 5017 | 6717 | 2697 | 2941 |
| 1911-15 | 207 | 8 | 5 | 1583 | 649 | 1951 | 857 | 8,011 | 5214 | 208 | 5207 | 5046 | 6132 | 2502 | 3105 |
| 1916-20 | 109 | 10 | 31 | 1264 | 287 | 1330 | 734 | 7,073 | 4781 | 196 | 5574 | 4999 | 8545 | 1820 | 3014 |
| 1921 | 87 | 4 | 24 | 269 | 270 | 1478 | 611 | 5,737 | 3970 | 199 | 5962 | 4135 | 5393 | 1991 | 2702 |
| 1922 | 65 | 7 | - | 2695 | 247 | 1408 | 536 | 5,818 | 4061 | 162 | 6133 | 5730 | 8265 | 1244 | 2444 |
| 1923 | 67 | 1 | - | 1118 | 352 | 989 | 492 | 5,790 | 3996 | 168 | 6376 | 3635 | 4840 | 1159 | 2469 |
| 1924 | 34 | - | - | 1592 | 410 | 1625 | 442 | 5,653 | 3887 | 151 | 6498 | 4843 | 7691 | 1147 | 2599 |
| 1925 | 52 | 4 | - | 512 | 404 | 1737 | 505 | 5,390 | 3734 | 114 | 6675 | 4191 | 5821 | 1168 | 2817 |
| 1921-25 | 61 | 3 | 5 | 1237 | 337 | 1447 | 517 | 5,678 | 3930 | 159 | 6329 | 4507 | 6402 | 1342 | 2606 |
| 1926 | 39 | 3 | - | 928 | 343 | 506 | 490 | 4,861 | 3384 | 147 | 6640 | 3771 | 5844 | 1084 | 2657 |
| 1927 | 41 | 2 | - | 660 | 200 | 850 | 485 | 4,868 | 3466 | 104 | 6919 | 4231 | 6642 | 976 | 2957 |
| 1928 | 29 | - | - | 1005 | 140 | 1072 | 488 | 4,722 | 3318 | 126 | 6901 | 3585 | 6098 | 1016 | 2914 |
| 1929 | 18 | - | - | 149 | 109 | 901 | 471 | 4,580 | 3238 | 125 | 7108 | 5344 | 8778 | 959 | 2994 |
| 1930 | 24 | 1 | 2 | 792 | 127 | 628 | 460 | 4,286 | 3024 | 119 | 7120 | 3869 | 5958 | 854 | 3060 |
| 1926-30 | 30 | 1 | 0 | 707 | 184 | 791 | 479 | 4,663 | 3296 | 124 | 6938 | 4160 | 6664 | 978 | 2916 |
| 1931 | 31 | 1 | - | 641 | 161 | 957 | 356 | 4,205 | 3004 | 112 | 7158 | 3879 | 5417 | 885 | 2730 |
| 1932 | 32 | - | - | 892 | 250 | 459 | 368 | 4,123 | 2991 | 115 | 7458 | 3645 | 6163 | 1129 | 2811 |
| 1933 | 30 | - | - | 36 | 310 | 762 | 356 | 3,910 | 2930 | 79 | 7520 | 3629 | 5435 | 1067 | 2836 |
| 1934 | 22 | 1 | - | 1014 | 345 | 383 | 583 | 3,702 | 2794 | 103 | 7561 | 2804 | 4749 | 847 | 2823 |
| 1935 | 45 | - | - | 141 | 199 | 567 | 513 | 3,646 | 2812 | 102 | 7793 | 3239 | 5222 | 875 | 2705 |
| 1931-35 | 32 | 0 | - | 545 | 253 | 626 | 435 | 3,917 | 2906 | 102 | 7498 | 3439 | 5397 | 961 | 2781 |
| 1936 | 39 | - | - | 610 | 172 | 411 | 387 | 3,665 | 2753 | 82 | 7909 | 3411 | 5093 | 1209 | 2826 |
| 1937 | 16 | - | - | 119 | 123 | 717 | 426 | 3,663 | 2791 | 79 | 7810 | 3650 | 6131 | 1038 | 3020 |
| 1938 | 27 | - | - | 549 | 98 | 219 | 430 | 3,432 | 2581 | 73 | 8072 | 2494 | 4002 | 960 | 2878 |

* Including Paratyphoid fever from 1931.

† Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given.

‡ Including Dysentery.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 26.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1938. Quinquennial averages.

| YEAR. | Typhoid Fever.* | | Typhus Fever. | Small-pox. | Measles. | Scarlet Fever. | Whooping-cough. | Diphtheria. | Tuberculosis. | | Syphilis. | Cancer. | Bronchitis. † | Pneumonia. † | All Diarrhoeal Diseases. ‡ | Violence. |
|-----------|-----------------|--------------|---------------|------------|----------|----------------|-----------------|-------------|---------------|-----|-----------|---------|---------------|--------------|----------------------------|-----------|
| | All Forms. | Respiratory. | | | | | | | | | | | | | | |
| 1855-60 | 92 | | | 36 | 44 | 98 | 72 | 43 | 360 | 255 | 3 | 34 | 125 | 75 | 106 | 72 |
| 1861-65 | 122 | | | 33 | 46 | 81 | 73 | 85 | 375 | 266 | 4 | 40 | 194 | 70 | 88 | 74 |
| 1866-70 | 43 | 57 | 3 | 38 | 109 | 66 | 51 | 51 | 382 | 270 | 6 | 43 | 226 | 73 | 102 | 72 |
| 1871-75 | 42 | 23 | 38 | 39 | 106 | 60 | 62 | 62 | 365 | 254 | 6 | 47 | 258 | 91 | 95 | 82 |
| 1876-80 | 38 | 8 | 0 | 33 | 52 | 66 | 49 | 49 | 343 | 234 | 6 | 50 | 246 | 88 | 86 | 76 |
| 1881-85 | 27 | 4 | 0 | 36 | 36 | 61 | 45 | 45 | 296 | 213 | 6 | 55 | 211 | 109 | 74 | 73 |
| 1886-90 | 20 | 2 | 0 | 41 | 23 | 62 | 41 | 41 | 261 | 190 | 6 | 62 | 192 | 109 | 70 | 67 |
| 1891-95 | 19 | 1 | 1 | 51 | 20 | 53 | 37 | 37 | 243 | 175 | 5 | 69 | 186 | 128 | 79 | 70 |
| 1896-1900 | 17 | 1 | 0 | 43 | 18 | 51 | 22 | 22 | 235 | 166 | 5 | 78 | 145 | 131 | 89 | 73 |
| 1901-05 | 11 | 0 | 3 | 32 | 9 | 49 | 17 | 17 | 218 | 148 | 5 | 86 | 124 | 146 | 71 | 69 |
| 1906-10 | 7 | 0 | 0 | 35 | 9 | 40 | 18 | 18 | 204 | 131 | 5 | 100 | 108 | 144 | 58 | 63 |
| 1911-15 | 5 | 0 | 0 | 33 | 13 | 41 | 18 | 18 | 169 | 110 | 5 | 110 | 106 | 129 | 53 | 65 |
| 1916-20 | 2 | 0 | 1 | 26 | 6 | 28 | 15 | 15 | 147 | 99 | 4 | 116 | 104 | 177 | 38 | 63 |
| 1921 | 2 | 0 | 0 | 6 | 6 | 30 | 13 | 118 | 81 | 4 | 122 | 85 | 110 | 41 | 55 | |
| 1922 | 1 | 0 | - | 55 | 5 | 29 | 11 | 119 | 83 | 3 | 125 | 117 | 169 | 25 | 50 | |
| 1923 | 1 | 0 | - | 23 | 7 | 20 | 10 | 118 | 82 | 3 | 130 | 74 | 99 | 24 | 51 | |
| 1924 | 1 | - | - | 33 | 8 | 33 | 9 | 116 | 80 | 3 | 134 | 100 | 158 | 24 | 53 | |
| 1925 | 1 | 0 | - | 11 | 8 | 36 | 10 | 111 | 77 | 2 | 137 | 86 | 120 | 24 | 58 | |
| 1921-25 | 1 | 0 | 0 | 26 | 7 | 30 | 11 | 117 | 81 | 3 | 130 | 92 | 131 | 28 | 53 | |
| 1926 | 1 | 0 | - | 19 | 7 | 10 | 10 | 100 | 70 | 3 | 137 | 78 | 120 | 22 | 55 | |
| 1927 | 1 | 0 | - | 14 | 4 | 18 | 10 | 100 | 71 | 2 | 143 | 87 | 137 | 20 | 61 | |
| 1928 | 1 | - | - | 21 | 3 | 22 | 10 | 97 | 68 | 3 | 142 | 74 | 126 | 21 | 60 | |
| 1929 | 0 | - | - | 3 | 2 | 19 | 10 | 95 | 68 | 3 | 147 | 111 | 182 | 20 | 62 | |
| 1930 | 0 | 0 | 0 | 16 | 3 | 13 | 10 | 89 | 63 | 2 | 147 | 80 | 123 | 18 | 63 | |
| 1926-30 | 1 | 0 | - | 15 | 4 | 16 | 10 | 96 | 68 | 3 | 143 | 86 | 137 | 20 | 60 | |
| 1931 | 1 | 0 | - | 13 | 3 | 20 | 7 | 87 | 62 | 2 | 148 | 80 | 112 | 18 | 56 | |
| 1932 | 1 | - | - | 18 | 5 | 9 | 8 | 84 | 61 | 2 | 153 | 75 | 126 | 23 | 58 | |
| 1933 | 1 | - | - | 1 | 6 | 16 | 7 | 80 | 60 | 2 | 153 | 74 | 111 | 22 | 53 | |
| 1934 | 0 | 0 | - | 21 | 7 | 8 | 12 | 75 | 57 | 2 | 153 | 57 | 96 | 17 | 57 | |
| 1935 | 1 | - | - | 3 | 4 | 11 | 10 | 74 | 57 | 2 | 157 | 65 | 105 | 13 | 55 | |
| 1931-35 | 1 | 0 | - | 11 | 5 | 13 | 9 | 80 | 59 | 2 | 153 | 70 | 110 | 20 | 57 | |
| 1936 | 1 | - | - | 12 | 3 | 8 | 8 | 74 | 55 | 2 | 159 | 69 | 103 | 24 | 57 | |
| 1937 | 0 | - | - | 2 | 2 | 14 | 9 | 74 | 56 | 2 | 157 | 73 | 123 | 21 | 61 | |
| 1938 | 1 | - | - | 11 | 2 | 4 | 9 | 69 | 52 | 1 | 162 | 50 | 80 | 19 | 58 | |

*, †, ‡. See footnotes, Table 25.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 27.—Deaths and Death-rates from Puerperal Conditions in Scotland in 1938.

| | Births. | Deaths from all Puerperal Conditions. | Deaths from Puerperal Sepsis. | Deaths from other Puerperal Conditions. | Death-rate per 1000 Births. | | |
|----------------------------------|---------------|--|--|---|---------------------------------|----------------------|-----------------------------------|
| | | | | | All Puerperal Conditions. | Puerperal Sepsis. | Other Puerperal Conditions. |
| SCOTLAND . . . | 88,627 | 432 | 150 | 282 | 4·9 | 1·7 | 3·2 |
| LARGE BURGHS . . . | 50,480 | 264 | 101 | 163 | 5·2 | 2·0 | 3·2 |
| SMALL BURGHS . . . | 12,480 | 59 | 15 | 44 | 4·7 | 1·2 | 3·5 |
| LANDWARD . . . | 25,667 | 109 | 34 | 75 | 4·2 | 1·3 | 2·9 |
| ABERDEEN COUNTY * . . . | 5,733 | 18 | 8 | 10 | 3·1 | 1·4 | 1·7 |
| Aberdeen Burgh . . . | 3,008 | 14 | 7 | 7 | 4·7 | 2·3 | 2·3 |
| Remainder of County . . . | 2,725 | 4 | 1 | 3 | 1·5 | 0·4 | 1·1 |
| ANGUS COUNTY . . . | 4,477 | 22 | 12 | 10 | 4·9 | 2·7 | 2·2 |
| Arbroath Burgh . . . | 254 | — | — | — | — | — | — |
| Dundee Burgh . . . | 3,124 | 18 | 10 | 8 | 5·8 | 3·2 | 2·6 |
| Remainder of County . . . | 1,099 | 4 | 2 | 2 | 3·6 | 1·8 | 1·8 |
| ARGYLL COUNTY . . . | 842 | 5 | 3 | 2 | 5·9 | 3·6 | 2·4 |
| AYR COUNTY . . . | 5,444 | 28 | 10 | 18 | 5·1 | 1·8 | 3·3 |
| Ayr Burgh . . . | 684 | 5 | 1 | 4 | 7·3 | 1·5 | 5·8 |
| Kilmarnock Burgh . . . | 769 | 4 | 2 | 2 | 5·2 | 2·6 | 2·6 |
| Remainder of County . . . | 3,991 | 19 | 7 | 12 | 4·8 | 1·8 | 3·0 |
| BANFF COUNTY . . . | 965 | 2 | — | 2 | 2·1 | — | 2·1 |
| BERWICK COUNTY . . . | 328 | — | — | — | — | — | — |
| BUTE COUNTY . . . | 204 | 1 | — | 1 | 4·9 | — | 4·9 |
| CAITHNESS COUNTY . . . | 458 | 1 | 1 | — | 2·2 | 2·2 | — |
| CLACKMANNAN COUNTY . . . | 558 | 2 | 1 | 1 | 3·6 | 1·8 | 1·8 |
| DUNBARTON COUNTY . . . | 2,656 | 5 | 2 | 3 | 1·9 | 0·8 | 1·1 |
| Clydebank Burgh . . . | 871 | 1 | 1 | — | 1·1 | 1·1 | — |
| Dumbarton Burgh . . . | 418 | 3 | — | 3 | 7·2 | — | 7·2 |
| Remainder of County . . . | 1,367 | 1 | 1 | — | 0·7 | 0·7 | — |
| DUMFRIES COUNTY . . . | 1,266 | 11 | 2 | 9 | 8·7 | 1·6 | 7·1 |
| Dumfries Burgh . . . | 368 | 4 | 1 | 3 | 10·9 | 2·7 | 8·2 |
| Remainder of County . . . | 898 | 7 | 1 | 6 | 7·8 | 1·1 | 6·7 |
| EAST LOTHIAN COUNTY . . . | 782 | 3 | 1 | 2 | 3·8 | 1·3 | 2·6 |
| FIFE COUNTY . . . | 4,729 | 19 | 2 | 17 | 4·0 | 0·4 | 3·6 |
| Dunfermline Burgh . . . | 547 | — | — | — | — | — | — |
| Kirkcaldy Burgh . . . | 764 | 6 | 1 | 5 | 7·9 | 1·3 | 6·5 |
| Remainder of County . . . | 3,418 | 13 | 1 | 12 | 3·8 | 0·3 | 3·5 |
| INVERNESS COUNTY . . . | 1,253 | 5 | 1 | 4 | 4·0 | 0·8 | 3·2 |
| Inverness Burgh . . . | 388 | 2 | — | 2 | 5·2 | — | 5·2 |
| Remainder of County . . . | 865 | 3 | 1 | 2 | 3·5 | 1·2 | 2·3 |
| KINCARDINE COUNTY * . . . | 427 | 2 | 2 | — | 4·7 | 4·7 | — |

* See footnote Table 4.

Note.—Some of the rates in this Table are based on very few observations and are therefore of limited value.

TABLE 27—continued.

| | Births. | Deaths from all Puerperal Conditions. | Deaths from Puerperal Sepsis. | Deaths from other Puerperal Conditions. | Death-rate per 1000 Births. | | |
|------------------------------------|---------|--|--|---|---------------------------------|----------------------|-----------------------------------|
| | | | | | All Puerperal Conditions. | Puerperal Sepsis. | Other Puerperal Conditions. |
| KINROSS COUNTY . . | 111 | — | — | — | — | — | — |
| KIRKCUDBRIGHT COUNTY | 486 | 1 | 1 | — | 2·1 | 2·1 | — |
| LANARK COUNTY . . | 32,201 | 178 | 66 | 112 | 5·5 | 2·0 | 3·5 |
| Airdrie Burgh . . | 605 | 3 | — | 3 | 5·0 | — | 5·0 |
| Coatbridge Burgh . . | 1,034 | 5 | 3 | 2 | 4·8 | 2·9 | 1·9 |
| Glasgow Burgh . . | 21,982 | 125 | 51 | 74 | 5·7 | 2·3 | 3·4 |
| Hamilton Burgh . . | 906 | 4 | — | 4 | 4·4 | — | 4·4 |
| Motherwell and Wishaw Burgh . . | 1,322 | 5 | 2 | 3 | 3·8 | 1·5 | 2·3 |
| Rutherglen Burgh . . | 363 | 2 | — | 2 | 5·5 | — | 5·5 |
| Remainder of County . | 5,989 | 34 | 10 | 24 | 5·7 | 1·7 | 4·0 |
| MIDLOTHIAN COUNTY . . | 9,030 | 49 | 20 | 29 | 5·4 | 2·2 | 3·2 |
| Edinburgh Burgh . . | 7,547 | 41 | 17 | 24 | 5·4 | 2·3 | 3·2 |
| Remainder of County . | 1,483 | 8 | 3 | 5 | 5·4 | 2·0 | 3·4 |
| MORAY COUNTY . . | 736 | 5 | 2 | 3 | 6·8 | 2·7 | 4·1 |
| NAIRN COUNTY . . | 147 | 1 | — | 1 | 6·8 | — | 6·8 |
| ORKNEY COUNTY . . | 324 | 2 | — | 2 | 6·2 | — | 6·2 |
| PEEBLES COUNTY . . | 187 | 1 | — | 1 | 5·3 | — | 5·3 |
| PERTH COUNTY . . | 1,709 | 8 | 2 | 6 | 4·7 | 1·2 | 3·5 |
| Perth Burgh . . | 548 | 3 | 1 | 2 | 5·5 | 1·8 | 3·6 |
| Remainder of County . | 1,161 | 5 | 1 | 4 | 4·3 | 0·9 | 3·4 |
| RENFREW COUNTY . . | 5,734 | 25 | 7 | 18 | 4·4 | 1·2 | 3·1 |
| Greenock Burgh . . | 1,644 | 6 | 2 | 4 | 3·6 | 1·2 | 2·4 |
| Paisley Burgh . . | 1,706 | 9 | — | 9 | 5·3 | — | 5·3 |
| Port-Glasgow Burgh . | 466 | 2 | 2 | — | 4·3 | 4·3 | — |
| Remainder of County . | 1,918 | 8 | 3 | 5 | 4·2 | 1·6 | 2·6 |
| ROSS & CROMARTY COUNTY | 940 | 8 | 1 | 7 | 8·5 | 1·1 | 7·4 |
| ROXBURGH COUNTY . . | 600 | 3 | 1 | 2 | 5·0 | 1·7 | 3·3 |
| SELKIRK COUNTY . . | 257 | 2 | 1 | 1 | 7·8 | 3·9 | 3·9 |
| STIRLING COUNTY . . | 3,231 | 11 | 1 | 10 | 3·4 | 0·3 | 3·1 |
| Falkirk Burgh . . | 677 | 1 | — | 1 | 1·5 | — | 1·5 |
| Stirling Burgh . . | 485 | 1 | — | 1 | 2·1 | — | 2·1 |
| Remainder of County . | 2,069 | 9 | 1 | 8 | 4·3 | 0·5 | 3·9 |
| SUTHERLAND COUNTY . . | 240 | 2 | 1 | 1 | 8·3 | 4·2 | 4·2 |
| WEST LOTHIAN COUNTY . | 1,662 | 10 | 2 | 8 | 6·0 | 1·2 | 4·8 |
| WIGTOWN COUNTY . . | 632 | — | — | — | — | — | — |
| ZETLAND COUNTY . . | 278 | 2 | — | 2 | 7·2 | — | 7·2 |

TABLE 28.—Deaths from Malignant Disease in Scotland in 1938.

| International List No. | LOCATION. | All Ages. | 0- | 5- | 15- | 25- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85 and over |
|---------------------------|--|--------------|--------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|
| | | | MALES. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | All Sites | 3667 | 5 | 8 | 27 | 52 | 57 | 104 | 154 | 303 | 422 | 550 | 715 | 610 | 408 | 200 | 52 |
| 45 | Lip | 34 | - | - | - | - | - | - | - | - | 2 | 4 | 2 | 7 | 10 | 6 | 3 |
| | Mouth | 68 | - | - | - | 1 | - | 1 | 1 | 5 | 7 | 15 | 16 | 14 | 3 | 4 | 1 |
| | Tongue | 104 | - | - | - | - | - | 1 | - | 4 | 15 | 26 | 27 | 20 | 8 | 3 | - |
| | Jaw | 53 | - | - | - | - | 1 | - | - | 4 | 10 | 9 | 9 | 11 | 4 | 5 | - |
| | Salivary Glands, Parotid | 6 | - | - | - | - | - | - | - | 1 | - | - | 3 | - | 2 | - | - |
| | Tonsils | 16 | - | - | - | - | - | - | - | - | 1 | 5 | 5 | 3 | 1 | 1 | - |
| | Pharynx | 31 | - | - | - | - | - | - | - | 2 | 3 | 6 | 9 | 8 | 1 | 1 | 1 |
| | Buccal Cavity, &c.—TOTAL | 312 | - | - | - | 1 | 1 | 2 | 1 | 16 | 38 | 65 | 71 | 63 | 29 | 21 | 5 |
| 46 | Esophagus, Gullet | 157 | - | - | - | 2 | 1 | 2 | 5 | 8 | 22 | 35 | 29 | 22 | 20 | 11 | - |
| | Stomach, Pylorus | 887 | - | - | 2 | 16 | 15 | 27 | 32 | 88 | 114 | 147 | 181 | 141 | 90 | 27 | 7 |
| | Intestine | 605 | - | - | 3 | 6 | 9 | 8 | 19 | 40 | 59 | 76 | 125 | 105 | 90 | 55 | 10 |
| | Rectum | 284 | - | - | 2 | 6 | 4 | 4 | 5 | 22 | 36 | 50 | 59 | 44 | 29 | 15 | 8 |
| | Anus | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| | Liver, Gall Bladder | 196 | 1 | 1 | - | 2 | 2 | 10 | 16 | 13 | 11 | 31 | 43 | 33 | 22 | 8 | 3 |
| | Pancreas | 142 | - | - | 1 | 1 | - | 5 | 3 | 20 | 19 | 21 | 30 | 25 | 11 | 5 | 1 |
| | Peritoneum, Omentum, Mesentery | 17 | - | - | 1 | - | - | 1 | - | 1 | 3 | 3 | 2 | 5 | 1 | - | - |
| | Digestive Organs, &c.— TOTAL | 2290 | 1 | 1 | 9 | 33 | 31 | 57 | 80 | 192 | 264 | 364 | 470 | 375 | 263 | 121 | 29 |
| 47 | Larynx | 60 | - | - | - | 1 | 1 | 1 | 2 | 7 | 8 | 7 | 13 | 14 | 4 | 2 | - |
| | Lung | 284 | - | 1 | 3 | 6 | 12 | 26 | 39 | 46 | 52 | 29 | 37 | 17 | 10 | 4 | 2 |
| | Pleura | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| | Mediastinum | 44 | - | 1 | 1 | - | 2 | 3 | 2 | 5 | 6 | 4 | 11 | 5 | 4 | - | - |
| | Respiratory Organs—TOTAL | 389 | - | 2 | 4 | 7 | 15 | 30 | 43 | 58 | 66 | 40 | 61 | 36 | 18 | 7 | 2 |
| 50 | Breast | 4 | - | - | - | - | - | - | - | 2 | 1 | - | - | - | - | 1 | - |
| 51 | Kidney | 60 | 1 | 1 | 1 | 3 | 1 | 3 | 6 | 6 | 5 | 8 | 13 | 8 | 4 | - | - |
| | Bladder, Urethra | 95 | - | - | - | - | - | - | 4 | 13 | 10 | 15 | 15 | 18 | 12 | 7 | 1 |
| | Prostate | 221 | - | - | 1 | 1 | - | 1 | 1 | 3 | 15 | 24 | 37 | 60 | 47 | 26 | 5 |
| | Testis | 17 | - | - | - | 3 | 2 | - | 3 | 1 | - | 2 | 2 | 1 | 2 | - | 1 |
| | Penis | 19 | - | - | - | - | - | - | 2 | - | 1 | 2 | 4 | 6 | 2 | 1 | 1 |
| | Scrotum | 5 | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 2 | - |
| | Male Genito-Urinary Organs—TOTAL | 417 | 1 | 1 | 2 | 7 | 3 | 4 | 17 | 23 | 31 | 52 | 72 | 93 | 67 | 36 | 8 |
| 52 | Ear | 11 | - | - | - | - | - | - | - | - | - | - | 1 | 3 | 2 | 3 | 2 |
| | Nose | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | 1 |
| | Scalp and Face | 38 | - | - | - | - | - | - | - | - | 3 | 8 | 5 | 5 | 10 | 4 | 3 |
| | Skin | 12 | - | - | - | 1 | - | 3 | 1 | - | 1 | - | 1 | 2 | - | 3 | - |
| | Skin—TOTAL | 64 | - | - | - | 1 | - | 3 | 2 | - | 4 | 9 | 7 | 10 | 12 | 10 | 6 |
| 53 | Pelvis, Sacrum | 7 | 1 | - | - | - | 1 | 2 | - | - | - | 1 | 1 | - | 1 | - | - |
| | Rib and Sternum | 8 | - | - | - | - | 1 | - | 2 | 2 | - | - | 2 | - | - | 1 | - |
| | Skull and Spinal Column | 23 | 1 | 1 | 1 | - | 1 | 1 | 2 | 2 | 6 | 4 | 3 | 1 | - | - | - |
| | Arm and Leg | 45 | - | 1 | 7 | 3 | 2 | 2 | - | 5 | 3 | 4 | 3 | 6 | 6 | 2 | 1 |
| | Thyroid | 9 | - | - | - | - | - | - | 1 | - | - | 3 | 3 | 2 | - | - | - |
| | Throat | 18 | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 | 8 | 3 | 1 | - |
| | Heart | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Thorax | 3 | - | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| | Suprarenals | 2 | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| | Spleen | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| | Abdomen | 10 | - | - | - | - | - | 1 | - | 2 | - | 1 | 2 | 3 | 1 | - | - |
| | Brain | 6 | - | - | 1 | - | 1 | 1 | 1 | - | 1 | - | 1 | - | - | - | - |
| | Eye and Orbit | 4 | - | 1 | - | - | - | - | - | - | - | - | - | 2 | - | 1 | - |
| | Spinal Cord | 3 | - | - | - | - | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| | Lymphatic Glands | 42 | - | 1 | 2 | - | 1 | - | 4 | - | 5 | 3 | 12 | 6 | 7 | - | 1 |
| | Others | 6 | - | - | - | - | - | - | 1 | - | - | 1 | 2 | 2 | - | - | - |
| | Not stated | 3 | - | - | - | - | - | - | - | - | - | 1 | - | 2 | - | - | - |
| | Other or Unspecified Organs—TOTAL | 191 | 3 | 4 | 12 | 3 | 7 | 8 | 11 | 12 | 18 | 20 | 34 | 33 | 19 | 5 | 2 |

TABLE 28—continued.

| International List No. | LOCATION. | All Ages. | 0- | 5- | 15- | 25- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85 and over |
|---------------------------|--|--------------|----------|----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------------|
| | | | FEMALES. | | | | | | | | | | | | | | |
| | All Sites | 4405 | 3 | 5 | 17 | 77 | 100 | 171 | 227 | 406 | 531 | 644 | 663 | 648 | 510 | 269 | 134 |
| 45 | Lip | 6 | - | - | - | - | - | - | - | 1 | - | - | - | 2 | 3 | - | - |
| | Mouth | 20 | - | - | - | - | 1 | - | - | 2 | 1 | 4 | 4 | 2 | 6 | - | - |
| | Tongue | 11 | - | - | - | - | 1 | - | - | 1 | 2 | 3 | - | 2 | 1 | 1 | - |
| | Jaw | 18 | - | - | - | - | 1 | 1 | 1 | 2 | 1 | 3 | 2 | 4 | 2 | - | 1 |
| | Salivary Glands, Parotid | 11 | - | - | - | - | - | 1 | - | 1 | 1 | 3 | 1 | 2 | 1 | - | 1 |
| | Tonsils | 4 | - | - | 1 | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| | Pharynx | 23 | - | 1 | - | - | - | 1 | 1 | 3 | 6 | 5 | 3 | 3 | - | - | - |
| | Buccal Cavity, &c.—TOTAL | 93 | - | 1 | 1 | - | 3 | 3 | 2 | 10 | 13 | 18 | 11 | 15 | 13 | 1 | 2 |
| 46 | Esophagus, Gullet | 106 | - | - | - | 1 | 3 | 4 | 1 | 8 | 11 | 18 | 22 | 17 | 9 | 9 | 3 |
| | Stomach, Pylorus | 885 | - | - | 1 | 11 | 9 | 15 | 31 | 49 | 75 | 139 | 145 | 171 | 124 | 98 | 27 |
| | Intestine | 781 | - | - | 3 | 12 | 9 | 17 | 27 | 45 | 76 | 104 | 119 | 134 | 125 | 79 | 31 |
| | Rectum | 192 | - | - | 3 | 8 | 1 | 8 | 6 | 13 | 16 | 29 | 38 | 28 | 24 | 16 | 2 |
| | Anus | 2 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - |
| | Liver, Gall Bladder | 222 | - | - | - | - | 2 | 9 | 6 | 17 | 21 | 25 | 35 | 46 | 33 | 18 | 10 |
| | Pancreas | 128 | - | - | - | 1 | 3 | 2 | 1 | 7 | 20 | 28 | 20 | 21 | 18 | 2 | 5 |
| | Peritoneum, Omentum, Mesentery | 32 | 1 | - | 1 | 2 | 3 | 3 | 1 | 3 | 5 | 2 | 7 | 1 | 1 | 2 | - |
| | Digestive Organs, &c.— TOTAL | 2348 | 1 | - | 8 | 35 | 30 | 58 | 73 | 142 | 224 | 345 | 386 | 419 | 335 | 214 | 78 |
| 47 | Larynx | 34 | - | - | - | - | - | 3 | 1 | 3 | 5 | 7 | 7 | 2 | 2 | 3 | 1 |
| | Lung | 124 | - | - | 1 | 2 | 8 | 5 | 13 | 16 | 23 | 17 | 17 | 12 | 9 | - | 1 |
| | Pleura | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Mediastinum | 37 | - | - | - | - | - | 3 | 2 | 5 | 4 | 4 | 3 | 8 | 6 | 1 | 1 |
| | Respiratory Organs—TOTAL | 195 | - | - | 1 | 2 | 8 | 11 | 16 | 24 | 32 | 28 | 27 | 22 | 17 | 4 | 3 |
| 48 | Cervix | 163 | - | - | - | 9 | 9 | 12 | 20 | 28 | 24 | 23 | 18 | 12 | 5 | 2 | 1 |
| | Uterus | 321 | - | 1 | - | 3 | 15 | 14 | 30 | 42 | 60 | 49 | 46 | 33 | 22 | 4 | 2 |
| | Uterus—TOTAL | 484 | - | 1 | - | 12 | 24 | 26 | 50 | 70 | 84 | 72 | 64 | 45 | 27 | 6 | 3 |
| 49 | Ovary, Fallopian Tube | 144 | - | - | 2 | 5 | 8 | 10 | 16 | 28 | 20 | 21 | 17 | 8 | 6 | 3 | - |
| | Vagina, Vulva | 40 | - | - | - | 1 | - | 2 | - | 5 | 2 | 3 | 6 | 7 | 11 | 2 | 1 |
| | Other Female Genital Organs—TOTAL | 184 | - | - | 2 | 6 | 8 | 12 | 16 | 33 | 22 | 24 | 23 | 15 | 17 | 5 | 1 |
| 50 | Breast | 772 | - | - | - | 15 | 22 | 48 | 59 | 97 | 124 | 110 | 98 | 86 | 61 | 23 | 29 |
| 52 | Ear | 8 | - | - | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 | 1 | 1 |
| | Nose | 11 | - | - | - | - | - | - | - | - | - | 4 | 4 | 1 | - | - | 2 |
| | Scalp and Face | 31 | - | - | - | - | 1 | - | - | - | 1 | - | 4 | 8 | 6 | 3 | 8 |
| | Skin | 5 | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 1 | 1 | - |
| | Skin—TOTAL | 55 | - | - | - | 1 | 1 | - | 1 | - | 1 | 6 | 10 | 11 | 8 | 5 | 11 |
| 53 | Pelvis, Sacrum | 22 | - | - | - | - | 1 | - | 1 | 4 | 3 | 6 | 3 | 1 | 2 | 1 | - |
| | Rib and Sternum | 3 | - | 1 | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| | Skull and Spinal Column | 26 | - | - | - | - | 1 | 1 | - | 4 | 5 | 3 | 6 | 4 | 1 | - | 1 |
| | Arm and Leg | 44 | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 2 | 5 | 4 | 4 | 5 | 6 | 2 | 3 |
| | Thyroid | 33 | - | - | - | - | - | 1 | 1 | 3 | 3 | 5 | 8 | 4 | 5 | 1 | 2 |
| | Throat | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| | Heart | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Thorax | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| | Kidneys | 31 | - | - | - | 1 | - | 1 | 3 | 4 | 1 | 7 | 3 | 7 | 3 | 1 | - |
| | Suprarenals | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| | Bladder | 38 | - | - | 1 | - | - | 2 | 2 | 5 | 3 | 4 | 9 | 5 | 4 | 3 | - |
| | Spleen | 5 | - | - | - | - | - | 1 | - | 1 | - | 1 | 2 | - | - | - | - |
| | Abdomen | 10 | - | - | - | - | - | - | - | 1 | 2 | 3 | 3 | - | - | - | - |
| | Brain | 4 | - | - | 1 | - | - | 1 | - | - | - | - | - | 1 | 1 | - | - |
| | Eye and Orbit | 9 | - | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 | 4 | 1 | - |
| | Spinal Cord | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| | Lymphatic Glands | 33 | - | 1 | 1 | - | - | 3 | 1 | 3 | 6 | 5 | 1 | 5 | 5 | 2 | - |
| | Others | 5 | - | - | - | 1 | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - |
| | Not Stated | 5 | - | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - | 1 |
| | Other or Unspecified Organs—TOTAL | 274 | 2 | 3 | 5 | 6 | 4 | 13 | 10 | 30 | 31 | 41 | 44 | 35 | 32 | 11 | 7 |

TABLE 29.—Deaths from Suicide in Scotland in 1938.

| | | Scotland. | Large Burghs. | Rest of Scotland. |
|-----------------------------------|------------|------------|---------------|-------------------|
| TOTAL | { M. F. | 297 163 | 186 102 | 111 61 |
| Cut; Stab | { M. F. | 36 10 | 22 6 | 14 4 |
| Drowning | { M. F. | 28 15 | 17 8 | 11 7 |
| Gunshot Wounds | { M. F. | 25 1 | 1 — | 24 1 |
| Hanging | { M. F. | 35 9 | 14 2 | 21 7 |
| Poison | { M. F. | 157 122 | 121 82 | 36 40 |
| Precipitation | { M. F. | 8 6 | 5 4 | 3 2 |
| Railways | { M. F. | 8 — | 6 — | 2 — |
| Otherwise or not stated | { M. F. | — — | — — | — — |

TABLE 30.—Deaths from Poison in Scotland in 1938.

ACCIDENTAL POISONING.

| Name of Poison. | Males. | Females. | TOTAL. | Name of Poison. | Males. | Females. | TOTAL. |
|-----------------------|--------|----------|--------|----------------------|--------|----------|--------|
| Caustic Soda, - - - | 2 | — | 2 | Brought forward, | 8 | 3 | 11 |
| Lysol, - - - | 1 | — | 1 | | | | |
| Izal, - - - | 1 | — | 1 | Poisonous Vapours:— | | | |
| Oil of Wintergreen, - | 1 | — | 1 | Coal Gas, - - - | 17 | 20 | 37 |
| Chloral Hydrate and | | | | Carbon Monoxide, 12* | — | — | 12* |
| Potassium Bromide, | 1 | — | 1 | Benzol Fumes, - - | 2 | — | 2 |
| Oxalic Acid, - - - | 1 | — | 1 | Oxy - Acetylene | | | |
| Luminal, - - - | 1 | 1 | 2 | Fumes, - - - | 1 | — | 1 |
| Calcium Carbide, - - | — | 1 | 1 | Fumes (nature not | | | |
| Ammonia, - - - | — | 1 | 1 | stated), - - - | — | 1 | 1 |
| Carried forward, | 8 | 3 | 11 | Total, - - - | 40 | 24 | 64 |

SUICIDAL POISONING.

| | | | | | | | |
|----------------------|-----|-----|-----|----------------------|-----|-----|-----|
| Coal Gas, - - - | 123 | 79 | 202 | Brought forward, | 156 | 113 | 269 |
| Lysol, - - - | 25 | 28 | 53 | Carbon Disulphide, - | 1 | — | 1 |
| Carbolic Acid, - - | 1 | 1 | 2 | Ammonia, - - - | — | 3 | 3 |
| Izal, - - - | 1 | — | 1 | Camphor, - - - | — | 2 | 2 |
| Jeyes' Fluid, - - | 1 | — | 1 | Mercury Perchloride, | — | 1 | 1 |
| Lysol and Ammonia, - | 1 | — | 1 | Morphine, - - - | — | 1 | 1 |
| Barbiturate, - - | 1 | — | 1 | Potassium Chromate, | — | 1 | 1 |
| Medinal, - - - | — | 1 | 1 | Aconite, Belladonna | | | |
| Strychine, - - - | 1 | — | 1 | and Chloroform | | | |
| Sulphuric Acid, - - | 1 | — | 1 | Liniment, - - - | — | 1 | 1 |
| Aspirin, - - - | 1 | 4 | 5 | | | | |
| Carried forward, | 156 | 113 | 269 | Total, - - - | 157 | 122 | 279 |

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

| | | | | | | | |
|--------------------------|----|----|-----|------------------------|----|----|-----|
| Nitrous Oxide and Ether, | 13 | 22 | 35 | Brought forward, | 66 | 65 | 131 |
| Nitrous Oxide, - - | 4 | 8 | 12 | Cocaine, - - - | - | 1 | 1 |
| Nitrous Oxide, Carbon | | | | Cocaine and Novocaine, | - | 2 | 2 |
| Dioxide and Ether, | - | 1 | 1 | Durocaine, - - - | - | 1 | 1 |
| Chloroform, - - | 10 | 10 | 20 | Neocaine, - - - | 2 | 3 | 5 |
| Chloroform and Ether, | 12 | 4 | 16 | Novocaine, - - - | 1 | 4 | 5 |
| Ether, - - - | 12 | 5 | 17 | Novocaine, Nitrous | | | |
| Ethyl Chloride and | | | | Oxide and Ether, - | 1 | - | 1 |
| Ether, - - - | 11 | 10 | 21 | Planocaine, - - - | 1 | 1 | 2 |
| Ethyl Chloride, - | 2 | 3 | 5 | Spinocaine, - - - | 1 | - | 1 |
| Ethyl Chloride and | | | | Metycaine, - - - | 1 | - | 1 |
| Chloroform, - - | - | 1 | 1 | Perccaine, - - - | 1 | 4 | 5 |
| Ethyl Chloride, Chloro- | | | | Spinal Anaesthetic, - | - | 1 | 1 |
| form and Ether, - | 1 | - | 1 | Evipan, - - - | 2 | - | 2 |
| Ethyl Chloride, Nitrous | | | | Cyclopropane, - - - | - | 1 | 1 |
| Oxide and Ether - | - | 1 | 1 | Not stated, - - - | - | 2 | 2 |
| Ethyl Bromide, - - | 1 | - | 1 | | | | |
| Carried forward, | 66 | 65 | 131 | Total - | 76 | 85 | 161 |

* Nine of these deaths were due to a colliery accident.

TABLE 31.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1938.

| CAUSES OF DEATH. | | Total (all ages). | <i>Illegitimate only.</i> | DEATHS—AGE. | | | | | | | | |
|--------------------------------------|------------|----------------------|-------------------------------|-----------------|-----------------|----------|-------------|-------------------|-------------------|-------------------|-------------------|--------------------|
| | | | | Under 1 day. | 1 to 6 days. | 1 week. | 2 weeks. | 3 and 4 weeks. | 1 to 2 months. | 3 to 5 months. | 6 to 8 months. | 9 to 11 months. |
| Measles | { M. F. | 89 62 | 8 7 | - - | - - | - - | - - | - - | 1 - | 10 3 | 31 26 | 47 33 |
| Whooping-cough | { M. F. | 55 56 | 3 7 | - - | - - | 1 - | - 1 | 1 2 | 20 8 | 10 11 | 14 11 | 9 23 |
| Diphtheria | { M. F. | 11 12 | 1 1 | - - | - - | - - | 2 - | - - | 3 5 | 1 1 | 3 2 | 2 4 |
| Erysipelas | { M. F. | 10 6 | 1 - | - - | 1 - | 2 1 | - - | 2 2 | 3 2 | 2 - | - 1 | - - |
| Cerebro-spinal fever | { M. F. | 25 19 | 1 2 | - - | - - | - - | - - | - - | 3 4 | 9 9 | 6 2 | 7 4 |
| Tubercular meningitis | { M. F. | 15 20 | 2 3 | - - | - - | - - | - - | - - | - - | 1 7 | 9 6 | 5 7 |
| Abdominal tuberculosis | { M. F. | 2 7 | - - | - - | - - | - - | - - | - - | - 1 | 1 2 | - 4 | 1 - |
| Other tuberculous diseases | { M. F. | 22 10 | 2 1 | - - | - - | - - | - - | - - | 2 1 | 4 2 | 10 5 | 6 2 |
| Syphilis | { M. F. | 13 7 | 4 3 | 1 - | 1 1 | - - | - - | - - | 8 4 | 2 2 | 1 - | - - |
| Convulsions | { M. F. | 72 56 | 7 5 | 2 - | 13 6 | 4 2 | 1 1 | 3 6 | 12 16 | 24 14 | 9 7 | 4 4 |
| Bronchitis | { M. F. | 118 76 | 10 1 | - - | 3 1 | 5 1 | 4 10 | 6 4 | 44 14 | 32 29 | 20 13 | 4 4 |
| Pneumonia (all forms) | { M. F. | 587 472 | 50 46 | - 1 | 15 12 | 29 14 | 15 19 | 15 18 | 127 94 | 185 110 | 118 126 | 83 78 |
| Other respiratory diseases | { M. F. | 33 31 | 4 2 | 1 1 | 4 - | 1 2 | 1 1 | 2 - | 10 13 | 6 7 | 4 2 | 4 5 |
| Diarrhoea | { M. F. | 391 259 | 56 23 | - 1 | 7 3 | 9 8 | 22 8 | 22 12 | 115 61 | 141 93 | 50 53 | 25 20 |
| Other digestive diseases | { M. F. | 60 28 | 3 2 | - - | 2 3 | 6 - | 2 1 | 4 - | 12 7 | 12 7 | 13 5 | 9 5 |
| Congenital malformations | { M. F. | 276 262 | 20 17 | 24 51 | 64 65 | 24 33 | 25 16 | 14 21 | 82 30 | 23 28 | 10 13 | 10 5 |
| Congenital debility | { M. F. | 366 229 | 46 32 | 69 49 | 104 69 | 24 23 | 27 14 | 25 9 | 67 43 | 37 17 | 8 4 | 5 1 |
| Premature birth | { M. F. | 757 612 | 81 49 | 338 284 | 262 190 | 57 56 | 34 33 | 30 22 | 32 26 | 2 1 | 2 - | - - |
| Injury at birth | { M. F. | 179 127 | 16 4 | 63 35 | 93 66 | 16 10 | 3 6 | 2 3 | 1 5 | - 2 | 1 - | - - |
| Other infantile diseases | { M. F. | 147 133 | 8 16 | 49 45 | 57 48 | 17 14 | 7 10 | 2 9 | 9 5 | 6 1 | - - | - 1 |
| Accidental mechanical suffocation | { M. F. | 43 36 | 5 2 | - - | 4 1 | 2 - | 3 1 | 2 5 | 18 17 | 12 10 | 1 - | 1 2 |
| All other causes | { M. F. | 212 160 | 21 22 | 9 5 | 22 10 | 17 7 | 11 10 | 17 16 | 40 27 | 36 39 | 37 18 | 23 28 |
| Total—Both Sexes | - | 6163 | - | 1028 | 1127 | 385 | 288 | 276 | 992 | 951 | 645 | 471 |
| Males | - | 3483 | - | 556 | 652 | 214 | 157 | 147 | 609 | 556 | 347 | 245 |
| Females | - | 2680 | - | 472 | 475 | 171 | 131 | 129 | 383 | 395 | 298 | 226 |
| <i>Illegitimate only—</i> | | | | | | | | | | | | |
| Both Sexes | - | - | 594 | 86 | 95 | 41 | 35 | 34 | 120 | 80 | 56 | 47 |
| Males | - | - | 349 | 47 | 61 | 18 | 17 | 23 | 81 | 48 | 28 | 26 |
| Females | - | - | 245 | 39 | 34 | 23 | 18 | 11 | 39 | 32 | 28 | 21 |

TABLE 32.—Month of Registration of Children aged under One Year dying
from Selected Causes in Scotland in 1938.

| CAUSES OF DEATH. | Total. | MONTH OF REGISTRATION OF DEATH. | | | | | | | | | | | |
|-------------------------------------|--------|---------------------------------|------|------|------|-----|------|------|------|-------|------|------|------|
| | | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| Measles - | 151 | 14 | 23 | 38 | 46 | 22 | 4 | 2 | 1 | - | - | 1 | - |
| Whooping-cough - | 111 | 9 | 10 | 5 | 6 | 2 | 11 | 9 | 16 | 8 | 10 | 8 | 17 |
| Diphtheria - | 23 | 1 | 1 | 4 | 3 | 4 | 4 | 1 | - | 2 | 1 | - | 2 |
| Erysipelas - | 16 | 5 | 2 | - | 2 | - | 1 | 2 | - | 2 | - | 1 | 1 |
| Cerebro-spinal fever - . . . | 44 | 3 | 1 | 4 | 7 | 2 | 4 | 8 | 2 | 3 | 3 | 3 | 4 |
| Tubercular meningitis - . . . | 35 | 2 | 5 | 5 | 7 | - | 2 | 5 | 3 | - | - | 4 | 2 |
| Abdominal tuberculosis - . . . | 9 | 1 | 1 | 1 | - | - | 1 | 1 | - | 3 | - | 1 | - |
| Other tuberculous diseases - . . | 32 | 1 | 7 | 7 | 4 | 3 | 3 | 3 | 1 | 1 | 1 | - | 1 |
| Syphilis - | 20 | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 3 | 2 | 3 | - |
| Convulsions - | 128 | 11 | 14 | 17 | 11 | 10 | 11 | 8 | 5 | 11 | 10 | 7 | 13 |
| Bronchitis - | 194 | 34 | 18 | 18 | 8 | 11 | 9 | 2 | 7 | 9 | 16 | 25 | 37 |
| Pneumonia (all forms) - . . . | 1,059 | 183 | 96 | 91 | 80 | 73 | 57 | 48 | 41 | 59 | 65 | 105 | 161 |
| Other respiratory diseases - . . | 64 | 5 | 7 | 9 | 4 | 3 | 8 | 3 | - | 6 | 3 | 6 | 10 |
| Diarrhoea - | 650 | 57 | 34 | 38 | 43 | 71 | 75 | 59 | 64 | 58 | 58 | 44 | 49 |
| Other digestive diseases - . . . | 88 | 8 | 9 | 11 | 13 | 5 | 1 | 6 | 2 | 4 | 6 | 13 | 10 |
| Congenital malformations - . . . | 538 | 46 | 44 | 40 | 54 | 55 | 48 | 39 | 43 | 37 | 43 | 36 | 53 |
| Congenital debility - | 595 | 67 | 48 | 57 | 51 | 53 | 47 | 38 | 38 | 45 | 43 | 49 | 59 |
| Premature birth - | 1,369 | 143 | 107 | 126 | 124 | 101 | 124 | 103 | 111 | 91 | 98 | 122 | 119 |
| Injury at birth - | 306 | 35 | 22 | 24 | 22 | 34 | 22 | 27 | 21 | 16 | 23 | 27 | 33 |
| Other infantile diseases - . . . | 280 | 21 | 30 | 27 | 31 | 23 | 19 | 23 | 19 | 16 | 24 | 22 | 25 |
| Accidental mechanical suffocation - | 79 | 13 | 9 | 8 | 6 | 6 | 2 | 7 | 2 | 5 | 5 | 5 | 11 |
| All other causes - | 372 | 38 | 40 | 31 | 34 | 39 | 32 | 21 | 34 | 26 | 26 | 32 | 19 |
| Total - | 6,163 | 699 | 529 | 562 | 558 | 519 | 486 | 417 | 411 | 405 | 437 | 514 | 626 |
| <i>Illegitimate only</i> - | 594 | 66 | 58 | 48 | 56 | 61 | 50 | 42 | 30 | 38 | 44 | 45 | 56 |

TABLE 33.—Births, Deaths under one year by age-periods, and Death-rates per 1000 Births in Scotland—1938.

| DEATHS DURING VARIOUS AGE-PERIODS UNDER ONE YEAR, WITH SUB-DIVISIONS OF ANNUAL DEATH-RATES. | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------------|-------|------------------------------|-------|--------------|-------|-----------|-------|---------|-------|----------|-------|----------------|-------|-------------|-------|-------------|-------|-------------|-------|--------------|-------|------|
| Number of Births. | Under 1 Year (Total). | | Under 1 year (Illegitimate). | | Under 1 Day. | | 1-6 Days. | | 1 Week. | | 2 Weeks. | | 3 and 4 Weeks. | | 1-2 Months. | | 3-5 Months. | | 6-8 Months. | | 9-11 Months. | | |
| | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | No. | Rate. | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Scotland | 88,627 | 6,163 | 69.5 | .. | 1,023 | 11.6 | 1,127 | 12.7 | 385 | 4.3 | 288 | 3.2 | 276 | 3.1 | 992 | 11.2 | 951 | 10.7 | 645 | 7.3 | 471 | 5.3 | |
| Large Burghs | 50,480 | 3,878 | 76.8 | .. | 563 | 11.2 | 635 | 12.6 | 219 | 4.3 | 185 | 3.7 | 175 | 3.5 | 656 | 13.0 | 656 | 13.0 | 450 | 8.9 | 339 | 6.7 | |
| Other Districts | 38,147 | 2,285 | 59.9 | .. | 465 | 12.2 | 492 | 12.9 | 166 | 4.4 | 103 | 2.7 | 101 | 2.6 | 336 | 8.8 | 295 | 7.7 | 125 | 5.1 | 132 | 3.5 | |
| ILLEGITIMATE ONLY | | | | | | | | | | | | | | | | | | | | | | | |
| Scotland | 5,449 | .. | .. | 594 | 109.0 | 86 | 15.8 | 95 | 17.4 | 41 | 7.5 | 35 | 6.4 | 34 | 6.2 | 120 | 22.0 | 80 | 14.7 | 56 | 10.3 | 47 | 8.6 |
| Large Burghs | 2,741 | .. | .. | 348 | 127.0 | 35 | 12.8 | 53 | 19.3 | 23 | 8.4 | 21 | 7.7 | 17 | 6.2 | 73 | 26.6 | 48 | 17.5 | 42 | 15.3 | 36 | 13.1 |
| Other Districts | 2,708 | .. | .. | 246 | 90.8 | 51 | 18.8 | 42 | 15.5 | 18 | 6.6 | 14 | 5.2 | 17 | 6.3 | 47 | 17.4 | 32 | 11.8 | 14 | 5.2 | 11 | 4.1 |
| ABERDEEN COUNTY * | | | | | | | | | | | | | | | | | | | | | | | |
| Aberdeen Burgh (Total) | 5,733 | 390 | 68.0 | 43 | 81.1 | 72 | 12.6 | 65 | 11.3 | 16 | 2.8 | 15 | 2.6 | 16 | 2.8 | 76 | 13.3 | 62 | 10.8 | 47 | 8.2 | 21 | 3.7 |
| Remainder of County | 3,008 | 215 | 71.5 | 11 | 65.5 | 44 | 14.6 | 38 | 12.6 | 5 | 1.7 | 4 | 1.3 | 8 | 2.7 | 38 | 12.6 | 40 | 13.3 | 25 | 8.3 | 13 | 4.3 |
| | 2,725 | 175 | 64.2 | 32 | 88.4 | 28 | 10.3 | 27 | 9.9 | 11 | 4.0 | 11 | 4.0 | 8 | 2.9 | 38 | 13.9 | 22 | 8.1 | 22 | 8.1 | 8 | 2.9 |
| ANGUS COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| Arbroath Burgh | 4,477 | 335 | 74.8 | 21 | 78.1 | 63 | 14.1 | 69 | 15.4 | 22 | 4.9 | 15 | 3.4 | 9 | 2.0 | 51 | 11.4 | 44 | 9.8 | 34 | 7.6 | 28 | 6.3 |
| Dundee Burgh | 254 | 23 | 90.6 | 2 | 181.8 | 2 | 7.9 | 5 | 19.7 | .. | .. | 1 | 3.9 | 1 | 3.9 | 3 | 11.8 | 3 | 11.8 | 7 | 27.6 | 1 | 3.9 |
| Remainder of County | 3,124 | 242 | 77.5 | 16 | 85.1 | 46 | 14.7 | 46 | 14.7 | 15 | 4.8 | 8 | 2.6 | 8 | 2.6 | 34 | 10.9 | 37 | 11.8 | 24 | 7.7 | 24 | 7.7 |
| | 1,099 | 70 | 63.7 | 3 | 42.9 | 15 | 13.6 | 18 | 16.4 | 7 | 6.4 | 6 | 5.5 | .. | .. | 14 | 12.7 | 4 | 3.6 | 3 | 2.7 | 3 | 2.7 |
| ARGYLL COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| | 842 | 33 | 39.2 | 6 | 90.9 | 5 | 5.9 | 9 | 10.7 | 2 | 2.4 | 2 | 2.4 | .. | .. | 7 | 8.3 | 5 | 5.9 | 2 | 2.4 | 1 | 1.2 |
| AYR COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| Ayr Burgh | 5,444 | 405 | 74.4 | 40 | 138.9 | 84 | 15.4 | 76 | 14.0 | 35 | 6.4 | 20 | 3.7 | 20 | 3.7 | 64 | 11.8 | 46 | 8.4 | 32 | 5.9 | 28 | 5.1 |
| Kilmarnock Burgh | 684 | 47 | 68.7 | 4 | 93.0 | 11 | 16.1 | 5 | 7.3 | 4 | 5.8 | 4 | 5.8 | 2 | 2.9 | 9 | 13.2 | 3 | 4.4 | 6 | 8.8 | 3 | 4.4 |
| Remainder of County | 769 | 61 | 79.3 | 5 | 172.4 | 11 | 14.3 | 15 | 19.5 | 2 | 2.6 | 2 | 2.6 | 5 | 6.5 | 12 | 15.6 | 6 | 7.8 | 2 | 2.6 | 6 | 7.8 |
| | 3,991 | 297 | 74.4 | 31 | 143.5 | 62 | 15.5 | 56 | 14.0 | 29 | 7.3 | 14 | 3.5 | 13 | 3.3 | 43 | 10.8 | 37 | 9.3 | 24 | 6.0 | 19 | 4.8 |
| BANFF COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| | 965 | 52 | 53.9 | 9 | 61.6 | 11 | 11.4 | 7 | 7.3 | 2 | 2.1 | 5 | 5.2 | 3 | 3.1 | 9 | 9.3 | 9 | 9.3 | 4 | 4.1 | 2 | 2.1 |
| BERWICK COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| | 328 | 18 | 54.9 | 2 | 66.7 | 1 | 3.0 | 9 | 27.4 | 3 | 9.1 | .. | .. | 2 | 6.1 | .. | .. | 1 | 3.0 | 2 | 6.1 | .. | .. |
| BUTE COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| | 204 | 7 | 34.3 | 1 | 62.5 | 3 | 14.7 | .. | .. | 1 | 4.9 | .. | .. | .. | .. | 2 | 9.8 | 1 | 4.9 | .. | .. | .. | .. |
| CAITHNESS COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| | 453 | 22 | 48.0 | 3 | 65.2 | 5 | 10.9 | 5 | 10.9 | 4 | 8.7 | 1 | 2.2 | 1 | 2.2 | 4 | 8.7 | .. | .. | 2 | 4.4 | .. | .. |
| CLACKMANNAN COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| | 558 | 32 | 57.3 | 2 | 71.4 | 9 | 16.1 | 7 | 12.5 | 4 | 7.2 | 3 | 5.4 | 1 | 1.8 | 2 | 3.6 | 4 | 7.2 | 1 | 1.8 | 1 | 1.8 |
| DUNBARTON COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| Clydebank Burgh | 2,656 | 155 | 58.4 | 15 | 120.0 | 23 | 8.7 | 16 | 6.0 | 11 | 4.1 | 5 | 1.9 | 5 | 1.9 | 29 | 10.9 | 28 | 10.5 | 16 | 6.0 | 22 | 8.3 |
| Dumbarton Burgh | 871 | 59 | 67.7 | 7 | 225.8 | 5 | 5.7 | 9 | 10.3 | 2 | 2.3 | 2 | 2.3 | 3 | 3.4 | 10 | 11.5 | 16 | 18.4 | 6 | 6.9 | 6 | 6.9 |
| Remainder of County | 418 | 29 | 69.4 | 3 | 180.4 | 5 | 4.8 | 2 | 4.8 | 3 | 7.2 | .. | .. | 1 | 2.4 | 5 | 12.0 | 3 | 7.2 | 4 | 9.6 | 9 | 21.5 |
| | 1,367 | 67 | 49.0 | 5 | 70.4 | 16 | 11.7 | 5 | 3.7 | 6 | 4.4 | 3 | 2.2 | 1 | 0.7 | 14 | 10.2 | 9 | 6.6 | 6 | 4.4 | 7 | 5.1 |
| DUMFRIES COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| Dumfries Burgh | 1,266 | 94 | 74.2 | 19 | 171.2 | 15 | 11.8 | 20 | 15.8 | 4 | 3.2 | 5 | 3.9 | 1 | 0.8 | 14 | 11.1 | 21 | 16.6 | 7 | 5.5 | 7 | 5.5 |
| Remainder of County | 368 | 32 | 87.0 | 8 | 232.3 | 3 | 8.2 | 6 | 16.3 | 1 | 2.7 | 3 | 8.2 | .. | .. | 6 | 16.3 | 8 | 21.7 | 1 | 2.7 | 4 | 10.9 |
| | 898 | 62 | 69.0 | 11 | 126.4 | 12 | 13.4 | 14 | 15.6 | 3 | 3.3 | 2 | 2.2 | 1 | 1.1 | 8 | 8.9 | 13 | 14.5 | 6 | 6.7 | 3 | 3.3 |
| EAST Lothian COUNTY | | | | | | | | | | | | | | | | | | | | | | | |
| | 782 | 41 | 52.4 | 1 | 27.8 | 6 | 7.7 | 13 | 16.6 | 7 | 9.0 | .. | .. | 1 | 1.3 | 8 | 10.2 | 4 | 5.1 | 1 | 1.3 | 1 | 1.3 |
| FIFE COUNTY. | | | | | | | | | | | | | | | | | | | | | | | |
| Dunfermline Burgh | 4,729 | 261 | 55.2 | 21 | 81.4 | 49 | 10.4 | 69 | 14.6 | 15 | 3.2 | 13 | 2.7 | 15 | 3.2 | 40 | 8.5 | 23 | 4.9 | 17 | 3.6 | 20 | 4.2 |
| Kirkcaldy Burgh | 547 | 34 | 62.2 | 3 | 142.9 | 6 | 11.0 | 7 | 12.8 | .. | .. | 2 | 3.7 | 3 | 5.5 | 9 | 16.5 | 1 | 1.8 | 3 | 5.5 | 3 | 5.5 |
| Remainder of County | 764 | 41 | 53.7 | 3 | 75.0 | 7 | 9.2 | 11 | 14.4 | .. | 2.6 | 1 | 1.3 | 3 | 3.9 | 9 | 11.8 | 3 | 3.9 | 1 | 1.3 | 4 | 3.8 |
| | 3,418 | 156 | 54.4 | 15 | 76.1 | 36 | 10.5 | 51 | 14.9 | 13 | 3.8 | 10 | 2.9 | 9 | 2.6 | 22 | 6.4 | 19 | 5.6 | 13 | 3.8 | 13 | 3.8 |

| | (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) |
|---------------------------|--------|------|------|-----|-------|-----|------|-----|------|-----|------|-----|-----|------|-----|------|-----|------|-----|------|-----|------|-----|-----|
| INVERNESS COUNTY . | 1,253 | 66 | 32.7 | 10 | 92.6 | 15 | 12.0 | 16 | 12.8 | 4 | 3.2 | 4 | 4 | 12.2 | 3.8 | 13.4 | 431 | 13.4 | 456 | 14.2 | 347 | 10.8 | 2.0 | 7.8 |
| Inverness Burgh . | 388 | 32 | 82.5 | 2 | 96.9 | 4 | 12.0 | 7 | 18.0 | 2 | 5.2 | 2 | 2 | 5 | 8.3 | 11 | 11 | 18.2 | 7 | 11.6 | 9 | 14.9 | 4 | 6.6 |
| Remainder of County | 865 | 34 | 39.3 | 8 | 97.6 | 11 | 12.7 | 9 | 10.4 | 2 | 2.3 | 2 | 2 | 83 | 3.9 | 11 | 326 | 10.6 | 20 | 19.3 | 12 | 11.6 | 3 | 2.9 |
| KINCARDINE COUNTY * | 427 | 26 | 60.9 | 5 | 108.7 | 9 | 21.1 | 7.0 | 7.0 | 2 | 4.7 | 2 | 1 | 122 | 4.1 | 4 | 3 | 7.0 | 3 | 7.0 | 3 | 7.0 | 2 | 4.7 |
| KINROSS COUNTY . | 111 | 9 | 81.1 | 2 | 200.0 | 2 | 18.0 | 2 | 18.0 | 1 | 9.0 | 1 | 1 | 4.0 | 2.1 | 1 | 1 | 9.0 | 3 | 27.0 | 1 | 2.1 | 1 | 2.1 |
| KIRKCUDBRIGHT COUNTY | 486 | 28 | 57.6 | 2 | 39.2 | 4 | 8.2 | 10 | 20.6 | 1 | 2.1 | 1 | 2 | 129 | 4.7 | 152 | 129 | 12.2 | 393 | 12.2 | 347 | 10.8 | 2.0 | 7.8 |
| LANARK COUNTY | 32,201 | 2633 | 81.8 | 244 | 139.3 | 353 | 11.0 | 393 | 12.2 | 1 | 4.7 | 1 | 1 | 4.0 | 2.1 | 1 | 1 | 8.2 | 4 | 8.2 | 1 | 2.1 | 1 | 2.1 |
| Airdrie Burgh . | 605 | 54 | 89.3 | 3 | 111.1 | 6 | 9.9 | 9 | 14.9 | 1 | 6.8 | 1 | 3 | 3.4 | 3.4 | 3 | 3 | 13.4 | 456 | 14.2 | 347 | 10.8 | 2.0 | 7.8 |
| Coatbridge Burgh . | 1,034 | 87 | 84.1 | 4 | 102.6 | 13 | 12.6 | 13 | 12.6 | 7 | 6.8 | 7 | 4 | 3.9 | 3.9 | 11 | 11 | 18.2 | 7 | 11.6 | 9 | 14.9 | 4 | 6.6 |
| Glasgow Burgh . | 21,982 | 1917 | 87.2 | 292 | 160.1 | 229 | 10.4 | 266 | 12.1 | 116 | 5.3 | 107 | 107 | 4.9 | 8.3 | 326 | 326 | 14.8 | 341 | 15.5 | 253 | 11.6 | 3 | 2.9 |
| Hamilton Burgh . | 906 | 63 | 69.5 | 2 | 46.5 | 8 | 8.8 | 12 | 13.2 | 4 | 4.4 | 4 | 1 | 1.1 | 1.1 | 3 | 3 | 3.3 | 12 | 13.2 | 10 | 11.0 | 7 | 7.7 |
| Motherwell & Wishaw Burgh | 1,322 | 80 | 60.5 | 5 | 108.7 | 9 | 6.8 | 12 | 9.1 | 2 | 1.5 | 1 | 3 | 2.8 | 2.8 | 14 | 14 | 10.6 | 16 | 12.1 | 11 | 11.0 | 8 | 6.1 |
| Rutherglen Burgh . | 363 | 20 | 53.1 | 1 | 83.3 | 5 | 13.8 | 4 | 11.0 | 1 | 3.8 | 1 | 1 | 2.3 | 2.3 | 3 | 3 | 8.3 | 1 | 2.8 | 4 | 11.0 | 1 | 6.1 |
| Remainder of County | 5,989 | 412 | 68.8 | 37 | 83.6 | 83 | 13.9 | 77 | 12.9 | 23 | 3.8 | 10 | 10 | 1.7 | 1.7 | 63 | 63 | 10.5 | 59 | 9.9 | 48 | 8.0 | 32 | 5.3 |
| MIDLOTHIAN COUNTY | 9,030 | 550 | 60.9 | 53 | 98.0 | 96 | 10.6 | 121 | 13.4 | 39 | 4.3 | 32 | 32 | 3.5 | 3.5 | 80 | 80 | 8.9 | 82 | 9.1 | 43 | 4.8 | 26 | 2.9 |
| Edinburgh Burgh . | 7,547 | 462 | 61.2 | 43 | 92.1 | 77 | 10.2 | 103 | 13.6 | 30 | 4.0 | 27 | 27 | 3.6 | 3.6 | 72 | 72 | 9.7 | 72 | 9.5 | 37 | 4.9 | 21 | 2.8 |
| Remainder of County | 1,483 | 88 | 59.3 | 10 | 135.1 | 19 | 12.8 | 18 | 12.1 | 9 | 6.1 | 5 | 9 | 3.4 | 3.4 | 7 | 7 | 4.7 | 10 | 6.7 | 6 | 4.0 | 5 | 3.4 |
| MORAY COUNTY | 736 | 44 | 59.8 | 6 | 63.2 | 10 | 13.6 | 13 | 17.7 | 2 | 2.7 | 2 | 1 | 2.7 | 2.7 | 4 | 4 | 5.4 | 9 | 12.2 | 3 | 4.1 | 2 | 2.7 |
| NAIRN COUNTY | 147 | 9 | 61.2 | 3 | 214.3 | 3 | 20.4 | 3 | 20.4 | 1 | 3.1 | 1 | 1 | 1.4 | 1.4 | 1 | 1 | 6.8 | 1 | 6.8 | 1 | 6.8 | 1 | 6.8 |
| ORKNEY COUNTY | 324 | 18 | 55.6 | 4 | 148.1 | 4 | 12.3 | 3 | 9.3 | 1 | 3.1 | 1 | 1 | 1.4 | 1.4 | 3 | 3 | 9.3 | 5 | 15.4 | 1 | 1.4 | 1 | 3.1 |
| PEEBLES COUNTY | 187 | 4 | 21.4 | 1 | 83.3 | 2 | 10.7 | .. | .. | 1 | 5.3 | 1 | 1 | .. | .. | .. | .. | .. | 1 | 5.3 | 1 | 5.3 | 1 | 5.3 |
| PERTH COUNTY | 1,709 | 106 | 62.0 | 10 | 70.9 | 22 | 12.9 | 28 | 16.4 | 5 | 2.9 | 1 | 1 | 0.6 | 0.6 | 21 | 21 | 12.3 | 13 | 7.6 | 12 | 7.0 | 2 | 1.2 |
| Perth Burgh . | 548 | 32 | 58.4 | 2 | 55.6 | 6 | 10.9 | 6 | 10.9 | 2 | 3.6 | 2 | 2 | .. | .. | 10 | 10 | 18.2 | 4 | 7.3 | 2 | 3.6 | 1 | 1.8 |
| Remainder of County | 1,161 | 74 | 63.7 | 8 | 76.2 | 16 | 13.8 | 22 | 18.9 | 3 | 2.6 | 1 | 1 | 0.9 | 0.9 | 11 | 11 | 9.5 | 9 | 7.8 | 10 | 8.6 | 1 | 0.9 |
| RENFREW COUNTY | 5,734 | 397 | 69.2 | 27 | 129.8 | 78 | 13.6 | 70 | 12.2 | 25 | 4.4 | 10 | 10 | 1.7 | 1.7 | 65 | 65 | 11.3 | 67 | 11.7 | 36 | 6.3 | 27 | 4.7 |
| Greenock Burgh . | 1,644 | 123 | 74.8 | 4 | 55.6 | 19 | 11.6 | 20 | 12.2 | 6 | 3.6 | 5 | 4 | 3.0 | 3.0 | 21 | 21 | 12.8 | 26 | 15.8 | 13 | 7.9 | 9 | 5.5 |
| Paisley Burgh . | 1,706 | 130 | 76.2 | 11 | 177.4 | 32 | 18.8 | 18 | 10.6 | 7 | 4.1 | 2 | 2 | 1.2 | 1.2 | 24 | 24 | 14.1 | 23 | 13.5 | 12 | 7.0 | 8 | 4.7 |
| Port-Glasgow Burgh | 466 | 31 | 66.5 | 2 | 111.1 | 6 | 12.9 | 6 | 12.9 | 5 | 10.7 | .. | .. | .. | .. | 5 | 5 | 10.7 | 3 | 6.4 | 2 | 4.3 | 4 | 3.6 |
| Remainder of County | 1,918 | 113 | 58.9 | 10 | 173.6 | 21 | 10.9 | 26 | 13.6 | 7 | 3.6 | 3 | 3 | 1.6 | 1.6 | 15 | 15 | 7.8 | 15 | 7.8 | 9 | 4.7 | 6 | 3.1 |
| ROSS AND CROMARTY COUNTY | 940 | 47 | 50.0 | 2 | 25.3 | 12 | 12.8 | 12 | 12.8 | 4 | 4.3 | 6 | 2 | 6.4 | 6.4 | 5 | 5 | 5.3 | 1 | 1.1 | 2 | 2.1 | 3 | 3.2 |
| ROXBURGH COUNTY. | 600 | 23 | 38.3 | 4 | 100.0 | 5 | 8.3 | 11 | 18.3 | .. | .. | 1 | 1 | 1.7 | 1.7 | 1 | 1 | 1.7 | 3 | 5.0 | 1 | 1.7 | .. | .. |
| SELKIRK COUNTY | 257 | 11 | 42.8 | 1 | 55.6 | 2 | 7.8 | 2 | 7.8 | 1 | 3.9 | 1 | 1 | 3.9 | 3.9 | 2 | 2 | 7.8 | 2 | 7.8 | 1 | 3.9 | .. | .. |
| STIRLING COUNTY | 3,231 | 174 | 53.9 | 15 | 99.3 | 32 | 9.9 | 34 | 10.5 | 9 | 2.8 | 9 | 9 | 2.8 | 2.8 | 30 | 30 | 9.3 | 27 | 8.4 | 14 | 4.3 | 8 | 2.5 |
| Falkirk Burgh . | 677 | 33 | 48.7 | 4 | 173.9 | 5 | 7.4 | 10 | 14.8 | 2 | 3.0 | 1 | 1 | 1.5 | 1.5 | 8 | 8 | 11.8 | 3 | 4.4 | 1 | 1.5 | 2 | 3.0 |
| Stirling Burgh . | 485 | 31 | 63.9 | 1 | 33.3 | 7 | 14.4 | 5 | 10.3 | 2 | 4.1 | 4 | 4 | 8.2 | 8.2 | 5 | 5 | 10.3 | 4 | 8.2 | 2 | 4.1 | .. | .. |
| Remainder of County | 2,069 | 110 | 53.2 | 10 | 102.0 | 20 | 9.7 | 19 | 9.2 | 5 | 2.4 | 4 | 4 | 1.9 | 1.9 | 17 | 17 | 8.2 | 20 | 9.7 | 11 | 5.3 | 6 | 2.9 |
| SUTHERLAND COUNTY | 240 | 16 | 66.7 | 2 | 74.1 | 3 | 12.5 | 7 | 29.2 | .. | .. | .. | .. | .. | .. | 4 | 4 | 16.7 | 1 | 4.2 | 1 | 4.2 | .. | .. |
| WEST LOTHIAN COUNTY | 1,662 | 104 | 62.6 | 8 | 127.0 | 20 | 12.0 | 20 | 12.0 | 10 | 6.0 | 10 | 4 | 6.0 | 6.0 | 13 | 13 | 7.8 | 10 | 6.0 | 7 | 4.2 | 10 | 6.0 |
| WIGTOWN COUNTY | 632 | 44 | 69.6 | 11 | 110.0 | 7 | 11.1 | 14 | 22.2 | 2 | 3.2 | 1 | 1 | 1.6 | 1.6 | 5 | 5 | 7.9 | 6 | 9.5 | 5 | 7.9 | 3 | 4.7 |
| ZETLAND COUNTY. | 278 | 9 | 32.4 | 1 | 58.8 | 3 | 10.8 | .. | .. | 2 | 7.2 | 1 | 1 | 3.6 | 3.6 | .. | .. | .. | 1 | 3.6 | 1 | 3.6 | 1 | 3.6 |

Note.—Some of the above rates are based on very few observations and are therefore of limited value. * See footnote Table 4.

TABLE 34.—Meteorology of Scotland for 1938 ; also the Number of Births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1938.

| | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | YEAR. |
|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Mean Barometer(inch) | 29·624 | 30·197 | 30·024 | 30·322 | 29·941 | 29·858 | 29·834 | 29·960 | 29·940 | 29·635 | 29·562 | 29·775 | 29·889 |
| Mean of Max. Temp. | 45°·4 | 46°·3 | 53°·0 | 54°·1 | 56°·4 | 61°·5 | 64°·2 | 65°·4 | 62°·0 | 55°·0 | 50°·4 | 43°·8 | 54°·8 |
| „ „ Min. „ „ | 35°·7 | 35°·5 | 42°·4 | 38°·6 | 41°·9 | 48°·1 | 50°·8 | 51°·0 | 48°·8 | 44°·3 | 41°·5 | 34°·4 | 42°·7 |
| Mean Temperature. | 40°·5 | 40°·9 | 47°·7 | 46°·4 | 49°·1 | 54°·8 | 57°·5 | 58°·2 | 55°·4 | 49°·7 | 45°·9 | 39°·1 | 48°·7 |
| Absolute Maximum . | 58° | 60° | 68° | 65° | 71° | 80° | 75° | 82° | 80° | 67° | 65° | 56° | 82° |
| Absolute Minimum . | 14° | 17° | 21° | 20° | 18° | 32° | 35° | 31° | 26° | 26° | 18° | 4° | 4° |
| Rainfall(Normal100) | 162 | 80 | 97 | 34 | 136 | 201 | 143 | 68 | 127 | 186 | 157 | 84 | 123 |
| Births | 7398 | 6996 | 7851 | 7961 | 8304 | 7734 | 7278 | 7323 | 6822 | 7039 | 6821 | 7100 | 88627 |
| Deaths | 6649 | 5116 | 5683 | 5193 | 5518 | 4887 | 4666 | 4596 | 4545 | 4888 | 5038 | 6169 | 62953 |
| Deaths under 1 . . . | 699 | 529 | 562 | 558 | 519 | 486 | 417 | 411 | 405 | 437 | 514 | 626 | 6163 |
| Marriages | 3585 | 2054 | 2252 | 3387 | 1697 | 4344 | 4946 | 3240 | 3716 | 3150 | 2461 | 3915 | 38747 |
| Rates per 1000 of | | | | | | | | | | | | | |
| Estimated Population { Births | 17·4 | 18·3 | 18·5 | 19·4 | 19·6 | 18·8 | 17·2 | 17·3 | 16·6 | 16·6 | 16·6 | 16·7 | 17·7 |
| Deaths | 15·7 | 13·4 | 13·4 | 12·7 | 13·0 | 11·9 | 11·0 | 10·8 | 11·1 | 11·5 | 12·3 | 14·5 | 12·6 |
| * Infantile Mortality | 94 | 76 | 72 | 70 | 63 | 63 | 57 | 56 | 59 | 62 | 75 | 88 | 70 |
| Marriages | 8·5 | 5·4 | 5·3 | 8·3 | 4·0 | 10·6 | 11·7 | 7·6 | 9·1 | 7·4 | 6·0 | 9·2 | 7·8 |

* Rate per 1000 births.

TABLE 35.—Deaths, Temperature, and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1938.

| No of Week. | Week ending | Deaths (Corrected for Transfers). | Death-rate (Corrected) per 1000 of Population. | TEMPERATURE. | | | RAIN, in inches | No. of Week. | Week ending | Deaths (Corrected for Transfers). | Death-rate (Corrected) per 1000 of Population. | TEMPERATURE. | | | RAIN, in inches |
|-------------|-------------|-----------------------------------|--|--------------|-----------|-------|-----------------|--------------|-------------|-----------------------------------|--|--------------|-----------|-------|-----------------|
| | | | | Maxi-mum. | Mini-mum. | Mean. | | | | | | Maxi-mum. | Mini-mum. | Mean. | |
| 1 | January 8 | 983 | 20·1 | 46·0 | 18·4 | 37·6 | 0·24 | 27 | July 9 | 595 | 12·1 | 70·0 | 33·8 | 54·8 | 1·58 |
| 2 | 15 | 860 | 17·6 | 51·0 | 24·0 | 39·5 | 2·15 | 28 | 16 | 553 | 11·3 | 72·1 | 44·0 | 5·68 | 0·63 |
| 3 | 22 | 814 | 16·6 | 55·3 | 29·2 | 42·5 | 0·79 | 29 | 23 | 599 | 12·2 | 71·0 | 41·6 | 58·7 | 0·14 |
| 4 | 29 | 727 | 14·3 | 55·0 | 28·0 | 42·3 | 1·28 | 30 | 30 | 511 | 10·4 | 73·0 | 47·0 | 60·3 | 1·78 |
| 5 | February 5 | 653 | 13·3 | 57·0 | 30·0 | 43·7 | 1·08 | 31 | August 6 | 554 | 11·3 | 76·2 | 42·0 | 60·7 | 0·18 |
| 6 | 12 | 655 | 13·4 | 51·0 | 24·0 | 39·8 | 0·45 | 32 | 13 | 539 | 11·0 | 82·0 | 48·8 | 63·6 | 0·22 |
| 7 | 19 | 637 | 13·0 | 48·2 | 23·4 | 37·7 | 0·06 | 33 | 20 | 464 | 9·5 | 70·1 | 42·0 | 56·4 | 0·97 |
| 8 | 26 | 674 | 13·8 | 56·0 | 22·6 | 46·4 | 0·40 | 34 | 27 | 480 | 9·8 | 72·0 | 38·0 | 56·5 | 0·13 |
| 9 | March 5 | 706 | 14·4 | 58·0 | 35·0 | 46·3 | 0·32 | 35 | September 3 | 531 | 10·8 | 65·7 | 33·0 | 62·2 | 0·63 |
| 10 | 12 | 693 | 14·1 | 65·0 | 30·2 | 48·7 | 0·11 | 36 | 10 | 597 | 12·2 | 76·0 | 38·0 | 55·6 | 0·30 |
| 11 | 19 | 643 | 13·1 | 61·0 | 32·0 | 49·1 | 1·23 | 37 | 17 | 510 | 10·4 | 75·0 | 33·8 | 56·2 | 1·65 |
| 12 | 26 | 660 | 13·5 | 56·0 | 26·0 | 44·8 | 0·47 | 38 | 24 | 552 | 11·2 | 67·0 | 41·0 | 55·8 | 0·83 |
| 13 | April 2 | 698 | 14·2 | 66·0 | 32·0 | 50·0 | 0·48 | 39 | October 1 | 539 | 11·0 | 69·4 | 37·0 | 55·4 | 0·44 |
| 14 | 9 | 609 | 12·4 | 65·0 | 24·0 | 45·9 | 0·11 | 40 | 8 | 541 | 11·0 | 64·0 | 37·0 | 49·2 | 3·36 |
| 15 | 16 | 635 | 13·0 | 64·0 | 27·8 | 46·2 | 0·00 | 41 | 15 | 623 | 12·7 | 66·0 | 40·0 | 51·8 | 1·41 |
| 16 | 23 | 647 | 13·2 | 63·0 | 22·0 | 45·2 | 0·02 | 42 | 22 | 566 | 11·5 | 62·0 | 36·0 | 50·4 | 0·85 |
| 17 | 30 | 637 | 13·0 | 62·0 | 34·4 | 47·6 | 0·16 | 43 | 29 | 556 | 11·3 | 59·0 | 32·6 | 46·3 | 0·60 |
| 18 | May 7 | 662 | 13·5 | 69·0 | 27·0 | 46·2 | 0·00 | 44 | November 5 | 617 | 12·6 | 64·0 | 35·0 | 47·6 | 1·56 |
| 19 | 14 | 631 | 12·9 | 65·0 | 27·0 | 50·1 | 0·90 | 45 | 12 | 586 | 11·9 | 62·0 | 39·0 | 52·0 | 1·58 |
| 20 | 21 | 659 | 13·4 | 67·0 | 31·0 | 48·8 | 1·10 | 46 | 19 | 603 | 12·3 | 60·0 | 35·0 | 48·6 | 0·95 |
| 21 | 28 | 680 | 13·9 | 67·0 | 37·0 | 51·2 | 1·46 | 47 | 26 | 609 | 12·4 | 51·0 | 21·0 | 38·4 | 1·23 |
| 22 | June 4 | 616 | 12·5 | 64·0 | 38·0 | 50·8 | 1·12 | 48 | December 3 | 691 | 14·1 | 50·0 | 29·0 | 41·1 | 1·23 |
| 23 | 11 | 633 | 12·9 | 65·0 | 43·0 | 54·2 | 0·73 | 49 | 10 | 672 | 13·7 | 53·0 | 25·0 | 42·1 | 1·16 |
| 24 | 18 | 560 | 11·4 | 80·0 | 39·0 | 57·2 | 0·10 | 50 | 17 | 742 | 15·1 | 55·0 | 31·0 | 45·3 | 0·60 |
| 25 | 25 | 607 | 12·4 | 69·0 | 33·0 | 55·6 | 0·67 | 51 | 24 | 727 | 14·8 | 40·0 | 8·0 | 29·6 | 0·50 |
| 26 | July 2 | 521 | 10·6 | 68·0 | 42·0 | 54·1 | 1·79 | 52 | 31 | 826 | 16·8 | 51·8 | 14·0 | 39·1 | 0·49 |

This Table is compiled from Weekly Returns for 1938. Deaths and Death-rates have been provisionally corrected by allocation to place of usual residence.

TABLE 36.—VACCINATIONS in SCOTLAND.

| Year | Total Births Registered. | Number Surviving at Six Months. | Successfully Vaccinated. | Insusceptible of Vaccine Disease. | | | Died before Vaccination. | Statutory Declaration of Conscientious Objection. | Vaccination Postponed. | Removed from District before Vaccination, or otherwise unaccounted for. |
|---|--------------------------|---------------------------------|--------------------------|-----------------------------------|---------------------------------------|---------------------------|--------------------------|---|------------------------|---|
| | | | | From previous Vaccination. | From Constitutional Insusceptibility. | From having had Small-pox | | | | |
| NUMBERS. | | | | | | | | | | |
| 1927 | 96,655 | 89,860 | 54,290 | 264 | 1,030 | 0 | 3,793 | 28,523 | 2,534 | 3,219 |
| 1928 | 96,869 | 90,221 | 52,209 | 239 | 1,295 | 0 | 6,648 | 30,596 | 2,370 | 3,512 |
| 1929 | 92,860 | 86,677 | 47,201 | 276 | 2,173 | 0 | 6,183 | 31,309 | 2,169 | 3,549 |
| 1930 | 94,571 | 88,329 | 47,571 | 225 | 1,325 | 0 | 6,242 | 34,079 | 1,918 | 3,211 |
| 1931 | 92,188 | 86,323 | 44,333 | 254 | 1,677 | 0 | 5,860 | 35,415 | 1,746 | 2,903 |
| 1932 | 91,019 | 85,092 | 41,399 | 317 | 2,142 | 0 | 5,927 | 36,717 | 1,639 | 2,878 |
| 1933 | 86,539 | 81,056 | 37,741 | 166 | 1,971 | 0 | 5,483 | 36,654 | 1,611 | 2,913 |
| 1934 | 88,788 | 83,389 | 38,184 | 170 | 1,601 | 0 | 5,399 | 38,993 | 1,640 | 2,801 |
| 1935 | 87,935 | 82,356 | 37,049 | 214 | 1,378 | 0 | 5,579 | 39,522 | 1,502 | 2,691 |
| 1936 | 88,932 | 83,310 | 36,809 | 213 | 1,105 | 0 | 5,622 | 40,796 | 1,489 | 2,898 |
| 1937 | 87,805 | 82,267 | 35,394 | 157 | 1,087 | 0 | 5,538 | 41,484 | 1,400 | 2,745 |
| RATE PER CENT. OF TOTAL BIRTHS. | | | | | | | | | | |
| 1927 | 100·00 | — | 56·17 | 0·27 | 1·07 | 0·00 | 7·03 | 29·51 | 2·62 | 3·33 |
| 1928 | 100·00 | — | 53·90 | 0·25 | 1·34 | 0·00 | 6·86 | 31·58 | 2·45 | 3·62 |
| 1929 | 100·00 | — | 50·83 | 0·30 | 2·34 | 0·00 | 6·66 | 33·72 | 2·33 | 3·82 |
| 1930 | 100·00 | — | 50·30 | 0·24 | 1·40 | 0·00 | 6·60 | 36·03 | 2·03 | 3·40 |
| 1931 | 100·00 | — | 48·09 | 0·27 | 1·82 | 0·00 | 6·36 | 38·42 | 1·89 | 3·15 |
| 1932 | 100·00 | — | 45·48 | 0·35 | 2·35 | 0·00 | 6·51 | 40·34 | 1·80 | 3·16 |
| 1933 | 100·00 | — | 43·61 | 0·19 | 2·28 | 0·00 | 6·34 | 42·86 | 1·86 | 3·37 |
| 1934 | 100·00 | — | 43·01 | 0·19 | 1·80 | 0·00 | 6·03 | 43·92 | 1·85 | 3·15 |
| 1935 | 100·00 | — | 42·13 | 0·24 | 1·57 | 0·00 | 6·34 | 44·95 | 1·71 | 3·06 |
| 1936 | 100·00 | — | 41·39 | 0·24 | 1·24 | 0·00 | 6·32 | 45·87 | 1·67 | 3·26 |
| 1937 | 100·00 | — | 40·31 | 0·18 | 1·24 | 0·00 | 6·31 | 47·25 | 1·59 | 3·13 |
| RATE PER CENT. OF CHILDREN SURVIVING AT SIX MONTHS. | | | | | | | | | | |
| 1864-1873 | — | 100·00 | 96·19 | 0·22 | 0·23 | 0·05 | — | — | 0·77 | 2·49 |
| 1874-1883 | — | 100·00 | 96·12 | 0·29 | 0·16 | 0·01 | — | — | 1·21 | 2·21 |
| 1884-1893 | — | 100·00 | 94·72 | 0·25 | 0·24 | 0·00 | — | — | 2·13 | 2·66 |
| 1894-1903 | — | 100·00 | 93·84 | 0·32 | 0·47 | 0·00 | — | — | 2·36 | 3·01 |
| 1904-1913 | — | 100·00 | 76·24 | 0·57 | 0·58 | 0·00 | — | 14·88 | 2·69 | 5·04 |
| 1914-1923 | — | 100·00 | 59·94 | 0·33 | 0·67 | 0·00 | — | 32·44 | 2·46 | 4·16 |
| 1924-1933 | — | 100·00 | 55·99 | 0·30 | 1·60 | 0·00 | — | 36·15 | 2·88 | 3·59 |
| 1927 | — | 100·00 | 60·42 | 0·29 | 1·15 | 0·00 | — | 31·74 | 2·82 | 3·58 |
| 1928 | — | 100·00 | 57·87 | 0·26 | 1·44 | 0·00 | — | 33·91 | 2·63 | 3·89 |
| 1929 | — | 100·00 | 54·46 | 0·32 | 2·51 | 0·00 | — | 36·12 | 2·50 | 4·09 |
| 1930 | — | 100·00 | 53·36 | 0·25 | 1·50 | 0·00 | — | 33·58 | 2·17 | 3·64 |
| 1931 | — | 100·00 | 51·36 | 0·30 | 1·94 | 0·00 | — | 41·02 | 2·02 | 3·36 |
| 1932 | — | 100·00 | 48·65 | 0·37 | 2·52 | 0·00 | — | 43·15 | 1·93 | 3·38 |
| 1933 | — | 100·00 | 46·56 | 0·20 | 2·43 | 0·00 | — | 45·22 | 1·99 | 3·59 |
| 1934 | — | 100·00 | 45·79 | 0·20 | 1·92 | 0·00 | — | 46·76 | 1·97 | 3·36 |
| 1935 | — | 100·00 | 44·99 | 0·26 | 1·67 | 0·00 | — | 47·99 | 1·82 | 3·27 |
| 1936 | — | 100·00 | 44·18 | 0·26 | 1·33 | 0·00 | — | 48·97 | 1·79 | 3·48 |
| 1937 | — | 100·00 | 43·02 | 0·19 | 1·32 | 0·00 | — | 50·43 | 1·70 | 3·34 |

TABLE 37.—Deaths from Small-pox in Scotland, 1855-1937, with Vaccination Particulars, 1864-1937.

| State of Vaccination of Children whose Births were Registered during the Years 1864 to 1937 ; Percentages (excluding those who Died before Vaccination). | | | | | | Deaths from Small-pox, 1855 to 1937. | | | | | Deaths from Cow-pox and Effects of Vaccination, 1883-1937. |
|--|---------------------------|-------------------------|-------------------------------|--|------------------|--------------------------------------|------------|-------------|--------------|-----------------------|--|
| Year. | Successfully Vaccinated.* | Vaccination Postponed.† | Insusceptible of Vaccination. | Statutory Declarations of Conscientious Objection. | Unaccounted for. | Total (including Age Not Stated). | 0-4 Years. | 5-24 Years. | 25-64 Years. | 65 Years and upwards. | |
| Average 1855-1863 | .. | .. | .. | .. | .. | 979 | 690 | 183 | 102 | 3 | |
| 1864-1873 | 96·4 | 0·8 | 0·3 | .. | 2·5 | 763 | 259 | 282 | 216 | 6 | |
| 1874-1883 | 96·4 | 1·2 | 0·2 | .. | 2·2 | 145 | 33 | 64 | 47 | 1 | |
| 1884-1893 | 95·0 | 2·1 | 0·2 | .. | 2·7 | 18 | 2 | 5 | 11 | 0 | 3 |
| 1894-1903 | 94·2 | 2·4 | 0·5 | .. | 3·0 | 64 | 9 | 10 | 44 | 1 | 1 |
| 1904-1913 | 76·8 | 2·7 | 0·6 | 14·9 | 5·0 | 22 | 4 | 2 | 15 | 1 | 1 |
| 1914-1923 | 60·3 | 2·5 | 0·7 | 32·4 | 4·2 | 18 | 3 | 4 | 10 | 1 | 1 |
| 1924-1933 | 56·3 | 2·4 | 1·6 | 36·1 | 3·6 | .. | .. | .. | .. | .. | 1 |
| 1927 | 60·7 | 2·8 | 1·2 | 31·7 | 3·6 | .. | .. | .. | .. | .. | 2 |
| 1928 | 58·1 | 2·6 | 1·4 | 33·9 | 3·9 | .. | .. | .. | .. | .. | 1 |
| 1929 | 54·8 | 2·5 | 2·5 | 36·1 | 4·1 | .. | .. | .. | .. | .. | .. |
| 1930 | 54·1 | 2·2 | 1·5 | 38·6 | 3·6 | 2 | .. | 1 | 1 | .. | 1 |
| 1931 | 51·7 | 2·0 | 1·9 | 41·0 | 3·4 | .. | .. | .. | .. | .. | 1 |
| 1932 | 49·0 | 1·9 | 2·5 | 43·1 | 3·4 | .. | .. | .. | .. | .. | .. |
| 1933 | 46·8 | 2·0 | 2·4 | 45·2 | 3·6 | .. | .. | .. | .. | .. | .. |
| 1934 | 46·0 | 2·0 | 1·9 | 46·8 | 3·4 | .. | .. | .. | .. | .. | .. |
| 1935 | 45·2 | 1·8 | 1·7 | 48·0 | 3·3 | .. | .. | .. | .. | .. | .. |
| 1936 | 44·4 | 1·8 | 1·3 | 49·0 | 3·5 | .. | .. | .. | .. | .. | .. |
| 1937 | 43·2 | 1·7 | 1·3 | 50·4 | 3·3 | .. | .. | .. | .. | .. | 1 |

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.
† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1938. 2. VACCINATIONS OF CHILDREN WHOSE BIRTHS WERE REGISTERED IN 1937.
(Figures in this Table show actual numbers as **Registered**, and are not "Corrected for Transfers.")

| No. | COUNTIES AND LARGE BURGHS. | POPULATION (Enumerated at Census of) | | REGISTERED BIRTHS, DEATHS AND MARRIAGES, 1938. | | | | VACCINATIONS, 1937. | | | | | | | Total Births, 1937. (Not corrected for Transfers.) | | |
|-----|----------------------------------|--|-----------|---|--------------------|---------|-------------------------------------|--|--|--|----------------------------------|-----------------------------|--|---|--|--|--------|
| | | 1931 | 1921 | Births. | | Deaths. | | Insusceptible of Vaccine Disease. | | | | Died before Vaccination. | Statutory Declara- tions of Conscientious Objection. | Medical Certificate of Postponement. | | Unaccounted for through removal from District before Vaccin- ation, or otherwise. | |
| | | | | Total. | Illeg- itimate. | Total. | From Uncer- tified Causes. | On the ground of previous Vaccination. | On the ground of Consti- tional Insusceptibility. | In respect of the children having already had Smallpox. | | | | | | | |
| | | | | | | | | | | | Successful- ly Vaccinated. | | | | | | 157 |
| | SCOTLAND . . . | 4,842,980 | 4,882,497 | 88,627 | 5449 | 62,953 | 181 | 38,747 | 35,394 | 157 | 1087 | ... | 5538 | 41,484 | 1400 | 2745 | 87,805 |
| | COUNTIES. | | | | | | | | | | | | | | | | |
| 1 | Zetland . . . | 21,421 | 25,520 | 278 | 15 | 322 | 5 | 136 | 12 | ... | ... | ... | 7 | 253 | ... | 2 | 274 |
| 2 | Orkney . . . | 22,077 | 24,111 | 322 | 27 | 306 | ... | 151 | 41 | ... | ... | ... | 22 | 262 | 1 | 4 | 331 |
| 3 | Caithness . . . | 25,656 | 28,285 | 458 | 42 | 313 | 1 | 163 | 85 | ... | ... | ... | 21 | 295 | 13 | 13 | 428 |
| 4 | Sutherland . . . | 16,101 | 17,802 | 220 | 22 | 244 | 5 | 73 | 46 | ... | ... | ... | 4 | 119 | 2 | 30 | 202 |
| 5 | Ross and Cromarty . . . | 62,799 | 70,818 | 895 | 67 | 907 | 69 | 300 | 414 | ... | ... | ... | 28 | 285 | 24 | 72 | 834 |
| 6 | Inverness . . . | 82,108 | 82,455 | 1,247 | 99 | 1,187 | 77 | 506 | 414 | 5 | ... | ... | 66 | 496 | 23 | 135 | 1,144 |
| 7 | Nairn . . . | 8,294 | 8,790 | 154 | 12 | 119 | ... | 53 | 99 | ... | ... | ... | 6 | 38 | 1 | 1 | 145 |
| 8 | Moray . . . | 40,806 | 41,558 | 738 | 96 | 530 | ... | 294 | 503 | ... | ... | ... | 53 | 152 | 9 | 22 | 744 |
| 9 | Banff . . . | 54,907 | 57,298 | 940 | 121 | 594 | 1 | 322 | 314 | ... | ... | ... | 70 | 494 | 3 | 31 | 917 |
| 10 | Aberdeen . . . | 313,521 | 313,018 | 5,786 | 538 | 4,025 | 1 | 2,654 | 3,903 | 28 | 91 | ... | 313 | 1,121 | 115 | 134 | 5,705 |
| 11 | Kincardine . . . | 26,780 | 29,777 | 400 | 44 | 280 | 3 | 163 | 300 | ... | ... | ... | 22 | 57 | 1 | 21 | 406 |
| 12 | Angus . . . | 270,190 | 271,052 | 4,591 | 315 | 3,904 | ... | 2,003 | 1,555 | ... | ... | ... | 240 | 2,698 | 19 | 40 | 4,573 |
| 13 | Perth . . . | 120,793 | 125,503 | 1,646 | 120 | 1,557 | 2 | 794 | 1,063 | ... | ... | ... | 71 | 371 | 9 | 31 | 1,592 |
| 14 | Fife . . . | 276,368 | 292,925 | 4,572 | 217 | 2,963 | ... | 1,988 | 1,380 | 6 | 35 | ... | 224 | 2,700 | 82 | 68 | 4,495 |
| 15 | Kinross . . . | 7,454 | 7,963 | 86 | 3 | 118 | ... | 37 | 42 | 1 | 5 | ... | 6 | 37 | ... | ... | 91 |
| 16 | Clackmannan . . . | 31,948 | 32,542 | 521 | 18 | 361 | 1 | 251 | 186 | 3 | 5 | ... | 23 | 262 | 5 | 2 | 486 |
| 17 | Stirling . . . | 166,447 | 161,721 | 3,255 | 141 | 1,927 | 1 | 1,222 | 1,045 | 6 | 41 | ... | 178 | 1,773 | 58 | 92 | 3,193 |
| 18 | Dunbarton . . . | 146,723 | 149,666 | 2,193 | 75 | 1,394 | ... | 932 | 519 | ... | 23 | ... | 99 | 1,487 | 19 | 59 | 2,206 |
| 19 | Argyll . . . | 63,050 | 76,862 | 774 | 55 | 896 | 9 | 280 | 381 | 3 | 6 | ... | 31 | 267 | 18 | 53 | 759 |
| 20 | Bute . . . | 18,823 | 33,711 | 197 | 15 | 274 | ... | 78 | 93 | ... | 3 | ... | 7 | 86 | 9 | 6 | 204 |

| | | | | | | | | | | | | | | | | | |
|----------------------|---------------------------------|-----------|-----------|--------|-------|--------|-----|--------|--------|-----|-----|-----|-------|--------|-----|-------|--------|
| 21 | Renfrew | 287,991 | 286,387 | 5,505 | 196 | 3,607 | ... | 1,944 | 1,473 | 7 | 52 | ... | 345 | 3,412 | 196 | 82 | 5,567 |
| 22 | Ayr | 285,217 | 299,273 | 5,422 | 270 | 3,496 | 2 | 2,171 | 1,738 | 7 | 64 | ... | 344 | 2,747 | 114 | 145 | 5,159 |
| 23 | Lanark | 1,587,663 | 1,553,154 | 33,046 | 1,911 | 21,512 | 1 | 14,358 | 11,776 | 75 | 494 | ... | 2,525 | 16,404 | 522 | 1,304 | 33,100 |
| 24 | West Lothian | 81,431 | 83,960 | 1,377 | 39 | 727 | ... | 579 | 394 | 2 | 19 | ... | 70 | 902 | 9 | 19 | 1,415 |
| 25 | Midlothian | 526,296 | 506,377 | 9,712 | 644 | 7,822 | ... | 5,125 | 5,151 | 13 | 109 | ... | 557 | 3,314 | 93 | 266 | 9,503 |
| 26 | East Lothian | 47,338 | 47,487 | 638 | 22 | 456 | ... | 319 | 358 | ... | 10 | ... | 32 | 270 | 10 | 10 | 690 |
| 27 | Berwick | 26,612 | 28,246 | 290 | 19 | 306 | 1 | 141 | 202 | ... | 5 | ... | 8 | 65 | 3 | 4 | 287 |
| 28 | Peebles | 15,051 | 15,332 | 169 | 8 | 123 | ... | 78 | 111 | ... | 2 | ... | 1 | 37 | 1 | 8 | 160 |
| 29 | Selkirk | 22,608 | 22,607 | 265 | 16 | 252 | ... | 143 | 134 | ... | 1 | ... | 12 | 107 | 5 | 4 | 263 |
| 30 | Roxburgh | 45,788 | 44,989 | 553 | 32 | 552 | ... | 259 | 336 | ... | 1 | ... | 29 | 194 | 16 | 8 | 584 |
| 31 | Dumfries | 81,047 | 81,464 | 1,308 | 113 | 1,165 | 1 | 820 | 676 | 1 | 5 | ... | 73 | 535 | 8 | 16 | 1,314 |
| 32 | Kirkcudbright | 30,341 | 31,061 | 459 | 47 | 337 | ... | 191 | 331 | ... | 6 | ... | 26 | 96 | 4 | 10 | 473 |
| 33 | Wigtown | 29,331 | 30,783 | 610 | 90 | 377 | 1 | 219 | 319 | ... | 8 | ... | 25 | 148 | 8 | 53 | 561 |
| LARGE BURGHS. | | | | | | | | | | | | | | | | | |
| | Glasgow | 1,093,337 | 1,056,436 | 23,193 | 1,484 | 16,461 | 1 | 10,933 | 9,328 | 58 | 398 | ... | 1,989 | 10,132 | 253 | 1,109 | 23,267 |
| | Edinburgh | 439,010 | 420,264 | 8,556 | 603 | 7,057 | ... | 4,512 | 4,683 | 13 | 99 | ... | 512 | 2,729 | 89 | 215 | 8,340 |
| | Dundee | 175,681 | 168,395 | 3,394 | 252 | 2,563 | ... | 1,406 | 789 | ... | 14 | ... | 171 | 2,358 | 9 | 22 | 3,363 |
| | Aberdeen | 169,803 | 161,193 | 3,236 | 223 | 2,571 | ... | 1,829 | 2,320 | 28 | 65 | ... | 199 | 479 | 75 | 46 | 3,212 |
| | Paisley | 86,445 | 84,837 | 1,725 | 67 | 1,104 | ... | 645 | 396 | 2 | 17 | ... | 136 | 1,010 | 128 | 16 | 1,705 |
| | Greenock | 79,012 | 81,207 | 1,643 | 70 | 1,068 | ... | 562 | 316 | 1 | 16 | ... | 110 | 1,251 | 7 | 33 | 1,734 |
| | Motherwell and Wishaw | 65,611 | 69,956 | 1,327 | 41 | 573 | ... | 511 | 298 | ... | 11 | ... | 82 | 847 | 84 | 18 | 1,340 |
| | Clydebank | 46,991 | 46,626 | 673 | 16 | 285 | ... | 310 | 147 | ... | 4 | ... | 40 | 472 | 8 | 19 | 690 |
| | Kirkcaldy | 43,874 | 44,298 | 1,049 | 59 | 499 | ... | 358 | 259 | ... | 3 | ... | 54 | 595 | 38 | 6 | 955 |
| | Coatbridge | 43,312 | 44,223 | 829 | 28 | 508 | ... | 289 | 234 | 5 | 2 | ... | 53 | 414 | 22 | 13 | 743 |
| | Kilmarnock | 38,681 | 36,658 | 890 | 32 | 556 | 1 | 290 | 240 | ... | 11 | ... | 66 | 510 | 24 | 7 | 858 |
| | Hamilton | 38,112 | 39,746 | 946 | 37 | 377 | ... | 316 | 172 | ... | 16 | ... | 50 | 702 | 14 | 10 | 964 |
| | Ayr | 38,905 | 37,504 | 1,007 | 55 | 792 | ... | 355 | 428 | 1 | 14 | ... | 87 | 372 | 13 | 48 | 963 |
| | Falkirk | 36,566 | 34,419 | 913 | 33 | 516 | ... | 304 | 210 | ... | 2 | ... | 54 | 562 | 25 | 2 | 855 |
| | Dunfermline | 35,058 | 39,899 | 773 | 37 | 499 | ... | 347 | 268 | 6 | 4 | ... | 27 | 387 | 20 | 18 | 730 |
| | Perth | 35,051 | 33,339 | 759 | 69 | 652 | ... | 351 | 403 | ... | 26 | ... | 51 | 218 | 7 | 13 | 718 |
| | Airdrie | 26,734 | 26,215 | 759 | 34 | 282 | ... | 212 | 236 | 3 | 1 | ... | 48 | 515 | 14 | 13 | 830 |
| | Rutherglen | 25,182 | 24,777 | 239 | 7 | 205 | ... | 238 | 68 | ... | 15 | ... | 9 | 137 | 8 | 4 | 241 |
| | Dumfries | 22,818 | 21,857 | 459 | 31 | 427 | ... | 241 | 244 | ... | 2 | ... | 37 | 226 | ... | 4 | 513 |
| | Stirling | 22,593 | 21,345 | 714 | 53 | 389 | 1 | 213 | 325 | 2 | 9 | ... | 57 | 271 | 6 | 75 | 745 |
| | Inverness | 22,583 | 20,944 | 521 | 41 | 486 | ... | 313 | 172 | 4 | ... | ... | 28 | 207 | 1 | 34 | 446 |
| | Dumbarton | 21,546 | 22,933 | 367 | 12 | 275 | ... | 114 | 66 | ... | 2 | ... | 14 | 281 | 1 | 2 | 366 |
| | Port-Glasgow | 19,588 | 21,038 | 359 | 13 | 176 | ... | 158 | 106 | 2 | ... | ... | 18 | 216 | 8 | 7 | 357 |
| | Arbroath | 17,653 | 19,521 | 251 | 9 | 280 | ... | 149 | 106 | ... | ... | ... | 16 | 140 | 7 | 3 | 272 |
| TOTAL (Large Burghs) | | 2,644,146 | 2,577,630 | 54,582 | 3,306 | 38,601 | 3 | 24,956 | 21,814 | 125 | 731 | ... | 3,908 | 25,031 | 861 | 1,737 | 54,207 |

The portion of Aberdeen Burgh in Kincardine County is included in Aberdeen County.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1938.

| International Nos. Detailed Long List. | CAUSES OF DEATH. | All Ages. | Ages. | | | | | | | | | | | | | | 100 and over | | | | | | | | |
|---|---------------------------------------|--------------|--------------|------------|----------|------------|----------|----------|--------|--------|--------|--------|--------|--------|------|------|--------------------|------|------|------|------|------|-----|-----|---|
| | | | -1 | 1- | 5- | 10- | 15- | 20- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | | 65- | 70- | 75- | 80- | 85- | 90- | 95- | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes | - | 62953 | 6163 | 2098 | 769 | 576 | 1016 | 1134 | 1209 | 1269 | 1492 | 1803 | 2274 | 3188 | 4140 | 5610 | 6929 | 7768 | 7130 | 5128 | 2402 | 722 | 126 | 7 |
| | Total Males | - | 31806 | 3483 | 1127 | 390 | 305 | 523 | 554 | 593 | 647 | 795 | 940 | 1243 | 1703 | 2252 | 2962 | 3686 | 3921 | 3384 | 2194 | 857 | 222 | 24 | 1 |
| | Total Females | - | 31147 | 2680 | 971 | 379 | 271 | 493 | 580 | 616 | 622 | 697 | 863 | 1031 | 1485 | 1888 | 2648 | 3243 | 3847 | 3746 | 2934 | 1545 | 500 | 102 | 6 |
| | I. INFECTIOUS AND PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| | TOTAL | - | { M. F. } | 3006 | 284 | 517 | 152 | 79 | 163 | 210 | 208 | 201 | 184 | 170 | 188 | 150 | 160 | 123 | 99 | 59 | 38 | 15 | 5 | 1 | - |
| 1 | Typhoid fever | - | { M. F. } | 13 10 | - | - | 1 1 | 2 1 | 1 2 | 2 1 | 2 1 | 3 - | 1 - | 1 4 | - | - | 1 1 | 78 | 76 | 87 | 56 | 40 | 24 | 8 | 5 |
| 2 | Paratyphoid fevers | - | { M. F. } | 1 3 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 3 | Typhus fever | - | { M. F. } | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6.1 | Smallpox, vaccinated | - | { M. F. } | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2 | " not vaccinated | - | { M. F. } | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3 | " vaccination doubtful | - | { M. F. } | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7 | Measles | - | { M. F. } | 303 246 | 89 62 | 194 161 | 13 14 | 2 | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| 8 | Scarlet fever | - | { M. F. } | 46 52 | 4 1 | 19 24 | 5 10 | 3 | 2 | 2 | 1 | 2 | 4 | 2 | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - |
| 9 | Whooping-cough | - | { M. F. } | 104 115 | 55 56 | 47 58 | 2 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | Diphtheria | - | { M. F. } | 178 252 | 11 12 | 90 103 | 61 96 | 12 26 | 2 6 | 2 3 | 1 1 | - | 1 | 1 | 2 | - | - | - | 2 | 1 | - | - | - | - | - |
| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|-----|------------------------|-------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | Influenza— | Total | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) |
| 11 | | 204 | 13 | 8 | 3 | 2 | 5 | 4 | 3 | 8 | 9 | 15 | 12 | 17 | 21 | 17 | 23 | 19 | 15 | 8 | 1 | 1 | — | — |
| a1 | with pneumonia | 100 | 7 | 5 | 1 | — | 3 | 3 | 1 | 5 | 6 | 11 | 9 | 8 | 8 | 8 | 7 | 10 | 5 | 3 | — | — | — | — |
| 2 | „ | 70 | 4 | 1 | 1 | — | — | 2 | 3 | 1 | 6 | 4 | — | 4 | 10 | 5 | 7 | 7 | 7 | 6 | 1 | 1 | — | — |
| 3 | „ | 16 | — | — | — | — | — | — | — | — | 1 | 2 | 1 | 3 | 1 | 3 | 2 | 2 | 2 | 1 | 1 | — | — | — |
| b1 | „ | 16 | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 1 | 4 | 4 | 1 | — | — | — | — | — |
| 2 | „ | 13 | — | — | — | — | — | — | — | — | — | 1 | 1 | 4 | 4 | — | 2 | 2 | — | 1 | — | — | — | — |
| 3 | „ | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 | „ | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 13 | Dysentery | 54 | 4 | 3 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 7 | 3 | 10 | 5 | 5 | 2 | — | — | — | — |
| 15 | Erysipelas | 78 | 1 | 5 | — | 1 | 1 | — | 2 | 1 | 2 | 1 | 5 | 6 | 7 | 15 | 10 | 6 | 10 | 3 | 2 | 1 | — | — |
| 16 | Acute poliomyelitis | 20 | 2 | — | — | 1 | 2 | — | — | — | 1 | 1 | 1 | — | 1 | 3 | 2 | 2 | 3 | 1 | — | — | — | — |
| 17 | Lethargic encephalitis | 18 | 1 | 4 | — | 1 | — | 1 | — | — | — | — | 2 | 1 | — | 3 | 1 | 1 | 1 | 4 | — | — | — | — |
| 18 | Cerebro-spinal fever | 22 | — | 4 | 1 | — | — | 1 | — | 3 | — | — | — | — | — | 2 | 4 | 4 | 3 | 1 | 1 | — | — | — |
| 22 | Tetanus | 42 | 10 | 7 | — | 2 | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | 33 | 6 | — | — | — | 3 | — | — | — | — | 4 | 2 | 1 | 2 | 4 | 4 | 6 | 3 | 3 | — | — | — | — |
| | | 13 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | 44 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | 43 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | 58 | 25 | 17 | 2 | 3 | 4 | — | 1 | 1 | 2 | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| | | 48 | 19 | 15 | 2 | 3 | 4 | — | 1 | 2 | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | | 11 | 2 | — | 2 | — | 2 | — | — | 1 | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — |
| | | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1938—continued.

| International Nos. Detailed Long List. | CAUSES OF DEATH. | All Ages. | Ages. | | | | | | | | | | | | | | | | 100 and over | | | | | |
|---|---|----------------|--------------|----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------------|------------|------------|------------|------------|--------------------|
| | | | -1 | 1- 5- | 5- 10- | 10- 15- | 15- 20- | 20- 25- | 25- 30- | 30- 35- | 35- 40- | 40- 45- | 45- 50- | 50- 55- | 55- 60- | 60- 65- | 65- 70- | 70- 75- | | 75- 80- | 80- 85- | 85- 90- | 90- 95- | 95- and over |
| | I. INFECTIOUS AND PARASITIC DISEASES—continued. | | | | | | | | | | | | | | | | | | | | | | | |
| | Tuberculosis— (Total) | { M. F.} | 1831 1601 | 39 37 | 125 100 | 62 54 | 48 71 | 137 252 | 197 276 | 192 214 | 168 130 | 152 107 | 141 75 | 158 66 | 119 48 | 113 48 | 82 38 | 52 47 | 24 20 | 19 10 | 2 5 | 1 3 | - | - |
| 23 | Respiratory system | { M. F.} | 1396 1185 | 8 5 | 23 21 | 9 6 | 13 32 | 91 187 | 161 245 | 173 192 | 152 114 | 137 96 | 126 63 | 139 54 | 109 39 | 102 45 | 71 29 | 47 32 | 20 16 | 13 4 | 1 4 | 1 1 | - | - |
| 24 | Central nervous system | { M. F.} | 198 192 | 15 20 | 71 58 | 42 32 | 26 26 | 22 30 | 10 13 | 2 6 | 2 6 | 1 1 | - | 4 | 2 | 1 | - | - | - | - | - | - | - | - |
| 25 | Intestines and peritoneum | { M. F.} | 71 64 | 2 7 | 12 3 | 4 5 | 3 1 | 11 11 | 7 8 | 4 7 | 2 4 | 5 3 | 8 3 | 5 3 | 3 2 | 1 | 3 | 1 3 | 2 1 | - | - | - | - | - |
| 26 | Vertebral column | { M. F.} | 26 29 | 1 1 | 1 1 | 1 - | 1 1 | 3 1 | 3 1 | 4 1 | 2 - | 2 1 | 1 3 | 2 6 | 1 1 | 1 1 | 4 1 | 6 3 | 2 1 | - | - | 1 | - | - |
| 27 | Other bones and joints | { M. F.} | 28 11 | 1 - | 4 - | 1 - | 1 - | 1 1 | 4 - | 2 - | - | 1 - | 1 - | 1 - | - | 1 1 | 3 - | 4 3 | 1 2 | 4 2 | - | - | - | - |
| 28 | Skin and sub-cutaneous tissues | { M. F.} | 1 5 | - | - | - | - | 1 | - | - | - | - | - | 1 | 1 | - | - | - | 3 | - | - | - | - | - |
| 29 | Lymphatic system (bronchial and abdominal glands excepted) | { M. F.} | 10 11 | 3 - | 1 - | 1 2 | - | 1 1 | 1 1 | 1 - | - | - | - | - | 1 | 2 | 2 | - | - | 1 | - | - | - | - |
| 30 | Genito-urinary system | { M. F.} | 24 8 | - | - | - | - | 2 - | 4 1 | 2 2 | 4 1 | 2 1 | 2 1 | 3 - | 3 2 | 1 | 1 | - | - | - | - | - | - | - |
| 31 | Other organs | { M. F.} | 3 1 | - | - | 1 | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| 32.a | Disseminated—acute | { M. F.} | 48 56 | 11 3 | 11 15 | 1 5 | 2 7 | 4 10 | 5 5 | 2 2 | 3 1 | 2 1 | 2 1 | 3 1 | - | 2 1 | 2 | - | - | - | - | - | - | - |
| b | „ chronic (c) | { M. F.} | 26 39 | - | 2 2 | 2 4 | 2 3 | 5 8 | 2 2 | 3 3 | 2 4 | 2 3 | 1 3 | 1 | 1 | 2 | 1 | 1 | - | 1 | - | - | - | - |
| a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|-------------------------------|--|--------------------------------------|---------|--------|--------|--------|----------|----------|----------|----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|----------|--------|--------|
| 34 | Syphilis - - - - - | { M. F. } 49 24 | 13 7 | 1 1 | - - | 1 - | 2 - | 1 - | 2 - | 1 - | 1 - | 1 3 | 4 1 | 5 2 | 7 1 | 6 5 | 6 1 | 2 1 | - - | - - | - - | - - | - - | - - |
| 35 | Other venereal diseases - - - - - | { M. F. } 9 3 | 4 3 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 1 - | 1 - | 1 - | 2 - | - - | - - | - - | - - | - - | - - | |
| 36 | Purulent infection, Septicæmia - - - - - | { M. F. } 64 49 | 15 8 | 2 6 | 1 - | 4 4 | 3 2 | 5 5 | 3 2 | 4 1 | 2 3 | 7 1 | 2 2 | 2 2 | 5 2 | 3 1 | 4 6 | 3 2 | 3 - | 1 - | 1 - | - - | - - | |
| 38 | Malaria - - - - - | { M. F. } 2 - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 1 - | - - | - - | - - | 1 - | - - | - - | - - | |
| 41 | Hydatid cysts - - - - - | { M. F. } - 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - 1 | - - | - - | - - | - - | - - | |
| 43 | Mycoses - - - - - | { M. F. } 4 8 | - 2 | - - | - - | 1 - | - - | - - | - - | 2 - | - - | - - | - - | 1 - | 3 - | 1 - | - - | - - | 1 - | 1 - | - - | - - | - - | |
| 44* | Other infectious or parasitic diseases (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42) { M. F. } | 12 6 | 3 4 | 3 1 | - 1 | - - | - - | - - | 1 - | - - | 1 - | - - | 1 - | - - | 2 - | - - | 1 - | - - | - - | - - | - - | - - | - - | |
| II. CANCER AND OTHER TUMOURS. | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL - - - - - | | { M. F. } 3795 4611 | 6 - | 8 7 | 4 7 | 9 9 | 19 12 | 14 18 | 32 22 | 38 64 | 65 109 | 114 195 | 161 254 | 316 423 | 440 553 | 559 664 | 727 674 | 615 660 | 415 519 | 200 281 | 42 116 | 10 20 | 1 4 | - - |
| Cancer— | | (Total) { M. F. } 3667 4495 | 2 - | 3 3 | 2 1 | 6 4 | 13 6 | 14 11 | 25 18 | 27 59 | 57 100 | 104 171 | 154 227 | 303 406 | 422 531 | 550 644 | 715 663 | 610 648 | 408 510 | 200 269 | 41 111 | 10 20 | 1 3 | - - |
| 45 | Buccal cavity, Pharynx - - - - - | { M. F. } 312 93 | - - | - - | - - | - 1 | - - | - 1 | - - | 1 - | 1 3 | 2 3 | 1 2 | 16 10 | 38 13 | 65 18 | 71 11 | 63 15 | 29 13 | 20 1 | 4 1 | - 1 | - - | - - |
| 46 | Digestive organs, Peritoneum - - - - - | { M. F. } 2290 2348 | - - | 1 1 | - - | 1 - | 5 2 | 4 6 | 15 11 | 18 24 | 31 30 | 57 58 | 80 73 | 192 142 | 264 224 | 364 345 | 470 386 | 375 419 | 263 335 | 121 214 | 23 70 | 6 7 | 1 1 | - - |
| 47 | Respiratory organs - - - - - | { M. F. } 389 195 | - - | - - | - - | 2 - | - 1 | 4 - | 2 - | 5 2 | 15 8 | 30 11 | 43 16 | 58 24 | 66 32 | 40 28 | 61 27 | 36 22 | 18 17 | 7 4 | 2 3 | - - | - - | - - |
| 48 | Uterus - - - - - | F. 484 | - | - | - | 1 | - | - | 3 | 9 | 24 | 26 | 50 | 70 | 84 | 72 | 64 | 45 | 27 | 6 | 2 | 1 | - | - |
| 49 | Other female genital organs - - - - - | F. 184 | - | - | - | - | 1 | 1 | 2 | 4 | 8 | 12 | 16 | 33 | 22 | 24 | 23 | 15 | 17 | 5 | 1 | - | - | - |

* For further particulars see Text Table J.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1938—continued.

| International Nos. Detailed Long List. | CAUSES OF DEATH. | All Ages. | Ages. | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|-----------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|--|--|
| | | | -1 | 1- | 5- | 10- | 15- | 20- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85- | 90- | 95- | 100 and over | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. CANCER AND OTHER TUMOURS— <i>continued.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cancer— <i>continued.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | Breast - - - - - (M. { F.) | 4 772 | - | - | - | - | - | - | - | 15 | 22 | 48 | 59 | 97 | 124 | 110 | 98 | 86 | 61 | 23 | 19 | 9 | 1 | - | | |
| 51 | Male genito-urinary organs - - M. | 417 | 1 | - | 1 | - | 2 | - | 5 | 2 | 3 | 4 | 17 | 23 | 31 | 52 | 72 | 93 | 67 | 36 | 8 | - | - | - | | |
| 52 | Skin - - - - - (M. { F.) | 64 55 | - | - | - | - | - | 1 | - | 1 | 1 | 3 | 2 | - | 4 | 9 | 7 | 10 | 12 | 10 | 3 | 3 | 1 | - | | |
| 53 | Other or unspecified organs - - (M. { F.) | 191 274 | 1 | 2 | 1 | 3 | 6 | 2 | 2 | 1 | 7 | 8 | 11 | 12 | 18 | 20 | 34 | 33 | 19 | 5 | 1 | 1 | - | - | | |
| 55 | Tumours, non-malignant, or of unde- termined nature (54)— | | - | 2 | 1 | 2 | 2 | 3 | 2 | 4 | 4 | 13 | 10 | 30 | 31 | 41 | 44 | 35 | 32 | 11 | 6 | 1 | - | - | | |
| a1 | Ovary - - - - - F. | 45 | - | 1 | - | 1 | 1 | 1 | - | 3 | 2 | 5 | 3 | 2 | 5 | 3 | 5 | 1 | 3 | 9 | - | - | - | - | | |
| 2 | Uterus - - - - - F. | 43 | - | - | - | - | - | - | - | 2 | 3 | 9 | 14 | 5 | 1 | 4 | 2 | 1 | 1 | - | - | - | 1 | - | | |
| b1 | Brain - - - - - (M. { F.) | 89 73 | 2 | 4 | 2 | 3 | 4 | 6 | 9 | 7 | 4 | 9 | 8 | 12 | 11 | 5 | 7 | 1 | 1 | - | - | - | - | - | | |
| 2 | Bladder - - - - - (M. { F.) | 14 12 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 2 | 2 | 6 | 2 | 1 | 4 | - | - | | |
| 3 | Others - - - - - (b) | 25 33 (c) | 2 | 1 | 2 | 1 | 2 | 3 | 1 | 2 | 1 | 1 | 1 | - | 7 | 2 | 3 | 2 | 1 | 1 | - | - | - | - | | |
| (a) | | | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|--|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| III. RHEUMATISM, DISEASES OF NUTRITION AND OTHER GENERAL DISEASES. | | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) | (M. F.) |
| | TOTAL | 464 990 | 13 8 | 10 4 | 19 23 | 17 25 | 23 36 | 16 22 | 8 22 | 14 15 | 8 24 | 17 29 | 20 51 | 33 52 | 31 99 | 48 140 | 70 153 | 50 155 | 44 72 | 18 43 | 5 11 | | | |
| 56 | Rheumatic fever | 100 127 | - - | 5 1 | 17 21 | 16 21 | 17 25 | 11 16 | 5 11 | 6 2 | 3 5 | 1 2 | 7 10 | 5 3 | 4 5 | 1 2 | 1 2 | 1 1 | - - | - - | - - | - - | - - | - - |
| 57.1 | Chronic rheumatism | 10 10 | - - | - - | - - | - - | - - | - - | - - | - - | 1 2 | 1 1 | - - | - - | 1 - | - - | 2 1 | - - | 3 1 | 2 1 | - - | - - | - - | - - |
| 2 | Rheumatoid arthritis, Osteo-arthritis | 19 99 | - - | - - | - - | - - | 1 1 | 1 1 | 1 1 | 1 1 | - - | 1 1 | 2 7 | 2 5 | 1 9 | 3 9 | 5 16 | 2 19 | 2 13 | 1 12 | - - | - - | - - | - - |
| 58 | Gout | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 59 | Diabetes mellitus | 287 572 | 1 - | 2 - | 2 - | 1 2 | 5 5 | 3 1 | 3 6 | 5 6 | 4 8 | 12 9 | 7 15 | 22 23 | 24 62 | 37 106 | 57 118 | 45 118 | 38 57 | 14 29 | 5 5 | - - | - - | - - |
| 60 | Scurvy | 2 - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 1 - | - - | - - | - - | - - | - - | 1 - | - - | - - | - - | - - | - - |
| 63 | Rickets | 2 3 | 1 3 | 1 - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 65 | Diseases of pituitary gland | 2 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 2 - | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 66.b | Exophthalmic goitre | 16 99 | - - | - - | - - | 1 - | 5 5 | 2 3 | 2 4 | 2 5 | 6 6 | 2 11 | 3 14 | 1 10 | 1 16 | 5 9 | 1 10 | 8 5 | - - | - - | - - | - - | - - | - - |
| c | Myxœdema, Cretinism | 4 37 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 3 3 | 3 3 | 5 1 | 1 3 | 1 1 | 1 1 | 1 2 | 1 1 | - - | - - | - - | - - |
| e | Other diseases of thyroid and para-thyroid, Tetany (a, d) | 3 16 | 2 2 | 1 1 | - - | - - | - - | - - | - - | - - | 1 1 | 1 1 | 1 1 | 5 5 | 1 1 | 3 3 | - - | 1 1 | - - | - - | - - | - - | - - | - - |
| 67 | Diseases of thymus | 8 2 | 7 1 | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 68 | Diseases of adrenals | 8 11 | 1 - | - - | - - | 1 - | 1 - | - - | - - | 1 1 | - - | 3 - | - - | 1 2 | - - | - - | 4 - | - - | - - | - - | - - | - - | - - | - - |
| 69* | Other general diseases (61, 62, 64) | 3 13 | 1 2 | 1 1 | 2 - | - - | - - | - - | - - | - - | - - | 2 - | 1 1 | - - | - - | 1 1 | - - | - - | - - | - - | 1 - | - - | - - | - - |

* For further particulars see Text Table J.

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|--|-------------------------------------|-------------|--------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|----------|---------|
| VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS. | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | (M. (F.) | | | | | | | | | | | | | | | | | | | | | | |
| 78.a | Cerebral abscess | - | 3570 4202 | 129 111 | 52 55 | 23 22 | 18 17 | 40 18 | 33 21 | 39 39 | 34 49 | 55 57 | 51 86 | 75 105 | 160 195 | 281 297 | 380 414 | 564 584 | 625 709 | 551 705 | 334 457 | 103 199 | 23 51 | - 11 |
| b | Other forms of encephalitis | - | 18 11 | - | - | - | - | 1 1 | 3 3 | 1 1 | 3 1 | 3 2 | 1 2 | - | 2 1 | 1 1 | - | - | - | - | - | - | - | - |
| 79 | Meningitis | - | 19 17 | 3 3 | 1 1 | 1 1 | 4 2 | 1 1 | 2 2 | 1 1 | - | 4 2 | 1 1 | - | 2 1 | 1 1 | - | - | - | - | - | - | - | - |
| 80 | Tabes dorsalis (Locomotor ataxy) | - | 103 86 | 38 37 | 24 13 | 7 8 | 5 6 | 8 2 | 4 1 | 1 2 | 3 3 | 1 1 | 1 1 | 2 2 | 3 2 | 4 5 | 3 3 | 1 1 | - | - | - | - | - | - |
| 81.1 | Progressive muscular atrophy | - | 42 10 | - | - | - | - | 1 1 | 1 1 | 1 1 | 3 3 | 1 1 | 3 1 | 5 2 | 4 1 | 5 4 | 11 3 | 5 2 | 4 2 | 4 2 | 1 1 | 1 1 | - | - |
| 2 | Sub-acute combined sclerosis | - | 6 11 | - | - | - | - | - | - | - | 2 2 | - | 2 1 | - | 1 1 | 3 1 | 1 1 | 1 2 | 1 1 | - | - | - | - | - |
| 3 | Myelitis of unstated origin | - | 24 18 | - | - | - | - | 1 1 | - | 2 2 | 1 1 | 1 1 | 3 1 | 1 1 | 4 1 | 1 1 | 4 3 | 6 2 | 4 2 | 4 1 | - | - | - | - |
| 4 | Other diseases of spinal cord | - | 50 22 | - | - | 1 1 | 1 1 | 2 2 | 3 2 | - | 1 1 | 1 1 | 4 1 | 3 2 | 6 2 | 4 3 | 8 1 | 5 4 | 5 1 | 4 1 | 1 2 | 1 1 | - | - |
| 82.a | Cerebral hæmorrhage, Apoplexy | - | 1881 2294 | 2 1 | 1 1 | - | - | 2 1 | 3 1 | 7 7 | 6 10 | 15 11 | 14 40 | 31 54 | 70 122 | 150 191 | 226 264 | 352 380 | 394 438 | 336 414 | 198 229 | 57 106 | 17 19 | - 4 |
| b1 | Cerebral embolism | - | 50 49 | - | - | - | - | - | - | 1 1 | 1 1 | 1 1 | - | 2 2 | 3 5 | 4 3 | 6 6 | 10 4 | 15 12 | 5 8 | 5 3 | - | - | - |
| 2 | Cerebral thrombosis | - | 583 889 | - | - | - | - | 1 1 | 1 1 | 1 1 | 1 1 | 1 5 | 1 4 | 6 6 | 11 18 | 40 36 | 56 85 | 93 110 | 123 166 | 121 194 | 91 169 | 33 65 | 4 21 | - 5 |
| 3 | Cerebral softening | - | 88 82 | - | - | - | - | - | - | - | - | - | 1 1 | 1 1 | 1 1 | 1 3 | 7 7 | 16 10 | 24 14 | 20 21 | 12 13 | 6 3 | 7 1 | - 1 |
| c1 | Hemiplegia | - | 138 171 | - | - | 1 1 | - | - | - | - | - | 1 1 | 2 1 | 1 1 | 10 7 | 13 10 | 27 24 | 29 36 | 28 36 | 14 25 | 3 15 | 1 3 | 1 1 | - 1 |
| 2 | Other paralysees of unstated origin | - | 9 20 | - | - | - | - | - | - | - | - | 3 3 | 1 1 | 1 1 | 1 1 | 2 1 | - | 1 3 | 2 1 | 6 1 | - | - | - | - |

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1938—continued.

| International Nos. Detailed Long List. | CAUSES OF DEATH. | All Ages. | Ages. | | | | | | | | | | | | | | | | | | | 100 and over | | |
|---|--|--------------|----------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|-----|-----|
| | | | -1 | 1- | 5- | 10- | 15- | 20- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85- | | 90- | 95- |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—continued. | | | | | | | | | | | | | | | | | | | | | | | | |
| 83 | General paralysis of insane (M. F.) | 80 37 | - | - | - | - | 1 | 1 | 2 | 2 | 7 | 8 | 12 | 14 | 18 | 6 | 6 | 1 | 3 | - | - | - | - | - |
| 84 | Other forms of insanity (M. F.) | 21 42 | - | - | - | 1 | 1 | 3 | 3 | - | 2 | 2 | 7 | 3 | 5 | 1 | 4 | 4 | 1 | - | 1 | - | - | - |
| 85 | Epilepsy - - - (M. F.) | 67 64 | 3 | 4 | 4 | 9 | 6 | 4 | 10 | 4 | 8 | 3 | 5 | 4 | 5 | 2 | 2 | 1 | 2 | 1 | 2 | - | - | - |
| 86 | Infantile convulsions (age under 5 yrs.) (M. F.) | 84 78 | 72 56 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 87.a | Chorea - - - (M. F.) | 2 2 | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| b | Neuritis - - - (M. F.) | 10 12 | - | - | - | - | - | - | - | - | - | 1 | 3 | - | 2 | 1 | 2 | 2 | 1 | 2 | 3 | - | - | - |
| c | Paralysis agitans - - - (M. F.) | 35 45 | - | - | - | - | - | - | 1 | - | - | - | 1 | - | 2 | 4 | 10 | 8 | 7 | 5 | 2 | 1 | - | - |
| d | Disseminated sclerosis - - - (M. F.) | 67 80 | - | - | - | - | - | - | 3 | 5 | 5 | 5 | 8 | 10 | 4 | 10 | 9 | 4 | 3 | 1 | 2 | 1 | - | - |
| e | Other diseases of nervous system (M. F.) | 77 81 | 5 1 | 4 | 4 | 1 | - | 3 | 3 | 3 | 3 | 2 | 5 | 2 | 5 | 6 | 7 | 10 | 10 | 5 | 1 | 1 | 1 | - |
| 88 | Diseases of eye and annexa (M. F.) | - 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| 89.a | Otitis, Diseases of ear - - - (M. F.) | 45 35 | 9 8 | 2 | 2 | 7 | 2 | 5 | 3 | 2 | 2 | 2 | 1 | 3 | 4 | 5 | 2 | - | - | 2 | - | - | - | - |
| b (a) | Mastoid disease (b) | 30 20 | - 3 | 4 | 3 | 4 | 1 | 5 | 5 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | - | 1 | - | - | - | - | - | - |

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1938—continued.

| International Nos. Detailed Long List. | CAUSES OF DEATH. | All Ages. | Ages | | | | | | | | | | | | | | | | | 100 and over | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---------------|--------------|------------|------------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|--------------------|------------|-----------|----------|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | -1 | 1- | 5- | 10- | 15- | 20- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | | 80- | 85- | 90- | 95- | | | | | | | | | | | | | | | | | | | |
| 99 | VII. DISEASES OF CIRCULATORY SYSTEM—continued. | { M. F. | 44 54 | - | - | - | - | 1 | 1 | - | - | 2 | 5 | 5 | 6 | 6 | 4 | 7 | 5 | 1 | - | - | - | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | Other diseases of arteries - - - | 3 | 3 | 1 | 3 | 4 | 7 | 8 | 6 | 5 | - | - | - | - | - | - | - | - | - | - |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | { M. F. | 23 33 | - | - | - | - | 1 | - | - | - | - | 1 | 3 | 3 | 1 | 6 | 7 | 4 | 2 | 1 | - | - | - | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 101 | { M. F. | 2 3 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102 | { M. F. | 44 41 | - | - | - | - | 1 | - | - | - | 2 | 1 | 3 | 2 | 10 | 5 | 3 | 4 | 1 | 2 | - | - | - | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103 | { M. F. | - 2 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104 | VIII. DISEASES OF RESPIRATORY SYSTEM. | { M. F. | 3994 3080 | 738 579 | 283 235 | 32 23 | 20 20 | 38 20 | 55 32 | 55 31 | 87 35 | 113 47 | 164 83 | 208 74 | 251 113 | 265 130 | 328 203 | 310 241 | 367 334 | 329 345 | 231 299 | 91 153 | 27 69 | 2 14 | - | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 105.1 | { M. F. | 11 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | { M. F. | 9 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | | | | | | | | | | | | | | | | | | | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|-------|--|--------------------------|------------|------------|---------|--------|---------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|------------|------------|------------|------------|----------|----------|--------|--------|
| 105.3 | Other diseases of larynx - | M. F. 2 3 | 1 1 | - 2 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 106 | Bronchitis - | M. F. 1332 1130 | 118 76 | 14 17 | 4 5 | 5 2 | 2 1 | 5 2 | 11 1 | 12 9 | 17 5 | 36 18 | 63 21 | 87 38 | 102 40 | 117 98 | 145 123 | 187 178 | 186 200 | 149 170 | 56 79 | 16 38 | - 9 | - - |
| 107 | Broncho-pneumonia - | M. F. 1103 991 | 487 396 | 195 155 | 12 6 | 2 6 | 4 5 | 9 8 | 6 7 | 7 7 | 14 11 | 18 18 | 32 13 | 33 20 | 36 30 | 53 32 | 46 52 | 54 69 | 56 61 | 29 51 | 9 27 | 1 15 | - 2 | - - |
| 108 | Lobar pneumonia - | M. F. 817 371 | 29 27 | 31 16 | 7 10 | 8 7 | 23 6 | 31 13 | 32 18 | 44 10 | 57 13 | 70 24 | 76 23 | 81 29 | 76 28 | 86 27 | 59 30 | 54 36 | 32 30 | 16 18 | 2 5 | 3 1 | - - | - - |
| 109 | Pneumonia (not otherwise defined) - | M. F. 339 211 | 71 49 | 28 31 | 6 2 | 3 3 | 7 5 | 5 6 | 2 1 | 9 2 | 12 3 | 19 5 | 18 4 | 23 5 | 20 14 | 28 14 | 27 13 | 31 17 | 17 13 | 9 13 | 3 5 | - 5 | 1 1 | - - |
| 110 | Pleurisy - | M. F. 81 54 | 1 5 | 8 4 | - - | 2 - | 2 1 | 2 1 | 3 1 | 5 1 | 1 - | 7 6 | 3 7 | 8 3 | 9 2 | 10 6 | 5 2 | 7 2 | 5 5 | 2 3 | 1 1 | - - | - - | - - |
| 111.1 | Congestion of Lungs - | M. F. 139 178 | 19 16 | 2 1 | 1 - | 1 - | - - | - 1 | 1 - | 2 - | 1 3 | 1 - | 3 1 | 1 6 | 6 5 | 7 10 | 11 5 | 15 18 | 23 27 | 21 38 | 19 33 | 7 9 | 1 2 | - - |
| 2 | Embolism, Thrombosis, Infarct. | M. F. 11 21 | 1 - | - - | - - | - - | - - | - - | - - | 1 1 | - 5 | 2 3 | - 3 | - 1 | 1 1 | 1 - | 1 3 | 2 2 | 1 2 | 1 - | - - | - - | - - | - - |
| 112 | Asthma - | M. F. 82 75 | 1 - | 1 1 | - - | 1 - | - - | 1 1 | - 2 | 5 2 | 5 6 | 4 6 | 7 1 | 10 10 | 7 7 | 9 12 | 8 7 | 12 8 | 7 6 | 4 5 | 1 - | - - | - - | - - |
| 113 | Pulmonary emphysema - | M. F. 9 2 | - - | 1 - | - - | - - | - - | - - | - - | 1 - | 1 - | 2 - | 1 - | - - | - - | 2 - | 1 - | 1 1 | - - | - - | - - | - - | - - | - - |
| 114.1 | Chronic interstitial pneumonia - | M. F. 31 8 | - - | - - | - - | - - | - - | - - | - - | 1 - | 2 - | 1 1 | 1 - | 5 - | 6 2 | 8 2 | 4 - | 3 2 | - - | - - | 1 - | - - | - - | - - |
| b1 | Gangrene of lung - | M. F. 7 1 | - - | 1 - | - - | - - | - - | 1 - | - - | - - | 1 - | 1 - | - - | - - | 1 - | - - | 2 - | - - | 1 - | - - | - - | - - | - - | - - |
| 2 | Other diseases of respiratory system - | M. F. 18 14 | 1 3 | - - | - - | - - | 1 - | - - | - - | 2 - | - - | 2 1 | 3 1 | 2 1 | 1 - | 6 2 | - 1 | - - | 1 1 | - - | 2 1 | - - | - - | - - |

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1938—continued.

| International Nos. Detailed Long List. | CAUSES OF DEATH. | All Ages. | Ages. | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--------------------|--------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|------------|------------|------------|------------|-----------|----------|----------|--------|--------------------|-----|
| | | | -1 | 1- | 5- | 10- | 15- | 20- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75- | 80- | 85- | 90- | 95- | 100 and over | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| IX. DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | TOTAL | { M. F. } | 2045 1615 | 451 287 | 91 74 | 39 35 | 39 29 | 48 32 | 37 22 | 39 31 | 50 35 | 85 41 | 82 57 | 119 85 | 143 100 | 155 102 | 172 148 | 167 145 | 140 155 | 98 114 | 62 83 | 23 36 | 5 4 | - | - |
| 115.1 | Diseases of teeth and gums | { M. F. } | 10 11 | 3 2 | 2 - | 1 1 | 1 - | - | 2 | - | - | - | - | 1 | 1 | 2 | - | - | 1 | - | - | 1 | - | - | - |
| 2 | Diseases of tonsils | { M. F. } | 33 57 | 3 1 | 4 6 | 3 7 | 4 5 | 1 3 | 3 1 | 1 7 | 1 5 | 5 1 | 3 2 | - | 1 3 | 6 | 3 2 | 1 | 1 | 1 4 | - | - | - | - | - |
| 3 | Other diseases of buccal cavity or pharynx | { M. F. } | 21 33 | 2 3 | 1 - | 2 2 | 2 1 | - | - | 2 | 2 | 4 | - | 2 1 | 2 | 3 | 3 | 1 | 1 | 1 7 | 1 | 4 | 1 | - | - |
| 116 | Diseases of oesophagus | { M. F. } | 3 5 | 1 - | 2 - | - | - | - | - | - | - | - | - | - | 1 1 | 1 | 1 | 1 | - | - | - | - | - | - | - |
| 117.a | Ulcer of stomach | { M. F. } | 262 111 | 1 1 | 1 - | - | 1 | 6 2 | 5 | 5 2 | 12 1 | 25 4 | 17 5 | 27 9 | 29 10 | 28 13 | 28 13 | 27 11 | 21 17 | 16 14 | 10 7 | 4 1 | - | - | - |
| b | Ulcer of duodenum | { M. F. } | 265 50 | - 1 | - - | - | - | 2 | 4 | 9 | 13 | 24 4 | 21 2 | 32 4 | 27 7 | 24 4 | 40 5 | 20 7 | 27 9 | 16 3 | 3 2 | 3 1 | - | - | - |
| 118 | Other diseases of stomach | { M. F. } | 57 51 | 18 8 | 2 1 | 1 1 | 1 1 | 1 | 1 | 1 | 1 | 1 1 | 1 | 3 | 3 2 | 3 2 | 4 5 | 6 5 | 2 8 | 7 4 | 3 7 | 1 5 | - | - | - |
| 119 | Diarrhoea and enteritis (under 2 years) | { M. F. } | 428 293 | 391 259 | 37 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 120.a | Diarrhoea and enteritis (over 2 years) | { M. F. } | 92 107 | - (c) | 18 15 | 6 6 | 1 - | 3 | 1 | 1 | 1 | 1 6 | 2 1 | 3 4 | 1 7 | 6 6 | 7 (g) | 9 10 | 7 (s) | 10 13 | 8 14 | 5 6 | 2 1 | - | - |
| (a) | (b) | | | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|-------|--|------------------------|---------|---------|----------|----------|----------|----------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|----------|----------|--------|-----|-----|-----|
| 120.b | Ulceration of intestines - | M. F. 23 38 | - | - | - | - | 1 1 | 1 4 | - | - | - | 3 9 | 2 2 | 3 2 | 4 5 | 2 5 | 3 2 | 1 1 | 2 - | - | 1 - | - | - | - |
| 121 | Appendicitis - | M. F. 262 168 | 1 | 14 3 | 22 11 | 26 16 | 28 20 | 20 10 | 12 7 | 12 5 | 10 7 | 12 6 | 13 16 | 20 10 | 25 12 | 14 12 | 13 8 | 16 12 | 2 10 | 2 2 | 1 - | - | - | - |
| 122.a | Hernia - | M. F. 105 113 | 3 | - | - | 1 1 | - | - | 1 1 | - | 2 - | 4 3 | 2 4 | 9 12 | 8 10 | 12 13 | 21 16 | 17 24 | 11 14 | 9 5 | 5 5 | 2 | - | - |
| b | Intestinal obstruction - | M. F. 125 109 | 20 9 | 5 2 | 3 1 | 2 1 | 4 2 | 1 1 | 6 3 | 3 - | 4 4 | 3 8 | 8 6 | 5 4 | 9 5 | 10 12 | 11 17 | 8 8 | 11 9 | 10 12 | 2 | - | - | |
| 123 | Other diseases of intestines - | M. F. 63 59 | 3 2 | 2 2 | - | - | 1 - | 2 - | 1 - | 1 - | 3 2 | 6 5 | 3 6 | 7 3 | 8 3 | 7 8 | 8 5 | 5 5 | 5 8 | 4 5 | 1 - | 1 | - | - |
| 124 | Cirrhosis of liver - | M. F. 129 74 | - | - | - | 1 1 | - | - | 1 - | 1 4 | 1 2 | 5 - | 12 7 | 18 10 | 14 11 | 23 7 | 26 18 | 16 10 | 6 3 | 5 1 | 2 - | - | - | - |
| 125.1 | Acute yellow atrophy of liver - | M. F. 8 13 | - | 1 - | 1 1 | 1 1 | - | - | 3 - | 1 3 | 1 2 | 1 - | 2 1 | 1 - | - | 1 - | - | - | - | - | - | - | - | - |
| 2 | Other diseases of liver - | M. F. 16 14 | - | - | 1 - | - | - | 1 - | - | 1 1 | 1 - | - | 4 2 | 1 - | 4 2 | 2 - | 1 1 | 2 3 | - | - | - | - | - | - |
| 126 | Biliary calculi - | M. F. 28 95 | - | - | - | - | - | - | - | - | - | 5 - | 1 8 | 5 9 | 5 6 | 7 21 | 6 13 | 3 14 | 2 9 | 5 | - | 3 | - | - |
| 127.1 | Cholecystitis - | M. F. 61 143 | 1 | 1 - | - | - | 1 - | - | 2 - | 1 1 | 1 3 | 3 4 | 1 7 | 8 12 | 7 10 | 7 22 | 9 22 | 11 26 | 4 18 | 6 13 | 1 3 | - | - | - |
| 2 | Other diseases of gall bladder and ducts - | M. F. 9 9 | - | - | - | - | 1 - | - | 1 - | - | - | 1 - | 2 - | - | 2 - | 4 1 | - | - | 2 1 | - | - | - | - | - |
| 128 | Diseases of pancreas - | M. F. 26 34 | - | - | - | - | 1 - | - | - | 2 - | 2 2 | 1 3 | 2 2 | 2 5 | 6 3 | 1 6 | 5 7 | 3 1 | 3 2 | 1 - | - | - | - | - |
| 129 | Peritonitis without stated cause - | M. F. 19 28 | 5 | 3 6 | 1 5 | 1 1 | 2 - | 2 - | 2 - | 1 - | 2 2 | 3 - | 2 1 | - | - | 2 3 | - | - | - | - | - | - | - | - |

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1938—continued.

| International Nos. Detailed Long List. | CAUSES OF DEATH. | All Ages. | Ages. | | | | | | | | | | | | | | 100 and over | | | | | | | | |
|---|---|-------------------------------|----------|--------|--------|---------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|--------------------|------------|------------|-----------|----------|---------|--------|--------|-----|
| | | | -1 | 1- | 5- | 10- | 15- | 20- | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | | 65- | 70- | 75- | 80- | 85- | 90- | 95- | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | |
| | TOTAL | { M. 1557 F. 1180 | 15 13 | 4 7 | 3 6 | 5 13 | 17 18 | 19 26 | 30 32 | 19 40 | 31 41 | 44 68 | 62 82 | 77 91 | 115 91 | 156 137 | 230 150 | 275 157 | 249 110 | 134 63 | 57 25 | 15 9 | 1 | - | |
| 130 | Acute nephritis | { M. 68 F. 77 | 2 6 | 2 3 | - 2 | - 4 | 5 3 | 7 1 | 5 3 | 1 1 | 5 2 | 4 3 | 5 8 | 5 5 | 5 5 | 5 9 | 8 8 | 4 5 | 4 5 | 1 3 | - 1 | - 1 | - - | - - | |
| 131 | Chronic nephritis | { M. 601 F. 669 | - - | - 1 | 1 3 | 3 4 | 10 9 | 5 12 | 20 13 | 14 21 | 22 23 | 28 30 | 31 47 | 45 52 | 66 59 | 62 96 | 84 90 | 81 107 | 67 64 | 40 27 | 20 7 | 2 4 | - - | - - | |
| 132 | Nephritis unspecified | { M. 179 F. 175 | - - | - - | 2 - | 1 2 | - 4 | 2 3 | 2 3 | 2 4 | 2 3 | 5 9 | 11 9 | 11 17 | 16 13 | 32 15 | 24 26 | 29 22 | 26 20 | 11 15 | 2 6 | 1 3 | - 1 | - - | |
| 133 | Other diseases of kidney and annexa | { M. 79 F. 98 | 13 7 | 1 3 | - 1 | - 1 | - - | 2 1 | 1 4 | 2 4 | 1 2 | 3 9 | 6 5 | 7 5 | 5 2 | 11 7 | 9 14 | 6 11 | 3 6 | 2 1 | 1 - | - - | - - | - - | |
| 134 | Calculi of urinary passages | { M. 31 F. 16 | - - | - - | - - | - - | 1 - | 1 - | - 2 | - - | - 1 | 1 - | 2 1 | 1 3 | 4 1 | 3 2 | 6 1 | 4 1 | 6 2 | 1 - | 1 - | - - | - - | - - | |
| 135 | Diseases of bladder | { M. 90 F. 58 | - - | - - | - - | - - | 1 1 | 1 - | 2 1 | - 2 | - 2 | 1 1 | 1 2 | 4 4 | 6 3 | 7 3 | 11 8 | 14 8 | 18 6 | 15 10 | 6 5 | 3 2 | - - | - - | |
| 136 | Diseases of urethra, urinary abscess, &c. | { M. 42 F. 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | 1 - | 6 1 | 3 - | 4 - | 4 - | 9 - | 10 - | 2 - | 2 - | 1 - | - - | - - | - - | |
| 137 | Diseases of prostate | M. 461 | - | - | - | - | - | - | - | - | - | - | - | 1 | 9 | 32 | 79 | 126 | 120 | 61 | 25 | 8 | - | - | - |
| 138 | Diseases of male genital organs | M. 6 | - | 1 | - | 1 | - | 1 | - | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 139. a | Diseases of ovary, fallopian tube and parametrium | F. 46 | - | - | - | 2 | - | 8 | 5 | 7 | 3 | 10 | 5 | - | 2 | 1 | 2 | 1 | - | - | - | - | - | - | - |
| b | Diseases of uterus | F. 33 | - | - | - | - | - | - | - | 1 | 5 | 6 | 4 | 5 | 5 | 3 | 1 | 1 | 2 | - | - | - | - | - | - |
| c | Diseases of breast | F. 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| d | Other diseases of female genital organs | F. 6 | - | - | - | - | 1 | - | 1 | - | - | - | - | - | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |
| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) |

[illegible]

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|--------------------------------|--|--------------|--------------|-----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|---------|--------|-----|
| XV. DISEASES OF EARLY INFANCY. | | | | | | | | | | | | | | | | | | | | | | | | |
| | TOTAL | 1449 1101 | 1449 1101 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 158 | Congenital debility | 366 229 | 366 229 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 159 | Premature birth | 757 612 | 757 612 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 160 | Injury at birth | 179 127 | 179 127 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 161 | Other diseases peculiar to early infancy | 147 133 | 147 133 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| XVI. SENILITY. | | | | | | | | | | | | | | | | | | | | | | | | |
| 162 | Senility, Senile dementia | 870 1434 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | 21 | 106 | 226 | 283 | 163 | 55 | 12 | 1 |
| | | | | | | | | | | | | | | | - | 1 | 22 | 128 | 322 | 449 | 321 | 155 | 35 | 1 |
| XVII. DEATHS FROM VIOLENCE. | | | | | | | | | | | | | | | | | | | | | | | | |
| | TOTAL | 1949 929 | 61 47 | 117 67 | 79 47 | 79 15 | 110 22 | 128 28 | 121 23 | 121 33 | 147 36 | 118 31 | 108 38 | 141 62 | 132 41 | 166 57 | 90 57 | 88 86 | 71 78 | 43 84 | 23 61 | 5 13 | 1 3 | - |
| 171 | Suicide (163-170) | 297 163 | - | - | - | - | 4 3 | 14 7 | 10 9 | 20 19 | 23 13 | 30 16 | 26 19 | 36 26 | 36 14 | 43 15 | 28 9 | 15 9 | 8 3 | 2 - | 2 1 | - | - | - |
| 175 | Homicide (172, 173, 174) | 19 6 | 3 1 | 2 1 | - | 1 | - | 1 | 1 | 3 | 5 | 1 | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| 177 | Food poisoning | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| 178 | Accidental gaseous poisoning | 32 21 | 1 - | 1 - | - | - | 2 - | 1 2 | 2 - | 3 - | 4 - | 2 1 | - | 2 5 | 2 - | 3 1 | 2 - | 2 2 | 3 6 | 1 - | 1 2 | - | - | - |
| 179 | Other acute accidental poisoning | 8 3 | 1 - | 3 1 | - | - | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) |
|------------------------------|---|-------------|-------------|------------|----------|---------|-----|--------|--------|--------|--------|---------|---------|----------|----------|----------|-----------|----------|----------|----------|----------|-----|-----|-----|
| 192 | Weather agencies (190, 191) | - | (M. (F.) | 17 3 | 1 | - | - | - | - | 2 | - | 1 | - | 1 | 5 1 | 2 | 1 | 1 | 1 | 2 | 1 | - | - | - |
| 193 | Electricity (lightning excepted) | - | (M. (F.) | 9 | - | - | 2 | 2 | 1 | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | |
| 194 | Other accidents (176, 185, 187, 188, 195) | (M. (F.) | 44 12 | 2 1 | 1 2 | 2 | 5 | 2 1 | 2 | - | 3 | 3 | - | 2 | 3 2 | 7 1 | 1 | 1 | 1 | 1 | 2 | 1 | - | - |
| 196 | Wounds of war | - | (M. (F.) | 14 | - | - | - | - | - | - | - | 5 | 4 | 1 | 3 | 1 | - | - | - | - | - | - | - | - |
| 198 | Execution (197) | - | (M. (F.) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| XVIII. ILL-DEFINED DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | |
| 199 | Sudden death, Syncope | - | (M. (F.) | 615 376 | 16 11 | 10 4 | 3 | 3 1 | 3 4 | 6 2 | 8 5 | 20 4 | 28 9 | 42 20 | 66 38 | 97 34 | 108 57 | 95 61 | 60 58 | 33 45 | 10 15 | 1 | 5 | 1 |
| 200.1 | Heart failure | - | (M. (F.) | 427 252 | 3 4 | 2 1 | 2 | 2 1 | 3 1 | 4 1 | 6 4 | 13 2 | 19 8 | 32 14 | 50 27 | 75 25 | 74 40 | 65 41 | 47 38 | 19 32 | 6 7 | - | 4 | - |
| 2 | Other ill-defined causes | - | (M. (F.) | 117 93 | 10 6 | 7 3 | 1 | 1 1 | - | 1 | 2 1 | 4 2 | 6 1 | 5 6 | 9 7 | 13 8 | 18 14 | 18 14 | 10 12 | 8 12 | 3 4 | 1 | 1 | - |
| 3 | Cause not specified | - | (M. (F.) | 11 9 | 2 | 1 | - | - | - | - | - | 1 | - | 1 | 1 2 | 1 | 1 | - | 2 | 2 | 1 | - | 1 | - |

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938.

| INTERNATIONAL LONG LIST. | | SCOTLAND. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---------|--------------|-----------------------|-------------|-----------|--------------------|------------|--------|---------------|----------------------|-----------|-------------|----------|--------------|-------------------|--------------|-------------|-----------------------|-------------|-----------------------|-------------|------------------|--------------|-----------------------|--------------|---------------------|-----------------|-------------|---------------------|---|
| | | *Aberdeen B. | Remr. of Aberrdn. Co. | Arbroath B. | Dundee B. | Remr. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remainder of Ayr Co. | Banff Co. | Berwick Co. | Bute Co. | Caitness Co. | Clack- mannan Co. | Clydebank B. | Dumfries B. | Remr. of Dumfries Co. | Dumfries B. | Remr. of Dumfries Co. | Lothian Co. | Dunfer- mline B. | Kirkcaldy B. | Remainder of Fife Co. | Inverness B. | Remr. of Inver. Co. | *Kincardine Co. | Kinross Co. | Kirkcud- bright Co. | |
| All Causes | | 2,136 | 1,728 | 282 | 2,441 | 1,065 | 952 | 544 | 512 | 2,573 | 644 | 386 | 262 | 337 | 426 | 514 | 276 | 973 | 323 | 778 | 523 | 425 | 552 | 2,276 | 347 | 766 | 353 | 117 | 399 | |
| I. INFECTIOUS AND PARASITIC DISEASES. | | 5,718 | 108 | 19 | 272 | 55 | 54 | 40 | 48 | 204 | 46 | 12 | 11 | 22 | 23 | 59 | 30 | 71 | 22 | 50 | 41 | 29 | 32 | 149 | 19 | 47 | 19 | 7 | 23 | |
| 1. Typhoid fever | | 1 | | | 3 | | | | | 1 | | | | | 1 | | | 1 | | | | 1 | 1 | | | | | | | |
| 2. Paratyphoid fevers | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. Typhus fever | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6. 1. Small-pox, vaccinated | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. " not vaccinated | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. " vaccination doubtful | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7. Measles | | 18 | 5 | 2 | 71 | 2 | 4 | 3 | 4 | 8 | | | 2 | | | 7 | 3 | 5 | 2 | 3 | 1 | 1 | | 9 | 1 | 3 | | | | |
| 8. Scarlet fever | | 1 | 6 | | 7 | | 3 | | 6 | 11 | 3 | 1 | | 1 | | 4 | 4 | 2 | 2 | 2 | 1 | 2 | | 10 | 1 | 2 | | | 2 | |
| 9. Whooping-cough | | 13 | 9 | | 5 | | | | | 17 | 7 | | | | 1 | 6 | 2 | 5 | 2 | 5 | | | | 6 | | | | | 1 | |
| 10. Diphtheria | | 19 | 11 | | 13 | 2 | | 9 | 6 | | | | | | | | 2 | | | | | | | | | | | | | |
| 11. Influenza— | (Total) | 5 | 9 | | 13 | 7 | 2 | 4 | 3 | 22 | 2 | 2 | 1 | 2 | 2 | 9 | 1 | 5 | | 2 | 6 | 2 | 8 | 34 | 2 | 7 | | 4 | 1 | |
| a1. " with pneumonia | | 1 | 6 | | 4 | 3 | 1 | 3 | 1 | 6 | 1 | 2 | | | | 3 | 1 | | | | | 1 | 14 | | | | | | | |
| 2. " bronchitis | | | | | 3 | | | | | 5 | | | | | | | | | | | | | | | | | | | | |
| 3. " other resp. dis. | | | | | 1 | | | | | 1 | | | | | 2 | | | | | | | | | | | | | | | |
| b1. " tuberc. of resp. system | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. " dis. or accidents of preg., &c. | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| 3. " —sole cause | | 4 | | | 4 | 3 | 1 | 1 | 1 | 8 | 1 | 1 | | | 1 | 1 | 1 | 4 | | 2 | 2 | 6 | 13 | | 3 | 3 | 2 | 1 | 1 | 1 |
| 4. Dysentery | | | 1 | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| Erysipelas | | 4 | | | 2 | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| 15. Acute poliomyelitis | | 3 | | | | 2 | 1 | | | 6 | 2 | | | | | | | | | | | | | | | | | | | |
| 16. Lethargic encephalitis | | | | 1 | | 1 | | | | 4 | 1 | | | | | | | | | | | | | | | | | | | |
| 17. Cerebro-spinal fever | | 3 | 3 | | 2 | | | | 4 | 8 | 1 | | | | | | | | | | | | | | | | | | | |
| 18. Tetanus | | 3 | 2 | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| 22. Tuberculosis— | (Total) | 85 | 54 | 16 | 146 | 38 | 40 | 22 | 23 | 111 | 22 | 8 | 7 | 13 | 11 | 32 | 16 | 40 | 14 | 8 | 29 | 18 | 12 | 73 | 11 | 30 | 4 | 17 | 8 | |
| Respiratory system | | 67 | 27 | 12 | 111 | 31 | 29 | 18 | 14 | 81 | 17 | 4 | 7 | 10 | 9 | 21 | 14 | 31 | 8 | 28 | 19 | 17 | 9 | 47 | 10 | 19 | 4 | 5 | 1 | |
| Central nervous system | | 390 | 9 | 2 | 17 | 2 | 5 | 1 | 3 | 11 | 2 | | | 1 | | 4 | 2 | 6 | 1 | 2 | 4 | 1 | 2 | 12 | 3 | 3 | 4 | 1 | 1 | |
| Intestines and peritoneum | | 135 | 6 | 1 | 4 | 2 | 2 | | 3 | 9 | 1 | | | 1 | | | | | 4 | 1 | 2 | | | | | | | | | |
| Vertebral column | | 55 | 3 | | 3 | | 2 | | | 4 | | | | | | | | | 1 | 1 | 1 | | | | | | | | | |
| Other bones and joints | | 2 | | | 1 | | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | |
| Skin and sub-cutaneous tissues | | 39 | | | 1 | 1 | 1 | | | 1 | | | | | | | | 1 | | 1 | | | | | | | | | | 1 |

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.
 * See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938.

| INTERNATIONAL LONG LIST. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|------------|---------------|------------|-------------|--------------------------|---------------|---------------------|--------------|-----------------------|-----------|-----------|------------|-------------|----------|--------------------|-------------|------------|-----------------|----------------------|-----------------------|--------------|-------------|------------|-------------|-----------------------|----------------|------------------|--------------|-------------|--|--|
| All Causes | Airdrie B. | Coatbridge B. | Glasgow B. | Hamilton B. | Motherwell and Wishaw B. | Rutherglen B. | Remr. of Lanark Co. | Edinburgh B. | Remr. of Midloth. Co. | Moray Co. | Nairn Co. | Orkney Co. | Peebles Co. | Perth B. | Remr. of Perth Co. | Greenock B. | Paisley B. | Port-Glasgow B. | Remr. of Renfrew Co. | Ross and Cromarty Co. | Roxburgh Co. | Selkirk Co. | Falkirk B. | Stirling B. | Remr. of Stirling Co. | Sutherland Co. | West Lothian Co. | Wicktown Co. | Zetland Co. | | |
| 334 | 590 | 15,023 | 422 | 765 | 317 | 3,411 | 5,974 | 1,013 | 558 | 121 | 315 | 155 | 460 | 1,143 | 1,042 | 1,096 | 237 | 1,371 | 983 | 594 | 285 | 401 | 275 | 1,208 | 260 | 949 | 410 | 331 | | | |
| 24 | 71 | 1,969 | 47 | 84 | 32 | 295 | 531 | 69 | 33 | 2 | 17 | 8 | 30 | 48 | 125 | 112 | 26 | 106 | 75 | 32 | 15 | 41 | 20 | 81 | 13 | 79 | 27 | 28 | | | |
| 1. Typhoid fever | 1 | 4 | | | | 2 | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | |
| 2. Paratyphoid fevers | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. Typhus fever | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6. 1. Small-pox, vaccinated | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. " not vaccinated | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. " vaccination doubtful | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7. Measles | 4 | 9 | 258 | 5 | 2 | 29 | 36 | 1 | 2 | | | | 4 | 3 | 2 | 13 | | | 6 | 2 | 1 | 3 | 8 | 2 | | | | | | | |
| 8. Scarlet fever | 1 | | 28 | 4 | 2 | 2 | 5 | 1 | 1 | | 1 | | | | 6 | 3 | 2 | 1 | 1 | 3 | 1 | | | 2 | | | | | | | |
| 9. Whooping-cough | | 3 | 87 | 4 | | 17 | 4 | | | | | | | | | 5 | | | 5 | 4 | | | | | | | | | | | |
| 10. Diphtheria | 1 | 3 | 136 | 4 | 7 | 25 | 39 | 9 | 4 | | 1 | | 4 | 1 | 3 | 23 | | | 15 | 2 | | | 1 | | | | | | | | |
| 11. Influenza— | 6 | 11 | 85 | 7 | 9 | 27 | 21 | 6 | 1 | | 3 | 1 | 4 | 3 | 13 | 7 | 1 | 9 | 2 | 1 | | 5 | 3 | | | | | | | | |
| a 1. " with pneumonia | 4 | 5 | 47 | 7 | 1 | 9 | 9 | 1 | 1 | | 1 | | 1 | 1 | 6 | 1 | 1 | 5 | 1 | 1 | | 2 | 1 | | | | | | | | |
| 2. " " bronchitis | | 1 | 7 | | | 6 | 3 | 1 | | | | | | | 1 | | | 1 | 1 | 1 | | | | | | | | | | | |
| 3. " " other resp. dis. | | | 6 | | | 1 | 1 | 1 | | | | | | | 1 | | | 1 | 1 | 1 | | | | | | | | | | | |
| b 1. " " tuberc. of resp. system | | 2 | | | | | | | | | | | | | 1 | | | 1 | 1 | 1 | | | | | | | | | | | |
| 2. " " dis. or accidents | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. " " of preg., &c. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. " " sole cause | 2 | 2 | 20 | | 7 | 9 | 5 | 2 | 1 | | 2 | | 3 | 2 | 2 | | | 3 | 3 | | | | | | | | | | | | |
| 13. Dysentery | | 1 | 4 | | 1 | 6 | 3 | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| 15. Erysipelas | | | 6 | | | 1 | 5 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 16. Acute poliomyelitis | 1 | 1 | 22 | 1 | | 5 | 6 | 1 | | | | | | | 3 | | | | | 1 | 1 | 1 | 3 | 1 | 3 | | | | | | |
| 17. Let hargic encephalitis | 1 | 1 | 1 | 2 | 2 | 4 | 2 | 5 | | | | | | | 1 | | | 1 | 1 | 1 | | | | | | | | | | | |
| 18. Cerebro-spinal fever | 1 | 1 | 35 | 1 | 1 | 7 | 8 | 1 | | | | | 1 | | 2 | 3 | | 4 | 2 | | | | | | | | | | | | |
| 22. Tetanus | | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis— | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (Total) | 7 | 41 | 1,230 | 23 | 51 | 167 | 360 | 40 | 24 | 2 | 9 | 6 | 14 | 36 | 89 | 59 | 22 | 60 | 55 | 18 | 9 | 28 | 12 | 49 | 7 | 32 | 8 | 20 | | | |
| 23. Respiratory system | 3 | 37 | 956 | 16 | 33 | 113 | 286 | 32 | 16 | 2 | 6 | 4 | 10 | 21 | 64 | 49 | 19 | 46 | 47 | 11 | 5 | 22 | 10 | 32 | 5 | 22 | 6 | 14 | | | |
| 24. Central nervous system | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25. Intestines and peritoneum | | 3 | 153 | 6 | 5 | 22 | 31 | 3 | 4 | | 1 | 1 | 1 | 6 | 16 | 5 | 1 | 3 | 1 | 3 | 2 | 4 | | 7 | 5 | 5 | 1 | 3 | | | |
| 26. Vertebral column | | | 28 | 1 | 3 | 10 | 10 | 2 | | | | | | | 4 | 2 | | 4 | 2 | 2 | 1 | | | | | | | | | | |
| 27. Other bones and joints | 1 | | 6 | | 2 | 2 | 5 | | 1 | | | | | | 1 | | | 1 | 1 | 2 | | | | | | | | | | | |
| 28. Skin and subcutaneous tissues | | | 2 | | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | |

Note — Sub-headings in italics.

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | | SCOTLAND. | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--------------|-----------------------|-------------|-----------|--------------------|------------|--------|---------------|----------------------|-----------|-------------|----------|---------------|-----------------|--------------|-------------|-----------------------|------------------|----------------|--------------|-----------------------|--------------|---------------------|-----------------|-------------|--------------|
| | | *Aberdeen B. | Remn. of Aberdeen Co. | Arbroath B. | Dundee B. | Remn. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remainder of Ayr Co. | Banff Co. | Berwick Co. | Bute Co. | Caithness Co. | Clackmannan Co. | Glydebank B. | Dumfries B. | Remn. of Dumfries Co. | East Lothian Co. | Dunfermline B. | Kirkcaldy B. | Remainder of Fife Co. | Inverness B. | Remn. of Inver. Co. | *Kincardine Co. | Kinross Co. | Kirkcaldy B. |
| I. INFECTIOUS AND PARASITIC DISEASES—continued. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis—continued. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphatic system (bronch. and abdom. glands excepted) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Genito-urinary system | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other organs | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Disseminated—acute | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| " chronic (c) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Syphilis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other venereal diseases | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Purulent infection, Septicæmia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Malaria | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hydatid cysts | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mycoses | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | Scotland. | * Aberdeen B. | Remn. of Aberdn. Co. B. | Arbroath B. | Dundee B. | Remn. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remn. of Ayr Co. B. | Banff Co. | Berwick Co. | Bute Co. | Gaithness Co. | Black-mannan Co. | Glydebank B. | Dumbarton B. | Remn. of Dumb. Co. B. | Dumfries B. | Remn. of Dumf. Co. | East Lothian Co. | Dunfermline B. | Kirkcaldy B. | Remn. of Fife Co. | Inverness B. | Remn. of Inver. Co. | * Kincairdine Co. | Kinross Co. | Kirkcaldy bright Co. |
|--|-----------|---------------|-------------------------|-------------|-----------|--------------------|------------|--------|---------------|---------------------|-----------|-------------|----------|---------------|------------------|--------------|--------------|-----------------------|-------------|--------------------|------------------|----------------|--------------|-------------------|--------------|---------------------|-------------------|-------------|----------------------|
| III. RHEUMATISM, DISEASES OF NUTRITION, AND OTHER GENERAL DISEASES. | 1,454 | 48 | 38 | 4 | 43 | 25 | 16 | 18 | 15 | 67 | 10 | 14 | 9 | 6 | 12 | 9 | 5 | 33 | 10 | 17 | 12 | 15 | 11 | 61 | 6 | 18 | 4 | 2 | 11 |
| 56. Rheumatic fever | 227 | 10 | 4 | . | . | . | 2 | 4 | 4 | 7 | 1 | 1 | . | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 2 | 4 | 3 | 14 | 1 | 2 | 1 | . | 1 |
| 57. 1. Chronic rheumatism | 20 | . | 4 | . | 2 | 5 | 1 | 2 | 1 | 3 | . | 1 | . | 1 | . | . | . | 1 | . | 3 | 1 | 1 | . | 5 | 1 | 4 | . | . | 2 |
| 2. Rheumatoid arthritis, Osteo-arthritis | 118 | 2 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 58. Gout | 859 | 30 | 24 | 3 | 32 | 16 | 7 | 8 | 8 | 44 | 9 | 9 | 7 | 3 | 9 | 8 | 1 | 21 | 6 | 9 | 7 | 9 | 6 | 35 | 4 | 10 | 1 | 1 | 6 |
| 59. Diabetes mellitus | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 60. Scurvy | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 63. Rickets | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 65. Diseases of pituitary gland | 115 | 1 | 1 | . | 4 | 2 | 1 | 3 | 2 | 8 | . | 3 | 1 | . | 1 | . | 2 | 3 | 1 | 4 | 1 | . | . | 1 | . | 1 | . | . | 2 |
| 66. Exophthalmic goitre | 41 | 4 | 1 | 1 | 1 | 1 | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 66. Myxedema, Cretinism | 19 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 67. Other diseases of thyroid and parathyroid glands | 10 | . | 2 | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 68. Diseases of thymus | 19 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 69. Diseases of adrenals | 16 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other general diseases (61, 62, 64) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. DISEASES OF THE BLOOD, AND BLOOD-FORMING ORGANS. | 567 | 18 | 12 | 4 | 16 | 4 | 12 | 6 | 6 | 32 | 7 | 6 | 1 | 4 | 2 | 6 | 4 | 11 | 2 | 4 | 5 | 4 | 2 | 29 | 4 | 8 | 5 | 2 | 4 |
| 70. a. Purpura | 20 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| b. Haemophilia | 27 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 71. a. Pernicious anaemia | 259 | 3 | 4 | 2 | 7 | 3 | 7 | 5 | 2 | 13 | 1 | 5 | 1 | . | 1 | 2 | 3 | 6 | 1 | 3 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | . | 2 |
| b. Other anæmias, Chlorosis | 57 | 3 | 2 | 1 | 4 | 1 | . | . | . | 5 | 1 | 1 | . | 2 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | . | . | 2 |
| 72. a. Leukæmia | 114 | 5 | 4 | 1 | 4 | 1 | 2 | . | 2 | 6 | 3 | 1 | . | 1 | 1 | . | . | 4 | 1 | 1 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | . | . |
| b. Aleukæmia (Lymphadenoma) | 76 | 5 | 2 | 1 | 1 | . | 3 | . | 1 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 73. Diseases of spleen | 11 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 74. Other diseases of blood and blood-forming organs | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| V. CHRONIC POISONINGS. | 27 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 75. Alcoholism (acute or chronic) | 26 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 76. Chronic poisoning by other organic substances | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 77. 1. Occupational lead poisoning | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Other chronic poisoning by mineral substances | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | | SCOTLAND. | *Aberdeen B. | Remr. of Aberdeen Co. | Arbroath B. | Dundee B. | Remr. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remainder of Ayr Co. | Banff Co. | Berwick Co. | Bute Co. | Gaithness Co. | Clackmannan Co. | Glydebank B. | Dumbarton B. | Remr. of Dumb. Co. | Dumfries B. | Remr. of Dumf. Co. | East Lothian Co. | Dunfermline B. | Kirkcaldy B. | Remainder of Fife Co. | Inverness B. | Remr. of Inver. Co. | *Kinross Co. | Kinross Co. | Kirkcaldy B. | | |
|--|--|-----------|--------------|-----------------------|-------------|-----------|--------------------|------------|--------|---------------|----------------------|-----------|-------------|----------|---------------|-----------------|--------------|--------------|--------------------|-------------|--------------------|------------------|----------------|--------------|-----------------------|--------------|---------------------|--------------|-------------|--------------|----|----|
| VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS. | | 7,772 | 304 | 244 | 50 | 245 | 157 | 161 | 74 | 66 | 298 | 86 | 53 | 37 | 42 | 69 | 56 | 29 | 118 | 48 | 102 | 72 | 66 | 84 | 348 | 54 | 97 | 52 | 12 | 50 | | |
| 78. <i>a</i> | Cerebral abscess | 29 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 3 | 5 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | | |
| 78. <i>b</i> | Other forms of encephalitis | 36 | 4 | 1 | 1 | 5 | 1 | 4 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 79. | Meningitis | 189 | 7 | 6 | 1 | 2 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 80. | Tabes dorsalis (Locomotor ataxy) | 52 | 4 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 81. | 1. Progressive muscular atrophy | 65 | 3 | 1 | 1 | 2 | 2 | 3 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 2. Sub-acute combined sclerosis | 17 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 3. Myelitis of unstated origin | 42 | 3 | 1 | 1 | 4 | 1 | 1 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 82. <i>a</i> | Other diseases of spinal cord | 72 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 82. <i>b</i> | Cerebral hæmorrhage, Apoplexy | 4,175 | 151 | 142 | 27 | 101 | 90 | 91 | 37 | 33 | 158 | 58 | 34 | 26 | 25 | 37 | 37 | 15 | 80 | 26 | 51 | 34 | 49 | 51 | 5 | 158 | 28 | 53 | 20 | 4 | 25 | |
| | 1. Cerebral embolism | 99 | 1 | 8 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 6 | 7 | 18 | 2 | 6 | 20 | 1 | 1 | 2 | 4 | 4 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2. Cerebral thrombosis | 1,472 | 82 | 53 | 15 | 80 | 23 | 24 | 15 | 15 | 64 | 8 | 9 | 6 | 7 | 18 | 6 | 5 | 2 | 1 | 2 | 16 | 8 | 16 | 9 | 77 | 14 | 15 | 12 | 4 | 10 | |
| | 3. Cerebral softening | 170 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 2 | 7 | 2 | 3 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 2 | 27 | 1 | 6 | 2 | 2 | 1 | 3 | |
| 83. <i>c</i> | 1. Hemiplegia | 309 | 4 | 2 | 1 | 1 | 1 | 1 | 2 | 3 | 7 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 27 | 1 | 6 | 2 | 2 | 1 | 3 | |
| | 2. Other paralyses of unstated origin | 29 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 84. | General paralysis of insane | 117 | 6 | 2 | 1 | 3 | 2 | 1 | 4 | 1 | 10 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 7 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 85. | Other forms of insanity | 63 | 6 | 3 | 1 | 1 | 5 | 4 | 1 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 3 | 2 | 1 | 1 | 1 | |
| 86. | Epilepsy | 131 | 6 | 3 | 1 | 4 | 1 | 1 | 1 | 2 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 1 | 1 | 1 | 1 | |
| 87. | Infantile convulsions (age under 5 years) | 162 | 6 | 9 | 1 | 1 | 1 | 1 | 1 | 2 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 1 | 1 | 1 | 1 | |
| 87. <i>a</i> | Chorea | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 87. <i>b</i> | Neuritis | 22 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 87. <i>c</i> | Paralysis agitans | 80 | 4 | 3 | 1 | 2 | 3 | 5 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 6 | 2 | 2 | 1 | 1 | 1 | 1 | |
| 87. <i>d</i> | Disseminated sclerosis | 147 | 10 | 1 | 1 | 6 | 3 | 5 | 1 | 1 | 8 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 12 | 1 | 6 | 1 | 1 | 1 | 1 | |
| 87. <i>e</i> | Oth. diseases of nervous system | 158 | 6 | 2 | 1 | 3 | 6 | 2 | 2 | 3 | 3 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 12 | 1 | 6 | 1 | 1 | 1 | 1 | |
| 88. <i>a</i> | Diseases of eye and annexa | 2 | 3 | 1 | 1 | 5 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | |
| 89. <i>a</i> | Otitis, Diseases of ear | 80 | 3 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | |
| 89. <i>b</i> | Mastoid disease | 50 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | |
| VII. DISEASES OF CIRCULATORY SYSTEM. | | 15,438 | 537 | 482 | 88 | 680 | 303 | 244 | 141 | 135 | 632 | 182 | 111 | 71 | 97 | 99 | 103 | 72 | 287 | 85 | 253 | 140 | 114 | 124 | 562 | 88 | 160 | 98 | 34 | 129 | | |
| 90. | Pericarditis | 31 | 4 | 2 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 91. | Acute endocarditis | 109 | 73 | 83 | 10 | 105 | 37 | 27 | 25 | 19 | 100 | 24 | 20 | 4 | 9 | 16 | 13 | 8 | 43 | 32 | 47 | 11 | 10 | 20 | 78 | 4 | 44 | 4 | 4 | 4 | 10 | |
| 92. | Chronic endocarditis, Valvular dis. | 2,298 | 5 | 7 | 4 | 4 | 2 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 2 | 1 | 7 | 2 | 1 | 1 | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 93. <i>a</i> | Acute myocarditis | 160 | 3 | 4 | 1 | 7 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 93. <i>b</i> | 1. Fatty heart | 138 | 3 | 4 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2. Cardiovascular degeneration | 1,619 | 59 | 56 | 11 | 153 | 33 | 17 | 4 | 12 | 46 | 5 | 17 | 13 | 11 | 5 | 7 | 9 | 20 | 4 | 34 | 2 | 3 | 8 | 55 | 22 | 6 | 1 | 1 | 1 | 1 | |
| | 3. Chron. myocarditis, Other myo-cardial disease | 3,452 | 139 | 100 | 34 | 258 | 117 | 72 | 25 | 24 | 174 | 46 | 26 | 18 | 23 | 19 | 17 | 1 | 42 | 16 | 56 | 27 | 15 | 29 | 122 | 23 | 43 | 28 | 6 | 6 | 32 | 41 |
| 93. <i>c</i> | Myocarditis not specified as acute or chronic | 3,321 | 78 | 95 | 19 | 49 | 36 | 35 | 36 | 29 | 124 | 57 | 18 | 21 | 17 | 26 | 31 | 16 | 73 | 15 | 38 | 35 | 52 | 36 | 128 | 14 | 26 | 28 | 3 | 3 | 14 | 14 |

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | | Airdrie B. | Coatbridge B. | Glasgow B. | Hamilton B. | Motherwell and Wishaw B. | Rutherglen B. | Remr. of Lanark Co. | Edinburgh B. | Remr. of Midloth. Co. | Moray Co. | Nairn Co. | Orkney Co. | Peebles Co. | Perth B. | Remr. of Perth Co. | Greenock B. | Paisley B. | Port-Glasgow B. | Remr. of Renfrew Co. | Ross and Cromarty Co. | Roxburgh Co. | Selkirk Co. | Falkirk B. | Stirling B. | Remr. of Stirling Co. | Sutherland Co. | West Lothian Co. | Wicktown Co. | Zealand Co. |
|---|--|------------|---------------|------------|-------------|--------------------------|---------------|---------------------|--------------|-----------------------|-----------|-----------|------------|-------------|----------|--------------------|-------------|------------|-----------------|----------------------|-----------------------|--------------|-------------|------------|-------------|-----------------------|----------------|------------------|--------------|-------------|
| VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS. | | 35 | 69 | 1,571 | 49 | 94 | 33 | 428 | 685 | 152 | 85 | 22 | 28 | 22 | 68 | 182 | 127 | 133 | 27 | 174 | 132 | 82 | 31 | 43 | 33 | 152 | 34 | 120 | 45 | 35 |
| 78. ^a Cerebral abscess | | | 1 | 8 | | 4 | 1 | | 2 | 1 | | | 1 | | | | 1 | 1 | | 2 | | | | | | 1 | | 2 | | |
| 79. ^b Other forms of encephalitis | | | 2 | 4 | | 1 | | 2 | 2 | 4 | 2 | | | | | | 2 | 2 | | 2 | | | | | 1 | | 1 | 1 | 2 | |
| 80. Meningitis | | | 19 | 53 | 3 | 3 | | 10 | 19 | 4 | | 1 | | | | 3 | 7 | 2 | | 3 | 2 | | | | 1 | | 3 | 3 | | |
| 81. ^a Tabes dorsalis (Locomotor ataxy) | | | | 18 | | | | 3 | 3 | 1 | | | | | | 2 | 1 | 1 | | | | | | | | | 1 | 1 | | |
| 81. ^b 1. Progressive muscular atrophy | | | | 8 | | | | 3 | 2 | | 1 | | | | | 1 | | 4 | | 1 | | | | | | | | | | |
| 81. ^b 2. Sub-acute combined sclerosis | | | | 1 | | | | | 1 | | | | | | | 1 | | | | | | | | | | | | | | |
| 81. ^b 3. Myelitis of unstated origin | | | | 9 | | | | 3 | 2 | | | | | | | 3 | | | | 4 | | | | | | | | | | |
| 81. ^b 4. Other diseases of spinal cord | | | | 15 | | | | 10 | 7 | | | | | | | 2 | | 1 | | 1 | | | | | | | | | | |
| 82. ^a 1. Cerebral haemorrhage, Apoplexy | | | 40 | 834 | 23 | 53 | 16 | 260 | 340 | 64 | 41 | 9 | 17 | 14 | 35 | 95 | 68 | 81 | 18 | 96 | 82 | 45 | 20 | 19 | 17 | 99 | 19 | 71 | 23 | 20 |
| 82. ^a 2. Cerebral embolism | | | 1 | 17 | | 1 | | 2 | 6 | 1 | 4 | | | | | 2 | 2 | 1 | 1 | 2 | 1 | 1 | | 1 | 1 | 3 | | | 11 | |
| 82. ^a 3. Cerebral thrombosis | | | 6 | 238 | 7 | 9 | 7 | 52 | 162 | 49 | 17 | 2 | 2 | 4 | 18 | 45 | 17 | 16 | 1 | 35 | 17 | 19 | 4 | 9 | 7 | 24 | 3 | 20 | 11 | |
| 82. ^a 4. Cerebral softening | | | 2 | 68 | 5 | 7 | 6 | 4 | 37 | 1 | 7 | 3 | 1 | 4 | 2 | 8 | 1 | 1 | | 8 | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 3 | 3 | |
| 83. ^a 1. Hemiplegia | | | 2 | 57 | | 3 | | 18 | 3 | | 1 | | 1 | | | 5 | 8 | 5 | | 2 | 4 | | 3 | 2 | 5 | | | 2 | | |
| 83. ^a 2. Other paralyzes of unstated origin | | | | 3 | | | | 3 | 3 | | | | | | | 1 | | | | | 2 | | | | | | | | | |
| 83. General paralysis of insane | | | 1 | 36 | 1 | 2 | | 1 | 15 | 3 | 1 | | | | 1 | 2 | 3 | 1 | | | | | | | 1 | 1 | | | 1 | |
| 84. Other forms of insanity | | | | 13 | | 2 | | 7 | 4 | 1 | 1 | | | | 1 | | 2 | 2 | | | 3 | | 1 | | | 1 | 2 | | 1 | |
| 85. Epilepsy | | | 1 | 25 | 2 | 1 | | 12 | 12 | 2 | 1 | | 2 | | | 3 | 3 | 3 | | 5 | 2 | | 1 | | | 4 | 1 | 3 | 1 | |
| 86. Infantile convulsions (age under 5 years) | | | 3 | 38 | 3 | 1 | 1 | 12 | 10 | 6 | 1 | | | | 1 | 3 | 8 | 2 | 4 | 2 | 3 | | | | 1 | 1 | 2 | | 1 | |
| 87. ^a Chorea | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | | | | |
| 87. ^b Neuritis | | | 1 | 6 | | | | 1 | 3 | 1 | | | | | | | | | | | | | | | | | | | | |
| 87. ^c Paralysis agitans | | | | 13 | | | | 4 | 8 | 3 | | | 1 | | | | | 2 | | 2 | 2 | 1 | | | | | | | | |
| 87. ^d Disseminated sclerosis | | | | 34 | 1 | 3 | | 8 | 11 | 2 | 2 | | | | | 1 | 4 | 3 | 2 | 3 | 2 | 2 | | | | | | | | |
| 87. ^e Other diseases of nervous system | | | 1 | 39 | | | | 4 | 17 | 4 | 1 | | 1 | | 1 | 2 | 3 | 2 | 2 | 3 | 7 | 2 | | | | | | | | |
| 88. Diseases of eye and annexe | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 89. ^a Otitis, Diseases of ear | | | | 17 | 1 | 2 | 1 | 5 | 10 | | | | | | | | 2 | 6 | | | | | | | | | | | | |
| 89. ^b Mastoid disease | | | 2 | 17 | 1 | 1 | | 4 | 1 | 1 | | | | | | | 1 | | | | | | | | | | | | | |
| VII. DISEASES OF CIRCULATORY SYSTEM. | | 69 | 117 | 3,320 | 78 | 169 | 72 | 750 | 1,587 | 260 | 127 | 43 | 80 | 55 | 105 | 311 | 190 | 239 | 43 | 360 | 202 | 209 | 84 | 90 | 73 | 286 | 73 | 195 | 119 | 81 |
| 90. Pericarditis | | 1 | 2 | 7 | | 1 | 2 | 1 | 1 | 2 | 3 | | 1 | | | | | 1 | 1 | | | | | | | | | | | |
| 91. Acute endocarditis | | 14 | 24 | 36 | 2 | 29 | 10 | 125 | 8 | 4 | 13 | 2 | 27 | 9 | 11 | 54 | 35 | 42 | 6 | 6 | 47 | 30 | 16 | 16 | 9 | 53 | 16 | 4 | 1 | |
| 92. Chronic endocarditis, Valvular dis. | | 2 | 1 | 429 | 17 | 1 | 1 | 10 | 221 | 35 | 7 | | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 55 | | 1 | | | 1 | 4 | 1 | 33 | 23 | 19 |
| 93. ^a Acute myocarditis | | 1 | 1 | 38 | 1 | 1 | 1 | 2 | 17 | 7 | 3 | | 1 | 1 | 3 | 1 | | 4 | 1 | 6 | 4 | 5 | 1 | | 1 | 1 | 1 | 1 | 8 | |
| 93. ^b 1. Fatty heart | | 4 | 12 | 34 | 1 | 1 | 1 | 43 | 18 | 6 | | | 5 | 7 | 13 | 25 | 12 | 28 | 6 | 45 | 24 | 25 | 10 | 5 | 9 | 2 | 4 | 2 | 3 | |
| 93. ^b 2. Cardiovascular degeneration | | 13 | 26 | 421 | 6 | 6 | 7 | 24 | 160 | 24 | 20 | 1 | 6 | 7 | 19 | 84 | 20 | 35 | 11 | 61 | 49 | 53 | 25 | 12 | 20 | 48 | 17 | 41 | 36 | 12 |
| 93. ^b 3. Chronic myocarditis, Other myocardial disease | | | | 685 | 19 | 19 | 14 | 151 | 306 | 65 | 31 | 13 | 4 | 17 | 25 | | | | | | | | | | | | | | | |
| 93. ^c Myocarditis not specified as acute or chronic | | 22 | 24 | 871 | 13 | 74 | 16 | 192 | 287 | 36 | 16 | 6 | 21 | 7 | 11 | 41 | 66 | 68 | 8 | 106 | 32 | 35 | 15 | 30 | 8 | 73 | 3 | 40 | 22 | 27 |

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | SCOTLAND. | *Aberdeen B. | Remr. of Aberdeen Co. | Arbroath B. | Dundee B. | Remr. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remainder of Ayr Co. | Banff Co. | Berwick Co. | Bute Co. | Gaithness Co. | Black-mannan Co. | Clydebank B. | Dumbarton B. | Remr. of Dumb. Co. | Dumfries B. | Remr. of Dumf. Co. | East Lothian Co. | Dunferm- line B. | Kirkcaldy B. | Remainder of Fife Co. | Inverness B. | Remr. of Inver. Co. | *Kincardine Co. | Kinross Co. | Kirkcaldy Co. | | |
|---|--|--------------|-----------------------|-------------|-----------|--------------------|------------|--------|---------------|----------------------|-----------|-------------|----------|---------------|------------------|--------------|--------------|--------------------|-------------|--------------------|------------------|---------------------|--------------|-----------------------|--------------|---------------------|-----------------|-------------|---------------|--|--|
| VII. DISEASES OF CIRCULATORY SYSTEM—continued. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 94. | Dis. of coronary arteries, Angina pectoris | 1,946 | 80 | 83 | 4 | 56 | 34 | 21 | 34 | 109 | 14 | 14 | 7 | 12 | 13 | 15 | 10 | 53 | 10 | 31 | 27 | 16 | 17 | 73 | 5 | 14 | 15 | 4 | 12 | | |
| 95. | Other diseases of heart | 1,041 | 32 | 17 | 2 | 14 | 19 | 25 | 5 | 36 | 21 | 6 | 1 | 8 | 4 | 13 | 21 | 26 | 2 | 21 | 11 | 9 | 7 | 49 | 9 | 9 | 2 | 3 | 10 | | |
| 96. | Aneurysm (heart excepted) | 133 | 13 | 5 | | 7 | 2 | 3 | 1 | 5 | | 3 | 1 | | 1 | | | 4 | | 1 | | 2 | | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 97. | Arterio sclerosis (coronary arter. excepted) | 741 | 37 | 19 | 2 | 14 | 9 | 25 | 4 | 16 | 9 | 8 | 5 | 8 | 9 | 2 | 5 | 10 | 3 | 7 | 13 | 1 | 1 | 21 | 5 | 4 | 5 | 5 | 2 | | |
| 98. a | Senile gangrene | 192 | 4 | 3 | | 5 | 6 | 3 | | 4 | 4 | 5 | | 2 | 1 | | 1 | 7 | 1 | 2 | 3 | 2 | 1 | 3 | | 4 | | 3 | | | |
| b | Other gangrene | 11 | | | | 1 | | | | 1 | | | | | | | 1 | 1 | | | | | | | | | | | 1 | | |
| 99. | Other diseases of arteries | 98 | 2 | 2 | 1 | 1 | 4 | 1 | 5 | 1 | | 2 | | 1 | | | 1 | 2 | | 2 | 1 | | | 6 | 1 | 2 | | | | | |
| 100. | Diseases of veins | 56 | 2 | 1 | | 2 | 1 | 1 | | 2 | | | | 2 | | | | | | 1 | | 1 | 2 | 1 | 1 | | | | | | |
| 101. | Diseases of lymphatic system | 5 | | | | | | 1 | | 1 | | | | | | | | | | 1 | | 1 | | 1 | | | | | | | |
| 102. | Abnormalities of blood pressure | 85 | 6 | 4 | | | 1 | | | 2 | | | | 3 | | | | | | 1 | | 1 | | 2 | | | | | | | |
| 103. | Other dis. of circulatory system | 2 | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | |
| VIII. DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7,074 | 206 | 180 | 28 | 284 | 88 | 62 | 42 | 56 | 262 | 71 | 36 | 26 | 30 | 38 | 87 | 49 | 100 | 26 | 56 | 28 | 32 | 56 | 216 | 27 | 56 | 17 | 11 | 49 | | | |
| 104 | Dis. of nasal fossæ and annexa. | 19 | 2 | | 1 | | | | 3 | 2 | | | | 1 | | | | | | | | | | | | | | | 1 | | |
| 105. | 1. Laryngismus stridulus | 6 | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | | |
| | 2. Laryngitis (including croup) | 19 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| | 3. Other diseases of larynx | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 106. | Bronchitis | 2,462 | 72 | 52 | 14 | 70 | 26 | 20 | 14 | 18 | 31 | 16 | 16 | 6 | 12 | 17 | 24 | 28 | 10 | 20 | 8 | 10 | 35 | 74 | 9 | 22 | 4 | 16 | | | |
| 107. | Broncho-pneumonia | 2,094 | 62 | 59 | 8 | 90 | 34 | 9 | 13 | 17 | 12 | 6 | 4 | 7 | 7 | 29 | 6 | 32 | 8 | 12 | 12 | 11 | 4 | 4 | 53 | 10 | 6 | 2 | 6 | | |
| 108. | Lobar pneumonia | 1,188 | 39 | 28 | 3 | 78 | 13 | 10 | 6 | 15 | 37 | 14 | 2 | 4 | 4 | 24 | 8 | 16 | 4 | 11 | 4 | 5 | 4 | 46 | 2 | 6 | 2 | 6 | | | |
| 109. | Pneumonia (not otherwise defined) | 550 | 8 | 13 | | 13 | 3 | 8 | 3 | 1 | 12 | 4 | 2 | 2 | 2 | 1 | 7 | 15 | 3 | 4 | 2 | 1 | 5 | 19 | 2 | 7 | 2 | 5 | | | |
| 110. | Pleurisy | 135 | 4 | 6 | | 4 | 2 | 1 | 2 | 8 | 3 | 2 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 9 | 2 | 3 | 1 | 3 | 7 | | |
| 111. | 1. Congestion of lungs | 317 | 8 | 8 | 1 | 9 | 6 | 11 | 3 | 12 | 2 | 1 | 1 | 6 | 1 | 4 | 3 | 2 | | 3 | 4 | 1 | 1 | 9 | 2 | 1 | 1 | 1 | | | |
| | 2. Embolism, Thrombosis, Infarct | 32 | 1 | | | 8 | 3 | | | 2 | 2 | 1 | | 1 | 1 | 1 | | 1 | | 2 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | 3 | | | |
| 112. | Asthma | 157 | 5 | 11 | 1 | | | | | 7 | 2 | 1 | | 1 | | | | | | 1 | | 3 | | 5 | | 1 | 1 | 1 | 3 | | |
| 113. | Pulmonary emphysema | 11 | | | | | | | | | | | | 2 | | | | | | 1 | | | | 1 | | 1 | 1 | 1 | | | |
| 114. a | Chronic interstitial pneumonia | 39 | 3 | 1 | | 1 | | 1 | | 2 | 1 | | | 2 | | | | | | 2 | | | | 1 | | 1 | 1 | 1 | 1 | | |
| b 1. | Gangrene of lung | 8 | | 1 | | 1 | | | | 2 | | | | | | | | | | 1 | | | | | | | | | | | |
| 2. | Other dis. of respiratory system | 32 | 1 | | | 1 | | 1 | | 2 | | | | | | | | | | | | | | | | | | | | | |

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | | Airdrie B. | Coatbridge B. | Glasgow B. | Hamilton B. | Motherwell and Wishaw B. | Rutherglen B. | Remr. of Lanark Co. | Edinburgh B. | Remr. of Midloth Co. | Moray Co. | Nairn Co. | Orkney Co. | Peebles Co. | Perth B. | Remr. of Perth Co. | Greenock B. | Paisley B. | Port-Glasgow B. | Remr. of Kentrow Co. | Hoss and Cromarty Co. | Roxburgh Co. | Selkirk Co. | Falkirk B. | Stirling B. | Remr. of Stirling Co. | Sutherland Co. | West Lothian Co. | Wigtown Co. | Zetland Co. | |
|---|--|------------|---------------|------------|-------------|--------------------------|---------------|---------------------|--------------|----------------------|-----------|-----------|------------|-------------|----------|--------------------|-------------|------------|-----------------|----------------------|-----------------------|--------------|-------------|------------|-------------|-----------------------|----------------|------------------|-------------|-------------|--|
| VII. DISEASES OF CIRCULATORY SYSTEM—continued. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 94. | Diseases of coronary arteries, Angina pectoris | 7 | 12 | 405 | 10 | 20 | 13 | 97 | 159 | 39 | 15 | 5 | 8 | 8 | 21 | 34 | 24 | 23 | 3 | 48 | 19 | 30 | 9 | 8 | 11 | 33 | 11 | 30 | 20 | 7 | |
| 95. | Other diseases of heart | 1 | 7 | 154 | 4 | 7 | 2 | 56 | 227 | 21 | 13 | 5 | 9 | 2 | 7 | 23 | 12 | 10 | 2 | 7 | 13 | 7 | 3 | 3 | 4 | 20 | 4 | 15 | 2 | 7 | |
| 96. | Aneurysm (heart excepted) | | | 83 | 1 | 1 | 1 | 7 | 15 | 2 | | | 1 | 2 | | 2 | 3 | 2 | | 3 | | | | | | | | 4 | 2 | 3 | |
| 97. | Arterio-sclerosis (coronary arter. excepted) | 3 | 5 | 138 | 3 | 5 | 6 | 30 | 90 | 12 | 5 | 10 | | | 7 | 39 | 11 | 15 | 1 | 16 | 11 | 17 | 3 | 6 | 8 | 15 | 14 | 12 | | 3 | |
| 98. | Senile gangrene | 1 | 2 | 34 | 1 | 1 | | 13 | 25 | 5 | 3 | | 3 | 1 | 2 | 8 | 2 | 4 | | 2 | 3 | | 1 | | 2 | 5 | 2 | 2 | 1 | 2 | |
| 99. | Other gangrene | 1 | | | | 1 | | | 5 | | | | | | | | | | | | | | | | | 1 | | | | | |
| 100. | Other diseases of arteries | | | 17 | 1 | 1 | | 3 | 11 | 1 | 3 | 1 | | | 2 | 3 | 1 | | 1 | 3 | | 2 | | 1 | 1 | 4 | | 2 | | | |
| 101. | Diseases of veins | | | 7 | | | | 6 | 15 | 1 | | | | | | 1 | | 2 | | | | 2 | | | | | | 1 | | | |
| 102. | Diseases of lymphatic system | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103. | Abnormalities of blood pressure | | | 16 | | 1 | | 7 | 21 | | 2 | | | | | 2 | | 1 | 1 | | | | 1 | 2 | | 2 | | 3 | | 1 | |
| | Other dis. of circulatory system | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| VIII. DISEASES OF RESPIRATORY SYSTEM. | | 46 | 94 | 2,129 | 64 | 120 | 36 | 412 | 691 | 93 | 56 | 4 | 27 | 7 | 47 | 98 | 128 | 123 | 33 | 126 | 96 | 36 | 18 | 43 | 19 | 132 | 19 | 107 | 31 | 20 | |
| 104. | Dis. of nasal fossae and annexa | | | 4 | | 1 | | | 1 | | | | | | | | | | 1 | | | | | | | | | | | | |
| 105. | 1. Laryngismus stridulus | | | 1 | | | | 1 | | | | | | | | | | | 1 | | | | | | | | | | | | |
| | 2. Laryngitis (including croup) | | | | | | | 2 | | | | | | | | 1 | | | 1 | | | | | | | | | | | | |
| | 3. Other diseases of larynx | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 106. | Bronchitis | 16 | 31 | 690 | 29 | 51 | 18 | 145 | 256 | 37 | 20 | 3 | 15 | 2 | 22 | 41 | 57 | 46 | 11 | 43 | 47 | 5 | 5 | 13 | 4 | 45 | 1 | 33 | 10 | 13 | |
| 107. | Broncho-pneumonia | 18 | 36 | 806 | 8 | 24 | 7 | 112 | 155 | 16 | 16 | 1 | 4 | 2 | 12 | 20 | 41 | 39 | 12 | 37 | 17 | 13 | 8 | 12 | 8 | 29 | 5 | 23 | 9 | 3 | |
| 108. | Lobar pneumonia | 4 | 8 | 363 | 10 | 5 | 4 | 67 | 116 | 17 | 8 | | 2 | 2 | 8 | 15 | 8 | 18 | 4 | 25 | 10 | 3 | 1 | 7 | 4 | 23 | 3 | 25 | 7 | 1 | |
| 109. | Pneumonia (not otherwise defined) | 4 | 14 | 125 | 11 | 35 | 2 | 46 | 66 | 5 | 2 | | | 1 | 1 | 9 | 10 | 8 | 2 | 11 | 10 | 2 | 1 | 4 | 1 | 13 | 1 | 11 | 3 | | |
| 110. | Pleurisy | 1 | | 29 | | 1 | 1 | 8 | 13 | 3 | 1 | | | | | 2 | 6 | 1 | 1 | 3 | 3 | 2 | 2 | 2 | 1 | 6 | 1 | 4 | 1 | | |
| 111. | 1. Congestion of lungs | | 3 | 60 | 3 | 1 | 2 | 16 | 51 | 7 | 1 | | 3 | | 2 | 2 | 3 | 7 | | | 1 | 1 | 2 | 3 | 1 | 6 | 4 | 4 | 1 | 3 | |
| | 2. Embolism, Thrombosis, Infarct | | | 4 | 2 | | 1 | 1 | 6 | | | | | | 2 | 6 | | 1 | | | 6 | 1 | 2 | 3 | 1 | 1 | 4 | 4 | 1 | | |
| 112. | Asthma | | | 26 | | | 1 | 9 | 22 | 5 | 2 | | 3 | | 2 | 4 | 1 | 1 | | 3 | 2 | 1 | 1 | 1 | 1 | 2 | | 3 | 1 | | |
| 113. | Pulmonary emphysema | 1 | 1 | 3 | | | | | 1 | | | | | | | | | | | | | | | | | | | 3 | 1 | | |
| 114. | a Chronic interstitial pneumonia | 1 | 1 | 5 | | 1 | | 3 | 2 | 2 | | | | | | | 1 | 2 | | | | | | | | | 1 | 2 | | | |
| | b1. Gangrene of lung | | | 3 | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| | 2. Other dis. of respiratory system | | 1 | 5 | 1 | | 1 | 2 | 1 | 1 | | | | | | | 1 | | | 1 | | 1 | | | | | | | | | |

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | | SCOTLAND. | * Aberdeen B. | Remr. of Aberdn. Co. | Arbroath B. | Dundee B. | Remr. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remainder of Ayr Co. | Banff Co. | Bervick Co. | Bute Co. | Gaithness Co. | Clackmannan Co. | Clydebank B. | Dumbarton B. | Remr. of Dumb. Co. | Dumfries B. | Remr. of Dumf. Co. | East Lothian Co. | Dunfermline B. | Kirkcaldy B. | Remainder of Fife Co. | Inverness B. | Remr. of Inver. Co. | * Kincairdine Co. | Kinross Co. | Kirkcudbright Co. |
|--|---|-----------|---------------|----------------------|-------------|-----------|--------------------|------------|--------|---------------|----------------------|-----------|-------------|----------|---------------|-----------------|--------------|--------------|--------------------|-------------|--------------------|------------------|----------------|--------------|-----------------------|--------------|---------------------|-------------------|-------------|-------------------|
| IX. DISEASES OF DIGESTIVE SYSTEM. | | 3,660 | 134 | 101 | 14 | 118 | 55 | 56 | 32 | 31 | 157 | 33 | 23 | 12 | 15 | 26 | 37 | 13 | 69 | 15 | 42 | 23 | 18 | 34 | 107 | 22 | 47 | 21 | 7 | 21 |
| 115. | 1. Diseases of teeth and gums | 21 | | | | 2 | 1 | | | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | |
| | 2. Diseases of tonsils | 90 | 3 | 7 | | 3 | 1 | | | 2 | 2 | 2 | | | | | | | | | | | | | | | | | | |
| | 3. Other diseases of buccal cavity or pharynx | 54 | 2 | 3 | | 4 | | | | | 1 | | | 1 | | 3 | 1 | | | | | | | | | | | | | |
| 116. | Diseases of oesophagus | 8 | 1 | | | | | | 6 | | | | | | | | | | | | | | | | | | | | | |
| 117. a | Ulcer of stomach | 373 | 9 | 10 | 3 | 10 | 3 | | | 1 | 11 | 4 | 3 | 1 | 2 | 1 | 4 | 2 | 9 | | 9 | 1 | 1 | 6 | 17 | 4 | | | | |
| b | Ulcer of duodenum | 315 | 17 | 10 | 1 | 7 | 9 | | 1 | 5 | 11 | 4 | 1 | 1 | 2 | 1 | 3 | 1 | 5 | | 5 | 2 | 3 | 8 | 3 | 1 | | | | |
| 118. | Other diseases of stomach | 108 | 3 | 2 | | 2 | 2 | | | | 4 | 1 | | 1 | 2 | 2 | 1 | 1 | 1 | | 4 | 2 | 2 | 3 | 14 | 3 | | | | |
| 119. | Diarrhoea and enteritis (under 2 years) | 721 | 21 | 6 | 2 | 14 | 1 | | 5 | 3 | 38 | 2 | | 1 | 2 | 2 | 2 | 3 | 11 | 3 | 6 | 3 | 2 | 3 | 2 | 2 | | | | |
| 120. a | Diarrhoea and enteritis (over 2 years) | 199 | 2 | 3 | 2 | 7 | 7 | | 6 | 1 | 10 | 1 | 2 | 1 | | 2 | 1 | | 1 | 2 | 4 | 1 | | 5 | 5 | 3 | | | | |
| b | Ulceration of intestines | 61 | 2 | 6 | | 1 | 3 | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| 121. | Appendicitis | 430 | 21 | 15 | 2 | 23 | 7 | | 2 | 1 | 22 | 4 | | 2 | 1 | 2 | 1 | | 2 | | | | | | | | | | | |
| 122. a | Hernia | 218 | 11 | 7 | | 6 | 5 | | 3 | 3 | 2 | 4 | | | | | | | 1 | | | | | | | | | | | |
| b | Intestinal obstruction | 234 | 8 | 8 | 1 | 4 | 1 | | 3 | 3 | 10 | 1 | 2 | | 2 | 3 | 3 | 1 | 1 | 1 | | | | | | | | | | |
| 123. | Other diseases of intestines | 122 | 4 | 4 | | 7 | 1 | | 3 | 1 | 5 | 1 | | | | 2 | 1 | 2 | 2 | | | | | | | | | | | |
| 124. | Cirrhosis of liver | 203 | 9 | 8 | | 8 | 2 | | 2 | 1 | 9 | 3 | 3 | 1 | | 2 | 4 | 2 | 4 | | | | | | | | | | | |
| 125. | 1. Acute yellow atrophy of liver | 21 | 1 | | | 1 | 2 | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| | 2. Other diseases of liver | 30 | | | | | | | | | 2 | 1 | | | | | | | | | | | | | | | | | | |
| 126. | Biliary calculi | 123 | 3 | 2 | 1 | 5 | 2 | | | 1 | 5 | 1 | 2 | 1 | 1 | 3 | 1 | 1 | 1 | | 2 | | | | | | | | | |
| 127. | 1. Cholecystitis | 204 | 10 | 8 | | 7 | 4 | | 2 | 3 | 12 | 2 | 2 | 1 | 1 | 3 | 1 | 1 | | | 2 | | | | | | | | | |
| | 2. Other diseases of gall bladder and ducts | 18 | 1 | 1 | | 1 | | | | | 2 | | 1 | | | | | | | | 1 | | | | | | | | | |
| 128. | Diseases of pancreas | 60 | 4 | | 1 | 3 | | | 1 | 1 | 6 | | | | | | 2 | | | | | | | | | | | | | |
| 129. | Peritonitis without stated cause | 47 | 2 | 1 | 1 | 3 | | | | | 3 | | | 1 | 1 | 1 | 1 | | 4 | | | | | | | | | | | |
| X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM. | | 2,737 | 111 | 89 | 15 | 101 | 33 | 44 | 31 | 20 | 120 | 30 | 32 | 14 | 16 | 18 | 18 | 10 | 37 | 14 | 28 | 22 | 16 | 20 | 91 | 13 | 38 | 13 | 6 | 14 |
| 130. | Acute nephritis | 145 | 6 | 4 | | 1 | 2 | | 2 | | 7 | 2 | | 2 | 1 | 2 | 2 | | 1 | | | | | | | | | | | |
| 131. | Chronic nephritis | 1,270 | 59 | 41 | 12 | 45 | 13 | | 18 | 13 | 69 | 7 | | 5 | 2 | 7 | 10 | 7 | 13 | 7 | 18 | 9 | 8 | 4 | 36 | 9 | 18 | | | |
| 132. | Nephritis unspecified | 354 | 16 | 9 | 1 | 12 | 8 | 6 | 1 | 1 | 12 | 9 | 8 | 6 | 6 | 2 | 1 | 2 | 7 | | | | | | | | | | | |
| 133. | Oth. dis. of kidney and annexa | 177 | 9 | 9 | 2 | 4 | 2 | 4 | 1 | 2 | 7 | | | 1 | 1 | | | | 4 | | 1 | | | | | | | | | |

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | | Airdrie B. | Coatbridge B. | Glasgow B. | Hamilton B. | Motherwell and Wishaw B. | Rutherglen B. | Remr. of Lanark Co. | Edinburgh B. | Remr. of Midloth. Co. | Moray Co. | Nairn Co. | Orkney Co. | Peebles Co. | Perth B. | Remr. of Perth Co. | Greenock B. | Paisley B. | Port-Glasgow B. | Remr. of Renfrew Co. | Ross and Cromarty Co. | Roxburgh Co. | Selkirk Co. | Falkirk B. | Stirling B. | Remr. of Stirling Co. | Sutherland Co. | West Lothian Co. | Wigtown Co. | Zetland Co. |
|---|---|------------|---------------|------------|-------------|--------------------------|---------------|---------------------|--------------|-----------------------|-----------|-----------|------------|-------------|----------|--------------------|-------------|------------|-----------------|----------------------|-----------------------|--------------|-------------|------------|-------------|-----------------------|----------------|------------------|-------------|-------------|
| IX. DISEASES OF DIGESTIVE SYSTEM. | | 26 | 30 | 946 | 24 | 37 | 25 | 200 | 351 | 68 | 32 | 4 | 17 | 6 | 31 | 45 | 69 | 84 | 20 | 84 | 37 | 20 | 14 | 18 | 12 | 63 | 15 | 61 | 20 | 18 |
| 115. | 1. Diseases of teeth and gums | . | . | 5 | . | . | . | 3 | 3 | . | 1 | . | . | . | . | 1 | . | . | 1 | 1 | 4 | . | 1 | . | . | 1 | . | . | 1 | . |
| | 2. Diseases of tonsils | . | 1 | 20 | . | . | . | 7 | 4 | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | 1 | . | . | 2 | . | . | 1 | . |
| | 3. Other diseases of buccal cavity or pharynx | . | . | 17 | . | . | . | 2 | 7 | 2 | . | . | . | . | 1 | . | 2 | . | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . |
| 116. | Diseases of oesophagus | . | . | 8 | . | . | 1 | . | 1 | 3 | 3 | . | 3 | 1 | 3 | 5 | 11 | 15 | 2 | 11 | . | 2 | 1 | 1 | 1 | . | . | . | . | . |
| 117. | Ulcer of stomach | . | . | 88 | 1 | . | 2 | 20 | 37 | 15 | 3 | . | . | 1 | 1 | 3 | . | 7 | 1 | 8 | 4 | 2 | 4 | . | . | . | . | . | . | . |
| 117. | Ulcer of duodenum | . | 3 | 78 | 1 | 2 | . | 19 | 34 | 3 | 4 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 3 | 3 | 3 | . | . | . | . | . | . | . | . |
| 118. | Other diseases of stomach | 1 | 1 | 28 | . | 2 | . | 4 | 8 | 1 | 4 | . | . | . | 1 | 2 | . | 1 | 3 | 8 | 2 | . | . | . | . | . | . | . | . | . |
| 119. | Diarrhoea and enteritis (under 2 years) | 11 | 15 | 324 | 10 | 6 | 2 | 41 | 42 | 7 | 5 | 1 | 2 | . | 3 | 4 | 16 | 24 | 7 | 12 | . | 1 | . | 1 | 3 | . | . | . | . | . |
| 120. | Diarrhoea and enteritis (over 2 years) | 1 | 2 | 36 | . | 5 | 1 | 17 | 19 | 1 | 1 | . | 1 | . | 5 | 3 | 8 | 2 | 1 | 6 | 2 | . | . | 3 | . | . | . | . | . | . |
| 121. | Ulceration of intestines | . | . | 10 | . | . | 1 | 3 | 12 | . | . | . | . | . | . | . | 3 | . | . | 2 | . | . | . | . | . | . | . | . | . | . |
| 121. | Appendicitis | 4 | 2 | 86 | 1 | . | 6 | 19 | 44 | . | 3 | . | 4 | . | 3 | . | 6 | 13 | . | 7 | 8 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 3 | 2 |
| 122. | Hernia | 2 | . | 46 | 2 | 1 | . | 8 | 21 | 7 | 2 | 1 | 1 | . | 2 | 4 | 2 | 5 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . |
| 122. | Intestinal obstruction | 2 | 2 | 48 | 1 | 1 | 4 | 15 | 29 | 7 | 3 | . | 1 | 1 | 3 | 8 | 2 | 2 | . | 6 | 4 | . | . | . | . | . | . | . | . | . |
| 123. | Other diseases of intestines | 1 | 1 | 18 | 2 | 3 | . | 8 | 15 | 4 | 2 | . | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 124. | Girrhosis of liver | 2 | 2 | 52 | 4 | 1 | . | 4 | 24 | 3 | 1 | . | 1 | . | . | 1 | 3 | 2 | 1 | 5 | 3 | . | . | . | . | . | . | . | . | . |
| 125. | 1. Acute yellow atrophy of liver | . | . | 6 | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . |
| | 2. Other diseases of liver | 1 | . | 7 | . | 1 | 1 | . | 4 | . | 2 | 1 | . | . | . | . | . | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . |
| 126. | Biliary calculi | . | . | 23 | . | 4 | . | 7 | 13 | 2 | 4 | . | 2 | 2 | 1 | 2 | 4 | 4 | . | 2 | 2 | . | . | . | 3 | . | . | . | . | . |
| 127. | 1. Cholecystitis | . | 1 | 34 | 2 | . | 3 | 16 | 19 | 5 | . | . | . | . | 6 | 4 | 4 | 3 | 2 | 6 | . | . | . | . | . | . | . | . | . | . |
| | 2. Other diseases of gall bladder and ducts | . | . | 5 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 128. | Diseases of pancreas | . | . | 7 | . | 1 | 1 | 3 | 7 | 1 | . | . | . | . | 1 | 1 | 1 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . |
| 129. | Peritonitis without stated cause | . | . | 10 | . | 1 | . | 3 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | . | . | . | . | . | . | . |
| X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM. | | 13 | 20 | 561 | 23 | 26 | 14 | 123 | 281 | 32 | 29 | 3 | 19 | 9 | 22 | 75 | 45 | 53 | 8 | 86 | 59 | 36 | 16 | 20 | 10 | 64 | 10 | 36 | 22 | 14 |
| 130. | Acute nephritis | 1 | 2 | 35 | 3 | 2 | . | 9 | 13 | 1 | 1 | 1 | 2 | . | 1 | 3 | 3 | 2 | . | 5 | . | . | 1 | 2 | . | . | . | . | . | . |
| 131. | Chronic nephritis | 5 | 7 | 243 | 9 | 10 | 9 | 58 | 121 | 18 | 12 | 1 | 9 | 5 | 10 | 29 | 26 | 34 | 4 | 45 | 30 | 17 | 6 | 6 | 9 | 4 | 1 | 11 | 15 | 1 |
| 132. | Nephritis unspecified | 2 | 5 | 74 | 2 | 5 | . | 19 | 27 | 5 | 5 | 1 | 4 | 2 | 3 | 9 | 3 | 5 | 1 | 10 | 6 | 5 | 3 | 5 | . | 12 | 1 | 1 | 3 | 1 |
| 133. | Oth. dis. of kidney and annexa | . | 3 | 44 | 2 | 2 | . | 2 | 26 | 1 | 2 | . | 1 | 1 | . | 5 | 2 | 2 | . | 7 | 1 | 4 | . | 2 | . | 3 | . | . | . | . |

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—*continued.*

| INTERNATIONAL LONG LIST. | Scotland. | *Aberdeen B. | Remr. of Aberdeen Co. | Arbroath B. | Dundee B. | Remr. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remainder of Ayr Co. | Banff Co. | Berwick Co. | Bute Co. | Gaithness Co. | Clackmannann Co. | Clydebank B. | Dumbarton B. | Remr. of Dumfries Co. | Dumfries B. | Remr. of Dumfries Co. | East Lothian Co. | Dunfermline B. | Kirkcaldy B. | Remainder of Fife Co. | Inverness B. | Remr. of Inver. Co. | *Kincardine Co. | Kinross Co. | Kirkcaldy Co. |
|--|-----------|--------------|-----------------------|-------------|-----------|--------------------|------------|--------|---------------|----------------------|-----------|-------------|----------|---------------|------------------|--------------|--------------|-----------------------|-------------|-----------------------|------------------|----------------|--------------|-----------------------|--------------|---------------------|-----------------|-------------|---------------|
| X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM—<i>continued.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 134. Calculi of urinary passages . . . | 47 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 135. Diseases of bladder . . . | 148 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 136. Diseases of urethra, urinary abscess, &c. . . | 43 | 2 | 1 | | 6 | 1 | 2 | 1 | | 2 | 2 | 2 | 1 | | 1 | | | 3 | 3 | | 1 | 1 | 1 | 7 | 3 | | 1 | | |
| 137. Diseases of prostate . . . | 461 | 16 | | | 20 | 6 | 8 | 6 | 1 | 14 | 8 | 5 | | 5 | 4 | 3 | 1 | 7 | 8 | | | 3 | 9 | 14 | 7 | 3 | | 3 | |
| 138. Diseases of male genital organs . . . | 6 | | | | 1 | | | | | 3 | 1 | | | | 1 | | | | | | | 1 | | 2 | | | | | |
| 139. <i>a</i> Diseases of ovary, fallopian tube and parametrium . . . | 46 | 2 | 1 | | 2 | | | | 2 | | | | | | | | | | | | | 1 | | | | | | | |
| <i>b</i> Diseases of uterus . . . | 33 | 1 | | | | | 1 | | 1 | | | 1 | | | | | | | | | | 1 | 1 | 2 | | 1 | | | |
| <i>c</i> Diseases of breast . . . | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>d</i> Other diseases of female genital organs . . . | 6 | | | | 2 | | | | | | | | | | | | | | | | | | 1 | | | | | | |
| XI. DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 140. Post-abortive sepsis . . . | 432 | 14 | 4 | | 18 | 4 | 5 | 5 | 4 | 19 | 2 | | 1 | 1 | 2 | 1 | 3 | 1 | 4 | 7 | 3 | | 6 | 13 | 2 | 3 | 2 | | 1 |
| 141. Abortion not returned as septic . . . | 48 | 1 | | | 1 | | 1 | | 1 | 1 | | | | | | | | | | 1 | | | | 1 | | | 1 | | |
| 142. Ectopic gestation . . . | 13 | | | | 1 | | | | | 1 | | | | | 1 | | | | | | | | | | | | | | |
| 143. Other accidents of pregnancy . . . | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 144. <i>a</i> Placenta prævia . . . | 19 | 1 | | | 2 | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | |
| <i>b</i> 1. Accidental hæmorrhage . . . | 21 | | | | 1 | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| 2. Other puerperal hæmorrhage . . . | 35 | 1 | 1 | | 1 | | 2 | 1 | 1 | 6 | | | | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | | 2 | 2 | 1 | 1 | 1 | | |
| 145. Puerperal sepsis . . . | 102 | 6 | 1 | | 9 | 2 | 1 | 1 | 1 | 4 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 2 | 2 | 1 | 1 | 1 | | |
| 146. Puerperal albuminuria, Convulsions . . . | 68 | | 1 | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | 2 | 2 | 1 | 1 | 1 | | |
| 147. 1. Uncontrollable vomiting . . . | 19 | 2 | | | | | | | | 3 | | | | | | | | | 1 | | | | | 1 | | | | | |
| 2. Other toxæmias of pregnancy . . . | 12 | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | |
| 148. Puerperal phlegmasia alba dolens, Embolism . . . | 33 | | | | 1 | | | | | 1 | | | | | | | | | | | | | 1 | | | | | | |
| 149. Other accidents of childbirth . . . | 56 | 1 | 1 | | 2 | | 1 | 1 | | 1 | 2 | | 1 | | | | 2 | | 1 | | | | | 2 | | | | | |
| 150. Other or unspecified conditions of the puerperal state . . . | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | SCOTLAND. | *Aberdeen B. | Remr. of Aberdeen Co. | Arbroath B. | Dundee B. | Remr. of Angus Co. | Argyll Co. | Ayr B. | Kilmarnock B. | Remainder of Ayr Co. | Banff Co. | Bervick Co. | Bute Co. | Caithness Co. | Clackmannan Co. | Clydebank B. | Dumbarrow B. | Remr. of Dumbarrow B. | Dumfries B. | Remr. of Dumfries Co. | East Lothian Co. | Dunfermline B. | Kirkcaldy B. | Remainder of Fife Co. | Inverness B. | Remr. of Inver. Co. | *Kincairdine Co. | Kinross Co. | Kirkcaldy bright Co. | | |
|--|-----------|--------------|-----------------------|-------------|-----------|--------------------|------------|--------|---------------|----------------------|-----------|-------------|----------|---------------|-----------------|--------------|--------------|-----------------------|-------------|-----------------------|------------------|----------------|--------------|-----------------------|--------------|---------------------|------------------|-------------|----------------------|----|---|
| XII. DISEASES OF SKIN AND CELLULAR TISSUE. | 243 | 11 | 5 | . | 9 | 4 | 3 | 6 | 2 | 9 | 3 | . | 1 | 2 | 5 | 1 | . | . | . | 1 | 2 | 2 | 2 | 3 | 7 | . | 4 | . | . | . | |
| 151. Carbuncle, Boil | 39 | . | 1 | . | 1 | 2 | . | 3 | . | 4 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 3 | . | . | . | . | . | . | |
| 152. Cellulitis, Acute abscess | 139 | 6 | 4 | . | 3 | . | 1 | 3 | 1 | 5 | . | . | 1 | . | 3 | 1 | . | . | . | . | . | 1 | 1 | 2 | 2 | 1 | 3 | . | . | . | |
| 153. Oth. dis. of skin and its annexa | 65 | 5 | . | . | 5 | 2 | 2 | . | 1 | . | 3 | . | . | 2 | 1 | . | . | . | 1 | 2 | . | . | . | 2 | 2 | . | . | . | . | . | |
| XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION. | 108 | 3 | 4 | . | 2 | 1 | 1 | 2 | 1 | 5 | 2 | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 4 | 6 | . | 1 | . | . | . | . |
| 154. Acute infective osteomyelitis and periostitis | 58 | . | 3 | . | 2 | . | . | 1 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 3 | . | . | . | . | . | . | . |
| 155. Other diseases of bones | 18 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 | . | . | . | . |
| 156. Dis. of joints and other organs of locomotion | 32 | 2 | 1 | . | . | 1 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | . | . | . | . | . | . |
| XIV. CONGENITAL MALFORMATIONS. | 594 | 18 | 20 | 4 | 29 | 11 | 5 | 3 | 4 | 19 | 11 | 4 | . | 1 | 5 | 6 | 1 | 4 | 3 | 5 | 8 | 8 | 8 | 20 | 6 | 7 | . | 1 | . | 3 | |
| 157. Congenital malformations . . . | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| XV. DISEASES OF EARLY INFANCY. | 2,550 | 86 | 74 | 8 | 100 | 37 | 12 | 27 | 31 | 147 | 24 | 10 | 4 | 12 | 19 | 20 | 5 | 26 | 13 | 29 | 16 | 15 | 18 | 97 | 11 | 20 | 14 | 5 | 16 | . | |
| 158. Congenital debility | 595 | 15 | 25 | 2 | 21 | 10 | 3 | 10 | 7 | 35 | 8 | . | 3 | 5 | 7 | 4 | 1 | 4 | 2 | 8 | 4 | 4 | 4 | 21 | 5 | 7 | 2 | 5 | 3 | 10 | . |
| 159. Premature birth | 1,369 | 45 | 36 | 5 | 62 | 22 | 7 | 12 | 17 | 94 | 13 | 7 | 1 | 5 | 5 | 11 | 3 | 16 | 8 | 11 | 6 | 7 | 10 | 55 | 5 | 8 | 9 | 2 | 3 | 10 | . |
| 160. Injury at birth | 306 | 12 | 5 | 1 | 7 | 1 | 1 | 2 | 3 | 11 | 2 | 1 | . | 1 | 3 | 2 | . | . | 1 | 1 | 2 | 1 | 1 | 7 | 1 | 4 | 3 | . | . | . | . |
| 161. Other diseases peculiar to early infancy | 280 | 14 | 8 | . | 10 | 4 | 1 | 3 | 4 | 7 | 1 | 2 | . | 1 | 4 | 3 | 1 | 6 | 2 | 8 | 3 | 3 | 2 | 14 | . | 1 | . | . | . | . | 3 |

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1938—continued.

| INTERNATIONAL LONG LIST. | | Airdrie B. | Coatbridge B. | Glasgow B. | Hamilton B. | Motherwell and Wishaw B. | Rutherglen B. | Remr. of Lanark Co. | Edinburgh B. | Remr. of Midloth. Co. | Moray Co. | Nairn Co. | Orkney Co. | Peebles Co. | Perth B. | Remr. of Perth Co. | Greenock B. | Paisley B. | Port-Glasgow B. | Remr. of Renfrew Co. | Ross and Cromarty Co. | Roxburgh Co. | Selkirk Co. | Falkirk B. | Stirling B. | Remr. of Stirling Co. | Sutherland Co. | West Lothian Co. | Wigtown Co. | Zetland Co. |
|-------------------------------------|--|------------|---------------|------------|-------------|--------------------------|---------------|---------------------|--------------|-----------------------|-----------|-----------|------------|-------------|----------|--------------------|-------------|------------|-----------------|----------------------|-----------------------|--------------|-------------|------------|-------------|-----------------------|----------------|------------------|-------------|-------------|
| XVI. SENILITY. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 162. | Senility. Senile dementia . . | 11 | 15 | 344 | 8 | 30 | 7 | 147 | 121 | 32 | 32 | 8 | 30 | 5 | 19 | 55 | 64 | 24 | 8 | 30 | 109 | 19 | 27 | 22 | 9 | 52 | 30 | 33 | 17 | 58 |
| XVII. DEATHS FROM VIOLENCE. | | 11 | 32 | 660 | 19 | 29 | 13 | 181 | 258 | 55 | 26 | 5 | 24 | 3 | 23 | 56 | 44 | 51 | 10 | 63 | 54 | 26 | 7 | 18 | 12 | 64 | 6 | 55 | 9 | 7 |
| 171. | Suicide (163 to 170) . . | 1 | 3 | 95 | 3 | 3 | 2 | 18 | 77 | 6 | 5 | 1 | 2 | . | 7 | 12 | 4 | 8 | 1 | 11 | 6 | 9 | 2 | 3 | 2 | 10 | . | 3 | . | . |
| 175. | Homicide (172, 173, 174) . . | . | . | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| 177. | Food poisoning . . | . | . | 5 | 2 | . | . | . | 7 | . | . | . | . | . | 1 | . | 3 | 2 | 1 | . | . | . | . | . | . | 9 | . | . | . | . |
| 178. | Accidental gaseous poisoning . . | . | . | 6 | 1 | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . |
| 179. | Other acute accidental poisoning . . | . | . | 4 | 2 | 4 | 3 | 10 | 11 | 2 | . | . | . | 1 | 1 | 5 | 6 | 2 | 1 | 5 | 3 | . | 1 | 1 | . | 2 | . | 6 | 1 | 1 |
| 180. | Conflagration . . | 2 | 4 | 58 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 181. | Accidental burns (conflagration excepted) . . | . | . | 40 | 2 | . | 1 | 8 | 7 | 1 | 7 | 2 | 13 | . | 1 | 7 | 2 | 7 | 1 | 1 | 20 | . | 1 | 3 | . | 10 | . | 2 | 2 | 1 |
| 182. | Accidental mechanical suffocation . . | 2 | 4 | 65 | . | . | 1 | 1 | 9 | 2 | . | . | . | . | 1 | . | . | 5 | . | 6 | . | . | . | . | . | . | . | . | . | . |
| 183. | Accidental drowning . . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 184. | Accidental injury by firearms . . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 186. | Crushing, Falls, &c.— 1. Motor Vehicles . . | 4 | 10 | 122 | 4 | 4 | 2 | 53 | 54 | 13 | 4 | . | 2 | . | 4 | 12 | 8 | 8 | 1 | 14 | 7 | 6 | 2 | 5 | 6 | 11 | 3 | 13 | 2 | 1 |
| 189. | 2. Other crushing accidents . . | 2 | 10 | 239 | 4 | 17 | 3 | 75 | 86 | 29 | 9 | 2 | 6 | 2 | 7 | 16 | 20 | 16 | 4 | 22 | 11 | 9 | 1 | 5 | 4 | 21 | . | 22 | 3 | 4 |
| 192. | Hunger, Thirst . . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 193. | Weather agencies (190, 191) . . | . | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 194. | Electricity (lightning excepted) . . | . | . | 11 | . | . | . | 3 | 3 | 1 | 1 | . | 1 | . | . | 2 | . | 1 | . | 1 | 1 | 1 | . | . | . | . | . | 1 | 1 | . |
| 196. | Other accidents (176, 185, 187, 188, 195) . . | . | . | 2 | 1 | . | 1 | . | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 198. | Wounds of war . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 198. | Execution (197) . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| XVIII. ILL-DEFINED DISEASES. | | 10 | 23 | 267 | 8 | 6 | 4 | 57 | 29 | 11 | 5 | 1 | 15 | 7 | 8 | 32 | 19 | 10 | 4 | 17 | 39 | 9 | 1 | 8 | 6 | 17 | 5 | 3 | 10 | 6 |
| 199. | Sudden death, Syncope . . | 4 | 7 | 7 | 2 | . | 1 | 3 | 2 | . | . | . | . | 1 | 4 | 3 | 4 | 1 | . | 1 | 2 | 2 | 1 | 4 | . | 1 | . | 1 | 1 | 1 |
| 200. | 1. Heart failure . . | 4 | 13 | 921 | 5 | 5 | 3 | 35 | 25 | 10 | 4 | . | 7 | 1 | 2 | 10 | 14 | 7 | 2 | 10 | 31 | 6 | 1 | 3 | 2 | 13 | 3 | 1 | 7 | 1 |
| | 2. Other ill-defined causes . . | 2 | 3 | 38 | 1 | 1 | . | 19 | 2 | 1 | 1 | 1 | 8 | 2 | 2 | 19 | 1 | 2 | 2 | 6 | 6 | 1 | . | 1 | 4 | . | . | . | 2 | 2 |
| | 3. Cause not specified . . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

CAUSES OF DEATH IN SCOTLAND (BOTH SEXES), BY MONTHS, IN 1938.

| International Nos. Detailed Long List. | | | | | Total. | Jan. | Feb. | March. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---------|---|---|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | All Causes - - - - | | | | 62953 | 6649 | 5116 | 5683 | 5198 | 5518 | 4887 | 4666 | 4596 | 4545 | 4888 | 5038 | 6169 |
| | I. INFECTIOUS AND PARASITIC DISEASES. | | | | 5718 | 633 | 539 | 624 | 573 | 563 | 451 | 394 | 373 | 366 | 351 | 382 | 469 |
| 1 | Typhoid fever - - - - | - | - | - | 23 | 5 | 2 | 4 | 1 | 4 | 1 | - | 2 | - | 1 | 3 | - |
| 2 | Paratyphoid fevers - - - - | - | - | - | 4 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - |
| 3 | Typhus fever - - - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6.1 | Smallpox vaccinated - - - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2 | „ not vaccinated - - - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3 | „ vaccination doubtful - - - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7 | Measles - - - - | - | - | - | 549 | 67 | 91 | 131 | 130 | 80 | 27 | 10 | 6 | 2 | 2 | 2 | 1 |
| 8 | Scarlet fever - - - - | - | - | - | 98 | 17 | 5 | 17 | 10 | 4 | 10 | 7 | 3 | 8 | 2 | 7 | 8 |
| 9 | Whooping-cough - - - - | - | - | - | 219 | 15 | 16 | 11 | 14 | 15 | 18 | 16 | 23 | 19 | 16 | 19 | 37 |
| 10 | Diphtheria - - - - | - | - | - | 430 | 50 | 43 | 48 | 36 | 39 | 26 | 28 | 23 | 27 | 29 | 26 | 55 |
| 11 | Influenza— | (Total) | | | 396 | 88 | 33 | 43 | 28 | 34 | 16 | 21 | 18 | 20 | 14 | 28 | 53 |
| a1 | with pneumonia - - - - | - | - | - | 170 | 38 | 13 | 21 | 9 | 15 | 7 | 9 | 6 | 8 | 8 | 13 | 23 |
| 2 | „ bronchitis - - - - | - | - | - | 32 | 9 | 7 | 3 | 2 | 3 | 1 | - | 1 | - | - | - | 6 |
| 3 | „ other resp. dis. - - - - | - | - | - | 19 | 5 | 1 | 2 | - | 3 | 2 | 1 | - | 1 | 1 | 3 | - |
| b1 | „ tuberc. of resp. system - - - - | - | - | - | 2 | - | - | - | - | 1 | - | - | - | - | - | - | 1 |
| 2 | „ dis. or acc. of preg., &c. - - - - | - | - | - | 2 | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| 3 | „ other cause - - - - | - | - | - | 132 | 23 | 11 | 13 | 10 | 12 | 6 | 8 | 10 | 10 | 4 | 7 | 18 |
| 4 | sole cause - - - - | - | - | - | 39 | 12 | 1 | 4 | 7 | - | - | 3 | 1 | 1 | 1 | 4 | 5 |
| 13 | Dysentery - - - - | - | - | - | 40 | 2 | 11 | 2 | 6 | 8 | 3 | 1 | 4 | 2 | - | 1 | - |
| 15 | Erysipelas - - - - | - | - | - | 75 | 14 | 10 | 4 | 6 | 5 | 3 | 6 | 4 | 4 | 7 | 6 | 6 |
| 16 | Acute poliomyelitis - - - - | - | - | - | 16 | 2 | - | - | - | 1 | - | 1 | 3 | 2 | 4 | 1 | 2 |
| 17 | Lethargic encephalitis - - - - | - | - | - | 87 | 12 | 10 | 5 | 6 | 9 | 5 | 8 | 5 | 8 | 4 | 7 | 8 |
| 18 | Cerebro-spinal fever - - - - | - | - | - | 106 | 11 | 8 | 16 | 12 | 6 | 6 | 11 | 6 | 7 | 7 | 7 | 9 |
| 22 | Tetanus - - - - | - | - | - | 12 | 2 | 1 | - | 1 | - | - | 1 | 3 | 2 | 1 | 1 | - |
| | Tuberculosis— | | | | 3432 | 327 | 295 | 325 | 303 | 330 | 317 | 261 | 256 | 248 | 243 | 254 | 273 |
| 23 | Respiratory system - - - - | - | - | - | 2581 | 256 | 219 | 242 | 215 | 249 | 225 | 176 | 188 | 193 | 192 | 203 | 223 |
| 24 | Central nervous system - - - - | - | - | - | 390 | 29 | 35 | 45 | 43 | 42 | 37 | 39 | 29 | 22 | 19 | 26 | 24 |
| 25 | Intestines and peritoneum - - - - | - | - | - | 135 | 14 | 12 | 15 | 13 | 12 | 14 | 13 | 7 | 10 | 11 | 7 | 7 |
| 26 | Vertebral column - - - - | - | - | - | 55 | 7 | 5 | 4 | 5 | 5 | 7 | 4 | 3 | 3 | 5 | 2 | 5 |
| 27 | Other bones and joints - - - - | - | - | - | 39 | 5 | 1 | 3 | 5 | 2 | 6 | 2 | 7 | 1 | 1 | 3 | 3 |
| 28 | Skin and sub-cutaneous tissues - - - - | - | - | - | 6 | - | - | - | - | 2 | - | - | - | 1 | 2 | 1 | - |
| 29 | Lymphatic system (bronch. and abdom. glands excepted) | - | - | - | 21 | 1 | 3 | 1 | - | 3 | 3 | 4 | 2 | 1 | 3 | - | - |
| 30 | Genito-urinary system - - - - | - | - | - | 32 | 1 | - | 6 | 5 | 3 | 4 | 2 | 3 | 1 | 2 | 2 | 3 |
| 31 | Other organs - - - - | - | - | - | 4 | 1 | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| 32.a | Disseminated—acute - - - - | - | - | - | 104 | 9 | 13 | 6 | 10 | 8 | 11 | 15 | 7 | 9 | 4 | 6 | 6 |
| b | „ —chronic (c) - - - - | - | - | - | 65 | 4 | 7 | 2 | 7 | 4 | 9 | 5 | 10 | 7 | 4 | 4 | 2 |
| 34 | Syphilis - - - - | - | - | - | 73 | 5 | 4 | 4 | 9 | 9 | 3 | 8 | 4 | 6 | 7 | 9 | 5 |
| 35 | Other venereal diseases - - - - | - | - | - | 12 | 2 | 1 | - | - | 3 | 2 | - | 1 | 2 | 1 | - | - |
| 36 | Purulent infection, Septicæmia - - - - | - | - | - | 113 | 14 | 7 | 12 | 9 | 11 | 13 | 11 | 8 | 6 | 9 | 5 | 8 |
| 38 | Malaria - - - - | - | - | - | 2 | - | - | 1 | - | - | - | - | - | - | - | - | 1 |
| 41 | Hydatid cysts - - - - | - | - | - | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 43 | Mycoses - - - - | - | - | - | 12 | - | - | - | - | - | 1 | - | 1 | 1 | 3 | 5 | 1 |
| 44 | Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42) | - | - | - | 18 | - | 2 | 1 | 2 | 3 | - | 3 | 3 | 1 | - | 1 | 2 |
| | II. CANCER AND OTHER TUMOURS. | | | | 8406 | 759 | 614 | 634 | 675 | 758 | 687 | 659 | 694 | 707 | 734 | 694 | 791 |
| | Cancer— | | | | 8072 | 723 | 585 | 614 | 650 | 729 | 669 | 633 | 665 | 674 | 703 | 670 | 757 |
| 45 | Buccal cavity, Pharynx - - - - | - | - | - | 405 | 32 | 28 | 35 | 32 | 47 | 41 | 33 | 21 | 31 | 29 | 33 | 43 |
| 46 | Digestive organs, Peritoneum - - - - | - | - | - | 4638 | 424 | 338 | 340 | 378 | 415 | 401 | 356 | 388 | 381 | 401 | 391 | 425 |
| 47 | Respiratory organs - - - - | - | - | - | 584 | 43 | 36 | 43 | 43 | 50 | 49 | 58 | 45 | 59 | 44 | 55 | 59 |
| 48 | Uterus - - - - | - | - | - | 484 | 46 | 39 | 38 | 42 | 37 | 31 | 38 | 48 | 37 | 46 | 38 | 44 |
| 49 | Other female genital organs - - - - | - | - | - | 184 | 18 | 14 | 18 | 6 | 15 | 19 | 9 | 19 | 16 | 17 | 16 | 17 |
| 50 | Breast - - - - | - | - | - | 776 | 74 | 58 | 53 | 59 | 65 | 65 | 60 | 56 | 52 | 78 | 64 | 92 |
| 51 | Male genito-urinary organs - - - - | - | - | - | 417 | 40 | 31 | 30 | 39 | 42 | 19 | 34 | 39 | 34 | 44 | 31 | 34 |
| 52 | Skin - - - - | - | - | - | 119 | 10 | 12 | 13 | 12 | 10 | 12 | 8 | 9 | 12 | 6 | 5 | 10 |
| 53 | Other or unspecified organs - - - - | - | - | - | 465 | 36 | 29 | 44 | 39 | 48 | 32 | 37 | 40 | 52 | 38 | 37 | 33 |

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

| International Nos. Detailed Long List. | | Total. | Jan. | Feb. | March. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|--|--|--------|------|------|--------|--------|------|-------|-------|------|-------|------|------|------|
| II. CANCER AND OTHER TUMOURS—continued. | | | | | | | | | | | | | | |
| 55 | Tumours, non-malignant, or of undetermined nature (54)— | | | | | | | | | | | | | |
| a1 | Ovary - - - - - | 45 | 5 | 6 | 3 | 2 | 5 | 1 | 6 | 3 | 2 | 6 | 4 | 2 |
| 2 | Uterus - - - - - | 43 | 4 | 7 | 1 | 3 | 5 | 2 | 2 | 5 | 4 | 2 | 2 | 6 |
| b1 | Brain - - - - - | 162 | 21 | 10 | 10 | 13 | 12 | 7 | 12 | 16 | 21 | 13 | 11 | 16 |
| 2 | Bladder - - - - - | 26 | 3 | 1 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | 4 | 3 | 1 |
| 3 | Others - - - - - | 58 | 3 | 5 | 5 | 6 | 5 | 4 | 4 | 3 | 4 | 6 | 4 | 9 |
| III. RHEUMATISM, DISEASES OF NUTRITION, AND OTHER GENERAL DISEASES. | | | | | | | | | | | | | | |
| | | 1454 | 154 | 120 | 127 | 107 | 140 | 111 | 96 | 119 | 96 | 120 | 102 | 162 |
| 56 | Rheumatic fever - - - - | 227 | 25 | 24 | 20 | 17 | 26 | 12 | 11 | 23 | 17 | 16 | 18 | 18 |
| 57.1 | Chronic rheumatism - - - | 20 | 1 | 3 | 8 | 1 | 2 | - | 1 | 1 | - | 1 | - | 2 |
| 2 | Rheumatoid arthritis, Osteo-arthritis | 118 | 8 | 14 | 11 | 3 | 9 | 4 | 9 | 9 | 8 | 18 | 11 | 14 |
| 58 | Gout - - - - - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 59 | Diabetes mellitus - - - - | 859 | 97 | 60 | 70 | 65 | 84 | 73 | 65 | 65 | 60 | 65 | 49 | 106 |
| 60 | Scurvy - - - - - | 2 | - | - | - | - | - | - | - | - | - | - | - | 2 |
| 63 | Rickets - - - - - | 5 | - | 1 | 1 | - | - | 2 | - | - | - | 1 | - | - |
| 65 | Diseases of pituitary gland - - | 3 | - | 1 | - | - | - | - | - | 1 | - | - | 1 | - |
| 66.b | Exophthalmic goitre - - - | 115 | 10 | 7 | 13 | 13 | 9 | 10 | 5 | 11 | 6 | 12 | 8 | 11 |
| c | Myxœdema, Cretinism - - - | 41 | 6 | 5 | 3 | 2 | 3 | 6 | 1 | 3 | 2 | 2 | 2 | 6 |
| e | Other diseases of thyroid and parathyroid, Tetany (a, d) | 19 | 2 | - | - | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 3 | 1 |
| 67 | Diseases of thymus - - - - | 10 | 2 | 1 | 1 | 1 | 1 | - | - | 1 | 1 | 1 | 1 | - |
| 68 | Diseases of adrenals - - - | 19 | 3 | 2 | - | 1 | 2 | 1 | 1 | 1 | - | 2 | 4 | 2 |
| 69 | Other general diseases (61, 62, 64) - | 16 | - | 2 | - | 1 | 2 | 2 | 2 | 1 | - | 1 | 5 | - |
| IV. DISEASES OF THE BLOOD, AND BLOOD-FORMING ORGANS. | | | | | | | | | | | | | | |
| | | 567 | 58 | 36 | 47 | 47 | 51 | 49 | 43 | 44 | 37 | 59 | 43 | 53 |
| 70.a | Purpura - - - - - | 20 | 1 | - | 2 | 2 | - | 3 | 1 | 3 | 1 | 2 | 4 | 1 |
| b | Hæmophilia - - - - - | 27 | 2 | 4 | - | 4 | 2 | 1 | 1 | 5 | 4 | 2 | 2 | - |
| 71.a | Pernicious anæmia - - - - | 259 | 28 | 16 | 21 | 21 | 29 | 24 | 22 | 12 | 16 | 22 | 23 | 25 |
| b | Other anæmias, Chlorosis - - | 57 | 7 | 6 | 5 | 4 | 3 | 2 | 4 | 8 | 3 | 5 | 4 | 6 |
| 72.a | Leukæmia - - - - - | 114 | 9 | 8 | 14 | 8 | 5 | 12 | 9 | 8 | 9 | 17 | 6 | 9 |
| b | Aleukæmia (Lymphadenoma) - | 76 | 10 | 2 | 5 | 7 | 10 | 5 | 6 | 5 | 3 | 8 | 4 | 11 |
| 73 | Diseases of spleen - - - - | 11 | - | - | - | 1 | 2 | 1 | - | 3 | 1 | 2 | - | 1 |
| 74 | Other diseases of blood and blood-forming organs | 3 | 1 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| V. CHRONIC POISONINGS. | | | | | | | | | | | | | | |
| | | 27 | 4 | 1 | 4 | 1 | 2 | 1 | 3 | 4 | 2 | 2 | 1 | 2 |
| 75 | Alcoholism (acute or chronic) - | 26 | 4 | 1 | 4 | 1 | 2 | 1 | 3 | 4 | 2 | 2 | 1 | 1 |
| 76 | Chronic poisoning by other organic substances | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 77.1 | Occupational lead poisoning - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2 | Other chronic poisoning by mineral substances | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS. | | | | | | | | | | | | | | |
| | | 7772 | 780 | 615 | 713 | 580 | 671 | 608 | 578 | 599 | 594 | 602 | 668 | 764 |
| 78.a | Cerebral abscess - - - - | 29 | 2 | 1 | 3 | 4 | 4 | 3 | - | 3 | 3 | 1 | 2 | 3 |
| b | Other forms of encephalitis - | 36 | 4 | 3 | 2 | 3 | 7 | 1 | 3 | 1 | 3 | 3 | 4 | 2 |
| 79 | Meningitis - - - - - | 189 | 19 | 10 | 13 | 23 | 17 | 23 | 16 | 12 | 16 | 11 | 15 | 14 |
| 80 | Tabes dorsalis (Locomotor ataxy) - | 52 | 8 | 7 | 4 | 2 | 5 | 5 | 1 | 7 | 1 | 4 | 4 | 4 |
| 81.1 | Progressive muscular atrophy - | 65 | 4 | 6 | 6 | 6 | 7 | 3 | - | 5 | 5 | 7 | 4 | 12 |
| 2 | Sub-acute combined sclerosis - | 17 | 1 | 3 | 3 | 1 | - | 4 | 1 | 1 | - | - | 1 | 2 |
| 3 | Myelitis of unstated origin - - | 42 | 6 | 2 | 5 | 3 | 2 | 5 | 7 | - | 1 | 5 | 2 | 4 |
| 81.4 | Other diseases of spinal cord - | 72 | 9 | 4 | 10 | 5 | 5 | 6 | 1 | 10 | 10 | 5 | 2 | 5 |

| International Nos. Detailed Long List. | | Total. | Jan. | Feb. | March. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|--|--|--------|------|------|--------|--------|------|-------|-------|------|-------|------|------|------|
| VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS— <i>continued.</i> | | | | | | | | | | | | | | |
| 82. <i>a</i> | Cerebral hæmorrhage, Apoplexy - | 4175 | 406 | 313 | 374 | 320 | 348 | 330 | 329 | 303 | 316 | 341 | 373 | 422 |
| <i>b</i> 1 | Cerebral embolism - - - | 99 | 6 | 9 | 9 | 6 | 12 | 12 | 7 | 4 | 10 | 3 | 10 | 11 |
| 2 | Cerebral thrombosis - - - | 1472 | 152 | 144 | 134 | 99 | 123 | 112 | 103 | 119 | 99 | 100 | 135 | 152 |
| 3 | Cerebral softening - - - | 170 | 27 | 12 | 16 | 12 | 19 | 13 | 7 | 14 | 14 | 15 | 10 | 11 |
| <i>c</i> 1 | Hemiplegia - - - - - | 309 | 29 | 15 | 35 | 20 | 36 | 20 | 23 | 32 | 23 | 19 | 21 | 36 |
| 2 | Other paralyses of unstated origin | 29 | 2 | 5 | 3 | 1 | 3 | 1 | 2 | 4 | 4 | 1 | 2 | 1 |
| 83 | General paralysis of insane - - | 117 | 15 | 10 | 8 | 10 | 7 | 11 | 8 | 12 | 9 | 14 | 7 | 6 |
| 84 | Other forms of insanity - - - | 63 | 5 | 5 | 4 | 4 | 8 | 4 | 7 | 6 | 5 | 5 | 6 | 4 |
| 85 | Epilepsy - - - - - | 131 | 9 | 5 | 15 | 6 | 14 | 11 | 16 | 8 | 12 | 11 | 12 | 12 |
| 86 | Infantile convulsions (age under 5) | 162 | 14 | 18 | 21 | 15 | 10 | 14 | 10 | 8 | 11 | 14 | 11 | 16 |
| 87. <i>a</i> | Chorea - - - - - | 4 | - | 1 | 1 | - | - | - | - | - | 1 | - | 1 | - |
| <i>b</i> | Neuritis - - - - - | 22 | 2 | 2 | - | 2 | 4 | 3 | 2 | 1 | 1 | 2 | - | 3 |
| <i>c</i> | Paralysis agitans - - - - | 80 | 10 | 5 | 3 | 7 | 6 | 5 | 6 | 5 | 9 | 7 | 11 | 6 |
| <i>d</i> | Disseminated sclerosis - - - | 147 | 13 | 11 | 19 | 10 | 13 | 3 | 11 | 12 | 22 | 15 | 11 | 7 |
| <i>e</i> | Other diseases of nervous system - | 158 | 19 | 11 | 5 | 10 | 14 | 10 | 11 | 21 | 9 | 10 | 14 | 24 |
| 88 | Diseases of eye and annexa - - | 2 | - | - | - | - | 1 | - | - | - | - | 1 | - | - |
| 89. <i>a</i> | Otitis, diseases of ear - - - | 80 | 12 | 12 | 13 | 3 | 3 | 5 | 5 | 8 | 4 | 5 | 5 | 5 |
| <i>b</i> | Mastoid disease - - - - - | 50 | 6 | 1 | 7 | 8 | 3 | 4 | 2 | 3 | 6 | 3 | 5 | 2 |
| VII. DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | |
| | | 15438 | 1528 | 1231 | 1385 | 1233 | 1286 | 1188 | 1211 | 1134 | 1161 | 1228 | 1304 | 1549 |
| 90 | Pericarditis - - - - - | 31 | 2 | 3 | 1 | 2 | 2 | 2 | 4 | 2 | 2 | 1 | 5 | 5 |
| 91 | Acute endocarditis - - - - | 109 | 13 | 10 | 10 | 8 | 11 | 8 | 10 | 6 | 7 | 7 | 12 | 7 |
| 92 | Chronic endocarditis, Valvular dis. | 2298 | 229 | 193 | 231 | 179 | 177 | 189 | 167 | 165 | 176 | 178 | 166 | 248 |
| 93. <i>a</i> | Acute myocarditis - - - - | 160 | 17 | 19 | 18 | 9 | 15 | 14 | 11 | 12 | 8 | 18 | 8 | 11 |
| <i>b</i> 1 | Fatty heart - - - - - | 138 | 18 | 16 | 17 | 10 | 6 | 11 | 11 | 8 | 5 | 14 | 14 | 8 |
| 2 | Cardiovascular degeneration - | 1619 | 153 | 99 | 143 | 139 | 130 | 114 | 139 | 143 | 148 | 131 | 132 | 148 |
| 3 | Chronic myocarditis, Other myo- cardial disease | 3452 | 365 | 281 | 305 | 271 | 287 | 293 | 288 | 226 | 246 | 281 | 291 | 318 |
| <i>c</i> | Myocard. not spec. as acute or chronic | 3321 | 317 | 265 | 275 | 246 | 292 | 238 | 267 | 264 | 262 | 241 | 293 | 361 |
| 94 | Diseases of coronary arteries, Angina pectoris | 1946 | 159 | 158 | 171 | 165 | 155 | 136 | 141 | 133 | 143 | 177 | 196 | 212 |
| 95 | Other diseases of heart - - - | 1041 | 103 | 75 | 99 | 92 | 107 | 88 | 74 | 85 | 70 | 79 | 78 | 91 |
| 96 | Aneurysm (heart excepted) - - | 133 | 17 | 17 | 9 | 12 | 11 | 12 | 11 | 5 | 7 | 8 | 10 | 14 |
| 97 | Arterio-sclerosis (coron. art. except.) | 741 | 80 | 59 | 73 | 63 | 52 | 50 | 57 | 54 | 57 | 49 | 68 | 79 |
| 98. <i>a</i> | Senile gangrene - - - - - | 192 | 25 | 15 | 15 | 19 | 17 | 14 | 14 | 15 | 13 | 15 | 12 | 18 |
| <i>b</i> | Other gangrene - - - - - | 11 | 1 | - | 1 | - | 1 | 2 | 1 | 1 | 2 | - | 1 | 1 |
| 99 | Other diseases of arteries - - | 98 | 13 | 4 | 11 | 8 | 11 | 5 | 6 | 9 | 7 | 5 | 7 | 12 |
| 100 | Diseases of veins - - - - - | 56 | 5 | 6 | 2 | 2 | 1 | 7 | 2 | 3 | 3 | 12 | 6 | 7 |
| 101 | Diseases of lymphatic system - | 5 | 1 | 1 | - | 2 | - | 1 | - | - | - | - | - | - |
| 102 | Abnormalities of blood pressure - | 85 | 9 | 10 | 4 | 6 | 11 | 4 | 8 | 3 | 4 | 12 | 5 | 9 |
| 103 | Other dis. of circulatory system - | 2 | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| VIII. DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| | | 7074 | 1080 | 639 | 708 | 593 | 659 | 440 | 393 | 317 | 427 | 416 | 573 | 829 |
| 104 | Diseases of nasal fossæ and annexa | 19 | 4 | 2 | - | 1 | 2 | 1 | - | 3 | - | 1 | 1 | 4 |
| 105.1 | Laryngismus stridulus - - - | 6 | - | 1 | - | 1 | - | 1 | - | - | - | - | 2 | 1 |
| 2 | Laryngitis (including croup) - | 19 | 1 | 1 | 2 | - | 1 | 1 | 1 | - | - | 2 | 5 | 5 |
| 3 | Other diseases of larynx - - - | 5 | 1 | 1 | - | - | 1 | - | - | - | - | 1 | 1 | - |
| 106 | Bronchitis - - - - - | 2462 | 424 | 225 | 235 | 202 | 224 | 143 | 102 | 106 | 124 | 147 | 194 | 336 |
| 107 | Broncho-pneumonia - - - - | 2094 | 343 | 196 | 215 | 174 | 173 | 120 | 114 | 74 | 135 | 115 | 178 | 257 |
| 108 | Lobar pneumonia - - - - - | 1188 | 158 | 119 | 138 | 121 | 150 | 77 | 79 | 53 | 70 | 65 | 72 | 86 |
| 109 | Pneumonia (not otherwise defined) | 550 | 82 | 40 | 49 | 39 | 48 | 46 | 46 | 30 | 36 | 33 | 50 | 51 |
| 110 | Pleurisy - - - - - | 135 | 7 | 7 | 14 | 14 | 20 | 11 | 15 | 12 | 10 | 4 | 9 | 12 |
| 111.1 | Congestion of lungs - - - - | 317 | 27 | 23 | 32 | 26 | 21 | 19 | 18 | 14 | 34 | 26 | 35 | 42 |
| 2 | Embolism, Thrombosis, Infarct - | 32 | 2 | - | 1 | 1 | 1 | 3 | 2 | 4 | 3 | 5 | 3 | 7 |
| 112 | Asthma - - - - - | 157 | 19 | 18 | 12 | 8 | 9 | 13 | 10 | 12 | 10 | 12 | 14 | 20 |
| 113 | Pulmonary emphysema - - - | 11 | 2 | 1 | - | - | 1 | 2 | - | - | 1 | 1 | 1 | 2 |
| 114. <i>a</i> | Chronic interstitial pneumonia - | 39 | 4 | 4 | 6 | 2 | 3 | 2 | 3 | 4 | 2 | 2 | 5 | 2 |
| <i>b</i> 1 | Gangrene of lung - - - - - | 8 | - | - | 1 | - | 2 | - | 2 | - | 1 | 1 | - | 1 |
| 2 | Other dis. of respiratory system - | 32 | 6 | 1 | 3 | 4 | 3 | 1 | 1 | 5 | 1 | 1 | 3 | 3 |

| International Nos. Detailed Long List. | | Total. | Jan. | Feb. | March. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|--|--------|------|------|--------|--------|------|-------|-------|------|-------|------|------|------|
| IX. DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| | | 3660 | 337 | 275 | 303 | 278 | 341 | 310 | 282 | 278 | 279 | 338 | 294 | 345 |
| 115.1 | Diseases of teeth and gums - - - | 21 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 3 | 2 | 1 | 3 |
| 2 | Diseases of tonsils - - - | 90 | 12 | 5 | 9 | 7 | 7 | 6 | 5 | 8 | 6 | 9 | 9 | 7 |
| 3 | Other diseases of buccal cavity or pharynx | 54 | 7 | 5 | 5 | 3 | 5 | 4 | 4 | 3 | 6 | 3 | 5 | 4 |
| 116 | Diseases of œsophagus - - - | 8 | 2 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 |
| 117.a | Ulcer of stomach - - - | 373 | 45 | 33 | 30 | 37 | 32 | 22 | 26 | 28 | 23 | 41 | 27 | 29 |
| b | Ulcer of duodenum - - - | 315 | 28 | 25 | 30 | 22 | 34 | 24 | 25 | 20 | 25 | 28 | 13 | 41 |
| 118 | Other diseases of stomach - - - | 108 | 9 | 7 | 8 | 11 | 6 | 5 | 4 | 4 | 16 | 13 | 10 | 15 |
| 119 | Diarrhœa and enteritis (under 2 years) | 721 | 67 | 39 | 44 | 46 | 76 | 79 | 65 | 67 | 62 | 68 | 50 | 58 |
| 120.a | Diarrhœa and enteritis (over 2 years) | 199 | 22 | 19 | 19 | 16 | 14 | 15 | 12 | 16 | 13 | 15 | 16 | 22 |
| b | Ulceration of intestines - - - | 61 | 4 | 9 | 4 | 4 | 4 | 7 | 2 | 8 | 2 | 7 | 7 | 3 |
| 121 | Appendicitis - - - | 430 | 35 | 27 | 42 | 31 | 45 | 37 | 29 | 39 | 29 | 44 | 30 | 42 |
| 122.a | Hernia - - - | 218 | 22 | 23 | 17 | 13 | 13 | 19 | 22 | 17 | 17 | 17 | 12 | 26 |
| b | Intestinal obstruction - - - | 234 | 19 | 18 | 17 | 25 | 19 | 24 | 17 | 15 | 11 | 15 | 30 | 24 |
| 123 | Other diseases of intestines - - - | 122 | 9 | 11 | 11 | 9 | 15 | 8 | 10 | 4 | 8 | 13 | 13 | 11 |
| 124 | Cirrhosis of liver - - - | 203 | 19 | 15 | 18 | 19 | 24 | 21 | 9 | 11 | 17 | 13 | 17 | 20 |
| 125.1 | Acute yellow atrophy of liver - - - | 21 | 2 | 2 | 1 | 1 | 2 | 1 | 3 | 2 | 1 | 2 | 4 | - |
| 2 | Other diseases of liver - - - | 30 | 5 | 1 | 2 | 3 | 1 | 3 | 1 | 3 | - | 4 | 3 | 4 |
| 126 | Biliary calculi - - - | 123 | 12 | 9 | 12 | 9 | 15 | 9 | 10 | 9 | 10 | 13 | 6 | 9 |
| 127.1 | Cholecystitis - - - | 204 | 7 | 18 | 16 | 8 | 19 | 18 | 25 | 11 | 22 | 23 | 23 | 14 |
| 2 | Other diseases of gall bladder and ducts | 18 | - | 1 | 5 | - | 1 | - | 3 | - | 1 | - | 4 | 3 |
| 128 | Diseases of pancreas - - - | 60 | 5 | 4 | 4 | 7 | 3 | 2 | 5 | 6 | 5 | 5 | 7 | 7 |
| 129 | Peritonitis without stated cause - | 47 | 5 | 3 | 8 | 5 | 4 | 5 | 3 | 4 | 1 | 2 | 5 | 2 |
| X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM. | | | | | | | | | | | | | | |
| | | 2737 | 282 | 236 | 237 | 235 | 227 | 216 | 230 | 218 | 191 | 213 | 193 | 259 |
| 130 | Acute nephritis - - - | 145 | 21 | 12 | 11 | 7 | 14 | 15 | 18 | 5 | 7 | 10 | 16 | 9 |
| 131 | Chronic nephritis - - - | 1270 | 132 | 110 | 119 | 106 | 106 | 103 | 97 | 112 | 85 | 98 | 85 | 117 |
| 132 | Nephritis unspecified - - - | 354 | 41 | 36 | 33 | 33 | 30 | 30 | 17 | 25 | 29 | 24 | 22 | 34 |
| 133 | Other dis. of kidney and annexa - | 177 | 15 | 12 | 22 | 9 | 18 | 8 | 18 | 16 | 11 | 19 | 10 | 19 |
| 134 | Calculi of urinary passages - - - | 47 | 5 | 2 | 4 | 3 | 5 | 3 | 6 | 5 | 3 | 2 | 7 | 2 |
| 135 | Diseases of bladder - - - | 148 | 15 | 19 | 9 | 10 | 13 | 11 | 11 | 10 | 9 | 11 | 10 | 20 |
| 136 | Dis. of urethra, urinary abscess, &c. | 43 | 4 | 2 | 1 | 7 | 4 | 2 | 5 | 3 | 3 | 2 | 4 | 6 |
| 137 | Diseases of prostate - - - | 461 | 36 | 36 | 32 | 52 | 33 | 35 | 43 | 34 | 38 | 43 | 34 | 45 |
| 138 | Diseases of male genital organs - | 6 | - | - | - | 1 | - | 1 | 2 | - | 1 | 1 | - | - |
| 139.a | Diseases of ovary, fallopian tube and parametrium | 46 | 7 | 4 | 5 | 5 | 1 | 4 | 9 | 3 | 2 | 1 | 3 | 2 |
| b | Diseases of uterus - - - | 33 | 5 | 3 | - | 2 | 2 | 3 | 4 | 5 | 3 | - | 1 | 5 |
| c | Diseases of breast - - - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| d | Other dis. of female genital organs | 6 | 1 | - | 1 | - | 1 | 1 | - | - | - | 1 | 1 | - |
| XI. DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| | | 432 | 52 | 32 | 27 | 37 | 38 | 33 | 34 | 41 | 39 | 41 | 21 | 37 |
| 140 | Post-abortive sepsis - - - | 48 | 9 | 4 | - | 2 | 8 | 4 | 3 | 5 | 2 | 5 | 1 | 5 |
| 141 | Abortion not returned as septic - | 13 | 2 | - | 2 | 2 | - | 1 | 3 | 1 | - | - | 1 | 1 |
| 142 | Ectopic gestation - - - | 3 | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - |
| 143 | Other accidents of pregnancy - - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 144.a | Placenta prævia - - - | 19 | 3 | - | 2 | 1 | 2 | 1 | 1 | 3 | 2 | 2 | - | 2 |
| b1 | Accidental hæmorrhage - - - | 21 | 2 | 2 | - | 2 | 3 | 2 | 3 | 3 | 1 | 1 | - | 2 |
| 2 | Other puerperal hæmorrhage - - - | 35 | 1 | 5 | 2 | 3 | 2 | 7 | 1 | 3 | 2 | 5 | 3 | 1 |
| 145 | Puerperal sepsis - - - | 102 | 13 | 10 | 5 | 6 | 11 | 6 | 9 | 8 | 12 | 5 | 6 | 11 |
| 146 | Puerperal albuminuria, Convulsions | 68 | 3 | 4 | 6 | 7 | 5 | 4 | 7 | 6 | 4 | 11 | 3 | 8 |
| 147.1 | Uncontrollable vomiting - - - | 19 | 5 | 1 | 1 | - | - | 2 | 1 | 2 | 4 | - | 2 | 1 |
| 2 | Other toxæmias of pregnancy - - | 12 | 2 | - | 1 | 3 | - | 1 | - | - | 1 | 1 | - | 3 |
| 148 | Puerperal phlegmasia alba dolens, Embolism | 33 | 1 | 4 | 5 | 3 | 3 | 1 | 3 | 2 | 4 | 5 | 1 | 1 |
| 149 | Other accidents of childbirth - - | 56 | 10 | 2 | 3 | 7 | 4 | 3 | 3 | 7 | 6 | 5 | 4 | 2 |
| 150 | Other or unspecified conditions of the puerperal state | 3 | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |

| International Nos. Detailed Long List. | | Total. | Jan. | Feb. | March. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|--|--------|------|------|--------|--------|------|-------|-------|------|-------|------|------|------|
| | XII. DISEASES OF SKIN AND CELLULAR TISSUE. | | | | | | | | | | | | | |
| | | 243 | 25 | 23 | 16 | 28 | 28 | 14 | 22 | 18 | 12 | 20 | 19 | 18 |
| 151 | Carbuncle, Boil - - - - | 39 | 5 | 4 | 5 | 6 | 2 | 4 | 5 | 1 | - | 4 | 2 | 1 |
| 152 | Cellulitis, Acute abscess - - | 139 | 14 | 13 | 7 | 15 | 20 | 7 | 11 | 13 | 8 | 9 | 11 | 11 |
| 153 | Other dis. of skin and its annexa - | 65 | 6 | 6 | 4 | 7 | 6 | 3 | 6 | 4 | 4 | 7 | 6 | 6 |
| | XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION. | | | | | | | | | | | | | |
| | | 108 | 8 | 10 | 6 | 9 | 8 | 10 | 10 | 9 | 6 | 10 | 8 | 14 |
| 154 | Acute infective osteomyelitis and periostitis | 58 | 5 | 3 | 3 | 6 | 4 | 7 | 4 | 3 | 3 | 7 | 7 | 6 |
| 155 | Other diseases of bones - - - | 18 | 1 | 3 | 1 | 1 | 3 | - | 3 | - | 1 | 1 | - | 4 |
| 156 | Diseases of joints and other organs of locomotion | 32 | 2 | 4 | 2 | 2 | 1 | 3 | 3 | 6 | 2 | 2 | 1 | 4 |
| | XIV. CONGENITAL MALFORMATIONS. | | | | | | | | | | | | | |
| 157 | Congenital malformations - - - | 594 | 55 | 48 | 42 | 55 | 61 | 54 | 40 | 50 | 43 | 47 | 40 | 59 |
| | XV. DISEASES OF EARLY INFANCY. | | | | | | | | | | | | | |
| | | 2550 | 266 | 207 | 234 | 228 | 211 | 212 | 191 | 189 | 168 | 188 | 220 | 236 |
| 158 | Congenital debility - - - - | 595 | 67 | 48 | 57 | 51 | 53 | 47 | 38 | 38 | 45 | 43 | 49 | 59 |
| 159 | Premature birth - - - - | 1369 | 143 | 107 | 126 | 124 | 101 | 124 | 103 | 111 | 91 | 98 | 122 | 119 |
| 160 | Injury at birth - - - - | 306 | 35 | 22 | 24 | 22 | 34 | 22 | 27 | 21 | 16 | 23 | 27 | 33 |
| 161 | Other dis. peculiar to early infancy | 280 | 21 | 30 | 27 | 31 | 23 | 19 | 23 | 19 | 16 | 24 | 22 | 25 |
| | XVI. SENILITY. | | | | | | | | | | | | | |
| 162 | Senility, Senile dementia - - - | 2304 | 259 | 219 | 219 | 179 | 178 | 165 | 150 | 185 | 144 | 201 | 172 | 233 |
| | XVII. DEATHS FROM VIOLENCE. | | | | | | | | | | | | | |
| | | 2878 | 277 | 201 | 265 | 255 | 223 | 263 | 239 | 242 | 199 | 242 | 215 | 257 |
| 171 | Suicide (163-170) - - - - | 460 | 36 | 35 | 47 | 41 | 39 | 40 | 45 | 43 | 37 | 28 | 37 | 32 |
| 175 | Homicide (172, 173, 174) - - - | 25 | 3 | 1 | - | 2 | 2 | 4 | 1 | 5 | 5 | 1 | - | 1 |
| 177 | Food poisoning - - - - | 2 | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| 178 | Accidental gaseous poisoning - - | 53 | 9 | 6 | 6 | 1 | 4 | 3 | 5 | 4 | 1 | 3 | 2 | 9 |
| 179 | Other acute accidental poisoning - | 11 | 1 | - | 2 | 2 | 1 | 1 | 2 | 1 | - | - | - | 1 |
| 180 | Conflagration - - - - | 12 | - | 2 | - | 3 | - | - | 1 | - | - | 3 | - | 3 |
| 181 | Accidental burns (conflagration excepted) | 212 | 31 | 28 | 12 | 18 | 14 | 19 | 10 | 9 | 16 | 17 | 10 | 28 |
| 182 | Accidental mechanical suffocation | 108 | 19 | 10 | 10 | 6 | 9 | 5 | 10 | 3 | 6 | 10 | 6 | 14 |
| 183 | Accidental drowning - - - - | 291 | 26 | 10 | 31 | 23 | 25 | 21 | 30 | 42 | 17 | 18 | 21 | 27 |
| 184 | Accidental injury by firearms - - | 5 | 1 | - | 1 | - | - | - | 1 | - | 1 | - | - | 1 |
| 186 | Crushing, Falls, etc.— | | | | | | | | | | | | | |
| 1 | Motor vehicles - - - - | 593 | 41 | 36 | 46 | 52 | 35 | 60 | 53 | 53 | 43 | 71 | 52 | 51 |
| 2 | Other crushing accidents - - - | 1007 | 102 | 68 | 98 | 97 | 88 | 99 | 76 | 65 | 68 | 86 | 79 | 81 |
| 189 | Hunger, Thirst - - - - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 192 | Weather agencies (190, 191) - - - | 20 | 2 | 1 | 3 | 3 | 1 | 1 | 2 | 1 | - | - | 1 | 5 |
| 193 | Electricity (lightning excepted) - | 9 | 1 | - | 4 | - | - | 1 | - | 1 | - | - | 1 | 1 |
| 194 | Other accidents (176, 185, 187, 188, 195) | 56 | 2 | 3 | 4 | 6 | 5 | 9 | 2 | 10 | 4 | 4 | 6 | 1 |
| 196 | Wounds of war - - - - | 14 | 3 | - | 1 | 1 | - | - | 1 | 5 | 1 | - | - | 2 |
| 198 | Execution (197) - - - - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | XVIII. ILL-DEFINED DISEASES. | | | | | | | | | | | | | |
| | | 991 | 92 | 70 | 92 | 85 | 73 | 75 | 91 | 82 | 74 | 76 | 89 | 92 |
| 199 | Sudden death, Syncope - - - | 82 | 8 | 6 | 6 | 8 | 9 | 7 | 6 | 7 | 5 | 7 | 5 | 8 |
| 200.1 | Heart failure - - - - | 679 | 70 | 47 | 58 | 55 | 48 | 50 | 60 | 61 | 52 | 50 | 64 | 64 |
| 2 | Other ill-defined causes - - - | 210 | 14 | 17 | 27 | 18 | 15 | 16 | 25 | 14 | 15 | 15 | 18 | 16 |
| 3 | Cause not specified - - - - | 20 | - | - | 1 | 4 | 1 | 2 | - | - | 2 | 4 | 2 | 4 |

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS
OF SCOTLAND, 1938.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. | CAUSES OF DEATH. | ABERDEEN BURGH (including part in Kincardine Co.) | | | | | | | | | | | | | ABERDEEN COUNTY (excluding Aberdeen Burgh). | | | | | | | | | | | | |
|--------------------|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | 2,136 | 215 | 78 | 22 | 16 | 56 | 74 | 107 | 186 | 334 | 528 | 407 | 113 | 1,728 | 175 | 61 | 11 | 9 | 45 | 53 | 59 | 102 | 245 | 403 | 426 | 139 |
| | All Causes—Both Sexes . . | 1,026 | 124 | 36 | 11 | 8 | 20 | 33 | 53 | 96 | 173 | 262 | 171 | 39 | 870 | 98 | 33 | 6 | 4 | 32 | 32 | 25 | 51 | 113 | 203 | 209 | 61 |
| | Males . . | 1,110 | 91 | 42 | 11 | 8 | 36 | 41 | 54 | 90 | 161 | 266 | 236 | 74 | 858 | 77 | 25 | 5 | 5 | 13 | 21 | 34 | 51 | 132 | 200 | 217 | 78 |
| | Females . . | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Typhoid fever (including typhoid) { M. { F. | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| 4 | Measles { M. { F. | 9 | 2 | 7 | | | 1 | | | | | | | | 4 | 2 | 2 | | | | | | | | | | |
| 5 | Scarlet fever { M. { F. | 1 | | 1 | | | | | | | | | | | 4 | 1 | 2 | | | | | | 1 | | | | |
| 6 | Whooping-cough { M. { F. | 3 | 1 | 2 | 1 | | | | | | | | | | 6 | 4 | 2 | | | | | | | | | | |
| 7 | Diphtheria { M. { F. | 13 | 2 | 2 | 2 | 1 | | | | | | | | | 4 | 1 | 4 | 1 | | 1 | | | | | | | |
| 8 | Influenza { M. { F. | 3 | | 1 | | | | | | | | | | | 2 | | | | | | | | | | | | |
| 14 (1) | Cerebro-spinal fever { M. { F. | | 1 | 2 | | | | | | | | | | | 1 | | 1 | | | | | | | | | | |
| 14 (2) | Other epidemic diseases (2, 3, 9) * . . { M. { F. | 3 | | | | | | | | | 2 | 1 | 2 | | 3 | | | | 1 | | | | | | | | |
| 10 | Tuberculosis of respiratory system . . { M. { F. | 37 | | 1 | | | 2 | 7 | 8 | 9 | 4 | 7 | | | 13 | | | 1 | 2 | 6 | 1 | 1 | 2 | 1 | | | |
| 11 | Other tuberculous diseases { M. { F. | 6 | 1 | 2 | 1 | 2 | 2 | | | 1 | 1 | 1 | | | 15 | 1 | 4 | | | 2 | 2 | | 1 | 1 | | | |
| 14 (3) | Other infectious and parasitic diseases (12, 13) { M. { F. | 8 | 1 | | | | 1 | | | 1 | 1 | 2 | | | 6 | 3 | | | 1 | 1 | 1 | | | 1 | | | |
| 15 | Cancer, malignant disease { M. { F. | 126 | 1 | 2 | | | 2 | | 4 | 17 | 27 | 49 | 23 | 5 | 106 | | | | | 1 | 1 | 1 | 10 | 22 | 33 | 35 | 3 |
| 18 | Diabetes mellitus { M. { F. | 14 | | | | | | | | | 4 | 5 | 5 | | 12 | | | | | | | | 1 | 4 | 1 | 1 | 1 |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) { M. { F. | 25 | | 1 | 2 | | 4 | 3 | 4 | 3 | 5 | 4 | | | 13 | 2 | | 1 | 2 | | | | 1 | 1 | 5 | 1 | |
| 22 | Cerebral hæmorrhage, &c. { M. { F. | 85 | | 1 | | | | | 2 | 4 | 15 | 29 | 30 | 5 | 77 | | | | | | | | 1 | 13 | 29 | 28 | 6 |
| 23 | Other diseases of nervous system and sense organs (21) { M. { F. | 39 | 7 | 3 | 1 | 1 | 1 | 2 | 6 | 5 | 6 | 6 | 2 | | 19 | 6 | 2 | 2 | 1 | 2 | 3 | 2 | 1 | 1 | 2 | | |
| (a) | | 26 | 6 | 1 | 1 | 1 | 1 | 2 | 4 | 3 | 5 | 1 | 1 | | 18 | 4 | 2 | | 1 | 4 | 1 | 1 | 2 | 3 | | | (o) |
| | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| (u) | (h) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|---------------|------------|----------|--------|---------|----------|----------|----------|----------|----------|------------|--------|----------|
| 24 | Heart disease | { M. F. | 222 251 | 1 1 | 3 4 | 7 12 | 18 18 | 51 44 | 80 79 | 50 70 | 12 22 | 220 238 | 1 . | 20 27 |
| 25 | Other circulatory diseases | { M. F. | 39 25 | 1 . | 3 . | 1 . | 1 . | 7 1 | 10 6 | 15 8 | 2 9 | 15 19 | 2 . | 6 3 |
| 26 | Bronchitis | { M. F. | 37 35 | 2 . | 3 . | 2 . | 2 . | 4 3 | 12 4 | 7 13 | 1 7 | 29 23 | 2 . | 4 3 |
| 27 | Pneumonia (all forms) | { M. F. | 58 51 | 24 11 | 2 3 | 2 4 | 9 3 | 3 5 | 7 9 | 3 4 | 1 3 | 62 38 | 1 1 | 2 3 |
| 28 | Other respiratory diseases | { M. F. | 12 13 | 1 . | 1 . | 1 . | 3 2 | 4 4 | 1 . | 1 2 | 2 2 | 15 13 | 2 . | 1 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. | 17 9 | 1 . | 2 2 | 1 2 | 2 2 | 4 . | 5 1 | 2 1 | . | 16 4 | 5 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. F. | 11 14 | 10 9 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 8 7 | 2 . | 1 . |
| 30 | Appendicitis | { M. F. | 15 6 | 1 . | 1 . | 1 . | 2 1 | 4 . | 3 1 | 1 . | . | 9 6 | 2 . | 1 . |
| 31 (1) | Cirrhosis of liver | { M. F. | 5 4 | 1 . | 1 . | 1 . | 1 . | 2 2 | 1 1 | 1 . | 1 . | 7 1 | 1 . | 2 . |
| 31 (2) | Other diseases of liver, &c. | { M. F. | 6 9 | 1 . | 1 . | 1 . | 1 . | 2 5 | 3 1 | 2 . | 2 . | 2 9 | 1 . | 1 1 |
| 32 (2) | Other digestive diseases | { M. F. | 15 23 | 4 1 | 2 3 | 3 4 | 3 4 | 2 4 | 2 8 | 1 1 | 1 2 | 12 20 | 1 . | 1 . |
| 33 | Acute and chronic nephritis | { M. F. | 39 42 | 1 . | 1 . | 2 1 | 8 5 | 6 7 | 11 15 | 7 7 | 2 2 | 32 22 | 1 . | 3 . |
| 34 | Other diseases of genito-urinary system | { M. F. | 21 9 | 1 . | 1 . | 3 . | 1 . | 2 2 | 9 . | 8 . | 1 . | 29 . | 1 . | 3 . |
| 35 | Puerperal sepsis | F. | 7 | 1 | 4 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| 36 | Other puerperal causes | F. | 7 | 1 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| 37 | Diseases of skin and locomotor system | { M. F. | 8 6 | 5 1 | 1 . | 2 . | 1 . | 1 . | 1 . | 1 . | 1 . | 5 4 | 1 . | 1 . |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. | 55 49 | 52 48 | 2 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 50 44 | 1 . | 1 . |
| 39 | Old age | { M. F. | 14 35 | 14 35 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 21 31 | 1 . | 9 12 |
| 40 | Suicide | { M. F. | 10 9 | 10 9 | 1 . | 1 . | 1 . | 2 2 | 2 . | 1 . | 1 . | 8 1 | 1 . | 1 . |
| 42 | Other violence (41) | { M. F. | 58 46 | 3 2 | 7 5 | 6 3 | 6 3 | 10 4 | 4 8 | 4 15 | 2 . | 38 17 | 1 . | 1 3 |
| 43 | Causes ill-defined or unknown | { M. F. | 16 9 | 1 . | 1 . | 1 . | 1 . | 4 1 | 7 2 | 2 3 | 1 . | 8 9 | 1 . | 1 . |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. | CAUSES OF DEATH. | ARBROATH BURGH. | | | | | | | | | | | DUNDEE BURGH. | | | | | | | | | | | | | | |
|--------------------|---|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------------|--------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes . . | 282 | 23 | 8 | 2 | . | 8 | 7 | 5 | 13 | 39 | 88 | 66 | 23 | 2,441 | 242 | 118 | 35 | 21 | 68 | 109 | 142 | 209 | 335 | 597 | 458 | 107 |
| | Males . . | 120 | 10 | 4 | 1 | . | 4 | 5 | . | 4 | 20 | 38 | 30 | 4 | 1,186 | 133 | 70 | 21 | 12 | 35 | 55 | 79 | 109 | 165 | 288 | 190 | 29 |
| | Females . . | 162 | 13 | 4 | 1 | . | 4 | 2 | 5 | 9 | 19 | 50 | 36 | 19 | 1,255 | 109 | 48 | 14 | 9 | 33 | 54 | 63 | 100 | 170 | 309 | 268 | 78 |
| 1 | Typhoid fever (including typhoid) { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| 4 | Measles { M. F. } | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 42 | 10 | 28 | 4 | . | . | . | . | . | . | . | . | . |
| 5 | Scarlet fever { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | . | . | . | 1 | 1 | . | . | . | . |
| 6 | Whooping-cough { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | 7 | 1 | 6 | 1 | 1 | . | . | . | . | . | . | . | . |
| 8 | Influenza { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | 5 | . | . | . | . | 1 | . | 2 | 1 | 2 | 4 | 1 | . |
| 14 (1) | Cerebro-spinal fever { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | Other epidemic diseases (2, 3, 9)* { M. F. } | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | . |
| 10 | Tuberculosis of respiratory system { M. F. } | 6 | . | . | . | . | 2 | 2 | 1 | 1 | 1 | 1 | . | . | 72 | . | 1 | 1 | 1 | 12 | 18 | 15 | 13 | 6 | 5 | 2 | . |
| 11 | Other tuberculous diseases { M. F. } | 3 | . | 2 | . | . | 1 | . | . | . | 1 | . | . | . | 16 | . | 2 | 1 | 5 | 1 | 4 | 2 | 3 | . | 1 | . | . |
| 14 (3) | Other infectious and parasitic diseases (12, 13) { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . |
| 15 | Cancer, malignant disease { M. F. } | 15 | . | . | . | . | . | 1 | 2 | 2 | 3 | 9 | 3 | . | 140 | . | . | 1 | 1 | 1 | 3 | 7 | 21 | 39 | 50 | 17 | 6 |
| 18 | Diabetes mellitus { M. F. } | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 12 | . | . | . | . | 1 | 1 | 2 | 1 | 3 | 4 | 1 | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) { M. F. } | 3 | 1 | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 14 | . | 2 | 3 | . | 1 | 2 | 5 | 2 | 7 | 2 | 6 | 1 |
| 22 | Cerebral hæmorrhage, &c. { M. F. } | 18 | . | . | . | . | . | . | . | . | 6 | 5 | 5 | 2 | 83 | . | . | . | . | . | 3 | 1 | 2 | 13 | 37 | 24 | 3 |
| 23 | Other diseases of nervous system and sense organs (21) { M. F. } | 1 | 2 | . | . | . | 2 | 1 | . | . | 1 | . | . | . | 30 | 4 | 2 | 1 | 1 | 1 | 5 | 4 | 4 | 3 | 5 | . | . |
| (a) | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|--|--------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| 24 | Heart disease | { M. F. } | 33 52 | 1 2 | 1 2 | 1 2 | 1 2 | 1 2 | 1 2 | 1 2 | 1 2 | 1 2 | 1 2 | 15 35 |
| 25 | Other circulatory diseases | { M. F. } | 3 | | | | | | | | | | | 2 |
| 26 | Bronchitis | { M. F. } | 5 9 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 4 |
| 27 | Pneumonia (all forms) | { M. F. } | 5 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 28 | Other respiratory diseases | { M. F. } | 3 | | | | | | | | | | | 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 1 3 | | | | | | | | | | | 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 1 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 30 | Appendicitis | { M. F. } | 2 | | | | | | | | | | | 1 |
| 31 (1) | Cirrhosis of liver | { M. F. } | | | | | | | | | | | | 1 |
| 31 (2) | Other diseases of liver, &c., | { M. F. } | 1 | | | | | | | | | | | 1 |
| 32 (2) | Other digestive diseases | { M. F. } | 1 2 | | | | | | | | | | | 1 |
| 33 | Acute and chronic nephritis | { M. F. } | 5 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | { M. F. } | 2 | | | | | | | | | | | 1 |
| 35 | Puerperal sepsis | F. | | | | | | | | | | | | 1 |
| 36 | Other puerperal causes | F. | | | | | | | | | | | | 1 |
| 37 | Diseases of skin and locomotor system { M. F. } | { M. F. } | | | | | | | | | | | | 1 |
| 38 | Congenital debility, premature birth, { M. malformation, &c. } F. | { M. F. } | 7 5 | 6 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | { M. F. } | 2 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. F. } | 2 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | { M. F. } | 3 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | { M. F. } | 1 | | | | | | | | | | | 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| CAUSES OF DEATH. | | ANGUS COUNTY (excluding Large Burghs). | | | | | | | | | | | | | | ARGYLL COUNTY. | | | | | | | | | | | | | |
|--------------------|---|--|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|----------------|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| International Nos. | Short List. | All Ages. | | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | M. | F. | 70 | 16 | 7 | 8 | 24 | 31 | 45 | 75 | 134 | 277 | 278 | 100 | 952 | 33 | 6 | 8 | 2 | 21 | 24 | 46 | 69 | 127 | 247 | 267 | 92 | |
| 1 | All Causes—Both Sexes | 1,065 | 33 | 7 | 9 | 4 | 4 | 11 | 14 | 13 | 17 | 27 | 30 | 450 | 492 | 19 | 2 | 5 | 1 | 13 | 18 | 25 | 36 | 55 | 119 | 127 | 40 | | |
| 4 | Males | 481 | 37 | 9 | 4 | 4 | 13 | 17 | 27 | 33 | 59 | 153 | 158 | 70 | 492 | 14 | 4 | 3 | 1 | 8 | 16 | 21 | 33 | 72 | 128 | 140 | 52 | | |
| 5 | Females | 584 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | Typhoid fever (including Para-typhoid) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Measles | 1 | 1 | | | | 1 | | | | | | | | 3 | 1 | | | | | | | | | | | | | |
| 8 | Scarlet fever | | | | | | | | | | | | | | 1 | 2 | | | 1 | | | | | | | | | | |
| 9 | Whooping-cough | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | Diphtheria | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | Influenza | 4 | 3 | | 1 | | | | | | | | | | 1 | 2 | | | | | | | | | | | | 1 | |
| 12 | Cerebro-spinal fever | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13 | Other epidemic diseases (2, 3, 9)* | 3 | 2 | | 1 | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| 14 | Tuberculosis of respiratory system | 17 | 14 | | | | 1 | 2 | 6 | 3 | 3 | 1 | | | 17 | 12 | | | | 3 | 8 | 2 | 4 | 1 | 2 | 3 | 3 | | |
| 15 | Other tuberculous diseases | 6 | 1 | | 2 | | | 1 | 1 | | | | | | 3 | 8 | | | 2 | | 1 | 1 | | | | | | | |
| 16 | Other infectious and parasitic diseases (12, 13) | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17 | Cancer, malignant disease | 61 | 90 | | | | | 1 | 2 | 9 | 16 | 25 | 13 | 2 | 51 | | | | | 1 | 2 | 3 | 3 | 6 | 7 | 16 | 15 | 3 | |
| 18 | Diabetes mellitus | 6 | 10 | | | | | | | | | | | | 4 | 3 | | | | | | | | | | | | 5 | |
| 19 | Other general diseases, chronic poisonings (16, 17, 19) | 6 | 19 | | | | | | | | | | | | 9 | 17 | | | | | | | | | | | | | |
| 20 | Cerebral hæmorrhage, &c. | 57 | 73 | | | | | | | | | | | | 49 | 87 | | | | | | | | | | | | | |
| 21 | Other diseases of nervous system and sense organs (21) | 10 | 17 | | | | | | | | | | | | 17 | 8 | | | | | | | | | | | | | |
| 22 | Other diseases of nervous system and sense organs (21) | 17 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 17 | 8 | | | | | | | | | | | | | |
| 23 | Other diseases of nervous system and sense organs (21) | 17 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 17 | 8 | | | | | | | | | | | | | |
| (a) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) |
|--------|---|--------------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 24 | Heart disease | { M. F. } | 133 147 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 25 | Other circulatory diseases | { M. F. } | 9 14 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 26 | Bronchitis | { M. F. } | 11 15 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 27 | Pneumonia (all forms) | { M. F. } | 21 29 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 28 | Other respiratory diseases | { M. F. } | 4 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 10 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 6 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 30 | Appendicitis | { M. F. } | 2 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (1) | Cirrhosis of liver | { M. F. } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 2 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (2) | Other digestive diseases | { M. F. } | 8 7 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 33 | Acute and chronic nephritis | { M. F. } | 14 9 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | { M. F. } | 8 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 35 | Puerperal sepsis | F. | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 36 | Other puerperal causes | F. | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 37 | Diseases of skin and locomotor system | { M. F. } | 3 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 19 29 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | { M. F. } | 22 46 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. F. } | 4 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | { M. F. } | 24 18 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | { M. F. } | 7 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | AYR BURGH. | | | | | | | | | | | | | | KILMARNOCK BURGH. | | | | | | | | | | | | | |
|-----------------------------------|---|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|--|
| | | All Ages. | | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes | 544 | 47 | 12 | 11 | 5 | 17 | 22 | 26 | 52 | 92 | 135 | 101 | 24 | 512 | 61 | 25 | 3 | 6 | 11 | 20 | 27 | 52 | 75 | 128 | 78 | 26 | | |
| | Males | 260 | 26 | 7 | 3 | 1 | 10 | 8 | 19 | 24 | 52 | 60 | 42 | 8 | 232 | 33 | 11 | 1 | 3 | 3 | 10 | 14 | 26 | 37 | 60 | 27 | 7 | | |
| | Females. | 284 | 21 | 5 | 8 | 4 | 7 | 14 | 7 | 28 | 40 | 75 | 59 | 16 | 280 | 28 | 14 | 2 | 3 | 8 | 10 | 13 | 26 | 38 | 68 | 51 | 19 | | |
| 1 | Typhoid fever (including typhoid) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 4 | Measles | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | | |
| 5 | Scarlet fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 6 | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | | |
| 7 | Diphtheria | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 4 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | . | | |
| 8* | Influenza | 8 | . | 3 | . | . | . | . | . | . | 2 | . | . | . | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | | |
| | | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | | |
| 14(1) | Cerebro-spinal fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | | |
| 14(2) | Other epidemic diseases (2, 3, 9)* | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | | |
| 10 | Tuberculosis of respiratory system | 8 | . | . | . | . | 2 | 3 | 1 | 2 | 2 | 1 | . | . | 6 | . | . | 1 | . | 2 | 3 | 2 | . | . | 8 | . | . | | |
| 11 | Other tuberculous diseases | 3 | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | 3 | . | 1 | 1 | 1 | 1 | . | 2 | . | . | 1 | . | . | | |
| 14(3) | Other infectious and parasitic diseases (12, 13) | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 15 | Cancer, malignant disease | 26 | . | . | . | . | 1 | 3 | 2 | 5 | 4 | 10 | 2 | 1 | 19 | 1 | . | . | . | . | . | 2 | 2 | 4 | 8 | 2 | . | | |
| 18 | Diabetes mellitus | 2 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | 2 | . | 4 | . | . | . | . | . | 1 | 1 | 1 | 1 | 2 | 1 | . | | |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 3 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 3 | . | . | 4 | . | . | . | . | 3 | . | 3 | 1 | 3 | 2 | . | . | | |
| 22 | Cerebral hæmorrhage, &c. | 23 | . | . | . | . | 1 | . | . | 3 | 4 | 7 | 11 | 1 | 25 | . | . | . | . | . | . | 1 | 2 | 6 | 12 | 3 | 1 | | |
| 23 | Other diseases of nervous system and sense organs (21) | 35 | . | . | . | . | . | . | . | 4 | 11 | 16 | . | . | 28 | . | . | . | . | . | . | . | 1 | 14 | 6 | . | 6 | | |
| (a) | | 9 | . | . | . | . | . | 2 | 2 | 3 | 1 | 1 | . | . | 9 | 2 | . | . | . | . | . | 3 | 2 | 1 | . | . | . | | |
| | | 7 | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) |
|--------|---|--------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----|
| 24 | Heart disease | { M. F. } | 55 69 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 25 | Other circulatory diseases | { M. F. } | 7 10 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 26 | Bronchitis | { M. F. } | 6 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 27 | Pneumonia (all forms) | { M. F. } | 12 9 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 28 | Other respiratory diseases | { M. F. } | 3 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 6 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 5 6 | 3 2 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 30 | Appendicitis | { M. F. } | 1 1 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 31 (1) | Cirrhosis of liver | { M. F. } | 2 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 2 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 32 (2) | Other digestive diseases | { M. F. } | 4 5 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 33 | Acute and chronic nephritis | { M. F. } | 11 10 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 34 | Other diseases of genito-urinary system | { M. F. } | 10 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 35 | Puerperal sepsis | F. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 36 | Other puerperal causes | F. | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 37 | Diseases of skin and locomotor system | { M. F. } | 5 3 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 16 14 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 39 | Old age | { M. F. } | 15 16 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 40 | Suicide | { M. F. } | 1 1 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 42 | Other violence (41) | { M. F. } | 10 5 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |
| 43 | Causes ill-defined or unknown | { M. F. } | 6 4 | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. | Short List. | CAUSES OF DEATH. | AYR COUNTY (excluding Large Burghs). | | | | | | | | | | | | | BANFF COUNTY. | | | | | | | | | | | | | |
|--------------------|-------------|--|--------------------------------------|-----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|---------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|--|
| | | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | |
| | | All Causes—Both Sexes . . . | 2,573 | 297 | 74 | 37 | 21 | 86 | 100 | 141 | 242 | 394 | 569 | 483 | 129 | 644 | 52 | 20 | 7 | 7 | 17 | 18 | 28 | 57 | 81 | 154 | 162 | 41 | |
| | | Males . . . | 1,303 | 165 | 41 | 19 | 10 | 41 | 48 | 78 | 125 | 221 | 287 | 222 | 46 | 326 | 29 | 10 | 1 | 5 | 11 | 5 | 16 | 29 | 51 | 85 | 68 | 16 | |
| | | Females . . . | 1,270 | 132 | 33 | 18 | 11 | 45 | 52 | 63 | 117 | 173 | 282 | 261 | 83 | 318 | 23 | 10 | 6 | 2 | 6 | 13 | 12 | 28 | 30 | 69 | 94 | 25 | |
| 1 | | Typhoid fever (including typhoid) . . . {M. {F. | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | Measles . . . {M. {F. | 5 | 1 | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | Scarlet fever . . . {M. {F. | 1 | | 1 | | | | | | | | | | | 1 | 1 | | 1 | | | | | | | | | | |
| 6 | | Whooping-cough . . . {M. {F. | 7 | 2 | 2 | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| 7 | | Diphtheria . . . {M. {F. | 8 | 1 | 5 | 2 | 1 | | | | | | | | | 3 | | 3 | | | | | | | | 1 | | | |
| 8 | | Influenza . . . {M. {F. | 9 | | 3 | 1 | | 1 | | 1 | 3 | 1 | 2 | 1 | 1 | 1 | | | | | | | 1 | | | | | | |
| 14 (1) | | Cerebro-spinal fever . . . {M. {F. | 3 | 2 | | 1 | 1 | | 1 | 1 | | | | | | 2 | | 1 | | | | | | | | | | | |
| 14 (2) | | Other epidemic diseases (2, 3, 9) * . {M. {F. | 8 | 1 | 2 | | | | | 1 | 2 | | 2 | 1 | | 3 | | | | | | | | 1 | | 1 | | | |
| 10 | | Tuberculosis of respiratory system . {M. {F. | 40 | 1 | 1 | | 2 | 10 | 9 | 6 | 4 | 9 | 1 | 1 | | 9 | | | | 2 | 1 | 4 | 2 | 1 | 1 | | | | |
| 11 | | Other tuberculous diseases . . {M. {F. | 15 | 2 | 3 | 2 | 1 | 4 | 1 | 4 | | 1 | | | | 2 | 1 | 1 | | 1 | | | | | | | | | |
| 14 (3) | | Other infectious and parasitic diseases (12, 13) . . {M. {F. | 9 | | 1 | | 2 | | | 2 | 1 | 3 | 1 | | | 2 | 1 | | 1 | | | | | | | | | | |
| 15 | | Cancer, malignant disease . . {M. {F. | 144 | | | | | 1 | 2 | 8 | 22 | 37 | 46 | 27 | 2 | 40 | | | | 1 | 1 | 1 | 3 | 11 | 17 | 7 | | 1 | |
| 18 | | Diabetes mellitus . . . {M. {F. | 17 | | | | | 1 | 2 | | 4 | 4 | 9 | 3 | | 3 | | | | 1 | | | | | 2 | 3 | 1 | | |
| 20 | | Other general diseases, chronic poisonings (16, 17, 19) . {M. {F. | 29 | 1 | 4 | 2 | | 1 | 4 | 3 | 1 | 6 | 5 | 2 | | 8 | 1 | | 1 | | 1 | 1 | 1 | 2 | 1 | | | | |
| 22 | | Cerebral hæmorrhage, &c. . {M. {F. | 109 | | | 1 | | | 1 | 2 | 6 | 22 | 46 | 28 | 4 | 34 | | | | 2 | | | 4 | 5 | 13 | 8 | | 2 | |
| 23 | (a) | Other diseases of nervous system and sense organs (21) . . {M. {F. | 21 | 4 | 1 | 1 | | 2 | 3 | 1 | 2 | 4 | 1 | 1 | 1 | 6 | | 1 | | | 1 | 1 | | | 2 | 1 | 1 | | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|------------------------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 24 | Heart disease | { M. F. } | 200 300 | 2 5 | 3 7 | 0 5 | 38 25 | 1 1 | 5 2 | 4 7 | 81 81 | 20 24 | 78 91 | 3 8 |
| 25 | Other circulatory diseases | { M. F. } | 17 15 | | | | 1 2 | 1 1 | | | | 1 2 | 1 3 | 3 3 |
| 26 | Bronchitis | { M. F. } | 53 38 | | 1 1 | | 3 2 | | | | | 2 4 | 7 4 | 1 3 |
| 27 | Pneumonia (all forms) | { M. F. } | 74 57 | 1 1 | 1 2 | | 6 2 | | | | | 2 2 | 3 1 | 2 1 |
| 28 | Other respiratory diseases | { M. F. } | 21 19 | | 1 1 | | 3 2 | | | | | 1 1 | 1 1 | |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 16 6 | | 1 1 | | 2 3 | | | | | 2 2 | 1 1 | |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 24 25 | | | | 1 1 | | | | | | | |
| 30 | Appendicitis | { M. F. } | 13 9 | | 1 3 | | 4 2 | | | | | | | |
| 31 (1) | Cirrhosis of liver | { M. F. } | 8 1 | | | | 1 1 | | | | | | | |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 6 16 | | | | 2 5 | | | | | | | |
| 32 (2) | Other digestive diseases | { M. F. } | 12 21 | | 1 3 | | 4 3 | | | | | | | |
| 33 | Acute and chronic nephritis | { M. F. } | 43 45 | | 1 1 | | 5 4 | | | | | | | |
| 34 | Other diseases of genito-urinary system | { M. F. } | 20 12 | | | | 1 2 | | | | | | | |
| 35 | Puerperal sepsis | F. | 7 | | 1 3 | | 3 1 | | | | | | | |
| 36 | Other puerperal causes | F. | 12 | | 4 4 | | 6 6 | | | | | | | |
| 37 | Diseases of skin and locomotor system | { M. F. } | 7 7 | | 3 1 | | 1 2 | | | | | | | |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 95 71 | | | | | | | | | | | |
| 39 | Old age | { M. F. } | 31 55 | | | | | | | | | | | |
| 40 | Suicide | { M. F. } | 8 5 | | 1 1 | | 1 2 | | | | | | | |
| 42 | Other violence (41) | { M. F. } | 96 38 | | 14 5 | | 17 1 | | | | | | | |
| 43 | Causes ill-defined or unknown | { M. F. } | 35 12 | | | | 2 1 | | | | | | | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | BERWICK COUNTY. | | | | | | | | | | | | | BUTE COUNTY. | | | | | | | | | | | | |
|-----------------------------------|---|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes . . . | 386 | 18 | 4 | 4 | . | 7 | 4 | 13 | 33 | 57 | 102 | 101 | 43 | 262 | 7 | 4 | 2 | 1 | 4 | 9 | 11 | 22 | 43 | 60 | 81 | 18 |
| | Males . . . | 192 | 14 | 2 | 2 | . | 4 | 3 | 7 | 17 | 27 | 44 | 53 | 19 | 134 | 6 | 3 | 1 | 1 | 2 | 5 | 10 | 11 | 24 | 28 | 34 | 9 |
| | Females . . . | 194 | 4 | 2 | 2 | . | 3 | 1 | 6 | 16 | 30 | 58 | 48 | 24 | 128 | 1 | 1 | 1 | . | 2 | 4 | 1 | 11 | 19 | 32 | 47 | 9 |
| 1 | Typhoid fever (including Paratyphoid) . . . { M. { F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | Measles . . . { M. { F. | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | . | . | . |
| 5 | Scarlet fever . . . { M. { F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Whooping-cough . . . { M. { F. | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria . . . { M. { F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 8 | Influenza . . . { M. { F. | 3 | 1 | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| 14 (1) | Cerebro-spinal fever . . . { M. { F. | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | Other epidemic diseases (2, 3, 9) * . { M. { F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10 | Tuberculosis of respiratory system . { M. { F. | 1 | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | 4 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . |
| 11 | Other tuberculous diseases . . . { M. { F. | 1 | . | 1 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (3) | Other infectious and parasitic diseases (12, 13) . . . { M. { F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 15 | Cancer, malignant disease . . . { M. { F. | 15 | . | . | . | . | . | . | 2 | 1 | 3 | 8 | 6 | 1 | 14 | . | . | . | . | . | . | . | 1 | 6 | 4 | 3 | . |
| 18 | Diabetes mellitus . . . { M. { F. | 2 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 5 | . | . | . | . | . | . | . | 1 | 7 | 8 | 9 | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) . { M. { F. | 4 | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . | 1 | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| 22 | Cerebral hamorrhage, &c. . . { M. { F. | 24 | . | . | . | . | . | . | . | 4 | 1 | 9 | 11 | 2 | 12 | . | . | . | . | . | . | 1 | 2 | 4 | 4 | 5 | 4 |
| 23 | Other diseases of nervous system and sense organs (21) . { M. { F. | 2 | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | 3 | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 |
| {a} | | 4 | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | l | m | n | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| | | | | | | | | | | | | | | | | | |
|--------|---|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 24 | Heart disease | M. 33 F. 48 | (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
| 25 | Other circulatory diseases | M. 11 F. 5 | | | | | | | | | | | | | | | |
| 26 | Bronchitis | M. 2 F. 4 | | | | | | | | | | | | | | | |
| 27 | Pneumonia (all forms) | M. 4 F. 9 | | | | | | | | | | | | | | | |
| 28 | Other respiratory diseases | M. 7 F. 4 | | | | | | | | | | | | | | | |
| 32 (1) | Gastric and duodenal ulcer | M. 1 F. 1 | | | | | | | | | | | | | | | |
| 29 | Diarrhoea, &c. (all ages) | M. 1 F. 1 | | | | | | | | | | | | | | | |
| 30 | Appendicitis | M. 1 | | | | | | | | | | | | | | | |
| 31 (1) | Cirrhosis of liver | M. | | | | | | | | | | | | | | | |
| 31 (2) | Other diseases of liver, &c. | M. | | | | | | | | | | | | | | | |
| 32 (2) | Other digestive diseases | M. 5 F. 3 | | | | | | | | | | | | | | | |
| 33 | Acute and chronic nephritis | M. | | | | | | | | | | | | | | | |
| 34 | Other diseases of genito-urinary system | M. 5 F. 2 | | | | | | | | | | | | | | | |
| 35 | Puerperal sepsis | F. 1 | | | | | | | | | | | | | | | |
| 36 | Other puerperal causes | F. | | | | | | | | | | | | | | | |
| 37 | Diseases of skin and locomotor system | M. 2 F. | | | | | | | | | | | | | | | |
| 38 | Congenital debility, premature birth, malformation, &c. | M. 7 F. 6 | | | | | | | | | | | | | | | |
| 39 | Old age | M. 11 F. 14 | | | | | | | | | | | | | | | |
| 40 | Suicide | M. 2 F. | | | | | | | | | | | | | | | |
| 42 | Other violence (41) | M. 8 F. 3 | | | | | | | | | | | | | | | |
| 43 | Causes ill-defined or unknown | M. 7 F. 4 | | | | | | | | | | | | | | | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International No. | Short List. | CAUSES OF DEATH. | CLYDEBANK BURGH. | | | | | | | | | | | | | DUMBARTON BURGH. | | | | | | | | | | | | |
|-------------------|-------------|---|------------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| | | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Causes—Both Sexes . . . | 514 | 59 | 21 | 11 | 4 | 21 | 26 | 37 | 48 | 92 | 119 | 62 | 14 | 276 | 29 | 13 | 1 | 2 | 8 | 8 | 14 | 37 | 26 | 64 | 67 | 7 |
| | | Males . . . | 282 | 29 | 12 | 6 | 2 | 9 | 19 | 20 | 27 | 55 | 72 | 26 | 5 | 153 | 17 | 8 | 1 | 2 | 3 | 4 | 9 | 23 | 15 | 39 | 28 | 4 |
| | | Females . . . | 232 | 30 | 9 | 5 | 2 | 12 | 7 | 17 | 21 | 37 | 47 | 36 | 9 | 123 | 12 | 5 | . | . | 5 | 4 | 5 | 14 | 11 | 25 | 39 | 3 |
| 1 | | Typhoid fever (including typhoid) . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | | Measles . . . | 5 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| 5 | | Scarlet fever . . . | 2 | . | 1 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | | Whooping-cough . . . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 7 | | Diphtheria . . . | 2 | 1 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 8 | | Influenza . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (1) | | Cerebro-spinal fever . . . | 1 | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | | Other epidemic diseases (2, 3, 9)* . . . | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10 | | Tuberculosis of respiratory system . . . | 11 | . | . | . | . | 1 | 4 | 3 | 1 | 1 | 1 | . | . | 8 | . | 1 | . | 1 | 2 | 2 | 1 | . | . | . | . | . |
| 11 | | Other tuberculous diseases . . . | 6 | 1 | 2 | 1 | . | 1 | 1 | 1 | 1 | 2 | . | . | . | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| 14 (3) | | Other infectious and parasitic diseases (12, 13) . . . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 15 | | Cancer, malignant disease . . . | 31 | . | . | . | . | 1 | 1 | 3 | 3 | 8 | 13 | 2 | 1 | 20 | . | . | . | . | . | . | 1 | 3 | 6 | 8 | 2 | . |
| 18 | | Diabetes mellitus . . . | 7 | . | . | . | . | 1 | . | . | . | 1 | 2 | 3 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| 20 | | Other general diseases, chronic poisonings (16, 17, 19) . . . | 5 | . | 1 | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 2 | 1 | . | . |
| 22 | | Cerebral hæmorrhage, &c. . . | 21 | . | . | . | . | . | . | . | 4 | 4 | 9 | 4 | 1 | 13 | . | . | . | . | . | . | . | 1 | . | 4 | 3 | 1 |
| 23 | | Other diseases of nervous system and sense organs (21) . . . | 6 | 1 | 1 | . | 1 | 1 | . | . | 3 | 1 | . | . | . | 4 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . |
| (a) | | | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|-------|---|------------|----------|----------|--------|--------|--------|--------|--------|--------|--------|---------|
| 24 | Heart disease | M. { F. | 48 52 | 1 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 13 8 |
| 25 | Other circulatory diseases | M. { F. | 1 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 26 | Bronchitis | M. { F. | 13 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 27 | Pneumonia (all forms) | M. { F. | 47 16 | 9 3 | 6 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 28 | Other respiratory diseases | M. { F. | 4 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32(1) | Gastric and duodenal ulcer | M. { F. | 7 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | M. { F. | 4 7 | 4 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 30 | Appendicitis | M. { F. | 2 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31(1) | Cirrhosis of liver | M. { F. | 2 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31(2) | Other diseases of liver, &c. | M. { F. | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32(2) | Other digestive diseases | M. { F. | 5 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 33 | Acute and chronic nephritis | M. { F. | 11 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | M. { F. | 4 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 35 | Puerperal sepsis | F. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 36 | Other puerperal causes | F. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 37 | Diseases of skin and locomotor system | M. { F. | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, malformation, &c. | M. { F. | 10 16 | 10 16 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | M. { F. | 6 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | M. { F. | 2 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | M. { F. | 19 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | M. { F. | 3 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| | (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--|------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 24 Heart disease | 128 135 | M. F. | | 1 | 1 | 1 | 3 | 15 | 18 | 55 | 32 | 3 | 42 | 5 | 5 |
| 25 Other circulatory diseases | 11 13 | M. F. | | | | | 3 | 2 | 2 | 5 | 2 | 2 | 2 | 1 | 4 |
| 26 Bronchitis | 12 16 | M. F. | | | | | 1 | 1 | 1 | 6 | 1 | 4 | 6 | 1 | 1 |
| 27 Pneumonia (all forms) | 32 31 | M. F. | | 1 | 3 | 3 | 2 | 6 | 4 | 8 | 2 | 5 | 12 | 1 | 1 |
| 28 Other respiratory diseases | 6 3 | M. F. | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 32 (1) Gastric and duodenal ulcer | 12 2 | M. F. | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 29 Diarrhoea, &c. (all ages) | 10 4 | M. F. | | | | | | | | | | | 5 | 1 | 1 |
| 30 Appendicitis | 3 7 | M. F. | | | | | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| 31 (1) Cirrhosis of liver | 1 3 | M. F. | | | | | | | | | | | | | |
| 31 (2) Other diseases of liver, &c. | 2 5 | M. F. | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 |
| 32 (2) Other digestive diseases | 6 14 | M. F. | | | | | | | | | | | 2 | 1 | 1 |
| 33 Acute and chronic nephritis | 10 11 | M. F. | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 |
| 34 Other diseases of genito-urinary system | 12 4 | M. F. | | | | | | | | | | | 4 | 1 | 1 |
| 35 Puerperal sepsis | 1 | F. | | | | | 1 | | | | | | 1 | | |
| 36 Other puerperal causes | | F. | | | | | | | | | | | 3 | | |
| 37 Diseases of skin and locomotor system | 1 | M. F. | | | | | 1 | | | | | | 1 | | |
| 38 Congenital debility, premature birth, malformation, &c. | 16 14 | M. F. | | | | | | | | | | | 10 | | |
| 39 Old age | 13 20 | M. F. | | | | | | | | | | | 6 | | |
| 40 Suicide | 4 3 | M. F. | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 2 | | |
| 42 Other violence (41) | 24 13 | M. F. | | | | | 6 | 4 | 5 | 1 | 2 | 1 | 10 | | |
| 43 Causes ill-defined or unknown | 5 1 | M. F. | | | | | | | | | | | 3 | | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | | CAUSES OF DEATH. | | DUMFRIES COUNTY (excluding Dumfries Burgh). | | | | | | | | | | | | | EAST LOTHIAN COUNTY. | | | | | | | | | | | | |
|-----------------------------------|---|------------------|-----|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|
| | | | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| All Causes—Both Sexes | | 778 | 62 | 12 | 5 | 6 | 15 | 25 | 33 | 39 | 116 | 223 | 188 | 54 | 523 | 41 | 7 | 4 | 4 | 17 | 21 | 19 | 44 | 77 | 138 | 116 | 35 | | |
| Males | | 359 | 30 | 7 | 2 | 5 | 8 | 13 | 18 | 20 | 47 | 103 | 84 | 22 | 254 | 24 | 4 | 3 | 2 | 4 | 9 | 10 | 19 | 38 | 80 | 51 | 10 | | |
| Females | | 419 | 32 | 5 | 3 | 1 | 7 | 12 | 15 | 19 | 69 | 120 | 104 | 32 | 269 | 17 | 3 | 1 | 2 | 13 | 12 | 9 | 25 | 39 | 58 | 65 | 25 | | |
| 1 | Typhoid fever (including typhoid) | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 4 | Measles | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 5 | Scarlet fever | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | | |
| 6 | Whooping-cough | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | | |
| 7 | Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | | |
| 8 | Influenza | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | . | . | . | 1 | . | 1 | . | . | . | 1 | . | 1 | | |
| 14 (1) | Cerebro-spinal fever | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 10 | Tuberculosis of respiratory system | 11 | . | . | . | . | 1 | 3 | 2 | 1 | 2 | 1 | 1 | . | 10 | . | . | . | 1 | 7 | 3 | 1 | 1 | 4 | . | . | . | | |
| 11 | Other tuberculous diseases | 5 | 1 | . | . | . | 1 | 1 | 1 | . | 1 | 1 | . | . | 3 | . | 1 | 1 | . | . | 1 | 2 | 1 | . | . | 1 | 1 | | |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | | |
| 15 | Cancer, malignant disease | 43 | . | . | . | . | 1 | 1 | . | 6 | 6 | 20 | 16 | 1 | 32 | . | . | . | 1 | 1 | 1 | 2 | 5 | 10 | 13 | 2 | 1 | | |
| 18 | Diabetes mellitus | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | | |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 4 | 1 | . | . | 1 | . | . | 1 | 3 | 4 | 8 | 2 | . | 6 | . | 1 | . | 1 | 1 | 1 | 1 | 1 | 3 | 1 | . | 2 | | |
| 22 | Cerebral hæmorrhage, &c. | 36 | . | . | . | . | . | . | . | 3 | 4 | 14 | 18 | 2 | 20 | . | . | . | . | . | 1 | 1 | 2 | 1 | 9 | 8 | 1 | | |
| 23 | Other diseases of nervous system and sense organs (21) | 4 | 1 | 1 | . | 1 | 1 | . | 2 | 2 | 1 | . | 1 | . | 11 | 3 | 1 | . | . | . | 1 | 1 | 3 | 2 | 1 | 2 | . | | |
| (a) | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | | |

[illegible]

* Including typhus fever, smallpox, dysentery, crabs, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | DUNFERMLINE BURGH. | | | | | | | | | | | | | | KIRKCALDY BURGH. | | | | | | | | | | | | | |
|-----------------------------------|---|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|--------------|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|--|--|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes--Both Sexes . . | 425 | 34 | 7 | 3 | 5 | 14 | 15 | 24 | 41 | 78 | 92 | 92 | 20 | 552 | 41 | 12 | 2 | 4 | 18 | 14 | 31 | 44 | 100 | 158 | 97 | 31 | | |
| | Males | 206 | 17 | 6 | 3 | 3 | 8 | 10 | 11 | 15 | 40 | 43 | 41 | 9 | 285 | 24 | 5 | 1 | 2 | 8 | 5 | 21 | 22 | 62 | 81 | 47 | 7 | | |
| | Females | 219 | 17 | 1 | . | . | 6 | 5 | 13 | 26 | 38 | 49 | 51 | 11 | 267 | 17 | 7 | 1 | 2 | 10 | 9 | 10 | 22 | 38 | 77 | 50 | 24 | | |
| 1 | Typhoid fever (including Para-typhoid) | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | | |
| 4 | Measles | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | | |
| 5 | Scarlet fever | 1 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | | |
| 6 | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 7 | Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 8 | Influenza | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | . | 1 | . | 1 | . | . | . | 1 | . | . | | |
| 14 (1) | Cerebro-spinal fever | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 14 (2) | Other epidemic diseases (2, 3, 9)* | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | | |
| 10 | Tuberculosis of respiratory system | 9 | . | . | . | . | 2 | 3 | . | 1 | 2 | 1 | 2 | . | 7 | . | . | . | 1 | 1 | 1 | 3 | 1 | 1 | . | . | . | | |
| 11 | Other tuberculous diseases | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | | |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | | |
| 15 | Cancer, malignant disease | 21 | . | 1 | . | . | . | 1 | 3 | 5 | 8 | 3 | 7 | . | 37 | . | . | . | . | 1 | 2 | 2 | 4 | 12 | 15 | 3 | 2 | | |
| 18 | Diabetes mellitus | 4 | . | . | . | . | . | . | 1 | . | 2 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 3 | . | . | | |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 4 | 1 | . | . | 2 | 2 | 1 | 3 | 1 | 2 | 1 | 1 | . | 3 | 1 | . | . | 2 | 1 | . | . | 2 | . | . | 1 | . | | |
| 22 | Cerebral hæmorrhage, &c. | 20 | . | . | . | . | . | 1 | . | 5 | 7 | 4 | 6 | 2 | 41 | . | . | 1 | . | . | . | 2 | 1 | 15 | 11 | 1 | 3 | | |
| 23 | Other diseases of nervous system and sense organs (21) | 3 | . | . | . | 1 | 1 | 1 | . | 1 | . | 1 | 11 | 1 | 5 | . | . | . | 1 | 1 | . | . | 3 | 1 | 2 | . | . | | |
| (a) | | 4 | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) |
|-------|---|--------------|----------|--------|--------|--------|--------|--------|--------|----------|--------|----------|----------|----------|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 24 | Heart disease | { M. F. } | 57 50 | 1 1 | 1 1 | 3 1 | 1 4 | 1 4 | 1 1 | 13 18 | 4 5 | 19 13 | 13 18 | 13 18 | 2 3 | 61 58 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 25 | Other circulatory diseases | { M. F. } | 4 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 2 | 1 1 | 1 1 | 1 1 | 1 1 | 2 3 | 2 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 26 | Bronchitis | { M. F. } | 6 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 2 | 1 1 | 2 2 | 2 2 | 2 2 | 18 17 | 18 17 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 27 | Pneumonia (all forms) | { M. F. } | 10 7 | 3 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 2 | 1 1 | 2 2 | 2 2 | 2 2 | 6 7 | 6 7 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 28 | Other respiratory diseases | { M. F. } | 2 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 8 8 | 8 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32(1) | Gastric and duodenal ulcer | { M. F. } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 4 2 | 4 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 2 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 7 2 | 7 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 30 | Appendicitis | { M. F. } | 8 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 | 2 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31(1) | Cirrhosis of liver | { M. F. } | 2 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31(2) | Other diseases of liver, &c. | { M. F. } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32(2) | Other digestive diseases | { M. F. } | 4 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 12 2 | 12 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 33 | Acute and chronic nephritis | { M. F. } | 3 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 4 1 | 4 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | { M. F. } | 5 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 10 5 | 10 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 35 | Puerperal sepsis | F. | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 36 | Other puerperal causes | F. | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 37 | Diseases of skin and locomotor system | { M. F. } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 4 3 | 4 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 9 14 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 12 14 | 12 14 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | { M. F. } | 11 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 8 3 | 8 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. F. } | 5 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 4 6 | 4 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | { M. F. } | 10 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 18 4 | 18 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | { M. F. } | 5 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 4 3 | 4 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | FIFE COUNTY (excluding Large Burghs). | | | | | | | | | | | | | INVERNESS BURGH. | | | | | | | | | | | | | | |
|-----------------------------------|--|---------------------------------------|--------|--------|--------|-----|--------|---------|--------|----------|----------|----------|----------|--------------------|------------------|----|----|----|-----|--------|-----|-----|--------|--------|--------|--------|--------------------|----|-----|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes . . | 2,276 | 186 | 56 | 20 | 23 | 63 | 75 | 115 | 193 | 353 | 551 | 483 | 158 | 347 | 32 | 6 | 2 | . | . | 7 | 10 | 15 | 17 | 52 | 84 | 93 | 29 | |
| | Males . . | 1,162 | 109 | 39 | 9 | 13 | 40 | 45 | 64 | 107 | 176 | 278 | 235 | 47 | 165 | 16 | 4 | 2 | . | . | 5 | 4 | 6 | 10 | 24 | 45 | 40 | 9 | |
| | Females . . | 1,114 | 77 | 17 | 11 | 10 | 23 | 30 | 51 | 86 | 177 | 273 | 248 | 111 | 182 | 16 | 2 | . | . | 2 | 6 | 9 | 7 | 28 | 39 | 53 | 20 | | |
| 1 | Typhoid fever (including typhoid) . . {M. F.} | 2 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Measles . . . {M. F.} | 6 3 | 1 1 | 5 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | |
| 5 | Scarlet fever . . . {M. F.} | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 6 | Whooping-cough . . . {M. F.} | 6 4 | 2 1 | 4 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | |
| 7 | Diphtheria . . . {M. F.} | 4 2 | . | 4 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 8 | Influenza . . . {M. F.} | 23 11 | . | . | . | . | 3 | 1 1 | 3 2 | 6 1 | 3 4 | 4 3 | 3 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | |
| 14(1) | Cerebro-spinal fever . . . {M. F.} | 4 | 1 | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 14(2) | Other epidemic diseases (2, 3, 9) * . {M. F.} | 2 4 | . | . | 1 | . | 1 1 | . | . | 1 | 1 | . | . | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | |
| 10 | Tuberculosis of respiratory system . {M. F.} | 34 13 | . | 1 | . | . | 4 4 | 12 3 | 6 2 | 2 1 | 4 1 | 3 2 | 1 | . | 5 5 | . | 1 | . | . | 2 3 | . | 2 | 1 | 1 | . | . | . | . | |
| 11 | Other tuberculous diseases . . {M. F.} | 12 14 | . | 3 3 | 2 3 | 3 | 1 3 | 1 | 1 | 1 | 1 | 1 | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| 14(3) | Other infectious and parasitic diseases (12, 13) . . . {M. F.} | 3 2 | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | |
| 15 | Cancer, malignant disease . . {M. F.} | 134 168 | . | . | . | . | . | 1 | 3 9 | 18 27 | 28 44 | 57 51 | 26 23 | 2 11 | 25 29 | . | . | . | . | . | . | . | . | . | 8 9 | 9 8 | 1 1 | . | |
| 18 | Diabetes mellitus . . . {M. F.} | 8 27 | . | . | . | . | . | . | 1 2 | 1 2 | 2 10 | 2 8 | 2 4 | 1 | 1 3 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) . . {M. F.} | 28 45 | 4 | 2 1 | 3 1 | . | 4 4 | 1 2 | 2 2 | 4 7 | 1 10 | 6 8 | 1 4 | 2 | 5 7 | . | . | . | . | 1 | 1 | 1 | 1 | 1 2 | . | . | 3 | . | . |
| 22 | Cerebral hæmorrhage, &c. . {M. F.} | 114 164 | . | 1 | . | . | . | . | 3 | 11 7 | 15 28 | 51 51 | 30 61 | 7 13 | 14 29 | . | . | . | . | . | . | . | 1 2 | 4 9 | 7 9 | 1 4 | . | . | |
| 23 | Other diseases of nervous system and sense organs (21) . . {M. F.} | 38 32 | 6 2 | 1 | 1 | 1 | 5 2 | 3 3 | 3 2 | 5 4 | 7 3 | 9 3 | 4 4 | 1 | 3 8 | . | . | 1 | . | . | 1 | 1 | . | 1 1 | 2 1 | 3 3 | . | . | (a) |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) |
|--------|---|----------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|---------|----------|---------|-----|-----|-----|-----|-----|-----|-----|
| 24 | Heart disease | { M. F. } 253 274 | 1 1 | 2 2 | 2 3 | 1 1 | 2 2 | 2 3 | 1 1 | 1 2 | 4 4 | 14 5 | 20 15 | 2 19 | | | | | | | |
| 25 | Other circulatory diseases ¹ | { M. F. } 20 15 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 26 | Bronchitis | { M. F. } 37 37 | 2 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 27 | Pneumonia (all forms) | { M. F. } 81 37 | 15 8 | 6 3 | 7 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 | 3 1 | 1 1 | 1 1 | | | | | | | |
| 28 | Other respiratory diseases | { M. F. } 14 10 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } 16 9 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } 11 11 | 8 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 30 | Appendicitis | { M. F. } 10 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 31 (1) | Cirrhosis of liver | { M. F. } 3 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 31 (2) | Other diseases of liver, &c. | { M. F. } 5 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 32 (2) | Other digestive diseases | { M. F. } 16 12 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 33 | Acute and chronic nephritis | { M. F. } 36 22 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 34 | Other diseases of genito-urinary system | { M. F. } 24 9 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 35 | Puerperal sepsis | { M. F. } 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 36 | Other puerperal causes | { M. F. } 12 12 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 37 | Diseases of skin and locomotor system | { M. F. } 7 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } 65 52 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 39 | Old age | { M. F. } 41 60 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 40 | Suicide | { M. F. } 10 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 42 | Other violence (41) | { M. F. } 70 27 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |
| 43 | Causes ill-defined or unknown | { M. F. } 25 18 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | | | | | | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| CAUSES OF DEATH. | | INVERNESS COUNTY (excluding Inverness Burgh). | | | | | | | | | | | | | KINCARDINE COUNTY (excluding portion of Aberdeen Burgh). | | | | | | | | | | | | | | | |
|--------------------|-------------|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----|-----|----|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | | | |
| International Nos. | Short List. | All Causes--Both Sexes . . | | 766 | 34 | 12 | 5 | 5 | 21 | 34 | 21 | 50 | 82 | 164 | 222 | 116 | 44 | 353 | 26 | 9 | 5 | 1 | 7 | 7 | 20 | 26 | 47 | 87 | 88 | 30 |
| | | Males | 371 | 26 | 6 | 5 | 4 | 14 | 19 | 10 | 29 | 42 | 79 | 98 | 124 | 72 | 166 | 11 | 4 | 5 | 1 | 5 | 4 | 11 | 10 | 19 | 50 | 38 | 8 | |
| | | Females | 395 | 8 | 6 | 5 | 7 | 15 | 11 | 21 | 40 | 85 | 124 | 72 | 187 | 15 | 4 | 5 | . | 2 | 3 | 9 | 16 | 28 | 37 | 50 | 22 | | | |
| 1 | | Typhoid fever (including Para-typhoid). | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | | Measles | 2 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5 | | Scarlet fever | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7 | | Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . |
| 8 | | Influenza | 2 | 5 | . | . | . | 1 | 1 | . | . | 1 | 2 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| 14 (1) | | Cerebro-spinal fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | | Other epidemic diseases (2, 3, 9) * | 2 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10 | | Tuberculosis of respiratory system | 12 | 7 | . | 1 | 2 | 2 | 1 | . | 2 | 1 | . | 1 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . | . |
| 11 | | Other tuberculous diseases | 6 | 5 | 1 | 2 | 4 | 1 | . | 1 | . | 2 | . | 1 | . | 3 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| 14 (3) | | Other infectious and parasitic diseases (12, 13) | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 15 | | Cancer, malignant disease | 36 | 52 | . | . | . | . | . | . | 1 | 4 | 7 | 13 | 9 | 1 | 31 | . | . | . | 1 | . | . | 1 | 2 | 7 | 13 | 7 | 11 | 2 |
| 18 | | Diabetes mellitus | 4 | 6 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 20 | | Other general diseases, chronic poisonings (16, 17, 19) | 5 | 14 | 1 | 2 | . | . | 1 | 2 | 1 | 1 | 3 | . | . | 3 | 1 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| 22 | | Cerebral hæmorrhage, &c. | 41 | 37 | . | . | . | . | . | . | . | 3 | 8 | 10 | 12 | 5 | 14 | . | . | . | . | . | . | . | 1 | 2 | 4 | 7 | 9 | 3 |
| 23 | | Other diseases of nervous system and sense organs (21) | 9 | 10 | 1 | . | 1 | 4 | 1 | 2 | 1 | 3 | 1 | 3 | 2 | . | 7 | 6 | 1 | 1 | 1 | . | . | . | 1 | 3 | 1 | 1 | . | . |
| (a) | | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 24 | Heart disease | { M. F. } | | | | | | | | | | | | |
| 25 | Other circulatory diseases | { M. F. } | | | | | | | | | | | | |
| 26 | Bronchitis | { M. F. } | | | | | | | | | | | | |
| 27 | Pneumonia (all forms) | { M. F. } | | | | | | | | | | | | |
| 28 | Other respiratory diseases | { M. F. } | | | | | | | | | | | | |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | | | | | | | | | | | | |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | | | | | | | | | | | | |
| 30 | Appendicitis | { M. F. } | | | | | | | | | | | | |
| 31 (1) | Cirrhosis of liver | { M. F. } | | | | | | | | | | | | |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | | | | | | | | | | | | |
| 32 (2) | Other digestive diseases | { M. F. } | | | | | | | | | | | | |
| 33 | Acute and chronic nephritis | { M. F. } | | | | | | | | | | | | |
| 34 | Other diseases of genito-urinary system | { M. F. } | | | | | | | | | | | | |
| 35 | Puerperal sepsis | F. | | | | | | | | | | | | |
| 36 | Other puerperal causes | F. | | | | | | | | | | | | |
| 37 | Diseases of skin and locomotor system | { M. F. } | | | | | | | | | | | | |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | | | | | | | | | | | | |
| 39 | Old age | { M. F. } | | | | | | | | | | | | |
| 40 | Suicide | { M. F. } | | | | | | | | | | | | |
| 42 | Other violence (41) | { M. F. } | | | | | | | | | | | | |
| 43 | Causes ill-defined or unknown | { M. F. } | | | | | | | | | | | | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. | CAUSES OF DEATH. | KINROSS COUNTY. | | | | | | | | | | | | | KIRKCUDBRIGHT COUNTY. | | | | | | | | | | | | | |
|--------------------|---|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|---|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes | 117 | 9 | 2 | 1 | 1 | . | 7 | 3 | 11 | 17 | 25 | 25 | 16 | 399 | 28 | 7 | 6 | 6 | 10 | 13 | 11 | 17 | 70 | 90 | 108 | 33 | |
| | Males | 55 | 5 | . | . | 1 | . | 5 | 1 | 5 | 12 | 9 | 11 | 6 | 210 | 18 | 4 | 5 | 4 | 4 | 7 | 6 | 7 | 42 | 49 | 53 | 11 | |
| | Females | 62 | 4 | 2 | 1 | . | . | 2 | 2 | 6 | 5 | 16 | 14 | 10 | 189 | 10 | 3 | 1 | 2 | 6 | 6 | 5 | 10 | 28 | 41 | 55 | 22 | |
| 1 | Typhoid fever (including Para-typhoid) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | Measles | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5 | Scarlet fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| 6 | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 8 | Influenza | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (1) | Cerebro-spinal fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10 | Tuberculosis of respiratory system | 3 | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | 4 | . | . | 1 | . | 2 | 1 | . | . | 2 | . | 1 | . | . |
| 11 | Other tuberculous diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | 6 | . | 1 | . | . | . | . | 1 | . | 2 | . | . | . | . |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 2 | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . |
| 15 | Cancer, malignant disease | 5 | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 17 | . | . | . | . | . | 1 | 1 | 2 | 7 | 7 | 10 | 2 | . |
| 18 | Diabetes mellitus | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 3 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 3 | . | . | 1 | 1 | 1 | . | 1 | 2 | . | 1 | 1 | . | . |
| 22 | Cerebral hæmorrhage, &c. | 4 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 19 | . | . | . | . | . | . | 1 | 1 | 3 | 6 | 7 | 4 | . |
| 23 | Other diseases of nervous system and sense organs (21) | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 | . |
| (a) | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | |

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | AIRDRIE BURGH. | | | | | | | | | | | | COATBRIDGE BURGH. | | | | | | | | | | | | | |
|-----------------------------------|--|----------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|--------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes . . . | 334 | 54 | 15 | 5 | 4 | 8 | 9 | 17 | 31 | 53 | 77 | 52 | 9 | 590 | 87 | 27 | 9 | 5 | 36 | 25 | 46 | 53 | 81 | 140 | 70 | 11 |
| | Males . . . | 163 | 27 | 8 | 2 | 3 | 4 | 5 | 10 | 16 | 28 | 33 | 25 | 2 | 348 | 45 | 17 | 6 | 3 | 17 | 16 | 27 | 36 | 54 | 81 | 43 | 3 |
| | Females . . . | 171 | 27 | 7 | 3 | 1 | 4 | 4 | 7 | 15 | 25 | 44 | 27 | 7 | 242 | 42 | 10 | 3 | 2 | 19 | 9 | 19 | 17 | 27 | 59 | 27 | 8 |
| 1 | Typhoid fever (including typhoid) . . . { M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| 4 | Measles . . . { M. F. | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . |
| 5 | Scarlet fever . . . { M. F. | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Whooping-cough . . . { M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria . . . { M. F. | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| 8 | Influenza . . . { M. F. | 2 | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | 7 | . | . | . | . | 1 | 1 | 1 | 1 | 3 | 1 | . | . |
| 14 (1) | Cerebro-spinal fever . . . { M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | Other epidemic diseases (2, 3, 9)* . . { M. F. | 3 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| 10 | Tuberculosis of respiratory system . . { M. F. | 2 | . | . | . | . | 1 | . | 2 | . | . | . | . | . | 17 | . | 1 | . | 1 | 6 | 5 | 1 | 2 | . | . | . | . |
| 11 | Other tuberculous diseases . . { M. F. | 1 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | 4 | 1 | . | 1 | 1 | 11 | 5 | . | . | . | . | . | . |
| 14 (3) | Other infectious and parasitic diseases (12, 13) . . { M. F. | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 15 | Cancer, malignant disease . . { M. F. | 23 | . | . | . | . | 1 | 1 | 2 | 5 | 8 | 5 | 3 | . | 32 | . | . | . | . | . | 1 | 5 | 9 | 12 | 5 | 2 | 2 |
| 18 | Diabetes mellitus . . . { M. F. | 1 | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | . | . | . | . | 1 | 4 | . | 6 | . | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) . . { M. F. | 1 | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | 5 | . | . | 1 | . | . | 1 | 1 | 3 | . | 1 | 1 | . |
| 22 | Cerebral hæmorrhage, &c. . . { M. F. | 6 | . | . | . | . | 1 | 1 | . | 1 | 2 | 10 | 1 | 2 | 32 | . | . | . | . | . | 1 | 4 | 3 | 15 | 7 | 1 | 1 |
| 23 | Other diseases of nervous system and sense organs (21) . . { M. F. | 2 | 1 | 2 | 1 | 1 | 1 | . | . | . | . | 2 | . | . | 9 | 2 | 1 | . | 1 | 1 | . | . | 1 | 1 | 3 | . | . |
| (a) | | 9 | 3 | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | 10 | 3 | (d) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|-------|--|--------------|----------|--------|--------|--------|--------|--------|----------|--------|----------|----------|---------|--------|
| 24 | Heart disease | { M. F. } | 33 31 | 1 1 | 2 1 | 2 1 | 3 2 | 7 3 | 12 12 | 6 9 | 3 | 70 39 | 15 5 | 1 1 |
| 25 | Other circulatory diseases | { M. F. } | 2 3 | | | | | | 1 2 | 1 2 | | 2 2 | 3 1 | |
| 26 | Bronchitis | { M. F. } | 13 3 | 1 1 | | | 2 2 | 3 2 | 3 3 | 4 2 | | 3 2 | 4 2 | 2 |
| 27 | Pneumonia (all forms) | { M. F. } | 16 10 | 3 8 | 1 1 | | 4 2 | 2 1 | 1 1 | 6 3 | 3 21 | 5 4 | 2 2 | |
| 28 | Other respiratory diseases | { M. F. } | 1 3 | 1 1 | | 1 | | | 1 | | 2 3 | | 1 | |
| 32(1) | Gastric and duodenal ulcer | { M. F. } | 1 | | | 1 | | | | | 3 | | | |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 6 6 | 4 4 | | | 1 1 | | | | 11 6 | | 1 | |
| 30 | Appendicitis | { M. F. } | 3 1 | | | 1 | | 2 | 1 | | 1 1 | | | |
| 31(1) | Cirrhosis of liver | { M. F. } | 2 | | | | 1 | | | | 2 | | | |
| 31(2) | Other diseases of liver, &c. | { M. F. } | 1 | | | | 1 | | | | 1 | | | |
| 32(2) | Other digestive diseases | { M. F. } | 2 4 | | | | 2 1 | | | | 4 1 | 1 1 | 1 1 | |
| 33 | Acute and chronic nephritis | { M. F. } | 3 5 | | | | 1 1 | | 3 1 | 2 1 | 6 8 | 4 1 | 1 1 | |
| 34 | Other diseases of genito-urinary system | { M. F. } | 5 | | | | 1 | | 1 | 2 | 4 2 | 1 1 | 1 1 | 1 |
| 35 | Puerperal sepsis | F. | | | | | | | | | 3 | | | |
| 36 | Other puerperal causes | F. | 3 | | 2 | 1 | | | | | 2 | | | |
| 37 | Diseases of skin and locomotor system { M. F. } | | 1 | | | | | | | | 1 | | | |
| 38 | Congenital debility, premature birth, malformation, &c. { M. F. } | | 15 8 | | | | | | | | 20 19 | | | |
| 39 | Old Age | { M. F. } | 2 9 | | | | | | 2 7 | 1 | 5 10 | 2 7 | 3 7 | 3 |
| 40 | Suicide | { M. F. } | 1 | | | | 1 | | | | 2 | | | |
| 42 | Other violence (41) | { M. F. } | 6 4 | | 1 1 | 2 | 1 1 | | | | 20 9 | | 1 1 | |
| 43 | Causes ill-defined or unknown | { M. F. } | 7 3 | | | 1 | | | 4 1 | 1 | 17 6 | 5 3 | 2 1 | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | GLASGOW BURGH. | | | | | | | | | | | | | HAMILTON BURGH. | | | | | | | | | | | | |
|-----------------------------------|---|----------------|------|-----|-----|-----|-----|-----|-----|------|------|------|------|--------------------|-----------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | 15,023 | 1917 | 754 | 227 | 184 | 666 | 688 | 899 | 1499 | 2503 | 3105 | 2195 | 386 | 422 | 63 | 23 | 4 | 2 | 18 | 23 | 19 | 36 | 71 | 91 | 63 | 9 |
| | All Causes—Both Sexes | 7,920 | 1112 | 396 | 119 | 94 | 323 | 326 | 464 | 898 | 1426 | 1645 | 994 | 123 | 229 | 35 | 9 | 2 | 1 | 15 | 8 | 12 | 20 | 41 | 54 | 29 | 8 |
| | Males | 7,103 | 805 | 358 | 108 | 90 | 343 | 362 | 435 | 601 | 1077 | 1460 | 1201 | 263 | 193 | 28 | 14 | 2 | 1 | 3 | 15 | 7 | 16 | 30 | 37 | 34 | 6 |
| 1 | Typhoid fever (including Para-typhoid) | 2 | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | Measles | 133 | 43 | 85 | 3 | . | 1 | 1 | . | 1 | . | . | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| 5 | Scarlet fever | 13 | 1 | 7 | 1 | 1 | 2 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Whooping-cough | 41 | 20 | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria | 50 | 1 | 24 | 23 | 1 | 2 | 1 | . | . | . | 1 | . | . | 1 | 3 | . | . | . | 1 | . | . | . | . | . | . | . |
| 8 | Influenza | 45 | 6 | 3 | 1 | . | 1 | 2 | 5 | 5 | 10 | 8 | 2 | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| 14 (1) | Cerebro-spinal fever | 18 | 3 | 5 | . | 2 | 1 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | Other epidemic diseases (2, 3, 9)* | 30 | 3 | 1 | 1 | 1 | 3 | 5 | 5 | 4 | 3 | 5 | 2 | . | 2 | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| 10 | Tuberculosis of respiratory system | 532 | 6 | 14 | 5 | 7 | 112 | 105 | 100 | 101 | 58 | 20 | 4 | . | 7 | . | . | . | . | 3 | 2 | 1 | . | . | . | . | . |
| 11 | Other tuberculous diseases | 142 | 11 | 48 | 23 | 10 | 25 | 8 | 3 | 10 | 4 | 1 | 6 | . | 2 | . | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 34 | 15 | . | 1 | . | 4 | 1 | 2 | 8 | 1 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 15 | Cancer, malignant disease | 851 | . | 2 | . | 3 | 9 | 19 | 45 | 119 | 259 | 281 | 107 | 7 | 30 | . | . | 1 | . | 1 | 2 | 2 | 2 | 7 | 3 | 1 | . |
| 18 | Diabetes mellitus | 39 | . | . | . | 1 | 2 | 2 | 2 | 6 | 11 | 10 | 5 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 124 | 10 | 9 | 8 | 8 | 14 | 6 | 11 | 18 | 17 | 17 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| 22 | Cerebral hemorrhage, &c. | 546 | 1 | 1 | . | . | 1 | 4 | 11 | 39 | 142 | 203 | 126 | 18 | 14 | . | . | . | . | . | . | . | . | . | . | . | . |
| 23 | Other diseases of nervous system and sense organs (21) | 202 | 35 | 11 | 5 | 4 | 19 | 7 | 22 | 29 | 44 | 16 | 8 | 2 | 11 | 3 | 2 | 1 | . | 2 | 1 | 1 | 1 | . | . | . | . |

| (u) | (l) | (v) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|--------------|--------------|----------|----------|----------|----------|-----------|------------|------------|------------|------------|----------|----------|
| 24 | Heart disease | { M. F. } | 1595 1479 | 3 3 | 10 9 | 24 24 | 30 44 | 50 73 | 183 126 | 368 263 | 561 439 | 333 401 | 38 75 | 38 29 |
| 25 | Other circulatory diseases | { M. F. } | 135 111 | 1 1 | 1 1 | 5 4 | 9 4 | 26 18 | 44 37 | 45 41 | 8 21 | 13 21 | 4 8 | 3 3 |
| 26 | Bronchitis | { M. F. } | 368 322 | 4 2 | 1 1 | 7 6 | 17 10 | 48 24 | 85 28 | 99 73 | 91 50 | 21 11 | 4 2 | 1 1 |
| 27 | Pneumonia (all forms) | { M. F. } | 766 528 | 98 92 | 4 5 | 36 19 | 55 10 | 110 24 | 101 28 | 73 57 | 34 30 | 2 11 | 2 1 | 1 1 |
| 28 | Other respiratory diseases | { M. F. } | 77 68 | 5 4 | 1 1 | 2 2 | 5 6 | 7 6 | 8 6 | 17 14 | 13 10 | 3 7 | 1 1 | 1 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 140 26 | 1 1 | 3 1 | 12 1 | 26 5 | 37 6 | 32 2 | 24 8 | 6 3 | 2 1 | 1 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 230 140 | 19 14 | 2 1 | 1 2 | 5 1 | 26 1 | 3 4 | 6 2 | 2 3 | 2 1 | 2 1 | 2 1 |
| 30 | Appendicitis | { M. F. } | 57 29 | 1 1 | 5 3 | 11 5 | 5 1 | 7 2 | 7 4 | 6 8 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (1) | Cirrhosis of liver | { M. F. } | 33 19 | 1 1 | 3 3 | 3 1 | 3 1 | 8 4 | 9 6 | 11 7 | 2 1 | 2 1 | 2 1 | 2 1 |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 25 50 | 1 1 | 1 1 | 2 3 | 3 3 | 8 13 | 7 18 | 3 3 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (2) | Other digestive diseases | { M. F. } | 94 108 | 10 8 | 2 2 | 6 9 | 13 8 | 17 20 | 16 16 | 11 15 | 4 4 | 4 4 | 4 4 | 4 4 |
| 33 | Acute and chronic nephritis | { M. F. } | 177 176 | 1 1 | 2 1 | 8 9 | 14 13 | 26 32 | 47 45 | 38 31 | 27 18 | 3 2 | 3 2 | 3 2 |
| 34 | Other diseases of genito-urinary system | { M. F. } | 149 59 | 3 2 | 1 1 | 2 7 | 2 9 | 9 5 | 29 7 | 50 12 | 48 8 | 3 2 | 3 2 | 3 2 |
| 35 | Puerperal sepsis | F. | 51 | 1 | 9 | 24 | 18 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 36 | Other puerperal causes | F. | 74 | 1 | 11 | 38 | 24 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 37 | Diseases of skin and locomotor system { M. F. } | { M. F. } | 58 40 | 2 2 | 7 1 | 6 4 | 1 2 | 3 1 | 10 2 | 11 8 | 2 3 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 458 322 | 5 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | { M. F. } | 135 209 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. F. } | 63 32 | 1 1 | 2 2 | 4 8 | 11 10 | 22 8 | 7 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | { M. F. } | 384 181 | 27 14 | 24 16 | 49 8 | 38 17 | 49 19 | 49 17 | 39 32 | 20 21 | 6 11 | 6 6 | 6 6 |
| 43 | Causes ill-defined or unknown | { M. F. } | 174 93 | 1 2 | 4 1 | 1 2 | 2 2 | 7 3 | 26 8 | 51 27 | 25 16 | 2 3 | 2 3 | 2 3 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) |
|--------|---|--------------|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----|
| 24 | Heart disease | { M. F. } | 81 77 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 25 | Other circulatory diseases | { M. F. } | 7 4 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 26 | Bronchitis | { M. F. } | 36 15 | 5 3 | 1 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | 4 1 | |
| 27 | Pneumonia (all forms) | { M. F. } | 44 20 | 14 8 | 2 6 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | 3 1 | |
| 28 | Other respiratory diseases | { M. F. } | 4 1 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 5 1 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 6 5 | 5 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 30 | Appendicitis | { M. F. } | 2 3 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 31 (1) | Cirrhosis of liver | { M. F. } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 4 1 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 32 (2) | Other digestive diseases | { M. F. } | 3 6 | 1 1 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | |
| 33 | Acute and chronic nephritis | { M. F. } | 12 5 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 34 | Other diseases of genito-urinary system | { M. F. } | 7 2 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 35 | Puerperal sepsis | F. | 2 2 | 2 1 | 3 2 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 36 | Other puerperal causes | F. | 3 3 | 1 1 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | |
| 37 | Diseases of skin and locomotor system { M. F. } | { M. F. } | 4 4 | 1 1 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 17 10 | 17 9 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | |
| 39 | Old age | { M. F. } | 14 16 | 2 2 | 3 3 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | |
| 40 | Suicide | { M. F. } | 3 3 | 1 1 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | |
| 42 | Other violence (41) | { M. F. } | 20 6 | 1 1 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | |
| 43 | Causes ill-defined or unknown | { M. F. } | 3 3 | 1 1 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| CAUSES OF DEATH. | | LANARK COUNTY (excluding Large Burghs). | | | | | | | | | | | | | | EDINBURGH BURGH. | | | | | | | | | | | | | |
|--------------------|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|-----|------|------|------|-----|-----|--------------|
| International Nos. | Short List. | All Ages. | | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| 1 | All Causes—Both Sexes | 3,411 | 412 | 131 | 49 | 49 | 145 | 134 | 193 | 320 | 540 | 755 | 562 | 121 | 5,974 | 462 | 139 | 67 | 46 | 194 | 225 | 307 | 512 | 1037 | 1460 | 1213 | 312 | | |
| 4 | Males | 1,730 | 224 | 68 | 22 | 29 | 77 | 59 | 109 | 151 | 280 | 399 | 262 | 50 | 2,928 | 250 | 72 | 32 | 28 | 85 | 104 | 151 | 271 | 560 | 779 | 517 | 79 | | |
| 5 | Females | 1,681 | 188 | 63 | 27 | 20 | 68 | 75 | 84 | 169 | 260 | 356 | 300 | 71 | 3,046 | 212 | 67 | 35 | 18 | 109 | 121 | 156 | 241 | 477 | 681 | 696 | 233 | | |
| 6 | Typhoid fever (including typhoid) | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 7 | Measles | 18 | 11 | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 18 | 13 | 5 | 8 | 2 | 15 | 104 | 151 | 271 | 560 | 779 | 517 | 79 | | |
| 8 | Scarlet fever | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 9 | Whooping-cough | 5 | 12 | 6 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 10 | Diphtheria | 12 | 13 | 6 | 4 | 4 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 16 | 1 | 6 | 6 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 11 | Influenza | 17 | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 12 | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 12 | Cerebro-spinal fever | 6 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 13 | Other epidemic diseases (2, 3, 9)* | 3 | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | 12 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 14 | Tuberculosis of respiratory system | 45 | 68 | 1 | 1 | 1 | 12 | 8 | 12 | 7 | 6 | 3 | 5 | 3 | 163 | 123 | 1 | 1 | 1 | 2 | 29 | 33 | 23 | 21 | 11 | 2 | 1 | 1 | |
| 15 | Other tuberculous diseases | 24 | 30 | 1 | 1 | 1 | 10 | 4 | 1 | 3 | 2 | 3 | 2 | 3 | 34 | 40 | 3 | 4 | 5 | 2 | 4 | 4 | 4 | 6 | 3 | 10 | 3 | 2 | |
| 16 | Other infectious and parasitic diseases (12, 13) | 5 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 19 | 18 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 17 | Cancer, malignant disease | 168 | 215 | 1 | 1 | 1 | 2 | 1 | 2 | 17 | 51 | 62 | 21 | 4 | 411 | 472 | 1 | 1 | 1 | 1 | 3 | 11 | 19 | 50 | 122 | 155 | 57 | 2 | |
| 18 | Diabetes mellitus | 17 | 47 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 20 | 15 | 5 | 1 | 25 | 38 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 10 | 5 | 1 | 1 | |
| 19 | Other general diseases, chronic poisonings (16, 17, 19) | 40 | 55 | 1 | 3 | 3 | 3 | 4 | 6 | 1 | 7 | 8 | 1 | 1 | 58 | 107 | 1 | 1 | 2 | 3 | 3 | 7 | 4 | 6 | 13 | 10 | 8 | 4 | |
| 20 | Cerebral hæmorrhage, &c. | 161 | 178 | 1 | 1 | 1 | 2 | 1 | 1 | 7 | 28 | 77 | 35 | 5 | 251 | 305 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 6 | 54 | 110 | 67 | 9 | |
| 21 | Other diseases of nervous system and sense organs (21) | 45 | 44 | 6 | 5 | 1 | 3 | 5 | 4 | 5 | 7 | 6 | 2 | 1 | 65 | 64 | 10 | 5 | 2 | 1 | 6 | 2 | 3 | 6 | 11 | 10 | 8 | 1 | |
| 22 | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (e) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (o) | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 24 | Heart disease | M. 359 F. 325 | | | | | | | | | | | | |
| 25 | Other circulatory diseases | M. 36 F. 30 | | | | | | | | | | | | |
| 26 | Bronchitis | M. 87 F. 58 | | | | | | | | | | | | |
| 27 | Pneumonia (all forms) | M. 148 F. 77 | | | | | | | | | | | | |
| 28 | Other respiratory diseases | M. 26 F. 16 | | | | | | | | | | | | |
| 32 (1) | Gastric and duodenal ulcer | M. 30 F. 9 | | | | | | | | | | | | |
| 29 | Diarrhoea, &c. (all ages) | M. 34 F. 27 | | | | | | | | | | | | |
| 30 | Appendicitis | M. 9 F. 10 | | | | | | | | | | | | |
| 31 (1) | Cirrhosis of liver | M. 2 F. 2 | | | | | | | | | | | | |
| 31 (2) | Other diseases of liver, &c. | M. 6 F. 18 | | | | | | | | | | | | |
| 32 (2) | Other digestive diseases | M. 22 F. 31 | | | | | | | | | | | | |
| 33 | Acute and chronic nephritis | M. 26 F. 55 | | | | | | | | | | | | |
| 34 | Other diseases of genito-urinary system | M. 34 F. 8 | | | | | | | | | | | | |
| 35 | Puerperal sepsis | M. 10 F. 24 | | | | | | | | | | | | |
| 36 | Other puerperal causes | M. 10 F. 7 | | | | | | | | | | | | |
| 37 | Diseases of skin and locomotor system | M. 114 F. 111 | | | | | | | | | | | | |
| 38 | Congenital debility, premature birth, malformation, &c. | M. 61 F. 86 | | | | | | | | | | | | |
| 39 | Old age | M. 8 F. 10 | | | | | | | | | | | | |
| 40 | Suicide | M. 118 F. 45 | | | | | | | | | | | | |
| 42 | Other violence (41) | M. 31 F. 26 | | | | | | | | | | | | |
| 43 | Causes ill-defined or unknown | M. 31 F. 26 | | | | | | | | | | | | |

* Including typhus fever, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | MIDLOTHIAN COUNTY (excluding Edinburgh Burgh). | | | | | | | | | | | | | MORAY COUNTY. | | | | | | | | | | | | | |
|-----------------------------------|---|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------------|---------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------------|-----|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | |
| | | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | M. F. | |
| | All Causes—Both Sexes | 1,013 | 88 | 24 | 13 | 6 | 37 | 40 | 56 | 83 | 153 | 250 | 210 | 53 | 558 | 44 | 9 | 7 | 3 | 8 | 25 | 23 | 43 | 70 | 131 | 145 | 50 | |
| | Males | 510 | 49 | 13 | 7 | 2 | 19 | 23 | 32 | 41 | 89 | 132 | 87 | 16 | 263 | 22 | 6 | 4 | 3 | 1 | 11 | 12 | 20 | 31 | 69 | 65 | 19 | |
| | Females | 503 | 39 | 11 | 6 | 4 | 18 | 17 | 24 | 42 | 64 | 118 | 123 | 37 | 295 | 22 | 3 | 3 | 0 | 7 | 14 | 11 | 23 | 39 | 62 | 80 | 31 | |
| 1 | Typhoid fever (including Paratyphoid) | M. F. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Measles | M. F. | 1 | | 1 | | | | | | | | | | 1 | 1 | 1 | | | | | | | | | | | |
| 5 | Scarlet fever | M. F. | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| 6 | Whooping-cough | M. F. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Diphtheria | M. F. | 3 | | | | | | | | | | | | 2 | | | 2 | | | | | | | | | | |
| 8 | Influenza | M. F. | 6 | | 2 | 2 | | | | | | | | | 2 | | | 2 | | | | | | | | | | |
| 14 (1) | Cerebro-spinal fever | M. F. | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 14 (2) | Other epidemic diseases (2, 3, 9)* | M. F. | 5 | 1 | | | | | | 1 | 1 | | 1 | | | | | | | | | | | | | | | |
| 10 | Tuberculosis of respiratory system | M. F. | 16 | | | | | | | | | | | | 8 | | | | | | | | | | | | | |
| 11 | Other tuberculous diseases | M. F. | 4 | | 1 | 1 | | 1 | | 1 | | | | | 4 | | | 1 | 2 | 2 | | | | | | | | |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | M. F. | 4 | 2 | | | | | | | 1 | | | | 1 | | 1 | | | | | | | | | | | |
| 15 | Cancer, malignant disease | M. F. | 66 | | | | | 2 | 1 | 6 | 15 | 30 | 11 | 1 | 37 | | | | | | | | | | | | 2 | |
| 18 | Diabetes mellitus | M. F. | 2 | | | | | | | | 2 | 7 | | | 4 | | | | | | | | | | | | | |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | M. F. | 9 | | 1 | | 2 | 1 | 1 | 1 | 2 | 2 | 1 | | 4 | | | | | | | | | | | | | |
| 22 | Cerebral hæmorrhage, &c. | M. F. | 47 | | | | | | | 1 | 11 | 19 | 10 | 5 | 29 | | | | | | | | | | | | 2 | |
| 23 | Other diseases of nervous system and sense organs (21) | M. F. | 18 | 5 | | | | 3 | | 2 | 3 | 2 | 2 | | 6 | | | | | | | | | | | | 4 | |
| (a) | | | 13 | 3 | 2 | | 1 | | | | | | | | 8 | | | | | | | | | | | | | |
| | | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 24 | Heart disease | { M. F. } 103 136 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 25 | Other circulatory diseases | { M. F. } 12 9 | | | | | | | | | | | | |
| 26 | Bronchitis | { M. F. } 24 13 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 27 | Pneumonia (all forms) | { M. F. } 25 13 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 28 | Other respiratory diseases | { M. F. } 11 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } 16 2 | | | | | | | | | | | | |
| 29 | Diarrhea, &c. (all ages) | { M. F. } 5 3 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 30 | Appendicitis | { M. F. } 5 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 31 (1) | Cirrhosis of liver | { M. F. } 2 1 | | | | | | | | | | | | |
| 31 (2) | Other diseases of liver, &c. | { M. F. } 2 6 | | | | | | | | | | | | |
| 32 (2) | Other digestive diseases | { M. F. } 14 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 33 | Acute and chronic nephritis | { M. F. } 14 10 | | | | | | | | | | | | |
| 34 | Other diseases of genito-urinary system | { M. F. } 6 2 | | | | | | | | | | | | |
| 35 | Puerperal sepsis | F. 3 | | | | | | | | | | | | |
| 36 | Other puerperal causes | F. 5 | | | | | | | | | | | | |
| 37 | Diseases of skin and locomotor system | { M. F. } 2 2 | | | | | | | | | | | | |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } 25 23 | 25 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 39 | Old age | { M. F. } 15 17 | | | | | | | | | | | | |
| 40 | Suicide | { M. F. } 5 1 | | | | | | | | | | | | |
| 42 | Other violence (41) | { M. F. } 41 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 43 | Causes ill-defined or unknown | { M. F. } 6 5 | | | | | | | | | | | | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. | Short List. | CAUSES OF DEATH. | NAIRN COUNTY. | | | | | | | | | | | | | ORKNEY COUNTY. | | | | | | | | | | | | | | |
|--------------------|-------------|---|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----|-----|
| | | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Causes—Both Sexes | 121 | 9 | 2 | 1 | 1 | 2 | 1 | 3 | 7 | 15 | 35 | 27 | 18 | 315 | 18 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 36 |
| | | Males | 70 | 6 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 7 | 16 | 11 | 7 | 163 | 12 | . | 3 | . | . | . | . | . | . | . | . | . | . | 12 |
| | | Females | 51 | 3 | . | . | . | 1 | . | 2 | 5 | 8 | 10 | 11 | 11 | 152 | 6 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | 24 |
| 1 | | Typhoid fever (including typhoid) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | | Measles | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5 | | Scarlet fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7 | | Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 8 | | Influenza | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (1) | | Cerebro-spinal fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | | Other epidemic diseases (2, 3, 9)* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10 | | Tuberculosis of respiratory system | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 3 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| 11 | | Other tuberculous diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 14 (3) | | Other infectious and parasitic diseases (12, 13) | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| 15 | | Cancer, malignant disease | 8 | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | 23 | . | . | . | . | . | . | . | . | 1 | 5 | 9 | 7 | . | . |
| 18 | | Diabetes mellitus | 9 | . | . | . | . | . | . | . | 3 | . | 3 | 2 | . | 16 | . | . | . | . | . | . | . | . | . | 4 | 3 | 6 | . | . |
| 20 | | Other general diseases, chronic poisonings (16, 17, 19) | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| 22 | | Cerebral hæmorrhage, &c. | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 23 | | Other diseases of nervous system and sense organs (21) | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 10 | . | . | . | . | . | . | . | . | . | 3 | 4 | 4 | . | . |
| (a) | | | 8 | . | 1 | . | . | . | . | 1 | . | . | 1 | 1 | 4 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 2 | (c) |
| | | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | |

| (e) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|--------------|----------|--------|-----|-----|-----|-----|-----|-----|--------|--------|---------|---------|
| 24 | Heart disease | { M. F. } | 20 12 | . | . | . | . | . | . | . | 3 4 | 7 3 | 7 3 | 3 2 |
| 25 | Other circulatory diseases | { M. F. } | 4 7 | . | . | . | . | . | . | . | . | 2 1 | 1 3 | 1 2 |
| 26 | Bronchitis | { M. F. } | 3 | . | . | . | . | . | . | . | . | 1 1 | 1 1 | 1 1 |
| 27 | Pneumonia (all forms) | { M. F. } | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| 28 | Other respiratory diseases | { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| 30 | Appendicitis | { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . |
| 31 (1) | Cirrhosis of liver | { M. F. } | . | . | . | . | . | . | . | . | . | . | . | . |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| 32 (2) | Other digestive diseases | { M. F. } | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 |
| 33 | Acute and chronic nephritis | { M. F. } | 2 1 | . | . | . | . | . | . | . | . | 1 1 | 2 2 | 3 2 |
| 34 | Other diseases of genito-urinary system | { M. F. } | . | . | . | . | . | . | . | . | . | . | . | 1 1 |
| 35 | Puerperal sepsis | F. | . | . | . | . | . | . | . | . | . | . | . | . |
| 36 | Other puerperal causes | F. | 1 | . | . | . | . | . | 1 | . | . | . | . | . |
| 37 | Diseases of skin and locomotor system | { M. F. } | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 5 2 | 5 1 | . | . | 1 | . | . | . | . | . | . | 1 |
| 39 | Old age | { M. F. } | 2 6 | . | . | . | . | . | . | . | . | . | 5 11 | 2 11 |
| 40 | Suicide | { M. F. } | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| 42 | Other violence (41) | { M. F. } | 3 1 | . | . | . | . | . | 1 | . | 1 | . | 1 1 | 2 1 |
| 43 | Causes ill-defined or unknown | { M. F. } | 1 | . | . | . | . | . | . | . | . | 1 | 2 2 | 1 3 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | PEEBLES COUNTY. | | | | | | | | | | | | | PERTH BURGH. | | | | | | | | | | | | |
|-----------------------------------|---|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | 155 | 4 | 3 | . | . | 1 | 1 | 5 | 6 | 29 | 45 | 48 | 13 | 460 | 32 | 19 | 1 | 2 | 11 | 15 | 25 | 31 | 75 | 114 | 104 | 31 |
| | All Causes—Both Sexes . . | 76 | 2 | 2 | . | . | . | . | 3 | 2 | 12 | 24 | 24 | 7 | 228 | 22 | 10 | . | 1 | 6 | 10 | 11 | 18 | 35 | 60 | 43 | 12 |
| | Males | 79 | 2 | 1 | . | . | 1 | 1 | 2 | 4 | 17 | 21 | 24 | 6 | 232 | 10 | 9 | 1 | 1 | 5 | 5 | 14 | 13 | 40 | 54 | 61 | 19 |
| | Females | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Typhoid fever (including typhoid) | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| 4 | Measles | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| 5 | Scarlet fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . |
| 8 | Influenza | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (1) | Cerebro-spinal fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 14 (2) | Other epidemic diseases (2, 3, 9)* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10 | Tuberculosis of respiratory system | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . | . | 5 | . | 1 | . | 1 | 2 | 1 | 2 | . | . | . | . | . |
| 11 | Other tuberculous diseases | 2 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| 15 | Cancer, malignant disease | 8 | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | 29 | . | . | . | . | . | 1 | 4 | 8 | 8 | 7 | . | 1 |
| | | 12 | . | . | . | . | . | . | . | . | 5 | 4 | 2 | . | 39 | . | . | . | . | . | 1 | 6 | 17 | 6 | 8 | . | . |
| 18 | Diabetes mellitus | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | . |
| | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 2 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 5 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 1 | . |
| 22 | Cerebral hæmorrhage, &c. | 12 | . | . | . | . | . | . | . | . | 3 | 4 | 4 | 1 | 30 | . | . | . | . | . | . | 2 | 1 | 3 | 11 | 13 | 2 |
| | | 10 | . | . | . | . | . | . | . | . | 3 | 3 | 4 | . | 27 | . | . | . | . | . | . | . | 1 | 5 | 8 | 9 | 2 |
| 23 | Other diseases of nervous system and sense organs (21) | . | . | . | . | . | . | . | . | . | . | . | . | . | 9 | 2 | 2 | . | . | . | 1 | 1 | 2 | . | 1 | . | . |
| (a) | | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| | (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 24 Heart disease | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 Other circulatory diseases | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 Bronchitis | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 27 Pneumonia (all forms) | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 28 Other respiratory diseases | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 (1) Gastric and duodenal ulcer | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 29 Diarrhoea, &c. (all ages) | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 Appendicitis | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 (1) Cirrhosis of liver | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 (2) Other diseases of liver, &c. | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 (2) Other digestive diseases | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 33 Acute and chronic nephritis | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 34 Other diseases of genito-urinary system | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 35 Puerperal sepsis | F. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36 Other puerperal causes | F. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37 Diseases of skin and locomotor system | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 38 Congenital debility, premature birth, malformation, &c. | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 39 Old age | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 40 Suicide | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 42 Other violence (41) | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 Causes ill-defined or unknown | M. | F. | | | | | | | | | | | | | | | | | | | | | | | | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| CAUSES OF DEATH. | | | PERTH COUNTY (excluding Perth Burgh). | | | | | | | | | | | | | GREENOCK BURGH. | | | | | | | | | | | | |
|--------------------|---|-----------|---------------------------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----|-----------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----|-----|
| International Nos. | Short List. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | | |
| | | | All Ages. | 1,143 | 74 | 17 | 7 | 8 | 22 | 35 | 38 | 69 | 140 | 312 | 304 | 117 | 1,042 | 123 | 40 | 16 | 11 | 56 | 55 | 69 | 95 | 164 | 210 | 180 |
| | All Causes—Both Sexes | 546 | 51 | 10 | 5 | 4 | 12 | 17 | 23 | 32 | 59 | 158 | 139 | 36 | 561 | 80 | 20 | 3 | 5 | 26 | 27 | 42 | 59 | 79 | 115 | 89 | 16 | |
| | Males | 597 | 23 | 7 | 2 | 4 | 10 | 18 | 15 | 37 | 81 | 154 | 165 | 81 | 481 | 43 | 20 | 13 | 6 | 30 | 28 | 27 | 36 | 75 | 95 | 91 | 17 | |
| 1 | Typhoid fever (including typhoid). | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Measles | 2 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | |
| 5 | Scarlet fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | |
| 6 | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | |
| 7 | Diphtheria | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | |
| 8 | Influenza | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 8 | . | . | . | 1 | . | 1 | . | . | . | . | 2 | 1 | |
| 14 (1) | Cerebro-spinal fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 14 (2) | Other epidemic diseases (2, 3, 9)* | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | 4 | 1 | . | . | . | 1 | . | . | 1 | . | 2 | . | . | |
| 10 | Tuberculosis of respiratory system | 14 | . | . | . | . | 2 | 7 | 2 | 1 | 2 | 1 | . | . | 34 | . | 1 | . | 1 | 8 | 12 | 9 | 1 | 1 | 2 | . | . | |
| 11 | Other tuberculous diseases | 7 | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | . | 9 | 5 | 3 | 1 | 1 | 4 | 1 | 2 | . | . | . | . | . | |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 3 | 1 | . | . | . | . | 2 | 1 | . | . | . | . | . | 2 | 1 | . | . | 1 | 1 | 1 | . | . | . | . | . | . | |
| 15 | Cancer, malignant disease | 49 | . | . | . | . | 1 | 3 | 4 | 10 | 17 | 25 | 23 | 5 | 49 | . | . | . | . | . | 1 | 2 | 8 | 15 | 16 | 7 | . | |
| 18 | Diabetes mellitus | 5 | . | . | . | . | . | . | 2 | . | 1 | 5 | 1 | . | 2 | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | . | |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 12 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 4 | 2 | 1 | 2 | 1 | 19 | 1 | . | 1 | 2 | 1 | . | 3 | 2 | 1 | 6 | 1 | . | |
| 22 | Cerebral hæmorrhage, &c. | 63 | . | 1 | . | . | . | . | 1 | 8 | 14 | 24 | 27 | 3 | 42 | . | . | . | 1 | . | . | 3 | 9 | 16 | 13 | 13 | . | |
| 23 | Other diseases of nervous system and sense organs (21) | 13 | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 | 7 | 1 | 1 | 22 | 5 | 1 | 1 | 3 | . | 3 | 2 | 5 | 6 | 15 | 22 | . | |
| (a) | | 13 | 4 | (d) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|----------------------|----------|--------|--------|--------|----------|----------|---------|-----------|--------|--------|--------|--------|
| 24 | Heart disease | { M. 122 F. 143 } | 1 1 | 1 1 | 1 1 | 8 6 | 16 13 | 43 58 | 8 26 | 102 71 | 1 3 | 1 3 | 1 3 | 1 3 |
| 25 | Other circulatory diseases | { M. 21 F. 25 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 26 | Bronchitis | { M. 17 F. 24 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 27 | Pneumonia (all forms) | { M. 27 F. 17 } | 7 3 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 28 | Other respiratory diseases | { M. 7 F. 6 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. 4 F. 4 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. 4 F. 3 } | 3 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 30 | Appendicitis | { M. 2 F. 2 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (1) | Cirrhosis of liver | { M. 1 F. 1 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (2) | Other diseases of liver, &c. | { M. 1 F. 5 } | 1 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (2) | Other digestive diseases | { M. 9 F. 10 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 33 | Acute and chronic nephritis | { M. 17 F. 24 } | 17 24 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | { M. 26 F. 8 } | 26 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 35 | Puerperal sepsis | { M. 1 F. 1 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 36 | Other puerperal causes | { M. 4 F. 4 } | 4 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 37 | Diseases of skin and loco-motor system | { M. 1 F. 5 } | 1 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. 34 F. 12 } | 34 12 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | { M. 24 F. 31 } | 24 31 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. 8 F. 4 } | 8 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | { M. 30 F. 14 } | 30 14 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | { M. 22 F. 10 } | 22 10 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|--------------|------------|--------|--------|--------|--------|--------|--------|--------|----------|----------|----------|---------|
| 24 | Heart disease | { M. F. } | 105 108 | 1 1 | 3 4 | 1 1 | 1 1 | 1 1 | 6 4 | 9 7 | 21 19 | 30 32 | 26 32 | 6 7 |
| 25 | Other circulatory diseases | { M. F. } | 15 11 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 3 1 | 6 2 | 4 5 | 3 1 |
| 26 | Bronchitis | { M. F. } | 27 19 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 3 1 | 2 2 | 4 4 | 7 3 | 9 7 | 1 1 |
| 27 | Pneumonia (all forms) | { M. F. } | 42 23 | 7 5 | 1 1 | 2 2 | 2 2 | 2 2 | 5 2 | 7 4 | 4 4 | 8 1 | 5 1 | 12 6 |
| 28 | Other respiratory diseases | { M. F. } | 6 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 2 | 1 1 | 2 2 | 2 2 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 17 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 29 | Diarrhœa, &c. (all ages) | { M. F. } | 12 14 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 30 | Appendicitis | { M. F. } | 11 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (1) | Cirrhosis of liver | { M. F. } | 2 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 1 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (2) | Other digestive diseases | { M. F. } | 6 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 33 | Acute and chronic nephritis | { M. F. } | 23 18 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | { M. F. } | 8 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 35 | Puerperal sepsis | F. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 36 | Other puerperal causes | F. | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 37 | Diseases of skin and locomotor system { M. F. } | { M. F. } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, { M. malformation, &c. | { M. F. } | 43 34 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | { M. F. } | 8 16 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. F. } | 6 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 41 | Other violence (41) | { M. F. } | 32 11 | 3 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | { M. F. } | 4 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| CAUSES OF DEATH. | | RENFREW COUNTY (excluding Large Burghs). | | | | | | | | | | | | | | ROSS AND CROMARTY COUNTY. | | | | | | | | | | | | | |
|--------------------|---|--|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----------|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|-----|--|
| International Nos. | Short List. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes | 1,371 | 113 | 36 | 18 | 12 | 50 | 49 | 65 | 129 | 212 | 359 | 263 | 65 | 983 | 47 | 16 | 11 | 6 | 26 | 33 | 50 | 62 | 85 | 230 | 284 | 133 | | |
| | Males | 679 | 59 | 23 | 7 | 3 | 28 | 26 | 27 | 69 | 117 | 180 | 116 | 24 | 492 | 31 | 12 | 7 | 5 | 17 | 22 | 22 | 38 | 44 | 120 | 131 | 43 | | |
| | Females | 692 | 54 | 13 | 11 | 9 | 22 | 23 | 38 | 60 | 95 | 179 | 147 | 41 | 491 | 16 | 4 | 4 | 1 | 9 | 11 | 28 | 24 | 41 | 110 | 153 | 90 | | |
| 1 | Typhoid fever (including typhoid) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Measles | 4 | 1 | 1 | 2 | 1 | | | | | | | | | 2 | | 1 | 1 | | | | | | | | | | | |
| 5 | Scarlet fever | 1 | | 1 | | | | | | | | | | | 1 | | 1 | 1 | | | | 1 | | | | | | | |
| 6 | Whooping-cough | 2 | 2 | 1 | | | | | | | | | | | 2 | 2 | 1 | 1 | | | | | | | | | | | |
| 7 | Diphtheria | 7 | | 5 | 2 | 3 | | | | | | | | | 2 | | | 1 | 1 | | | | | | | | | | |
| 8 | Influenza | 5 | 1 | | | 1 | | | | | | 2 | 1 | 1 | 2 | | | | | | | | | | | | 1 | | |
| 14 (1) | Cerebro-spinal fever | 2 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 14 (2) | Other epidemic diseases (2, 3, 9)* | 2 | | | | | 1 | | 2 | | | | | | 1 | | | | | | | | | | | | | | |
| 10 | Tuberculosis of respiratory system | 24 | | 1 | | | 4 | 7 | 5 | 4 | 4 | 2 | | | 19 | | 1 | | 2 | 5 | 8 | 6 | 1 | 3 | 1 | 2 | | | |
| 11 | Other tuberculous diseases | 6 | 1 | 2 | 1 | 3 | 3 | | | 1 | | 1 | | | 7 | | 1 | | | 1 | 2 | 2 | 1 | | 1 | | | | |
| 14 (3) | Other infectious and parasitic diseases (12, 13) | 3 | | | | 1 | | 1 | | | | | | | 4 | 1 | | | | | | 1 | | 1 | | | | | |
| 15 | Cancer, malignant disease | 81 | | | | | | 2 | 11 | 15 | 21 | 28 | 10 | 2 | 53 | | | | | | | 1 | 6 | 8 | 21 | 14 | 3 | | |
| 18 | Diabetes mellitus | 113 | | | | | | | 19 | 34 | 26 | 34 | 19 | 2 | 56 | | | | | | | | 9 | 11 | 13 | 17 | 3 | | |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 8 | | 1 | | | | | 1 | 1 | 4 | 5 | 1 | | 5 | | | | | | | | | | 4 | 2 | 1 | | |
| 22 | Cerebral hæmorrhage, &c. | 11 | | | | | | | | | | | | | 4 | | | | | | | | | | | | | | |
| 23 | Other diseases of nervous system and sense organs (21) | 9 | | | | | 1 | 1 | 5 | 1 | 2 | 4 | 1 | | 12 | 2 | | | | 3 | 1 | 1 | 2 | 1 | 3 | 1 | | | |
| (a) | | 20 | | | | | | 3 | 1 | 1 | 6 | 3 | 1 | | 11 | | | | | | | | | | | | | | |
| | | 62 | | | | | | 1 | 1 | 3 | 10 | 26 | 19 | 3 | 48 | | | | | | | | | | | | | | |
| | | 81 | | | | | | | | 3 | 10 | 32 | 29 | 5 | 59 | | | | | | | | | | | | | | |
| | | 18 | | 2 | | | 4 | 1 | 2 | 4 | 4 | 3 | 1 | | 14 | 3 | | | 1 | 1 | 2 | 1 | | 6 | 1 | 1 | | | |
| | | 13 | 1 | 2 | (e) | 3 | (h) | 1 | 2 | 2 | 2 | 1 | (n) | (o) | 11 | 1 | (d) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (p) | (q) | (r) | |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) |
|--------|---|----------------------|------------|--------|--------|--------|--------|----------|----------|----------|----------|---------|--------|-----------|--------|--------|--------|----------|----------|----------|----------|--------|--------|--------|--------|
| 24 | Heart disease | { M. 162 F. 174 } | 162 174 | 1 1 | 2 1 | 3 3 | 1 1 | 14 11 | 33 23 | 55 61 | 44 52 | 9 17 | 1 1 | 88 100 | 1 1 | 2 1 | 3 5 | 12 11 | 28 30 | 32 31 | 10 21 | 1 1 | 1 1 | 1 1 | 1 1 |
| 25 | Other circulatory diseases | { M. 14 F. 10 } | 14 10 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 26 | Bronchitis | { M. 26 F. 17 } | 26 17 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 27 | Pneumonia (all forms) | { M. 42 F. 31 } | 42 31 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 28 | Other respiratory diseases | { M. 4 F. 6 } | 4 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. 17 F. 2 } | 17 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. 14 F. 6 } | 14 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 30 | Appendicitis | { M. 3 F. 4 } | 3 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (1) | Cirrhosis of liver | { M. 4 F. 1 } | 4 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (2) | Other diseases of liver, &c. | { M. 4 F. 6 } | 4 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (2) | Other digestive diseases | { M. 9 F. 14 } | 9 14 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 33 | Acute and chronic nephritis | { M. 29 F. 31 } | 29 31 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | { M. 18 F. 8 } | 18 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 35 | Puerperal sepsis | { M. 3 F. 5 } | 3 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 36 | Other puerperal causes | { M. 6 F. 2 } | 6 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 37 | Diseases of skin and locomotor system | { M. 33 F. 34 } | 33 34 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. 11 F. 19 } | 11 19 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 39 | Old age | { M. 6 F. 5 } | 6 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. 37 F. 15 } | 37 15 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | { M. 9 F. 8 } | 9 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | { M. 1 F. 1 } | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|-------|---|---------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 24 | Heart disease | { M. 85 F. 103 } | . | . | 1 | . | . | 2 | 1 | 6 | 18 | 35 | 25 | 4 |
| 25 | Other circulatory diseases | { M. 9 F. 12 } | . | . | . | . | . | . | . | . | . | 6 | 2 | 1 |
| 26 | Bronchitis | { M. 4 F. 8 } | . | . | . | . | . | . | . | 1 | 1 | 4 | 5 | 3 |
| 27 | Pneumonia (all forms) | { M. 7 F. 11 } | 1 | 2 | . | . | . | 1 | 2 | 2 | 3 | 1 | 4 | 2 |
| 28 | Other respiratory diseases | { M. 4 F. 2 } | 1 | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . |
| 32(1) | Gastric and duodenal ulcer | { M. 5 F. 1 } | . | . | . | . | 1 | . | . | 2 | 2 | 2 | 1 | . |
| 29 | Diarrhoea, &c. (all ages) | { M. 2 F. 2 } | 1 | . | . | . | 1 | . | . | . | . | . | . | . |
| 30 | Appendicitis | { M. 1 F. 1 } | . | . | . | . | . | . | . | . | 1 | 1 | . | . |
| 31(1) | Cirrhosis of liver | { M. 3 F. 1 } | . | . | . | . | . | . | . | . | 3 | 3 | . | . |
| 31(2) | Other diseases of liver, &c. | { M. 4 F. 4 } | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | . |
| 32(2) | Other digestive diseases | { M. 1 F. 3 } | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . |
| 33 | Acute and chronic nephritis | { M. 11 F. 11 } | . | . | . | . | 1 | . | 1 | 2 | 5 | 6 | 2 | . |
| 34 | Other diseases of genito-urinary system | { M. 11 F. 3 } | . | . | . | . | . | . | . | 2 | . | 5 | 6 | . |
| 35 | Puerperal sepsis | { M. 1 F. 2 } | . | . | . | . | . | . | 1 | . | . | . | . | . |
| 36 | Other puerperal causes | { M. 2 F. 2 } | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| 37 | Diseases of skin and locomotor system | { M. 3 F. 11 } | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. 11 F. 7 } | 11 | 7 | . | . | . | . | . | . | . | . | . | . |
| 39 | Old age | { M. 10 F. 9 } | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 |
| 40 | Suicide | { M. 5 F. 4 } | . | . | . | . | 1 | 2 | 1 | . | 3 | 1 | 6 | 2 |
| 42 | Other violence (41) | { M. 10 F. 7 } | 1 | 1 | 1 | . | 2 | . | 4 | 1 | 2 | 2 | 2 | . |
| 43 | Causes ill-defined or unknown | { M. 7 F. 2 } | . | . | . | . | . | . | 2 | . | 3 | 2 | 1 | . |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethalargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH. | FALKIRK BURGH. | | | | | | | | | | | | | STIRLING BURGH. | | | | | | | | | | | | |
|-----------------------------------|---|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | All Causes—Both Sexes . . | 401 | 33 | 8 | 5 | 4 | 17 | 18 | 25 | 46 | 63 | 92 | 78 | 12 | 275 | 31 | 8 | 2 | 1 | 7 | 10 | 15 | 29 | 34 | 73 | 56 | 9 |
| | Males . . | 220 | 17 | 5 | 3 | 2 | 12 | 7 | 10 | 23 | 42 | 52 | 41 | 6 | 128 | 16 | 4 | 1 | . | 1 | 6 | 7 | 15 | 17 | 33 | 26 | 2 |
| | Females . . | 181 | 16 | 3 | 2 | 5 | 5 | 11 | 15 | 23 | 21 | 40 | 37 | 6 | 147 | 15 | 4 | 1 | 1 | 6 | 4 | 8 | 14 | 40 | 30 | 7 | |
| 1 | Typhoid fever (including Para-typhoid) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | Measles | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| 5 | Scarlet fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Whooping-cough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 8 | Influenza | 1 | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . |
| 14(1) | Cerebro-spinal fever | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14(2) | Other epidemic diseases (2, 3, 9) * | 2 | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . |
| 10 | Tuberculosis of respiratory system | 16 | . | . | . | . | 2 | 4 | 3 | 4 | 2 | 1 | . | . | 6 | . | . | . | . | 3 | 1 | 1 | 2 | . | . | . | . |
| 11 | Other tuberculous diseases | 5 | . | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| 14(3) | Other infectious and parasitic diseases (12, 13) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 15 | Cancer, malignant disease | 32 | . | . | . | . | . | . | 2 | 4 | 14 | 6 | 6 | . | 14 | . | . | . | . | . | . | 2 | 1 | 4 | 6 | 1 | 1 |
| 18 | Diabetes mellitus | 2 | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | . | . | . | 2 | . | . | 1 | 4 | 9 | 4 | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 3 | 1 | . | . | 2 | . | . | . | 2 | . | 2 | 1 | . | 2 | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| 22 | Cerebral hæmorrhage, &c. | 17 | . | . | . | . | . | . | 1 | 1 | 3 | 6 | 8 | . | 10 | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 2 |
| 23 | Other diseases of nervous system and sense organs (21) | 3 | 1 | . | . | 2 | 1 | 2 | 2 | 2 | 1 | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | 12 | 5 | . |
| (a) | | 8 | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|--------------------------|--------|--------|--------|-----|-----|-----|--------|--------|--------|----------|--------|--------|
| 24 | Heart disease | { M. F. } 40 35 | . | . | . | . | . | . | 1 4 | 1 4 | 4 6 | 16 10 | 9 8 | 3 2 |
| 25 | Other circulatory diseases | { M. F. } 10 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| 26 | Bronchitis | { M. F. } 8 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| 27 | Pneumonia (all forms) | { M. F. } 11 12 | 2 4 | 1 1 | . | . | . | . | 1 1 | 1 1 | 2 2 | 1 3 | 7 6 | 2 1 |
| 28 | Other respiratory diseases | { M. F. } 4 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } 1 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } 3 2 | 1 . | . | . | . | . | . | 1 . | . | . | 2 1 | 2 1 | . |
| 30 | Appendicitis | { M. F. } 2 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 31 (1) | Cirrhosis of liver | { M. F. } 3 . | . | . | . | . | . | . | . | . | . | . | . | . |
| 31 (2) | Other diseases of liver, &c. | { M. F. } 2 . | . | . | . | . | . | . | . | . | . | . | . | . |
| 32 (2) | Other digestive diseases | { M. F. } 2 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| 33 | Acute and chronic nephritis | { M. F. } 7 6 | . | . | . | . | . | . | 1 2 | 1 1 | 4 1 | 2 2 | 4 5 | . |
| 34 | Other diseases of genito-urinary system | { M. F. } 7 . | . | . | . | . | . | . | . | . | . | . | . | . |
| 35 | Puerperal sepsis | F. . | . | . | . | . | . | . | . | . | . | . | . | . |
| 36 | Other puerperal causes | F. 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 37 | Diseases of skin and locomotor system { M. F. } 4 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 38 | Congenital debility, premature birth, { M. F. } 13 8 | 12 8 | . | . | . | . | . | . | . | . | . | . | . | . |
| 39 | Old age | { M. F. } 9 13 | . | . | . | . | . | . | . | . | . | . | . | . |
| 40 | Suicide | { M. F. } 2 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 42 | Other violence (41) | { M. F. } 8 7 | 1 . | 2 2 | 1 1 | . | . | . | . | . | . | . | . | . |
| 43 | Causes ill-defined or unknown | { M. F. } 4 4 | . | . | . | . | . | . | . | . | . | . | . | . |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1938.

| International Nos. Short List. | CAUSES OF DEATH, All Causes—Both Sexes . . Males . . . Females . . . | STIRLING COUNTY (excluding Large Burghs). | | | | | | | | | | | | | SUTHERLAND COUNTY. | | | | | | | | | | | | |
|-----------------------------------|---|---|-----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|--------------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| | | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. | All Ages. | -1 | 1- | 5- | 10- | 15- | 25- | 35- | 45- | 55- | 65- | 75- | 85 and over. |
| | | 1,208 | 110 | 24 | 19 | 17 | 45 | 60 | 64 | 96 | 196 | 305 | 224 | 48 | 260 | 16 | 4 | 3 | 3 | 2 | 4 | 5 | 12 | 15 | 22 | 58 | 78 |
| 1 | Typhoid fever (including Para-typhoid). | 630 | 60 | 19 | 9 | 8 | 26 | 29 | 31 | 56 | 103 | 180 | 97 | 12 | 129 | 7 | 3 | 3 | 2 | 2 | 3 | 6 | 7 | 13 | 33 | 19 | 24 |
| 4 | Measles | 578 | 50 | 5 | 10 | 9 | 19 | 31 | 33 | 40 | 93 | 125 | 127 | 36 | 131 | 9 | 1 | . | . | . | . | . | . | . | . | . | . |
| 5 | Scarlet fever | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Whooping-cough | | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 7 | Diphtheria | 3 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 8 | Influenza | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| 14(1) | Cerebro-spinal fever | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14(2) | Other epidemic diseases (2, 3, 9)* | 5 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10 | Tuberculosis of respiratory system | 16 | . | . | . | 1 | 8 | 2 | 3 | 2 | 1 | 1 | . | . | 4 | . | . | . | 1 | . | . | 2 | 1 | . | . | . | . |
| 11 | Other tuberculous diseases | 16 | 2 | 3 | 2 | 1 | . | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| 14(3) | Other infectious and parasitic diseases (12, 13) | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 15 | Cancer, malignant disease | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 18 | Diabetes mellitus | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 20 | Other general diseases, chronic poisonings (16, 17, 19) | 70 | . | . | . | . | 1 | 4 | 5 | 7 | 22 | 25 | 10 | 1 | 23 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| 22 | Cerebral hæmorrhage, &c. | 73 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 23 | Other diseases of nervous system and sense organs (21) | 7 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| (a) | | 20 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|--------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 24 | Heart disease | { M. F. } | 137 122 | | | | | | | | | | 13 10 | 7 5 |
| 25 | Other circulatory diseases | { M. F. } | 14 13 | | | | | | | | | | 4 2 | 2 4 |
| 26 | Bronchitis | { M. F. } | 27 18 | | | | | | | | | | | 9 2 |
| 27 | Pneumonia (all forms) | { M. F. } | 42 23 | | | | | | | | | | 2 1 | 1 1 |
| 28 | Other respiratory diseases | { M. F. } | 11 11 | | | | | | | | | | | 1 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 6 6 | | | | | | | | | | | |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 7 7 | | | | | | | | | | 1 1 | |
| 30 | Appendicitis | { M. F. } | 9 1 | | | | | | | | | | | |
| 31 (1) | Cirrhosis of liver | { M. F. } | 3 . | | | | | | | | | | | |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 2 3 | | | | | | | | | | 1 . | |
| 32 (2) | Other digestive diseases | { M. F. } | 12 7 | | | | | | | | | | 1 . | |
| 33 | Acute and chronic nephritis | { M. F. } | 21 26 | | | | | | | | | | 2 . | 1 . |
| 34 | Other diseases of genito-urinary system | { M. F. } | 13 4 | | | | | | | | | | 3 . | 1 . |
| 35 | Puerperal sepsis | F. | 1 | | | | | | | | | | | |
| 36 | Other puerperal causes | F. | 8 | | | | | | | | | | | |
| 37 | Diseases of skin and locomotor system { M. F. } | { M. F. } | 7 5 | | | | | | | | | | | |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 35 26 | | | | | | | | | | | |
| 39 | Old age | { M. F. } | 19 33 | | | | | | | | | | 6 11 | 3 8 |
| 40 | Suicide | { M. F. } | 9 1 | | | | | | | | | | | |
| 42 | Other violence (41) | { M. F. } | 37 17 | | | | | | | | | | | |
| 43 | Causes ill-defined or unknown | { M. F. } | 10 7 | | | | | | | | | | 2 2 | |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) |
|--------|---|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 24 | Heart disease | { M. F. } | 83 88 | 1 1 | 1 1 | 2 1 | 6 11 | 12 16 | 24 24 | 2 4 | 58 55 | 2 4 | 2 4 | 6 7 |
| 25 | Other circulatory diseases | { M. F. } | 14 10 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 26 | Bronchitis | { M. F. } | 23 10 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 |
| 27 | Pneumonia (all forms) | { M. F. } | 34 25 | 6 7 | 6 3 | 6 3 | 6 3 | 6 3 | 6 3 | 6 3 | 6 3 | 6 3 | 6 3 | 6 3 |
| 28 | Other respiratory diseases | { M. F. } | 9 6 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (1) | Gastric and duodenal ulcer | { M. F. } | 8 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 29 | Diarrhoea, &c. (all ages) | { M. F. } | 9 6 | 4 3 | 4 3 | 4 3 | 4 3 | 4 3 | 4 3 | 4 3 | 4 3 | 4 3 | 4 3 | 4 3 |
| 30 | Appendicitis | { M. F. } | 2 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (1) | Cirrhosis of liver, &c. | { M. F. } | 2 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 31 (2) | Other diseases of liver, &c. | { M. F. } | 1 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 32 (2) | Other digestive diseases | { M. F. } | 7 12 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 33 | Acute and chronic nephritis | { M. F. } | 6 8 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 34 | Other diseases of genito-urinary system | { M. F. } | 11 5 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 35 | Puerperal sepsis | F. | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 36 | Other puerperal causes | F. | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 37 | Diseases of skin and locomotor system | { M. F. } | 1 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 38 | Congenital debility, premature birth, malformation, &c. | { M. F. } | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 | 36 30 |
| 39 | Old age | { M. F. } | 18 15 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 40 | Suicide | { M. F. } | 1 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 42 | Other violence (41) | { M. F. } | 36 16 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| 43 | Causes ill-defined or unknown | { M. F. } | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| International Nos. Short List. | | SCOTLAND. | ABERDEEN COUNTY. | | | | | Marginal Index Numbers. |
|-----------------------------------|--|-----------|----------------------|-------------|-------------|----------|----------------|----------------------------|
| | | | Aberdeen County.† | Aberdeen B. | Ballater B. | Ellon B. | Fraserburgh B. | |
| | Population (Estimated) - - - | 4,993,126 | 325,231 | 178,199 | 1,254 | 1,390 | 10,388 | 1 |
| | Total Births Registered (including Illegitimate) | 88,627 | 5,786 | 3,236 | 17 | 23 | 183 | 2 |
| | " " Corrected for Transfers | 88,627 | 5,733 | 3,008 | 17 | 23 | 180 | 3 |
| | " " " Male - - | 45,447 | 2,990 | 1,554 | 11 | 8 | 86 | 4 |
| | " " " Female - | 43,180 | 2,743 | 1,454 | 6 | 15 | 94 | 5 |
| | " " " Illegitimate | 5,449 | 530 | 168 | 2 | 1 | 19 | 6 |
| | " Marriages Registered - - | 38,747 | 2,654 | 1,829 | 5 | 27 | 62 | 7 |
| | " Deaths Registered - - - | 62,953 | 4,025 | 2,571 | 11 | 24 | 99 | 8 |
| | " " Corrected for Transfers | 62,953 | 3,864 | 2,136 | 18 | 26 | 102 | 9 |
| | " " " Male - - | 31,806 | 1,896 | 1,026 | 10 | 11 | 60 | 10 |
| | " " " Female - | 31,147 | 1,968 | 1,110 | 8 | 15 | 42 | 11 |
| | CAUSES OF DEATH. | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | 27 | 1 | 1 | - | - | - | 12 |
| 4 | Measles - - - - - | 549 | 23 | 18 | - | - | - | 13 |
| 5 | Scarlet fever - - - - - | 98 | 7 | 1 | - | - | 1 | 14 |
| 6 | Whooping-cough - - - - - | 219 | 22 | 13 | - | - | 1 | 15 |
| 7 | Diphtheria - - - - - | 430 | 30 | 19 | - | - | - | 16 |
| 8 | Influenza - - - - - | 396 | 11 | 5 | - | - | - | 17 |
| 14 (1) | Cerebro-spinal fever - - - - - | 106 | 4 | 3 | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | 218 | 16 | 10 | - | - | - | 19 |
| 10 | Tuberculosis of respiratory system - | 2,581 | 94 | 67 | - | - | 2 | 20 |
| 11 | Other tuberculous diseases - - - - | 851 | 45 | 18 | - | - | 2 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | 243 | 21 | 11 | - | - | 2 | 22 |
| 15 | Cancer, malignant disease - - - - | 8,072 | 499 | 274 | 1 | 3 | 5 | 23 |
| 18 | Diabetes mellitus - - - - - | 859 | 54 | 30 | - | - | 1 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 1,523 | 80 | 45 | 1 | 2 | 1 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - - | 6,254 | 446 | 239 | 3 | 4 | 13 | 26 |
| 23 | Other dis. of nerv. syst. and sense org. (21) | 1,518 | 102 | 65 | - | 1 | 4 | 27 |
| 24 | Heart disease - - - - - | 14,115 | 921 | 473 | 9 | 10 | 25 | 28 |
| 25 | Other circulatory diseases - - - - | 1,323 | 98 | 64 | - | - | 1 | 29 |
| 26 | Bronchitis - - - - - | 2,462 | 124 | 72 | - | - | 11 | 30 |
| 27 | Pneumonia (all forms) - - - - - | 3,832 | 209 | 109 | 2 | 1 | 7 | 31 |
| 28 | Other respiratory diseases - - - - | 780 | 53 | 25 | - | - | 3 | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - - | 688 | 46 | 26 | - | - | 3 | 33 |
| 29 | Diarrhoea, &c. (all ages) - - - - | 981 | 40 | 25 | - | - | - | 34 |
| 30 | Appendicitis - - - - - | 430 | 36 | 21 | - | - | 1 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | 203 | 17 | 9 | - | - | - | 36 |
| 31 (2) | Other diseases of liver, &c. - - - - | 396 | 26 | 15 | - | 1 | - | 37 |
| 32 (2) | Other digestive diseases - - - - - | 962 | 70 | 38 | - | - | 4 | 38 |
| 33 | Acute and chronic nephritis - - - - | 1,769 | 135 | 81 | 1 | - | 3 | 39 |
| 34 | Other dis. of genito-urinary system - | 968 | 65 | 30 | - | - | 1 | 40 |
| 35 | Puerperal sepsis - - - - - | 150 | 8 | 7 | - | - | - | 41 |
| 36 | Other puerperal causes - - - - - | 282 | 10 | 7 | - | - | - | 42 |
| 37 | Diseases of skin and locomotor system - | 351 | 23 | 14 | - | - | 1 | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 3,144 | 198 | 104 | - | 3 | 5 | 44 |
| 39 | Old age - - - - - | 2,304 | 101 | 49 | - | - | 1 | 45 |
| 40 | Suicide - - - - - | 460 | 28 | 19 | - | - | - | 46 |
| 42 | Other violence (41) - - - - - | 2,418 | 159 | 104 | 1 | 1 | 4 | 47 |
| 43 | Causes ill-defined or unknown - - - | 991 | 42 | 25 | - | - | - | 48 |
| | ALL CAUSES - - - | 62,953 | 3,864 | 2,136 | 18 | 26 | 102 | 49 |
| | AGES AT DEATH. | | | | | | | |
| | Under 1 - - - - - | 6,163 | 390 | 215 | 1 | 5 | 12 | 50 |
| | 1-4 - - - - - | 2,098 | 139 | 78 | - | - | 7 | 51 |
| | 5-9 - - - - - | 769 | 33 | 22 | - | 1 | 2 | 52 |
| | 10-14 - - - - - | 576 | 25 | 16 | - | - | 1 | 53 |
| | 15-24 - - - - - | 2,150 | 101 | 56 | - | 1 | 5 | 54 |
| | 25-34 - - - - - | 2,478 | 127 | 74 | - | - | 2 | 55 |
| | 35-44 - - - - - | 3,295 | 166 | 107 | - | - | 6 | 56 |
| | 45-54 - - - - - | 5,462 | 288 | 186 | 1 | 1 | 6 | 57 |
| | 55-64 - - - - - | 9,750 | 579 | 334 | 5 | 2 | 21 | 58 |
| | 65-74 - - - - - | 14,697 | 931 | 528 | 5 | 7 | 15 | 59 |
| | 75-84 - - - - - | 12,253 | 833 | 407 | 4 | 7 | 13 | 60 |
| | 85 and over - - - - - | 3,257 | 252 | 113 | 2 | 2 | 12 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 62,953 | 3,864 | 2,136 | 18 | 26 | 102 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Including portion of Aberdeen Burgh in Kincardine County.

| Marginal Index Numbers. | ABERDEEN COUNTY—(continued). | | | | | | | | ANGUS COUNTY. | | | | |
|----------------------------|------------------------------|--------------|------------|----------------|--------------|---------------|------------|-----------|------------------|-------------|------------|---------------|-----------|
| | Huntly B. | Inverurie B. | Kintore B. | Old Meldrum B. | Peterhead B. | Rosehearty B. | Turriff B. | Landward. | Angus County. | Arbroath B. | Brechin B. | Carnoustie B. | Dundee B. |
| 1 | 3,985 | 4,728 | 799 | 1,025 | 13,056 | 1,124 | 2,562 | 106,721 | 272,847 | 18,173 | 6,615 | 4,801 | 177,960 |
| 2 | 63 | 58 | 7 | 19 | 254 | 21 | 138 | 1,767 | 4,591 | 251 | 73 | 32 | 3,394 |
| 3 | 65 | 74 | 10 | 21 | 268 | 20 | 53 | 1,994 | 4,477 | 254 | 82 | 40 | 3,124 |
| 4 | 35 | 35 | 5 | 13 | 133 | 9 | 23 | 1,078 | 2,298 | 135 | 45 | 25 | 1,629 |
| 5 | 30 | 39 | 5 | 8 | 135 | 11 | 30 | 916 | 2,179 | 119 | 37 | 15 | 1,495 |
| 6 | 11 | 7 | 1 | 1 | 20 | 1 | 8 | 291 | 269 | 11 | 5 | 2 | 188 |
| 7 | 35 | 44 | 9 | 10 | 96 | 8 | 19 | 510 | 2,003 | 149 | 56 | 24 | 1,406 |
| 8 | 56 | 47 | 11 | 16 | 127 | 25 | 36 | 1,002 | 3,904 | 280 | 145 | 64 | 2,563 |
| 9 | 57 | 55 | 14 | 22 | 162 | 25 | 33 | 1,214 | 3,788 | 282 | 121 | 77 | 2,441 |
| 10 | 27 | 25 | 8 | 15 | 72 | 14 | 14 | 614 | 1,787 | 120 | 45 | 22 | 1,186 |
| 11 | 30 | 30 | 6 | 7 | 90 | 11 | 19 | 600 | 2,001 | 162 | 76 | 55 | 1,255 |
| 12 | - | - | - | - | - | - | - | - | 3 | - | - | - | 3 |
| 13 | - | - | - | - | 2 | - | - | 3 | 75 | 2 | - | - | 71 |
| 14 | - | - | - | - | - | - | - | 5 | 7 | - | - | - | 7 |
| 15 | - | - | - | - | 1 | 1 | - | 6 | 5 | - | - | - | 5 |
| 16 | 1 | - | - | - | 1 | - | - | 9 | 15 | - | - | - | 13 |
| 17 | 1 | - | - | - | - | - | - | 5 | 20 | - | 1 | 1 | 13 |
| 18 | - | - | - | - | - | - | - | 1 | 2 | - | - | - | 2 |
| 19 | - | - | - | - | 2 | - | - | 4 | 9 | 1 | - | 1 | 3 |
| 20 | - | 1 | - | - | 5 | - | - | 19 | 154 | 12 | 4 | - | 111 |
| 21 | - | - | - | - | 4 | - | - | 21 | 46 | 4 | - | - | 35 |
| 22 | - | - | - | - | - | - | - | 8 | 10 | - | - | - | 9 |
| 23 | 11 | 4 | 2 | 3 | 17 | 5 | 2 | 169 | 501 | 33 | 22 | 12 | 317 |
| 24 | 2 | 4 | - | - | 2 | - | - | 15 | 51 | 3 | 1 | 3 | 32 |
| 25 | 4 | - | - | - | 2 | - | 5 | 20 | 74 | 5 | 4 | 3 | 44 |
| 26 | 6 | 7 | 2 | 3 | 9 | 3 | 4 | 153 | 373 | 44 | 14 | 10 | 199 |
| 27 | 2 | 2 | - | 1 | 3 | - | - | 24 | 79 | 6 | - | 4 | 46 |
| 28 | 6 | 22 | 1 | 10 | 42 | 7 | 11 | 305 | 1,015 | 85 | 47 | 10 | 650 |
| 29 | 2 | 2 | - | - | 5 | - | - | 24 | 56 | 3 | 1 | 1 | 30 |
| 30 | 1 | 1 | - | - | 3 | 1 | 1 | 34 | 110 | 14 | 3 | 3 | 70 |
| 31 | 3 | 2 | 2 | 1 | 13 | - | - | 69 | 242 | 11 | 2 | 1 | 181 |
| 32 | 1 | 1 | 1 | - | 2 | - | - | 20 | 48 | 3 | 1 | 1 | 33 |
| 33 | 2 | - | - | - | 5 | - | - | 10 | 33 | 4 | - | - | 17 |
| 34 | 1 | 1 | - | - | 3 | - | - | 10 | 37 | 4 | 3 | 2 | 22 |
| 35 | - | - | - | 1 | - | - | - | 13 | 32 | 2 | - | - | 23 |
| 36 | - | - | - | - | 3 | - | - | 5 | 10 | - | - | - | 8 |
| 37 | 1 | - | - | - | 1 | - | - | 8 | 23 | 1 | 2 | - | 14 |
| 38 | 2 | - | - | - | 4 | - | 1 | 21 | 52 | 3 | - | 1 | 34 |
| 39 | 3 | - | - | 1 | 4 | 2 | 2 | 38 | 100 | 13 | 2 | - | 64 |
| 40 | - | 2 | 1 | - | 3 | - | - | 28 | 49 | 2 | 2 | - | 37 |
| 41 | - | - | - | - | - | - | - | 1 | 12 | - | - | - | 10 |
| 42 | - | - | - | - | - | - | - | 3 | 10 | - | 1 | - | 8 |
| 43 | - | - | - | - | 1 | - | - | 7 | 16 | - | 2 | - | 11 |
| 44 | 1 | 1 | - | 1 | 11 | - | 5 | 67 | 189 | 12 | 2 | 4 | 129 |
| 45 | 1 | 5 | 3 | - | 9 | 2 | 2 | 29 | 150 | 6 | 3 | 18 | 76 |
| 46 | - | - | - | - | 1 | - | - | 8 | 41 | 3 | 1 | - | 31 |
| 47 | 3 | - | 1 | 1 | 3 | 1 | - | 40 | 121 | 5 | 3 | 2 | 74 |
| 48 | - | - | 1 | - | 1 | 3 | - | 12 | 18 | 1 | - | - | 9 |
| 49 | 57 | 55 | 14 | 22 | 162 | 25 | 33 | 1,214 | 3,788 | 282 | 121 | 77 | 2,441 |
| 50 | 3 | 2 | - | 2 | 24 | - | 5 | 121 | 335 | 23 | 3 | 3 | 242 |
| 51 | 2 | - | 1 | 2 | 7 | 1 | - | 41 | 142 | 8 | - | - | 113 |
| 52 | 1 | - | - | - | 1 | - | - | 6 | 44 | 2 | - | - | 35 |
| 53 | - | - | - | - | - | - | - | 8 | 29 | - | - | - | 21 |
| 54 | 2 | 2 | - | - | 5 | 1 | 1 | 28 | 100 | 8 | 3 | 1 | 68 |
| 55 | 1 | - | 1 | - | 6 | 1 | - | 42 | 147 | 7 | 2 | 1 | 109 |
| 56 | 2 | 1 | - | - | 7 | - | - | 43 | 192 | 5 | 4 | 4 | 142 |
| 57 | 6 | 2 | 1 | - | 12 | 1 | 2 | 70 | 297 | 13 | 10 | 4 | 209 |
| 58 | 10 | 10 | 2 | 5 | 24 | 6 | 1 | 159 | 508 | 39 | 18 | 9 | 335 |
| 59 | 13 | 15 | 4 | 8 | 32 | 6 | 15 | 283 | 962 | 88 | 38 | 26 | 597 |
| 60 | 14 | 19 | 3 | 2 | 36 | 6 | 6 | 316 | 802 | 66 | 27 | 22 | 458 |
| 61 | 3 | 4 | 2 | 3 | 8 | 3 | 3 | 97 | 230 | 23 | 16 | 7 | 107 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 57 | 55 | 14 | 22 | 162 | 25 | 33 | 1,214 | 3,788 | 282 | 121 | 77 | 2,441 |

| International Nos. Short List. | | ANGUS COUNTY—(continued). | | | | | ARGYLL COUNTY. | | Marginal Index Numbers. |
|-----------------------------------|---|---------------------------|---------------|--------------|-------------|-----------|----------------|----------------|----------------------------|
| | | Forfar B. | Kirriemuir B. | Monifieth B. | Montrose B. | Landward. | Argyll County. | Campbeltown B. | |
| | Population (Estimated) - - - | 9,812 | 3,432 | 3,177 | 10,798 | 38,079 | 61,600 | 6,481 | 1 |
| | Total Births Registered (including Illegitimate) | 112 | 32 | 28 | 132 | 537 | 774 | 122 | 2 |
| | „ „ Corrected for Transfers | 117 | 36 | 40 | 154 | 630 | 842 | 120 | 3 |
| | „ „ „ Male - - | 52 | 15 | 14 | 82 | 301 | 401 | 54 | 4 |
| | „ „ „ Female - - | 65 | 21 | 26 | 72 | 329 | 441 | 66 | 5 |
| | „ „ „ Illegitimate | 7 | 2 | - | 4 | 50 | 66 | 12 | 6 |
| | „ Marriages Registered - - | 72 | 28 | 19 | 99 | 150 | 280 | 47 | 7 |
| | „ Deaths Registered - - - | 136 | 59 | 40 | 149 | 468 | 896 | 84 | 8 |
| | „ „ Corrected for Transfers | 144 | 70 | 41 | 166 | 446 | 952 | 83 | 9 |
| | „ „ „ Male - - | 63 | 31 | 17 | 76 | 227 | 460 | 36 | 10 |
| | „ „ „ Female - - | 81 | 39 | 24 | 90 | 219 | 492 | 47 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | - | 12 |
| 4 | Measles - - - - - | - | - | - | - | 2 | 4 | 1 | 13 |
| 5 | Scarlet fever - - - - - | - | - | - | - | - | 3 | - | 14 |
| 6 | Whooping-cough - - - - - | - | - | - | - | - | - | - | 15 |
| 7 | Diphtheria - - - - - | - | - | - | - | 2 | - | - | 16 |
| 8 | Influenza - - - - - | - | 1 | 2 | - | 2 | 3 | - | 17 |
| 14 (1) | Cerebro-spinal fever - - - - - | - | - | - | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | - | - | 1 | - | 3 | 1 | - | 19 |
| 10 | Tuberculosis of respiratory system - - | 4 | 1 | - | 5 | 17 | 29 | 3 | 20 |
| 11 | Other tuberculous diseases - - - - - | 1 | - | - | 1 | 5 | 11 | 1 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | - | - | - | 1 | 3 | - | 22 |
| 15 | Cancer, malignant disease - - - - - | 22 | 13 | 4 | 20 | 58 | 127 | 13 | 23 |
| 18 | Diabetes mellitus - - - - - | 2 | - | 1 | 3 | 6 | 7 | 2 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 3 | 3 | 2 | 4 | 6 | 26 | 2 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - - - | 28 | 6 | 4 | 13 | 55 | 136 | 11 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 8 | 1 | - | 8 | 6 | 25 | 4 | 27 |
| 24 | Heart disease - - - - - | 26 | 21 | 9 | 49 | 118 | 211 | 15 | 28 |
| 25 | Other circulatory diseases - - - - - | 5 | 2 | 1 | 3 | 10 | 33 | 4 | 29 |
| 26 | Bronchitis - - - - - | 7 | 1 | 2 | 4 | 6 | 20 | 3 | 30 |
| 27 | Pneumonia (all forms) - - - - - | 6 | 2 | 1 | 7 | 31 | 27 | 4 | 31 |
| 28 | Other respiratory diseases - - - - - | 1 | - | 1 | 1 | 7 | 15 | - | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - - - | 2 | 2 | 2 | 2 | 4 | 18 | 1 | 33 |
| 29 | Diarrhœa, &c. (all ages) - - - - - | - | 1 | - | - | 5 | 3 | - | 34 |
| 30 | Appendicitis - - - - - | 1 | 1 | - | 1 | 4 | 5 | 1 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | 1 | - | - | - | 1 | 6 | 1 | 36 |
| 31 (2) | Other diseases of liver, &c. - - - - - | 1 | 1 | - | - | 4 | 5 | - | 37 |
| 32 (2) | Other digestive diseases - - - - - | 1 | 2 | 3 | 2 | 6 | 19 | 3 | 38 |
| 33 | Acute and chronic nephritis - - - - - | 2 | 2 | - | 7 | 10 | 28 | 2 | 39 |
| 34 | Other dis. of genito-urinary system - - | - | 1 | - | 3 | 4 | 16 | 1 | 40 |
| 35 | Puerperal sepsis - - - - - | - | - | - | - | 2 | 3 | - | 41 |
| 36 | Other puerperal causes - - - - - | - | - | - | - | 1 | 2 | 1 | 42 |
| 37 | Diseases of skin and locomotor system - | - | - | 1 | 1 | 1 | 4 | 1 | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 9 | - | 3 | 8 | 22 | 17 | 2 | 44 |
| 39 | Old age - - - - - | 4 | 6 | 3 | 18 | 16 | 63 | 3 | 45 |
| 40 | Suicide - - - - - | 1 | - | - | - | 5 | 3 | - | 46 |
| 42 | Other violence (41) - - - - - | 8 | 3 | 1 | 3 | 22 | 36 | 4 | 47 |
| 43 | Causes Ill-defined or unknown - - - | 1 | - | - | 3 | 4 | 43 | - | 48 |
| | ALL CAUSES - - - | 144 | 70 | 41 | 166 | 446 | 952 | 83 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | 11 | - | 4 | 12 | 37 | 33 | 7 | 50 |
| | 1-4 - - - - - | 3 | - | - | - | 13 | 6 | 1 | 51 |
| | 5-9 - - - - - | 2 | - | - | 1 | 4 | 8 | 1 | 52 |
| | 10-14 - - - - - | 1 | 1 | - | 2 | 4 | 2 | - | 53 |
| | 15-24 - - - - - | 3 | - | - | 1 | 16 | 21 | 2 | 54 |
| | 25-34 - - - - - | 3 | - | 1 | 5 | 19 | 34 | 2 | 55 |
| | 35-44 - - - - - | 5 | 3 | 1 | 10 | 18 | 46 | 8 | 56 |
| | 45-54 - - - - - | 11 | 8 | 1 | 13 | 28 | 69 | 6 | 57 |
| | 55-64 - - - - - | 23 | 6 | 8 | 22 | 48 | 127 | 10 | 58 |
| | 65-74 - - - - - | 33 | 14 | 9 | 46 | 111 | 247 | 25 | 59 |
| | 75-84 - - - - - | 39 | 30 | 11 | 39 | 110 | 267 | 16 | 60 |
| | 85 and over - - - - - | 10 | 8 | 6 | 15 | 38 | 92 | 5 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 144 | 70 | 41 | 166 | 446 | 952 | 83 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | ARGYLL COUNTY—(continued). | | | | | | AYR COUNTY. | | | | | | |
|----------------------------|----------------------------|--------------|--------------------|---------|--------------|-----------|-------------|--------------|--------|----------------------------|-----------|------------|-----------|
| | Dunoon B. | Inveraray B. | Lochgilphead B. | Oban B. | Tobermory B. | Landward. | Ayr County. | Ardrossan B. | Ayr B. | Cumnock and Holmhead B. | Darvel B. | Galston B. | Girvan B. |
| 1 | 7,902 | 455 | 1,082 | 5,794 | 736 | 39,150 | 294,050 | 7,511 | 40,779 | 4,053 | 3,356 | 4,789 | 5,343 |
| 2 | 87 | 2 | 13 | 98 | 5 | 447 | 5,422 | 102 | 1,007 | 77 | 21 | 59 | 103 |
| 3 | 86 | 4 | 16 | 95 | 5 | 516 | 5,444 | 178 | 684 | 93 | 42 | 69 | 103 |
| 4 | 40 | - | 6 | 51 | 2 | 248 | 2,805 | 97 | 353 | 39 | 25 | 33 | 54 |
| 5 | 46 | 4 | 10 | 44 | 3 | 268 | 2,639 | 81 | 331 | 54 | 17 | 36 | 49 |
| 6 | 4 | - | - | 3 | - | 47 | 288 | 9 | 43 | 1 | 1 | 1 | 13 |
| 7 | 45 | - | 9 | 56 | - | 123 | 2,171 | 58 | 355 | 43 | 31 | 50 | 44 |
| 8 | 157 | 5 | 13 | 117 | 8 | 512 | 3,496 | 67 | 792 | 51 | 41 | 33 | 52 |
| 9 | 153 | 8 | 16 | 75 | 11 | 606 | 3,629 | 95 | 544 | 62 | 45 | 45 | 73 |
| 10 | 65 | 1 | 4 | 39 | 6 | 309 | 1,795 | 47 | 260 | 25 | 19 | 23 | 37 |
| 11 | 88 | 7 | 12 | 36 | 5 | 297 | 1,834 | 48 | 284 | 37 | 26 | 22 | 36 |
| 12 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 13 | - | - | - | 2 | - | 1 | 15 | - | 3 | - | - | - | 1 |
| 14 | - | - | - | - | - | 3 | 1 | - | - | - | - | - | - |
| 15 | - | - | - | - | - | - | 17 | - | - | - | - | - | - |
| 16 | - | - | - | - | - | - | 32 | - | 9 | - | - | - | 2 |
| 17 | 1 | - | - | - | 1 | 1 | 29 | 2 | 4 | - | 1 | 2 | - |
| 18 | - | - | - | - | - | - | 12 | - | - | 1 | - | - | - |
| 19 | - | - | - | - | - | 1 | 14 | - | - | 2 | - | 1 | - |
| 20 | - | - | - | 3 | 2 | 21 | 113 | 3 | 18 | 2 | 3 | - | 5 |
| 21 | 2 | - | - | 1 | - | 7 | 43 | 1 | 4 | - | - | - | 1 |
| 22 | 1 | - | - | 1 | - | 1 | 15 | 1 | 2 | - | - | - | - |
| 23 | 23 | - | 5 | 9 | 1 | 76 | 426 | 14 | 58 | 13 | 6 | 2 | 9 |
| 24 | 1 | - | - | 1 | - | 3 | 60 | 3 | 8 | - | - | 2 | 2 |
| 25 | 6 | - | - | 4 | - | 14 | 102 | 5 | 17 | 2 | - | 1 | 2 |
| 26 | 23 | 1 | 4 | 5 | 1 | 91 | 356 | 6 | 58 | 6 | 6 | 4 | 6 |
| 27 | 3 | - | - | 2 | - | 16 | 82 | 1 | 16 | 2 | 2 | 1 | - |
| 28 | 41 | 2 | 4 | 16 | 2 | 131 | 849 | 26 | 124 | 16 | 17 | 14 | 10 |
| 29 | 3 | 1 | - | 5 | 1 | 19 | 59 | 2 | 17 | - | 3 | 1 | 1 |
| 30 | 3 | 1 | - | 1 | - | 12 | 123 | 2 | 14 | 3 | - | 4 | 4 |
| 31 | 6 | 1 | - | 2 | - | 14 | 186 | 5 | 22 | - | - | 2 | 3 |
| 32 | 2 | 1 | - | 2 | - | 10 | 51 | 1 | 6 | - | - | 1 | - |
| 33 | 3 | - | - | 1 | - | 13 | 34 | - | 6 | 1 | - | 1 | 1 |
| 34 | 1 | - | - | - | - | 2 | 65 | 2 | 11 | 1 | - | 1 | 2 |
| 35 | - | - | - | - | - | 4 | 27 | - | 2 | 1 | - | - | 1 |
| 36 | 1 | - | - | 2 | - | 2 | 12 | - | 2 | - | - | - | - |
| 37 | - | - | - | 1 | - | 4 | 28 | 2 | 2 | - | - | - | - |
| 38 | 3 | - | 1 | - | - | 12 | 54 | - | 9 | - | 2 | - | 2 |
| 39 | 3 | - | - | - | - | 23 | 123 | 3 | 21 | 1 | 2 | - | 5 |
| 40 | 2 | - | - | 1 | - | 12 | 48 | 1 | 10 | 2 | - | - | - |
| 41 | - | - | - | 1 | - | 2 | 10 | 1 | 1 | - | - | - | - |
| 42 | - | - | - | - | - | 1 | 18 | 1 | 4 | - | 1 | - | 1 |
| 43 | 1 | - | - | - | - | 2 | 25 | - | 8 | 1 | - | - | - |
| 44 | 1 | - | - | 1 | 1 | 12 | 231 | 8 | 30 | 5 | 1 | 4 | 5 |
| 45 | 9 | - | - | 5 | 1 | 45 | 131 | 2 | 31 | - | - | 1 | 4 |
| 46 | 2 | - | - | - | - | 1 | 19 | - | 2 | - | - | - | - |
| 47 | 3 | - | 2 | 1 | - | 26 | 160 | 2 | 15 | 1 | 1 | 2 | 5 |
| 48 | 9 | 1 | - | 8 | 1 | 24 | 58 | 1 | 10 | 2 | - | 1 | 1 |
| 49 | 153 | 8 | 16 | 75 | 11 | 606 | 3,629 | 95 | 544 | 62 | 45 | 45 | 73 |
| 50 | 4 | - | - | 2 | 1 | 19 | 405 | 12 | 47 | 6 | 1 | 5 | 9 |
| 51 | - | - | - | 1 | - | 4 | 111 | 1 | 12 | 2 | 1 | - | 1 |
| 52 | 2 | - | - | 2 | - | 3 | 51 | - | 11 | 1 | - | - | 2 |
| 53 | - | - | - | - | - | 2 | 32 | 1 | 5 | 1 | - | - | - |
| 54 | 2 | - | - | 2 | - | 15 | 114 | 2 | 17 | 2 | 2 | - | 3 |
| 55 | 3 | - | 1 | 3 | 2 | 23 | 142 | 1 | 22 | 2 | 3 | 1 | 2 |
| 56 | 5 | - | - | 2 | 1 | 30 | 194 | 7 | 26 | 2 | 1 | 1 | 4 |
| 57 | 12 | - | 2 | 3 | - | 46 | 346 | 11 | 52 | 8 | 5 | 3 | 12 |
| 58 | 23 | 1 | 1 | 13 | 1 | 78 | 561 | 17 | 92 | 12 | 7 | 6 | 8 |
| 59 | 46 | 4 | 4 | 17 | 2 | 149 | 832 | 21 | 135 | 9 | 11 | 18 | 20 |
| 60 | 46 | 2 | 7 | 24 | 3 | 169 | 662 | 15 | 101 | 15 | 12 | 10 | 11 |
| 61 | 10 | 1 | 1 | 6 | 1 | 68 | 179 | 7 | 24 | 2 | 2 | 1 | 1 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 153 | 8 | 16 | 75 | 11 | 606 | 3,629 | 95 | 544 | 62 | 45 | 45 | 73 |

| International Nos. Short List. | | AYR COUNTY—(continued). | | | | | | | Marginal Index Numbers. |
|-----------------------------------|--|-------------------------|------------------|---------------|----------|------------|------------------------------|--------------|----------------------------|
| | | Irvine B. | Kilmarnock B. | Kilwinning B. | Largs B. | Maybole B. | Newmilns and Greenholm B. | Prestwick B. | |
| | Population (Estimated) - - - | 12,948 | 40,151 | 5,563 | 6,129 | 4,448 | 4,004 | 9,692 | 1 |
| | Total Births Registered (including Illegitimate) | 159 | 890 | 682 | 29 | 79 | 39 | 96 | 2 |
| | „ „ Corrected for Transfers | 247 | 769 | 113 | 48 | 84 | 60 | 128 | 3 |
| | „ „ „ Male - - | 132 | 416 | 63 | 28 | 42 | 29 | 67 | 4 |
| | „ „ „ Female - - | 115 | 353 | 56 | 20 | 42 | 31 | 61 | 5 |
| | „ „ „ Illegitimate | 8 | 29 | 3 | 1 | 9 | 2 | 5 | 6 |
| | „ Marriages Registered - - | 101 | 290 | 48 | 34 | 41 | 21 | 51 | 7 |
| | „ Deaths Registered - - | 101 | 556 | 83 | 80 | 31 | 38 | 104 | 8 |
| | „ „ Corrected for Transfers | 155 | 512 | 74 | 99 | 42 | 49 | 129 | 9 |
| | „ „ „ Male - - | 95 | 232 | 39 | 52 | 25 | 17 | 56 | 10 |
| | „ „ „ Female - - | 60 | 280 | 35 | 47 | 17 | 32 | 73 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | - | 12 |
| 4 | Measles - - - - - | - | 4 | 2 | - | - | - | - | 13 |
| 5 | Scarlet fever - - - - - | - | - | - | - | - | - | - | 14 |
| 6 | Whooping-cough - - - - - | 1 | 6 | - | - | - | - | - | 15 |
| 7 | Diphtheria - - - - - | 1 | 6 | - | - | 5 | - | 1 | 16 |
| 8 | Influenza - - - - - | 2 | 3 | 1 | 1 | 1 | 1 | 1 | 17 |
| 14 (1) | Cerebro-spinal fever - - - - - | - | 4 | 1 | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | 1 | 1 | 1 | - | - | - | 1 | 19 |
| 10 | Tuberculosis of respiratory system - - | 4 | 14 | 4 | 3 | 5 | - | 3 | 20 |
| 11 | Other tuberculous diseases - - - - | 1 | 9 | 1 | 1 | 1 | - | - | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | 2 | 1 | - | - | - | - | 1 | 22 |
| 15 | Cancer, malignant disease - - - - | 19 | 61 | 5 | 20 | 6 | 6 | 17 | 23 |
| 18 | Diabetes mellitus - - - - - | 2 | 8 | 3 | - | 2 | - | 2 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 4 | 15 | 3 | 2 | - | 1 | 1 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - - | 14 | 53 | 5 | 13 | 1 | 8 | 9 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 5 | 13 | 2 | - | - | 1 | 2 | 27 |
| 24 | Heart disease - - - - - | 23 | 125 | 12 | 26 | 5 | 12 | 46 | 28 |
| 25 | Other circulatory diseases - - - - | - | 10 | - | 3 | - | - | 1 | 29 |
| 26 | Bronchitis - - - - - | 6 | 18 | 2 | 5 | - | 2 | 9 | 30 |
| 27 | Pneumonia (all forms) - - - - - | 16 | 33 | 2 | 4 | 5 | 4 | 5 | 31 |
| 28 | Other respiratory diseases - - - - | 2 | 5 | 1 | 1 | - | 3 | 3 | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - - | - | 6 | - | 2 | - | - | - | 33 |
| 29 | Diarrhœa, &c. (all ages) - - - - | 3 | 5 | 6 | - | - | - | 1 | 34 |
| 30 | Appendicitis - - - - - | 2 | 3 | 1 | 1 | - | 1 | 1 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | - | 1 | 1 | - | - | - | 2 | 36 |
| 31 (2) | Other diseases of liver, &c. - - - - | - | 4 | - | 1 | - | 2 | 2 | 37 |
| 32 (2) | Other digestive diseases - - - - | 1 | 12 | - | - | 1 | - | 1 | 38 |
| 33 | Acute and chronic nephritis - - - - | 9 | 14 | 2 | 3 | 1 | 2 | 2 | 39 |
| 34 | Other dis. of genito-urinary system - | 2 | 6 | - | - | 1 | - | 2 | 40 |
| 35 | Puerperal sepsis - - - - - | - | 2 | - | - | - | - | 2 | 41 |
| 36 | Other puerperal causes - - - - - | - | 2 | - | 1 | - | - | - | 42 |
| 37 | Diseases of skin and locomotor system | 1 | 3 | - | 1 | - | - | 1 | 43 |
| 38 | Congen. debil., prem. birth, malform. &c. | 11 | 35 | 4 | 2 | 5 | 4 | 8 | 44 |
| 39 | Old age - - - - - | 8 | 14 | 8 | 5 | - | - | - | 45 |
| 40 | Suicide - - - - - | 3 | 4 | 1 | - | - | - | 1 | 46 |
| 42 | Other violence (41) - - - - - | 8 | 11 | 2 | 2 | 1 | 1 | 3 | 47 |
| 43 | Causes ill-defined or unknown - - - | 4 | 1 | 4 | 2 | 2 | 1 | 1 | 48 |
| | ALL CAUSES - - - - - | 155 | 512 | 74 | 99 | 42 | 49 | 129 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | 22 | 61 | 8 | 5 | 7 | 7 | 11 | 50 |
| | 1-4 - - - - - | 7 | 25 | 5 | - | 4 | - | 1 | 51 |
| | 5-9 - - - - - | 2 | 3 | 1 | 1 | 3 | 1 | - | 52 |
| | 10-14 - - - - - | 6 | 6 | - | - | 2 | - | - | 53 |
| | 15-24 - - - - - | 5 | 11 | 3 | - | 2 | 1 | 3 | 54 |
| | 25-34 - - - - - | 3 | 20 | 4 | 2 | 1 | - | 3 | 55 |
| | 35-44 - - - - - | 8 | 27 | 4 | 9 | 3 | 1 | 6 | 56 |
| | 45-54 - - - - - | 15 | 52 | 8 | 7 | 5 | 5 | 6 | 57 |
| | 55-64 - - - - - | 23 | 75 | 11 | 21 | 6 | 9 | 17 | 58 |
| | 65-74 - - - - - | 29 | 128 | 19 | 25 | 6 | 13 | 33 | 59 |
| | 75-84 - - - - - | 28 | 78 | 10 | 20 | 3 | 7 | 42 | 60 |
| | 85 and over - - - - - | 7 | 26 | 1 | 9 | - | 5 | 7 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - - - | 155 | 512 | 74 | 99 | 42 | 49 | 129 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | AYR COUNTY—(continued). | | | | BANFF COUNTY. | | | | | | | | | |
|-------------------------|-------------------------|--------------|----------|-----------|---------------|----------------|----------|-----------|----------------------------|-----------|-------------|--------------|----------|------------|
| | Saltcoats B. | Stewarton B. | Troon B. | Landward. | Banff County. | Aberchirder B. | Banff B. | Buckie B. | Charlestown of Aberlour B. | Cullen B. | Dufftown B. | Findochty B. | Keith B. | Macduff B. |
| 1 | 10,653 | 2,782 | 8,666 | 123,183 | 53,567 | 893 | 3,306 | 8,481 | 1,218 | 1,738 | 1,429 | 1,712 | 4,440 | 3,283 |
| 2 | 121 | 45 | 58 | 1,855 | 940 | 20 | 100 | 162 | 18 | 19 | 25 | 36 | 85 | 53 |
| 3 | 225 | 53 | 97 | 2,445 | 965 | 16 | 63 | 149 | 16 | 21 | 26 | 31 | 90 | 60 |
| 4 | 109 | 30 | 46 | 1,242 | 498 | 11 | 28 | 80 | 11 | 8 | 14 | 17 | 44 | 27 |
| 5 | 116 | 23 | 51 | 1,203 | 467 | 5 | 35 | 69 | 5 | 13 | 12 | 14 | 46 | 33 |
| 6 | 13 | 2 | 6 | 142 | 146 | 4 | 9 | 14 | 1 | 1 | 4 | 4 | 8 | 9 |
| 7 | 99 | 22 | 54 | 829 | 322 | 11 | 31 | 55 | 7 | 10 | 3 | 4 | 44 | 12 |
| 8 | 96 | 35 | 73 | 1,263 | 594 | 31 | 69 | 93 | 14 | 12 | 24 | 15 | 51 | 25 |
| 9 | 130 | 46 | 95 | 1,434 | 644 | 22 | 39 | 100 | 13 | 23 | 30 | 19 | 54 | 41 |
| 10 | 62 | 19 | 39 | 748 | 326 | 8 | 17 | 57 | 6 | 12 | 9 | 12 | 27 | 20 |
| 11 | 68 | 27 | 56 | 686 | 318 | 14 | 22 | 43 | 7 | 11 | 21 | 7 | 27 | 21 |
| 12 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 13 | 1 | - | - | 4 | - | - | - | - | - | - | - | - | - | - |
| 14 | - | - | - | 1 | 3 | - | - | - | - | - | - | - | 2 | - |
| 15 | - | - | - | 10 | 1 | - | - | - | - | - | - | - | - | 1 |
| 16 | 1 | - | - | 7 | 7 | - | 1 | 1 | - | - | - | - | - | - |
| 17 | - | - | - | 10 | 2 | - | - | 1 | - | - | - | - | - | - |
| 18 | - | - | - | 6 | 2 | - | - | - | 2 | - | - | - | - | - |
| 19 | - | - | - | 7 | 5 | - | 1 | 1 | 1 | - | - | - | - | 1 |
| 20 | 5 | 2 | 1 | 41 | 17 | 1 | 1 | 2 | - | 2 | - | 2 | 1 | - |
| 21 | - | 3 | 1 | 20 | 5 | - | - | - | - | 1 | 1 | 1 | - | - |
| 22 | - | - | - | 8 | 4 | - | 1 | - | - | - | - | 1 | - | 1 |
| 23 | 14 | 2 | 11 | 163 | 77 | - | 5 | 11 | 3 | 2 | 5 | 1 | 6 | 6 |
| 24 | 1 | - | 1 | 26 | 9 | 1 | - | 1 | - | 1 | 1 | - | 3 | - |
| 25 | 2 | 3 | 3 | 41 | 12 | - | - | 2 | 2 | 1 | - | 2 | 2 | - |
| 26 | 11 | 4 | 13 | 139 | 74 | 1 | 5 | 15 | 1 | 3 | 5 | 2 | 3 | 6 |
| 27 | 5 | 1 | 1 | 30 | 12 | 2 | 1 | - | - | - | 2 | 1 | 1 | 2 |
| 28 | 31 | 22 | 18 | 322 | 169 | 9 | 8 | 28 | - | 5 | 7 | 4 | 14 | 7 |
| 29 | 1 | - | 3 | 17 | 13 | - | 1 | 2 | - | 1 | - | - | 2 | - |
| 30 | 3 | 2 | 2 | 47 | 31 | 2 | - | 8 | - | 3 | - | - | 2 | 2 |
| 31 | 2 | - | 6 | 77 | 30 | 1 | 4 | 4 | - | - | 1 | 2 | 1 | 3 |
| 32 | 2 | - | 3 | 23 | 10 | - | 1 | 1 | - | - | 1 | - | - | 1 |
| 33 | 4 | - | - | 13 | 8 | - | - | 2 | 1 | - | 1 | - | 1 | - |
| 34 | 3 | - | 1 | 29 | 4 | 1 | 1 | 1 | - | - | - | - | - | - |
| 35 | - | - | 1 | 13 | 4 | - | 1 | 1 | - | - | - | - | 1 | - |
| 36 | - | 1 | 1 | 4 | 3 | - | - | 1 | - | - | - | - | 1 | - |
| 37 | - | - | 2 | 13 | 4 | - | - | - | - | 1 | - | - | 1 | 1 |
| 38 | 2 | - | 1 | 23 | 10 | - | 1 | 2 | 1 | 1 | - | - | - | 1 |
| 39 | 7 | 3 | 6 | 42 | 18 | - | - | 1 | - | - | - | - | 5 | 2 |
| 40 | 3 | - | 2 | 19 | 12 | - | 1 | 1 | - | - | 2 | - | 1 | - |
| 41 | 1 | 1 | - | 2 | - | - | - | - | - | - | - | - | - | - |
| 42 | - | - | - | 8 | 2 | - | - | 1 | - | - | - | - | 1 | 1 |
| 43 | - | - | - | 10 | 5 | - | 1 | - | - | - | 2 | - | 1 | - |
| 44 | 14 | - | 4 | 91 | 35 | 2 | 2 | 7 | 1 | 1 | - | 2 | 5 | 2 |
| 45 | 9 | 1 | 7 | 41 | 14 | - | 1 | 4 | - | - | - | 1 | - | 2 |
| 46 | - | - | 1 | 7 | 8 | - | - | - | 1 | - | - | - | - | 1 |
| 47 | 6 | - | 2 | 98 | 24 | - | 1 | 1 | - | 1 | 2 | - | 1 | 1 |
| 48 | 2 | 1 | 4 | 21 | 10 | 2 | 1 | 1 | - | - | - | - | - | - |
| 49 | 130 | 46 | 95 | 1,434 | 644 | 22 | 39 | 100 | 13 | 23 | 30 | 19 | 54 | 41 |
| 50 | 20 | 2 | 7 | 175 | 52 | 3 | 2 | 12 | 1 | 1 | 1 | 5 | 5 | 3 |
| 51 | 6 | 2 | 1 | 43 | 20 | - | 2 | 2 | 1 | - | 1 | - | 1 | 2 |
| 52 | 2 | - | 2 | 22 | 7 | - | 1 | 1 | 1 | 2 | - | - | - | - |
| 53 | - | - | - | 11 | 7 | - | - | - | 1 | - | - | 1 | 1 | - |
| 54 | 1 | 2 | 2 | 58 | 17 | 1 | - | 4 | - | 1 | - | 1 | 1 | 2 |
| 55 | 5 | 1 | 1 | 71 | 18 | 1 | 2 | 3 | 1 | 1 | - | 2 | 1 | 1 |
| 56 | 4 | 1 | 6 | 84 | 28 | 1 | 1 | 3 | 1 | 2 | 1 | 2 | 4 | 3 |
| 57 | 9 | 6 | 11 | 131 | 57 | - | 2 | 14 | - | 1 | 3 | - | 1 | 4 |
| 58 | 22 | 6 | 14 | 215 | 81 | 2 | 3 | 11 | 1 | 1 | 4 | 1 | 5 | 7 |
| 59 | 31 | 13 | 24 | 297 | 154 | 8 | 14 | 24 | 5 | 6 | 10 | 6 | 14 | 8 |
| 60 | 24 | 8 | 21 | 257 | 162 | 6 | 9 | 21 | 1 | 7 | 8 | 1 | 16 | 9 |
| 61 | 6 | 5 | 6 | 70 | 41 | - | 3 | 5 | - | 1 | 2 | - | 5 | 2 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 130 | 46 | 95 | 1,434 | 644 | 22 | 39 | 100 | 13 | 23 | 30 | 19 | 54 | 41 |

| International Nos. Short List. | | BANFF COUNTY— (continued). | | | BERWICK COUNTY. | | | | Marginal Index Numbers. |
|-----------------------------------|--|-------------------------------|------------|-----------|--------------------|---------------|---------|-------------|----------------------------|
| | | Portknockie B. | Portsoy B. | Landward. | Berwick County. | Coldstream B. | Duns B. | Eyemouth B. | |
| | Population (Estimated) - - - | 1,657 | 1,734 | 23,676 | 26,295 | 1,222 | 1,874 | 2,196 | 1 |
| | Total Births Registered (including Illegitimate) | 17 | 24 | 381 | 290 | 13 | 58 | 25 | 2 |
| | „ „ Corrected for Transfers | 20 | 23 | 450 | 328 | 14 | 31 | 26 | 3 |
| | „ „ „ Male - - | 11 | 16 | 231 | 171 | 8 | 16 | 12 | 4 |
| | „ „ „ Female - - | 9 | 7 | 219 | 157 | 6 | 15 | 14 | 5 |
| | „ „ „ Illegitimate | 1 | 5 | 86 | 30 | - | 2 | 3 | 6 |
| | „ Marriages Registered - - | 4 | 12 | 129 | 141 | 11 | 20 | 14 | 7 |
| | „ Deaths Registered - - | 15 | 21 | 224 | 306 | 21 | 31 | 17 | 8 |
| | „ „ Corrected for Transfers | 18 | 18 | 267 | 386 | 22 | 33 | 20 | 9 |
| | „ „ „ Male - - | 11 | 10 | 137 | 192 | 13 | 14 | 8 | 10 |
| | „ „ „ Female - - | 7 | 8 | 130 | 194 | 9 | 19 | 12 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | - | 12 |
| 4 | Measles - - - - - | - | - | - | - | - | - | - | 13 |
| 5 | Scarlet fever - - - - | - | - | 1 | - | - | - | - | 14 |
| 6 | Whooping-cough - - - | - | - | - | 1 | - | - | - | 15 |
| 7 | Diphtheria - - - - - | - | - | 5 | - | - | - | - | 16 |
| 8 | Influenza - - - - - | - | - | 1 | 3 | - | - | - | 17 |
| 14 (1) | Cerebro-spinal fever - - | - | - | - | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | - | - | 1 | - | - | - | - | 19 |
| 10 | Tuberculosis of respiratory system | 1 | 1 | 6 | 4 | - | 1 | - | 20 |
| 11 | Other tuberculous diseases - | - | - | 2 | 4 | - | - | - | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | - | 1 | - | - | - | - | 22 |
| 15 | Cancer, malignant disease - - | 2 | - | 36 | 40 | 2 | 7 | 2 | 23 |
| 18 | Diabetes mellitus - - - - | - | - | 2 | 9 | - | 1 | 1 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | - | - | 3 | 12 | 3 | - | - | 25 |
| 22 | Cerebral hæmorrhage, &c. - - | 2 | 5 | 26 | 47 | 2 | 3 | - | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | - | - | 3 | 6 | - | - | 1 | 27 |
| 24 | Heart disease - - - - - | 4 | 6 | 77 | 93 | 2 | 11 | 7 | 28 |
| 25 | Other circulatory diseases - - | - | 1 | 6 | 18 | 4 | 2 | - | 29 |
| 26 | Bronchitis - - - - - | - | 1 | 13 | 16 | - | 1 | 2 | 30 |
| 27 | Pneumonia (all forms) - - - | 3 | - | 11 | 16 | - | - | 1 | 31 |
| 28 | Other respiratory diseases - - | 1 | - | 5 | 4 | - | - | - | 32 |
| 32 (1) | Gastric and duodenal ulcer - - | - | 1 | 2 | 4 | 1 | 1 | - | 33 |
| 29 | Diarrhoea, &c. (all ages) - - | - | - | 1 | 2 | - | - | - | 34 |
| 30 | Appendicitis - - - - - | - | - | 1 | 4 | - | - | - | 35 |
| 31 (1) | Cirrhosis of liver - - - - | - | - | 1 | 3 | - | - | - | 36 |
| 31 (2) | Other diseases of liver, &c. - - | - | - | 1 | 5 | 1 | - | - | 37 |
| 32 (2) | Other digestive diseases - - - | - | 1 | 3 | 5 | - | - | - | 38 |
| 33 | Acute and chronic nephritis - | 1 | - | 9 | 24 | 2 | 1 | 1 | 39 |
| 34 | Other dis. of genito-urinary system | - | - | 7 | 8 | 1 | 1 | - | 40 |
| 35 | Puerperal sepsis - - - - - | - | - | - | - | - | - | - | 41 |
| 36 | Other puerperal causes - - - | - | - | - | - | - | - | - | 42 |
| 37 | Diseases of skin and locomotor system | - | - | 1 | - | - | - | - | 43 |
| 38 | Congen. debil., prem. birth, malform. &c. | - | - | 13 | 14 | 1 | 1 | 1 | 44 |
| 39 | Old age - - - - - | 2 | 1 | 3 | 15 | - | 1 | 3 | 45 |
| 40 | Suicide - - - - - | - | - | 6 | 6 | 1 | - | - | 46 |
| 42 | Other violence (41) - - - - | 1 | 1 | 15 | 13 | 1 | 1 | - | 47 |
| 43 | Causes Ill-defined or Unknown - | 1 | - | 5 | 10 | 1 | 1 | 1 | 48 |
| | ALL CAUSES - - - | 18 | 18 | 267 | 386 | 22 | 33 | 20 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | 2 | - | 17 | 18 | 1 | - | 1 | 50 |
| | 1-4 - - - - - | - | 1 | 10 | 4 | - | - | - | 51 |
| | 5-9 - - - - - | - | - | 2 | 4 | 1 | 1 | - | 52 |
| | 10-14 - - - - - | - | 1 | 3 | - | - | - | - | 53 |
| | 15-24 - - - - - | - | - | 7 | 7 | - | - | - | 54 |
| | 25-34 - - - - - | 1 | - | 5 | 4 | 1 | - | - | 55 |
| | 35-44 - - - - - | - | - | 10 | 13 | 1 | - | - | 56 |
| | 45-54 - - - - - | 2 | 3 | 27 | 33 | 1 | 3 | 3 | 57 |
| | 55-64 - - - - - | 3 | 1 | 42 | 57 | 3 | 3 | 3 | 58 |
| | 65-74 - - - - - | 6 | 4 | 49 | 102 | 9 | 13 | 5 | 59 |
| | 75-84 - - - - - | 4 | 7 | 73 | 101 | 2 | 8 | 7 | 60 |
| | 85 and over - - - - - | - | 1 | 22 | 43 | 3 | 5 | 1 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 18 | 18 | 267 | 386 | 22 | 33 | 20 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | BERWICK COUNTY— (continued). | | BUTE COUNTY. | | | | CAITHNESS COUNTY. | | | | CLACKMANNAN COUNTY. | | |
|----------------------------|------------------------------------|-----------|--------------|-------------|------------|-----------|----------------------|-----------|---------|-----------|------------------------|----------|---------|
| | Lauder B. | Landward. | Bute County. | Millport B. | Rothsay B. | Landward. | Caithness County. | Thurso B. | Wick B. | Landward. | Clackmannan County. | Alloa B. | Alva B. |
| 1 | 621 | 20,382 | 16,560 | 1,508 | 8,161 | 6,891 | 25,742 | 3,152 | 7,550 | 15,040 | 33,117 | 13,426 | 3,986 |
| 2 | 4 | 190 | 197 | 11 | 127 | 59 | 458 | 37 | 188 | 233 | 521 | 230 | 49 |
| 3 | 4 | 253 | 204 | 12 | 122 | 70 | 458 | 56 | 161 | 241 | 558 | 241 | 62 |
| 4 | 2 | 133 | 108 | 4 | 66 | 38 | 233 | 31 | 84 | 118 | 279 | 124 | 29 |
| 5 | 2 | 120 | 96 | 8 | 56 | 32 | 225 | 25 | 77 | 123 | 279 | 117 | 33 |
| 6 | - | 25 | 16 | - | 13 | 3 | 46 | 6 | 11 | 29 | 28 | 15 | 2 |
| 7 | 4 | 92 | 78 | 2 | 47 | 29 | 163 | 40 | 77 | 46 | 251 | 104 | 39 |
| 8 | 12 | 225 | 274 | 34 | 144 | 96 | 313 | 28 | 75 | 210 | 361 | 152 | 42 |
| 9 | 15 | 296 | 262 | 21 | 137 | 104 | 337 | 33 | 92 | 212 | 426 | 161 | 61 |
| 10 | 8 | 149 | 134 | 11 | 75 | 48 | 161 | 15 | 35 | 111 | 216 | 83 | 21 |
| 11 | 7 | 147 | 128 | 10 | 62 | 56 | 176 | 18 | 57 | 101 | 210 | 78 | 40 |
| 12 | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 13 | - | - | 2 | - | - | 2 | - | - | - | - | - | - | - |
| 14 | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| 15 | - | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| 16 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 17 | - | 3 | 1 | - | - | 1 | 2 | 1 | - | 1 | 6 | - | 2 |
| 18 | - | - | 1 | - | 1 | - | - | - | - | - | 1 | - | - |
| 19 | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - |
| 20 | - | 3 | 7 | - | 5 | 2 | 10 | 1 | 3 | 6 | 9 | 6 | 1 |
| 21 | 1 | 3 | - | - | - | - | 3 | - | 2 | 1 | 2 | 1 | - |
| 22 | - | - | - | - | - | - | 4 | 1 | - | 3 | 2 | - | - |
| 23 | - | 29 | 42 | 6 | 21 | 15 | 38 | 1 | 13 | 24 | 59 | 25 | 4 |
| 24 | - | 7 | 7 | 1 | 2 | 4 | 3 | - | 1 | 2 | 9 | - | 5 |
| 25 | 1 | 8 | 5 | 1 | 1 | 3 | 9 | 1 | 4 | 4 | 7 | 2 | 1 |
| 26 | 3 | 39 | 33 | 5 | 14 | 14 | 36 | 7 | 5 | 24 | 55 | 23 | 9 |
| 27 | - | 5 | 4 | - | 1 | 3 | 6 | 2 | 2 | 2 | 14 | 3 | 3 |
| 28 | 4 | 69 | 65 | 2 | 38 | 25 | 81 | 7 | 22 | 52 | 88 | 31 | 11 |
| 29 | - | 12 | 6 | 1 | 2 | 3 | 16 | 2 | 2 | 12 | 11 | 7 | 2 |
| 30 | 3 | 10 | 16 | 1 | 11 | 4 | 6 | - | 2 | 4 | 12 | 6 | 2 |
| 31 | - | 15 | 8 | 1 | 4 | 3 | 13 | - | 5 | 8 | 24 | 13 | 3 |
| 32 | - | 4 | 2 | - | 2 | - | 11 | 2 | 2 | 7 | 2 | - | - |
| 33 | - | 2 | 1 | - | - | 1 | 2 | - | - | 2 | 1 | 1 | - |
| 34 | - | 2 | 2 | - | - | 2 | 2 | - | 1 | 1 | 4 | 3 | - |
| 35 | - | 4 | 2 | - | 2 | - | 1 | - | - | 1 | 2 | - | - |
| 36 | - | 3 | 1 | - | - | 1 | - | - | - | - | 2 | - | - |
| 37 | - | 4 | 2 | - | 2 | - | 2 | - | 1 | 1 | 6 | 3 | 1 |
| 38 | - | 5 | 4 | - | 4 | - | 8 | 1 | 2 | 5 | 11 | 6 | 4 |
| 39 | - | 20 | 12 | 1 | 6 | 5 | 9 | 1 | 2 | 6 | 9 | 4 | 2 |
| 40 | - | 6 | 2 | - | 1 | 1 | 7 | - | 2 | 5 | 9 | 3 | - |
| 41 | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - |
| 42 | - | - | 1 | - | 1 | - | - | - | - | - | 1 | 1 | - |
| 43 | - | - | 1 | - | 1 | - | 2 | - | 1 | 1 | 5 | 2 | - |
| 44 | 1 | 10 | 4 | - | 3 | 1 | 13 | 1 | 4 | 8 | 24 | 7 | 3 |
| 45 | 1 | 10 | 8 | - | 2 | 6 | 25 | 2 | 6 | 17 | 21 | 2 | 7 |
| 46 | - | 5 | 1 | - | - | 1 | 2 | 1 | 1 | - | 3 | 1 | 1 |
| 47 | - | 11 | 11 | - | 6 | 5 | 11 | - | 4 | 7 | 12 | 6 | - |
| 48 | 1 | 6 | 11 | 2 | 7 | 2 | 11 | 2 | 4 | 5 | 11 | 4 | - |
| 49 | 15 | 296 | 262 | 21 | 137 | 104 | 337 | 33 | 92 | 212 | 426 | 161 | 61 |
| 50 | 1 | 15 | 7 | - | 5 | 2 | 22 | 3 | 7 | 12 | 32 | 12 | 5 |
| 51 | - | 4 | 4 | - | 3 | 1 | 4 | - | 2 | 2 | 10 | 4 | 2 |
| 52 | - | 2 | 2 | - | - | 2 | 5 | 1 | 1 | 3 | 3 | - | 1 |
| 53 | - | - | 1 | - | - | 1 | - | - | - | - | 2 | - | - |
| 54 | - | 7 | 4 | - | 2 | 2 | 10 | - | 1 | 9 | 10 | 5 | 1 |
| 55 | - | 3 | 9 | - | 5 | 4 | 8 | 1 | 6 | 1 | 12 | 2 | 3 |
| 56 | - | 12 | 11 | - | 7 | 4 | 14 | 1 | 5 | 8 | 17 | 7 | 1 |
| 57 | 2 | 24 | 22 | 4 | 12 | 6 | 15 | 2 | 5 | 8 | 36 | 13 | 5 |
| 58 | 1 | 47 | 43 | 7 | 25 | 11 | 42 | 6 | 12 | 24 | 80 | 33 | 8 |
| 59 | 5 | 70 | 60 | 2 | 32 | 26 | 82 | 9 | 24 | 49 | 108 | 39 | 15 |
| 60 | 6 | 78 | 81 | 8 | 40 | 33 | 104 | 6 | 25 | 73 | 94 | 36 | 16 |
| 61 | - | 34 | 18 | - | 6 | 12 | 31 | 4 | 4 | 23 | 22 | 10 | 4 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 15 | 296 | 262 | 21 | 137 | 104 | 337 | 33 | 92 | 212 | 426 | 161 | 61 |

| International Nos. Short List. | | CLACKMANNAN COUNTY—(contd). | | | DUNBARTON COUNTY. | | | | Marginal Index Numbers. |
|-----------------------------------|--|--------------------------------|-----------------|-----------|----------------------|--------------|-----------------------------|--------------|----------------------------|
| | | Dollar B. | Tillicoultry B. | Landward. | Dunbarton County. | Clydebank B. | Cove and Kil- creggan B. | Dunbarton B. | |
| | Population (Estimated) - - - | 1,428 | 3,136 | 11,131 | 155,243 | 47,912 | 857 | 22,214 | 1 |
| | Total Births Registered (including Illegitimate) | 6 | 63 | 173 | 2,193 | 673 | 4 | 367 | 2 |
| | " " Corrected for Transfers | 8 | 61 | 186 | 2,656 | 871 | 5 | 418 | 3 |
| | " " " Male - - | 4 | 31 | 91 | 1,338 | 447 | 3 | 201 | 4 |
| | " " " Female - - | 4 | 30 | 95 | 1,318 | 424 | 2 | 217 | 5 |
| | " " " Illegitimate | - | 3 | 8 | 125 | 31 | - | 23 | 6 |
| | " Marriages Registered - - | 4 | 30 | 74 | 932 | 310 | 5 | 114 | 7 |
| | " Deaths Registered - - | 14 | 42 | 111 | 1,394 | 285 | 9 | 275 | 8 |
| | " " Corrected for Transfers | 21 | 54 | 129 | 1,763 | 514 | 8 | 276 | 9 |
| | " " " Male - - | 11 | 25 | 76 | 927 | 282 | 2 | 153 | 10 |
| | " " " Female - - | 10 | 29 | 53 | 836 | 232 | 6 | 123 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | 1 | - | - | - | 12 |
| 4 | Measles - - - - - | - | - | - | 15 | 7 | - | 3 | 13 |
| 5 | Scarlet fever - - - - - | - | - | - | 6 | 4 | - | - | 14 |
| 6 | Whooping-cough - - - - - | - | - | - | 6 | 2 | - | 4 | 15 |
| 7 | Diphtheria - - - - - | - | - | 1 | 13 | 6 | - | 2 | 16 |
| 8 | Influenza - - - - - | - | 1 | 3 | 8 | 1 | - | 2 | 17 |
| 14 (1) | Cerebro-spinal fever - - - - - | - | - | 1 | 7 | 4 | - | 1 | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | - | 1 | - | 12 | 2 | - | 1 | 19 |
| 10 | Tuberculosis of respiratory system - - | - | 1 | 1 | 66 | 21 | - | 14 | 20 |
| 11 | Other tuberculous diseases - - - - - | - | 1 | - | 22 | 11 | - | 2 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | - | 2 | 4 | 1 | - | 1 | 22 |
| 15 | Cancer, malignant disease - - - - - | 2 | 7 | 21 | 233 | 64 | 1 | 41 | 23 |
| 18 | Diabetes mellitus - - - - - | - | 1 | 3 | 30 | 8 | - | 1 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | - | 1 | 3 | 47 | 11 | 1 | 9 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - - - | 3 | 6 | 14 | 174 | 46 | - | 21 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 1 | 2 | 5 | 29 | 10 | - | 8 | 27 |
| 24 | Heart disease - - - - - | 4 | 15 | 27 | 428 | 100 | 1 | 65 | 28 |
| 25 | Other circulatory diseases - - - - - | 1 | - | 1 | 34 | 3 | - | 7 | 29 |
| 26 | Bronchitis - - - - - | 1 | 1 | 2 | 69 | 17 | - | 24 | 30 |
| 27 | Pneumonia (all forms) - - - - - | 2 | 1 | 5 | 147 | 63 | 1 | 21 | 31 |
| 28 | Other respiratory diseases - - - - - | - | - | 2 | 20 | 7 | - | 4 | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - - - | - | - | - | 24 | 7 | 1 | 3 | 33 |
| 29 | Diarrhœa &c. (all ages) - - - - - | - | - | 1 | 23 | 11 | - | 3 | 34 |
| 30 | Appendicitis - - - - - | 1 | - | 1 | 13 | 3 | - | - | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | - | - | 2 | 8 | 4 | - | - | 36 |
| 31 (2) | Other diseases of liver, &c. - - - - - | - | - | 2 | 11 | 2 | - | 2 | 37 |
| 32 (2) | Other digestive diseases - - - - - | - | - | 1 | 35 | 10 | - | 5 | 38 |
| 33 | Acute and chronic nephritis - - - - - | 1 | - | 2 | 43 | 13 | - | 9 | 39 |
| 34 | Other dis. of genito-urinary system - - | - | 2 | 4 | 22 | 5 | - | 1 | 40 |
| 35 | Puerperal sepsis - - - - - | - | - | 1 | 2 | 1 | - | - | 41 |
| 36 | Other puerperal causes - - - - - | - | - | - | 3 | - | - | 3 | 42 |
| 37 | Diseases of skin and locomotor system | 2 | - | 1 | 2 | 1 | - | - | 43 |
| 38 | Congen. debil., prem. birth, malform. &c. | - | 7 | 7 | 62 | 26 | - | 6 | 44 |
| 39 | Old age - - - - - | 2 | 5 | 5 | 53 | 14 | 2 | 6 | 45 |
| 40 | Suicide - - - - - | - | 1 | - | 11 | 3 | - | 1 | 46 |
| 42 | Other violence (41) - - - - - | - | - | 6 | 64 | 21 | 1 | 6 | 47 |
| 43 | Causes ill-defined or unknown - - - | 1 | 1 | 5 | 11 | 5 | - | - | 48 |
| | ALL CAUSES - - - | 21 | 54 | 129 | 1,763 | 514 | 8 | 276 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | - | 7 | 8 | 155 | 59 | 1 | 29 | 50 |
| | 1- 4 - - - - - | - | 2 | 2 | 64 | 21 | - | 13 | 51 |
| | 5- 9 - - - - - | 1 | - | 1 | 17 | 11 | - | 1 | 52 |
| | 10-14 - - - - - | - | - | 2 | 8 | 4 | - | 2 | 53 |
| | 15-24 - - - - - | - | 1 | 3 | 52 | 21 | - | 8 | 54 |
| | 25-34 - - - - - | 1 | 1 | 5 | 73 | 26 | - | 8 | 55 |
| | 35-44 - - - - - | 1 | 2 | 6 | 103 | 37 | - | 14 | 56 |
| | 45-54 - - - - - | 2 | 4 | 12 | 180 | 48 | 1 | 37 | 57 |
| | 55-64 - - - - - | 3 | 11 | 25 | 288 | 92 | 1 | 26 | 58 |
| | 65-74 - - - - - | 9 | 13 | 32 | 443 | 119 | - | 64 | 59 |
| | 75-84 - - - - - | 3 | 10 | 29 | 311 | 62 | 4 | 67 | 60 |
| | 85 and over - - - - - | 1 | 3 | 4 | 69 | 14 | 1 | 7 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 21 | 54 | 129 | 1,763 | 514 | 8 | 276 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | DUNBARTON COUNTY— (continued). | | | | DUMFRIES COUNTY. | | | | | | | | |
|-------------------------|-----------------------------------|------------------|-------------|-----------|------------------|----------|-------------|-------------|--------------|--------------|-----------|-------------|-----------|
| | Helensburgh B. | Kirkintilloch B. | Mingavie B. | Landward. | Dumfries County. | Annan B. | Dumfries B. | Langholm B. | Lochmaben B. | Lockerbie B. | Moffat B. | Sanquhar B. | Landward. |
| 1 | 8,743 | 12,845 | 6,278 | 56,394 | 81,818 | 3,916 | 23,797 | 2,385 | 1,045 | 2,640 | 1,990 | 1,885 | 44,160 |
| 2 | 82 | 227 | 51 | 789 | 1,308 | 62 | 459 | 28 | 14 | 26 | 55 | 29 | 635 |
| 3 | 107 | 266 | 71 | 918 | 1,266 | 61 | 368 | 31 | 15 | 29 | 27 | 30 | 705 |
| 4 | 56 | 133 | 34 | 464 | 654 | 32 | 193 | 18 | 5 | 15 | 13 | 19 | 359 |
| 5 | 51 | 133 | 37 | 454 | 612 | 29 | 175 | 13 | 10 | 14 | 14 | 11 | 346 |
| 6 | 14 | 5 | 7 | 45 | 111 | 5 | 24 | 4 | - | 2 | 1 | 2 | 73 |
| 7 | 40 | 98 | 31 | 334 | 820 | 38 | 241 | 9 | 9 | 12 | 17 | 13 | 481 |
| 8 | 122 | 112 | 47 | 544 | 1,165 | 42 | 427 | 45 | 12 | 27 | 30 | 21 | 561 |
| 9 | 134 | 146 | 77 | 608 | 1,101 | 49 | 323 | 45 | 16 | 32 | 30 | 21 | 585 |
| 10 | 61 | 84 | 37 | 308 | 530 | 27 | 171 | 17 | 7 | 10 | 12 | 8 | 278 |
| 11 | 73 | 62 | 40 | 300 | 571 | 22 | 152 | 28 | 9 | 22 | 18 | 13 | 307 |
| 12 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| 13 | 1 | - | - | 4 | 5 | - | 2 | - | - | - | - | - | 3 |
| 14 | - | - | - | 2 | 2 | - | - | - | 1 | - | - | - | 1 |
| 15 | - | - | - | - | 7 | 1 | 2 | - | - | - | - | - | 4 |
| 16 | 2 | - | - | 3 | 2 | - | 2 | - | - | - | - | - | - |
| 17 | - | - | - | 5 | 2 | - | - | - | - | - | - | - | 2 |
| 18 | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - | 2 |
| 19 | - | - | - | 9 | - | - | - | - | - | - | - | - | - |
| 20 | 5 | 9 | 3 | 14 | 36 | 3 | 8 | 1 | 1 | 2 | 1 | - | 20 |
| 21 | 3 | - | 1 | 5 | 12 | - | 6 | - | - | - | 1 | - | 5 |
| 22 | - | - | - | 2 | 3 | - | 2 | - | - | - | - | - | 1 |
| 23 | 20 | 19 | 11 | 77 | 153 | 10 | 45 | 6 | 2 | 5 | 7 | 2 | 76 |
| 24 | 2 | 1 | 2 | 16 | 15 | - | 6 | - | - | - | - | - | 9 |
| 25 | 4 | 4 | 2 | 16 | 22 | - | 6 | 1 | 1 | 1 | - | 1 | 12 |
| 26 | 17 | 17 | 9 | 64 | 125 | 7 | 38 | 10 | - | 3 | 2 | 4 | 61 |
| 27 | 2 | 3 | - | 6 | 25 | - | 10 | 2 | - | - | - | - | 13 |
| 28 | 35 | 33 | 17 | 177 | 320 | 15 | 81 | 8 | 7 | 8 | 12 | 8 | 181 |
| 29 | 1 | 1 | 6 | 16 | 18 | 2 | 4 | 2 | - | 1 | - | - | 9 |
| 30 | 2 | 6 | - | 20 | 30 | 1 | 10 | 1 | - | 4 | - | 1 | 13 |
| 31 | 5 | 11 | 3 | 43 | 42 | 2 | 15 | - | - | - | - | - | 25 |
| 32 | 2 | 2 | - | 5 | 10 | - | 1 | 2 | - | - | - | - | 7 |
| 33 | 3 | 1 | 2 | 7 | 9 | - | - | 1 | - | - | 1 | 1 | 6 |
| 34 | 4 | 6 | - | 4 | 15 | - | 5 | 1 | - | 2 | - | - | 7 |
| 35 | - | 2 | 1 | 7 | 5 | - | 1 | - | - | - | - | - | 4 |
| 36 | - | 1 | - | 3 | 2 | - | - | - | - | - | 1 | - | 1 |
| 37 | 1 | 1 | - | 5 | 9 | 1 | 5 | - | - | - | - | - | 3 |
| 38 | 3 | 3 | 4 | 10 | 17 | 1 | 4 | 1 | - | - | 1 | - | 10 |
| 39 | - | 4 | 4 | 13 | 26 | 2 | 7 | 1 | 1 | 2 | - | 1 | 12 |
| 40 | 3 | 3 | 4 | 6 | 16 | - | 7 | 2 | - | - | - | - | 7 |
| 41 | - | - | - | 1 | 2 | - | 1 | - | - | - | - | - | 1 |
| 42 | - | - | - | - | 9 | - | 3 | - | - | 1 | - | 1 | 4 |
| 43 | - | - | - | 1 | 6 | - | 1 | - | - | - | 1 | - | 4 |
| 44 | 3 | 8 | 1 | 18 | 50 | 2 | 16 | 1 | - | 1 | 1 | - | 29 |
| 45 | 7 | 3 | 2 | 19 | 44 | 1 | 19 | 3 | 2 | 1 | 2 | 1 | 15 |
| 46 | 3 | 1 | - | 3 | 4 | - | - | - | - | - | - | - | 4 |
| 47 | 6 | 4 | 3 | 23 | 45 | 1 | 13 | 2 | 1 | 1 | - | 1 | 26 |
| 48 | - | 2 | 1 | 3 | 10 | - | 3 | - | - | - | - | - | 7 |
| 49 | 134 | 146 | 77 | 608 | 1,101 | 49 | 323 | 45 | 16 | 32 | 30 | 21 | 585 |
| 50 | 9 | 17 | 2 | 38 | 94 | 3 | 32 | 1 | - | 3 | 1 | - | 54 |
| 51 | 5 | 1 | 2 | 22 | 21 | 2 | 9 | 1 | - | - | - | 1 | 8 |
| 52 | 1 | - | - | 4 | 11 | - | 6 | - | - | - | - | 1 | 4 |
| 53 | - | 1 | - | 1 | 9 | - | 3 | - | 1 | - | - | - | 5 |
| 54 | 1 | 7 | 1 | 14 | 22 | - | 7 | 1 | 2 | - | - | - | 12 |
| 55 | 1 | 5 | 6 | 27 | 33 | 1 | 8 | - | - | 1 | - | 1 | 22 |
| 56 | 4 | 6 | 5 | 37 | 49 | 3 | 16 | 1 | 1 | 1 | - | 1 | 26 |
| 57 | 13 | 22 | 8 | 51 | 67 | 3 | 28 | 2 | - | 4 | - | 2 | 28 |
| 58 | 20 | 25 | 11 | 113 | 167 | 8 | 51 | 2 | 1 | 2 | 4 | 3 | 96 |
| 59 | 34 | 40 | 25 | 161 | 296 | 12 | 73 | 17 | 2 | 11 | 11 | 4 | 166 |
| 60 | 37 | 18 | 13 | 110 | 258 | 12 | 70 | 16 | 7 | 9 | 11 | 8 | 125 |
| 61 | 9 | 4 | 4 | 30 | 74 | 5 | 20 | 4 | 2 | 1 | 3 | - | 39 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 134 | 146 | 77 | 608 | 1,101 | 49 | 323 | 45 | 16 | 32 | 30 | 21 | 585 |

| International Nos. Short List. | | EAST LoTHIAN COUNTY. | | | | | | | Marginal Index Numbers. |
|-----------------------------------|--|-------------------------|--------------------------------|-----------|----------------|------------------|-----------------------|-------------------|----------------------------|
| | | East Lothian County. | Cockenzie and Port Seton B. | Dunbar B. | East Linton B. | Haddington B. | North Ber- wick B. | Prestonpans B. | |
| | Population (Estimated) - - - | 47,753 | 2,690 | 3,827 | 895 | 4,664 | 3,165 | 2,669 | 1 |
| | Total Births Registered (including Illegitimate) | 638 | 33 | 68 | 7 | 96 | 26 | 44 | 2 |
| | „ „ Corrected for Transfers | 782 | 53 | 74 | 12 | 66 | 35 | 65 | 3 |
| | „ „ „ Male - - | 406 | 26 | 38 | 4 | 35 | 20 | 38 | 4 |
| | „ „ „ Female - - | 376 | 27 | 36 | 8 | 31 | 15 | 27 | 5 |
| | „ „ „ Illegitimate | 36 | 2 | 3 | - | 7 | - | 4 | 6 |
| | „ Marriages Registered - - | 319 | 28 | 23 | 3 | 37 | 18 | 13 | 7 |
| | „ Deaths Registered - - | 456 | 19 | 49 | 15 | 87 | 20 | 21 | 8 |
| | „ „ Corrected for Transfers | 523 | 24 | 47 | 9 | 65 | 31 | 28 | 9 |
| | „ „ „ Male - - | 254 | 12 | 20 | 4 | 36 | 10 | 17 | 10 |
| | „ „ „ Female - - | 269 | 12 | 27 | 5 | 29 | 21 | 11 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | - | 12 |
| 4 | Measles - - - - - | - | - | - | - | - | - | - | 13 |
| 5 | Scarlet fever - - - - | 1 | - | - | - | - | - | - | 14 |
| 6 | Whooping-cough - - - | 2 | - | - | - | - | - | - | 15 |
| 7 | Diphtheria - - - - - | 1 | - | - | - | - | - | - | 16 |
| 8 | Influenza - - - - - | 6 | - | - | - | - | 1 | 1 | 17 |
| 14 (1) | Cerebro-spinal fever - - | - | - | - | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | 1 | - | - | - | - | - | - | 19 |
| 10 | Tuberculosis of respiratory system | 19 | - | - | - | 3 | - | - | 20 |
| 11 | Other tuberculous diseases - - | 10 | - | - | - | - | 2 | - | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | 1 | - | - | - | - | - | - | 22 |
| 15 | Cancer, malignant disease - - - | 85 | 6 | 8 | 4 | 8 | 4 | 4 | 23 |
| 18 | Diabetes mellitus - - - - | 7 | 1 | 2 | - | - | - | - | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 16 | 1 | 1 | - | - | - | 1 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - | 55 | 1 | 8 | 1 | 6 | 5 | 7 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 17 | 1 | 1 | - | 2 | 2 | 1 | 27 |
| 24 | Heart disease - - - - - | 123 | 8 | 5 | 3 | 15 | 5 | 6 | 28 |
| 25 | Other circulatory diseases - - - | 17 | 1 | 2 | - | 5 | 2 | 1 | 29 |
| 26 | Bronchitis - - - - - | 8 | - | - | - | 4 | - | - | 30 |
| 27 | Pneumonia (all forms) - - - - | 13 | 1 | 1 | - | 1 | 1 | - | 31 |
| 28 | Other respiratory diseases - - - | 7 | - | 2 | - | 1 | 2 | - | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - | 3 | - | - | - | - | - | - | 33 |
| 29 | Diarrhoea, &c. (all ages) - - - | 4 | - | - | - | - | - | - | 34 |
| 30 | Appendicitis - - - - - | 5 | - | - | - | 1 | - | 1 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | 2 | - | - | - | 1 | 1 | - | 36 |
| 31 (2) | Other diseases of liver, &c. - - - | 1 | - | - | - | - | - | - | 37 |
| 32 (2) | Other digestive diseases - - - - | 8 | - | 1 | - | 3 | - | - | 38 |
| 33 | Acute and chronic nephritis - - - | 12 | - | 2 | - | 1 | 2 | - | 39 |
| 34 | Other dis. of genito-urinary system | 10 | 1 | 2 | - | 1 | 1 | 1 | 40 |
| 35 | Puerperal sepsis - - - - - | 1 | - | - | - | 1 | - | - | 41 |
| 36 | Other puerperal causes - - - - | 2 | - | - | - | - | - | - | 42 |
| 37 | Diseases of skin and locomotor system | 4 | - | 1 | - | - | 1 | - | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 24 | 1 | 2 | - | 4 | - | 1 | 44 |
| 39 | Old age - - - - - | 25 | - | 8 | 1 | 4 | - | 2 | 45 |
| 40 | Suicide - - - - - | 4 | - | - | - | - | 1 | - | 46 |
| 42 | Other violence (41) - - - - | 23 | 2 | - | - | 2 | 1 | 2 | 47 |
| 43 | Causes ill-defined or unknown - - | 6 | - | 1 | - | 2 | - | - | 48 |
| | ALL CAUSES - - - | 523 | 24 | 47 | 9 | 65 | 31 | 28 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | 41 | 3 | 2 | - | 6 | 1 | 2 | 50 |
| | 1-4 - - - - - | 7 | - | - | - | 1 | - | - | 51 |
| | 5-9 - - - - - | 4 | 1 | - | - | - | 1 | - | 52 |
| | 10-14 - - - - - | 4 | - | - | - | - | 1 | - | 53 |
| | 15-24 - - - - - | 17 | 1 | - | - | 1 | - | 2 | 54 |
| | 25-34 - - - - - | 21 | - | 3 | - | 1 | 1 | 1 | 55 |
| | 35-44 - - - - - | 19 | - | - | - | 2 | - | - | 56 |
| | 45-54 - - - - - | 44 | 1 | 4 | 1 | 5 | 5 | 1 | 57 |
| | 55-64 - - - - - | 77 | 8 | 6 | - | 14 | 3 | 5 | 58 |
| | 65-74 - - - - - | 138 | 5 | 16 | 5 | 12 | 10 | 10 | 59 |
| | 75-84 - - - - - | 116 | 5 | 8 | 3 | 20 | 5 | 6 | 60 |
| | 85 and over - - - - - | 35 | - | 8 | - | 3 | 4 | 1 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 523 | 24 | 47 | 9 | 65 | 31 | 28 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | EAST LOTHIAN Co.—(contd.). | | FIFE COUNTY. | | | | | | | | | | | |
|----------------------------|----------------------------------|-----------|--------------|------------------|-------------------------|----------------|----------------|----------|------------|----------|----------------|------------------------|-------------|------------------|
| | Tranent B. | Landward. | Fife County. | Auchtermuchty B. | Buckhaven and Methil B. | Burntisland B. | Cowdenbeath B. | Crail B. | Calross B. | Cupar B. | Dunfermline B. | Elie and Earlsferry B. | Falkland B. | Inverkeithing B. |
| 1 | 5,034 | 24,809 | 284,082 | 1,224 | 19,209 | 5,672 | 12,440 | 1,025 | 537 | 5,004 | 37,058 | 950 | 900 | 3,472 |
| 2 | 82 | 282 | 4,572 | 6 | 315 | 65 | 161 | 21 | 4 | 99 | 773 | 5 | 8 | 37 |
| 3 | 109 | 368 | 4,729 | 11 | 371 | 103 | 224 | 23 | 5 | 106 | 547 | 5 | 14 | 51 |
| 4 | 53 | 187 | 2,441 | 5 | 197 | 52 | 114 | 11 | 2 | 54 | 299 | 5 | 10 | 25 |
| 5 | 51 | 181 | 2,288 | 6 | 174 | 51 | 110 | 12 | 3 | 52 | 248 | - | 4 | 26 |
| 6 | 2 | 18 | 258 | - | 23 | 3 | 16 | 2 | - | 5 | 21 | - | - | 1 |
| 7 | 36 | 161 | 1,988 | 3 | 150 | 37 | 100 | 6 | 10 | 43 | 347 | 5 | 9 | 18 |
| 8 | 33 | 212 | 2,963 | 15 | 188 | 54 | 95 | 13 | 2 | 43 | 499 | 13 | 5 | 29 |
| 9 | 51 | 268 | 3,253 | 20 | 233 | 72 | 144 | 13 | 5 | 41 | 425 | 14 | 9 | 42 |
| 10 | 27 | 128 | 1,653 | 8 | 131 | 35 | 77 | 10 | 2 | 13 | 206 | 7 | 4 | 24 |
| 11 | 24 | 140 | 1,600 | 12 | 102 | 37 | 67 | 3 | 3 | 28 | 219 | 7 | 5 | 18 |
| 12 | - | - | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| 13 | - | - | 11 | - | 1 | 1 | - | - | - | 1 | 1 | - | - | 1 |
| 14 | - | 1 | 3 | - | - | - | - | - | - | - | 2 | - | - | - |
| 15 | 1 | 1 | 11 | - | 6 | - | - | - | - | - | - | - | - | - |
| 16 | - | 1 | 6 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| 17 | 1 | 3 | 44 | - | 7 | - | 3 | - | - | - | 2 | 1 | - | 1 |
| 18 | - | - | 5 | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| 19 | - | 1 | 11 | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - |
| 20 | 4 | 12 | 73 | - | 7 | 1 | 6 | - | - | - | 17 | - | 1 | 1 |
| 21 | 1 | 7 | 30 | - | - | - | - | - | - | - | 1 | - | - | - |
| 22 | - | 1 | 12 | - | - | - | - | - | - | - | 3 | - | - | - |
| 23 | 7 | 44 | 438 | 4 | 24 | 10 | 12 | 2 | - | 4 | 56 | 1 | 2 | 8 |
| 24 | 3 | 1 | 50 | - | 3 | 4 | 4 | 1 | - | 1 | 9 | - | - | - |
| 25 | 3 | 10 | 97 | 1 | 6 | 1 | 1 | - | - | 3 | 16 | 1 | - | 1 |
| 26 | 2 | 25 | 410 | - | 27 | 5 | 19 | 1 | - | 5 | 59 | 5 | 1 | 4 |
| 27 | 2 | 8 | 88 | - | 8 | 1 | 5 | - | 1 | 1 | 7 | 1 | - | 2 |
| 28 | 8 | 73 | 753 | 12 | 42 | 20 | 25 | 4 | 2 | 12 | 107 | 3 | 1 | 9 |
| 29 | 1 | 5 | 47 | - | 4 | 1 | 2 | 3 | - | - | 7 | - | - | - |
| 30 | - | 4 | 119 | - | 11 | 2 | 3 | - | - | 1 | 10 | - | - | - |
| 31 | 3 | 6 | 148 | - | 21 | 2 | 11 | 1 | - | 4 | 17 | - | - | 2 |
| 32 | - | 2 | 37 | - | 1 | - | 4 | 1 | - | - | 5 | - | 2 | 2 |
| 33 | 1 | 2 | 33 | - | 2 | 1 | 1 | - | - | - | 2 | - | - | - |
| 34 | 1 | 3 | 33 | - | 3 | - | 4 | - | 1 | - | 2 | - | - | 1 |
| 35 | 1 | 2 | 23 | - | 1 | - | 2 | - | - | - | 5 | - | - | - |
| 36 | - | - | 6 | - | - | 1 | - | - | - | - | 2 | - | - | - |
| 37 | 1 | - | 16 | 1 | - | - | 1 | - | - | 1 | 1 | - | - | - |
| 38 | - | 4 | 48 | 1 | 2 | 2 | 1 | - | - | - | 6 | - | - | - |
| 39 | 2 | 5 | 72 | 1 | 3 | 1 | 5 | - | - | - | 9 | - | 1 | 2 |
| 40 | 1 | 3 | 55 | - | 4 | 3 | 1 | - | - | 1 | 7 | 1 | - | - |
| 41 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| 42 | 1 | 1 | 17 | - | 1 | 1 | 3 | - | - | - | - | - | - | - |
| 43 | - | 2 | 22 | - | 1 | - | 1 | - | - | - | 2 | - | - | - |
| 44 | 5 | 11 | 166 | - | 13 | 2 | 13 | - | - | 1 | 23 | - | 1 | - |
| 45 | 1 | 9 | 150 | - | 17 | 6 | 8 | - | - | 1 | 19 | - | - | 7 |
| 46 | - | 3 | 29 | - | 2 | - | - | - | - | - | 5 | - | - | - |
| 47 | 1 | 15 | 133 | - | 11 | 3 | 4 | - | 1 | 1 | 14 | 1 | - | 1 |
| 48 | - | 3 | 51 | - | 3 | 2 | 4 | - | - | 2 | 6 | - | - | - |
| 49 | 51 | 268 | 3,253 | 20 | 233 | 72 | 144 | 13 | 5 | 41 | 425 | 14 | 9 | 42 |
| 50 | 8 | 19 | 261 | - | 26 | 2 | 20 | 1 | - | 2 | 34 | - | 1 | 1 |
| 51 | 1 | 5 | 75 | - | 12 | 2 | 4 | - | - | 1 | 7 | - | - | 3 |
| 52 | 1 | 1 | 25 | - | 3 | 1 | - | - | - | 2 | 3 | - | - | - |
| 53 | - | 3 | 32 | - | 1 | - | 3 | - | - | - | 5 | - | - | - |
| 54 | 4 | 9 | 95 | - | 5 | 1 | 8 | - | - | - | 14 | - | 1 | - |
| 55 | 3 | 12 | 104 | - | 9 | 2 | 7 | - | - | 1 | 15 | - | - | 1 |
| 56 | 4 | 13 | 170 | 1 | 17 | 1 | 12 | - | - | 1 | 24 | - | - | 1 |
| 57 | 6 | 21 | 278 | 2 | 26 | 7 | 11 | - | - | 3 | 41 | 1 | - | 4 |
| 58 | 4 | 37 | 531 | 1 | 34 | 16 | 26 | 2 | 2 | 3 | 78 | 1 | 1 | 10 |
| 59 | 10 | 70 | 801 | 8 | 49 | 14 | 28 | 3 | 3 | 13 | 92 | 6 | 5 | 13 |
| 60 | 8 | 61 | 672 | 6 | 35 | 17 | 20 | 5 | - | 8 | 92 | 4 | 1 | 8 |
| 61 | 2 | 17 | 209 | 2 | 16 | 9 | 5 | 2 | - | 7 | 20 | 2 | - | 1 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 51 | 268 | 3,253 | 20 | 233 | 72 | 144 | 13 | 5 | 41 | 425 | 14 | 9 | 42 |

| International Nos. Short List. | | FIFE COUNTY—(continued). | | | | | | | Marginal Index Numbers. |
|-----------------------------------|--|-------------------------------|-------------|--------------|-----------------------------|-----------|----------|--------------|----------------------------|
| | | Kilrenny and Anstruther B. | Kinghorn B. | Kirkcaldy B. | Ladybank and Monkston B. | Leslie B. | Leven B. | Lochgelly B. | |
| | Population (Estimated) - - - | 3,332 | 2,008 | 45,421 | 1,212 | 2,691 | 8,201 | 9,238 | 1 |
| | Total Births Registered (including Illegitimate) | 32 | 9 | 1,049 | 8 | 43 | 91 | 116 | 2 |
| | „ „ Corrected for Transfers | 45 | 17 | 764 | 10 | 51 | 132 | 143 | 3 |
| | „ „ „ Male - - | 23 | 10 | 374 | 6 | 26 | 67 | 72 | 4 |
| | „ „ „ Female - - | 22 | 7 | 390 | 4 | 25 | 65 | 71 | 5 |
| | „ „ „ Illegitimate | 2 | 1 | 40 | - | 3 | 8 | 5 | 6 |
| | „ Marriages Registered - - | 14 | 10 | 358 | 10 | 18 | 63 | 82 | 7 |
| | „ Deaths Registered - - | 37 | 18 | 499 | 16 | 26 | 84 | 63 | 8 |
| | „ „ Corrected for Transfers | 45 | 22 | 552 | 18 | 36 | 106 | 75 | 9 |
| | „ „ „ Male - - | 21 | 12 | 285 | 8 | 28 | 53 | 38 | 10 |
| | „ „ „ Female - - | 24 | 10 | 267 | 10 | 8 | 53 | 37 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | 1 | 1 | - | - | - | 12 |
| 4 | Measles - - - - - | - | - | 1 | - | - | - | - | 13 |
| 5 | Scarlet fever - - - - | - | - | 1 | - | - | - | - | 14 |
| 6 | Whooping-cough - - - | - | - | 1 | - | - | - | - | 15 |
| 7 | Diphtheria - - - - - | - | - | - | - | - | - | - | 16 |
| 8 | Influenza - - - - - | - | - | 8 | 1 | - | 3 | - | 17 |
| 14 (1) | Cerebro-spinal fever - - | - | 1 | - | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | - | - | 4 | - | - | - | - | 19 |
| 10 | Tuberculosis of respiratory system | - | 1 | 9 | - | - | - | 1 | 20 |
| 11 | Other tuberculous diseases - | 1 | - | 3 | - | 2 | 2 | - | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | - | 4 | - | - | - | - | 22 |
| 15 | Cancer, malignant disease - | 11 | 4 | 80 | 1 | 5 | 14 | 12 | 23 |
| 18 | Diabetes mellitus - - - - | - | 1 | 6 | - | - | 2 | - | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | - | - | 8 | - | 2 | 6 | 7 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - | 9 | 3 | 73 | 5 | 6 | 19 | 6 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | - | - | 11 | - | - | 1 | 1 | 27 |
| 24 | Heart disease - - - - - | 8 | 5 | 119 | 8 | 7 | 20 | 19 | 28 |
| 25 | Other circulatory diseases - | - | - | 5 | - | - | 3 | 1 | 29 |
| 26 | Bronchitis - - - - - | - | - | 35 | - | 3 | 2 | 5 | 30 |
| 27 | Pneumonia (all forms) - - | - | - | 13 | - | 3 | 7 | 2 | 31 |
| 28 | Other respiratory diseases - | - | 1 | 8 | - | - | 3 | - | 32 |
| 32 (1) | Gastric and duodenal ulcer - | 1 | 2 | 6 | - | 2 | - | 1 | 33 |
| 29 | Diarrhoea, &c. (all ages) - | - | - | 9 | - | 1 | 1 | 2 | 34 |
| 30 | Appendicitis - - - - - | - | - | 3 | - | - | - | - | 35 |
| 31 (1) | Cirrhosis of liver - - - - | - | - | - | - | - | - | - | 36 |
| 31 (2) | Other diseases of liver, &c. - | 2 | - | 2 | - | - | 3 | - | 37 |
| 32 (2) | Other digestive diseases - - | - | 1 | 14 | - | 1 | 1 | 1 | 38 |
| 33 | Acute and chronic nephritis - | 1 | - | 5 | - | 1 | 5 | 1 | 39 |
| 34 | Other dis. of genito-urinary system | 1 | 1 | 15 | - | 1 | 1 | - | 40 |
| 35 | Puerperal sepsis - - - - | - | - | 1 | - | - | - | - | 41 |
| 36 | Other puerperal causes - - | - | - | 5 | - | - | - | - | 42 |
| 37 | Diseases of skin and locomotor system | 1 | - | 7 | - | - | - | 2 | 43 |
| 38 | Congen. debil., prem. birth, malform. &c. | 2 | 1 | 26 | - | - | 6 | 6 | 44 |
| 39 | Old age - - - - - | 2 | 1 | 30 | 1 | - | 1 | 3 | 45 |
| 40 | Suicide - - - - - | 2 | - | 10 | - | - | - | - | 46 |
| 42 | Other violence (41) - - - | 3 | - | 22 | 1 | 2 | 4 | 4 | 47 |
| 43 | Causes ill-defined or unknown - | 1 | - | 7 | - | - | 2 | 1 | 48 |
| | ALL CAUSES - - - - - | 45 | 22 | 552 | 18 | 36 | 106 | 75 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | 2 | 1 | 41 | - | 4 | 9 | 7 | 50 |
| | 1-4 - - - - - | - | 1 | 12 | - | 1 | - | 1 | 51 |
| | 5-9 - - - - - | - | - | 2 | - | - | 1 | 1 | 52 |
| | 10-14 - - - - - | 2 | - | 4 | - | - | 1 | 1 | 53 |
| | 15-24 - - - - - | - | - | 18 | - | 2 | 4 | 1 | 54 |
| | 25-34 - - - - - | - | 1 | 14 | - | - | 2 | 3 | 55 |
| | 35-44 - - - - - | 3 | - | 31 | 1 | 2 | 5 | 7 | 56 |
| | 45-54 - - - - - | 4 | 1 | 44 | 1 | 2 | 7 | 5 | 57 |
| | 55-64 - - - - - | 5 | 3 | 100 | 3 | 6 | 19 | 11 | 58 |
| | 65-74 - - - - - | 8 | 7 | 158 | 5 | 9 | 28 | 22 | 59 |
| | 75-84 - - - - - | 14 | 6 | 97 | 8 | 8 | 25 | 14 | 60 |
| | 85 and over - - - - - | 7 | 2 | 31 | - | 2 | 5 | 2 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - - - | 45 | 22 | 552 | 18 | 36 | 106 | 75 | 63 |

* Including typhus fever, smallpox dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | FIFE COUNTY—(continued). | | | | | | | | INVERNESS COUNTY. | | | | |
|----------------------------|--------------------------|-------------|------------|---------------|----------------|----------------|------------|-----------|-------------------|-----------------|--------------|--------------|-----------|
| | Markinch B. | Newburgh B. | Newport B. | Pittenweem B. | St. Andrews B. | St. Monance B. | Tayport B. | Landward. | Inverness County. | Fort-William B. | Inverness B. | Kingussie B. | Landward. |
| 1 | 2,226 | 2,323 | 3,116 | 1,703 | 8,383 | 1,671 | 3,300 | 101,766 | 81,342 | 3,056 | 23,316 | 981 | 53,989 |
| 2 | 25 | 17 | 31 | 15 | 109 | 15 | 39 | 1,479 | 1,247 | 48 | 521 | 5 | 673 |
| 3 | 36 | 39 | 34 | 18 | 92 | 18 | 49 | 1,821 | 1,253 | 55 | 388 | 8 | 802 |
| 4 | 28 | 26 | 21 | 4 | 43 | 9 | 31 | 927 | 645 | 30 | 197 | 4 | 414 |
| 5 | 8 | 13 | 13 | 14 | 49 | 9 | 18 | 894 | 608 | 25 | 191 | 4 | 388 |
| 6 | 1 | 2 | 2 | - | 3 | 1 | 1 | 118 | 108 | 2 | 26 | 1 | 79 |
| 7 | 27 | 16 | 17 | 11 | 50 | 9 | 21 | 554 | 506 | 39 | 313 | 6 | 148 |
| 8 | 22 | 14 | 39 | 15 | 101 | 29 | 34 | 1,010 | 1,187 | 41 | 486 | 21 | 639 |
| 9 | 28 | 19 | 48 | 21 | 107 | 35 | 45 | 1,078 | 1,113 | 27 | 347 | 19 | 720 |
| 10 | 13 | 6 | 24 | 13 | 51 | 19 | 21 | 544 | 536 | 10 | 165 | 8 | 353 |
| 11 | 15 | 13 | 24 | 8 | 56 | 16 | 24 | 534 | 577 | 17 | 182 | 11 | 367 |
| 12 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | - | - | - | - | - | - | - | 5 | 4 | - | 1 | - | 3 |
| 14 | - | - | - | - | - | - | - | - | 2 | - | - | - | 2 |
| 15 | - | - | 1 | - | - | - | - | 3 | 1 | - | 1 | - | - |
| 16 | - | - | - | - | - | - | - | 4 | - | - | - | - | - |
| 17 | - | - | - | - | - | 1 | - | 17 | 9 | 1 | 2 | - | 6 |
| 18 | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 19 | - | - | - | - | - | - | - | 3 | 6 | - | 3 | - | 3 |
| 20 | - | - | - | 1 | 4 | 1 | - | 23 | 29 | - | 10 | 2 | 17 |
| 21 | - | - | 1 | - | 3 | - | - | 17 | 12 | - | 1 | - | 11 |
| 22 | - | - | - | - | - | - | - | 5 | 3 | - | 1 | - | 2 |
| 23 | 3 | 7 | 12 | 3 | 18 | 3 | 6 | 136 | 142 | 2 | 51 | - | 86 |
| 24 | 1 | - | - | - | - | - | 2 | 16 | 14 | - | 4 | - | 10 |
| 25 | 1 | - | 2 | 2 | 3 | 1 | - | 35 | 31 | 2 | 12 | - | 17 |
| 26 | 1 | 1 | 6 | 1 | 19 | 5 | 3 | 127 | 121 | 2 | 43 | 1 | 75 |
| 27 | - | 1 | 1 | 3 | 3 | - | 2 | 39 | 30 | - | 11 | - | 19 |
| 28 | 11 | 5 | 16 | 4 | 29 | 8 | 11 | 246 | 228 | 7 | 79 | 1 | 141 |
| 29 | - | 1 | 1 | 1 | 2 | 1 | - | 15 | 20 | - | 9 | - | 11 |
| 30 | - | - | 1 | - | 2 | 2 | 3 | 39 | 31 | 1 | 9 | 4 | 17 |
| 31 | 1 | 1 | - | - | 6 | - | 3 | 54 | 36 | 2 | 13 | 1 | 20 |
| 32 | - | - | - | - | - | - | 1 | 9 | 16 | - | 5 | - | 11 |
| 33 | - | - | 1 | 1 | - | - | 1 | 12 | 16 | 1 | 5 | - | 10 |
| 34 | 1 | - | - | - | 1 | 2 | - | 5 | 10 | - | 3 | - | 7 |
| 35 | - | 1 | 1 | - | - | - | 1 | 9 | 13 | 1 | 3 | - | 9 |
| 36 | - | - | - | - | 1 | - | - | 2 | 3 | - | 2 | 1 | - |
| 37 | - | - | 1 | - | 1 | - | - | 3 | 5 | - | 1 | - | 4 |
| 38 | 1 | - | 1 | 1 | 1 | - | 1 | 13 | 22 | 1 | 8 | - | 13 |
| 39 | 1 | - | 1 | - | 2 | 1 | 5 | 27 | 34 | 2 | 9 | 1 | 22 |
| 40 | - | - | - | 1 | 1 | 3 | 1 | 13 | 17 | 2 | 4 | - | 11 |
| 41 | - | - | - | - | 1 | - | - | - | 1 | - | - | - | 1 |
| 42 | - | - | - | - | 1 | 1 | - | 3 | 4 | - | 2 | - | 2 |
| 43 | 1 | - | 1 | - | 1 | - | 1 | 6 | 5 | - | - | 1 | 4 |
| 44 | 1 | 1 | - | - | 4 | 1 | 3 | 62 | 44 | 1 | 17 | - | 26 |
| 45 | - | - | - | 2 | - | 2 | - | 50 | 121 | 2 | 7 | 6 | 106 |
| 46 | - | - | - | 1 | 1 | - | - | 8 | 3 | - | 1 | - | 2 |
| 47 | 4 | 1 | 1 | - | 3 | 2 | 1 | 49 | 39 | - | 15 | 1 | 23 |
| 48 | - | - | - | - | - | 1 | - | 22 | 41 | - | 12 | - | 29 |
| 49 | 22 | 19 | 48 | 21 | 107 | 35 | 45 | 1,078 | 1,113 | 27 | 347 | 19 | 720 |
| 50 | 1 | 1 | - | - | 6 | 2 | 3 | 97 | 66 | 2 | 32 | - | 32 |
| 51 | - | - | 1 | - | 1 | - | - | 29 | 18 | 1 | 6 | - | 11 |
| 52 | - | - | - | - | - | 1 | - | 11 | 7 | - | 2 | - | 5 |
| 53 | - | - | - | - | 1 | - | - | 14 | 5 | - | - | - | 5 |
| 54 | 1 | - | - | 2 | 4 | - | 2 | 32 | 28 | - | 7 | - | 21 |
| 55 | 1 | - | - | 2 | 3 | 1 | 2 | 40 | 44 | 3 | 10 | - | 31 |
| 56 | 2 | 2 | - | 1 | 3 | - | 2 | 54 | 36 | 1 | 15 | 1 | 19 |
| 57 | 4 | - | 2 | 3 | 9 | 4 | 4 | 93 | 67 | 2 | 17 | 1 | 47 |
| 58 | 4 | 6 | 9 | 1 | 12 | 7 | 5 | 166 | 134 | 4 | 52 | 2 | 76 |
| 59 | 6 | 5 | 11 | 5 | 20 | 9 | 16 | 258 | 248 | 3 | 84 | 4 | 157 |
| 60 | 8 | 5 | 18 | 5 | 37 | 10 | 5 | 216 | 315 | 6 | 93 | 10 | 206 |
| 61 | 1 | - | 7 | 2 | 11 | 1 | 6 | 68 | 145 | 5 | 29 | 1 | 110 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 28 | 19 | 48 | 21 | 107 | 35 | 45 | 1,078 | 1,113 | 27 | 347 | 19 | 720 |

| International Nos. Short List. | | KINCARDINE COUNTY. | | | | | | Marginal Index Numbers. |
|-----------------------------------|--|------------------------|-------------|----------------|--------------------|---------------|-----------|----------------------------|
| | | Kincardine County.† | Banchory B. | Inverbervie B. | Laurencekirk B. | Stonehaven B. | Landward. | |
| | Population (Estimated) - - - | 26,443 | 1,830 | 952 | 1,337 | 4,229 | 18,095 | 1 |
| | Total Births Registered (including Illegitimate) | 400 | 16 | 13 | 13 | 75 | 283 | 2 |
| | „ „ Corrected for Transfers | 427 | 16 | 13 | 18 | 62 | 318 | 3 |
| | „ „ „ Male - - | 214 | 8 | 7 | 9 | 33 | 157 | 4 |
| | „ „ „ Female - - | 213 | 8 | 6 | 9 | 29 | 161 | 5 |
| | „ „ „ Illegitimate | 46 | 2 | 1 | 2 | 4 | 37 | 6 |
| | „ Marriages Registered - - | 163 | 17 | 12 | 10 | 34 | 90 | 7 |
| | „ Deaths Registered - - | 280 | 20 | 9 | 16 | 70 | 165 | 8 |
| | „ „ Corrected for Transfers | 353 | 27 | 18 | 23 | 65 | 220 | 9 |
| | „ „ „ Male - - | 166 | 9 | 11 | 8 | 27 | 111 | 10 |
| | „ „ „ Female - - | 187 | 18 | 7 | 15 | 38 | 109 | 11 |
| | CAUSES OF DEATH. | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | 12 |
| 4 | Measles - - - - - | - | - | - | - | - | - | 13 |
| 5 | Scarlet fever - - - - - | - | - | - | - | - | - | 14 |
| 6 | Whooping-cough - - - - - | 2 | 1 | - | - | - | 1 | 15 |
| 7 | Diphtheria - - - - - | 3 | - | - | - | 1 | 2 | 16 |
| 8 | Influenza - - - - - | 4 | - | - | - | 2 | 2 | 17 |
| 14 (1) | Cerebro-spinal fever - - - - - | - | - | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | 1 | - | - | - | - | 1 | 19 |
| 10 | Tuberculosis of respiratory system | 5 | 1 | 1 | - | 1 | 2 | 20 |
| 11 | Other tuberculous diseases - - - | 3 | - | - | - | - | 3 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | 1 | - | - | - | - | 1 | 22 |
| 15 | Cancer, malignant disease - - - | 68 | 3 | 6 | 7 | 11 | 41 | 23 |
| 18 | Diabetes mellitus - - - - - | 1 | - | - | - | - | 1 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 8 | - | - | 1 | 2 | 5 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - | 39 | 2 | 2 | 1 | 13 | 21 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 13 | 1 | 3 | - | 3 | 6 | 27 |
| 24 | Heart disease - - - - - | 92 | 11 | 4 | 7 | 8 | 62 | 28 |
| 25 | Other circulatory diseases - - - | 6 | 1 | - | 2 | 1 | 2 | 29 |
| 26 | Bronchitis - - - - - | 4 | - | - | - | 2 | 2 | 30 |
| 27 | Pneumonia (all forms) - - - - - | 10 | - | 1 | 1 | - | 8 | 31 |
| 28 | Other respiratory diseases - - - | 3 | 1 | - | - | 1 | 1 | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - | 5 | - | - | 1 | 3 | 1 | 33 |
| 29 | Diarrhoea, &c. (all ages) - - - | 3 | - | - | - | 1 | 2 | 34 |
| 30 | Appendicitis - - - - - | 1 | - | - | - | - | 1 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | 2 | - | - | - | - | 2 | 36 |
| 31 (2) | Other diseases of liver, &c. - - - | 3 | - | - | - | 1 | 2 | 37 |
| 32 (2) | Other digestive diseases - - - - | 7 | - | - | - | 3 | 4 | 38 |
| 33 | Acute and chronic nephritis - - - | 7 | - | - | 1 | 2 | 4 | 39 |
| 34 | Other dis. of genito-urinary system | 6 | - | - | 1 | 2 | 3 | 40 |
| 35 | Puerperal sepsis - - - - - | 2 | - | - | - | - | 2 | 41 |
| 36 | Other puerperal causes - - - - - | - | - | - | - | - | - | 42 |
| 37 | Diseases of skin and locomotor system | - | - | - | - | - | - | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 14 | - | - | - | 3 | 11 | 44 |
| 39 | Old age - - - - - | 8 | 3 | - | - | 2 | 3 | 45 |
| 40 | Suicide - - - - - | 1 | - | - | - | 1 | - | 46 |
| 42 | Other violence (41) - - - - - | 20 | 2 | - | - | 2 | 16 | 47 |
| 43 | Causes ill-defined or unknown - - | 11 | 1 | 1 | 1 | - | 8 | 48 |
| | ALL CAUSES - - - | 353 | 27 | 18 | 23 | 65 | 220 | 49 |
| | AGES AT DEATH. | | | | | | | |
| | Under 1 - - - - - | 26 | - | 1 | 1 | 3 | 21 | 50 |
| | 1-4 - - - - - | 9 | 1 | - | - | 1 | 7 | 51 |
| | 5-9 - - - - - | 5 | - | - | - | - | 5 | 52 |
| | 10-14 - - - - - | 1 | - | - | - | - | 1 | 53 |
| | 15-24 - - - - - | 7 | - | 1 | - | - | 6 | 54 |
| | 25-34 - - - - - | 7 | 1 | 2 | - | 1 | 3 | 55 |
| | 35-44 - - - - - | 20 | - | 1 | 2 | 2 | 15 | 56 |
| | 45-54 - - - - - | 26 | 4 | 1 | 3 | 5 | 13 | 57 |
| | 55-64 - - - - - | 47 | 3 | 4 | 3 | 7 | 30 | 58 |
| | 65-74 - - - - - | 87 | 4 | 4 | 7 | 20 | 52 | 59 |
| | 75-84 - - - - - | 88 | 11 | 3 | 5 | 19 | 50 | 60 |
| | 85 and over - - - - - | 30 | 3 | 1 | 2 | 7 | 17 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 353 | 27 | 18 | 23 | 65 | 220 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Excluding portion of Aberdeen Burgh in Kincardine County.

| Marginal Index Numbers. | KINROSS COUNTY. | | | KIRKCOUBRIGHT COUNTY. | | | | | | | LANARK COUNTY. | | |
|----------------------------|--------------------|------------|-----------|-------------------------------|-----------------------|---------------|--------------|---------------------|--------------------|-----------|-------------------|------------|-----------|
| | Kinross County. | Kinross B. | Landward. | Kirkcud- bright County. | Castle- Douglas B. | Dalbeattie B. | Gatehouse B. | Kirkcudbright B. | New Galloway B. | Landward. | Lanark County. | Airdrie B. | Biggar B. |
| 1 | 7,028 | 2,391 | 4,637 | 30,359 | 3,192 | 3,160 | 867 | 2,332 | 314 | 20,494 | 1,635,937 | 28,134 | 1,301 |
| 2 | 86 | 30 | 56 | 459 | 45 | 46 | 8 | 33 | 8 | 319 | 33,046 | 759 | 9 |
| 3 | 111 | 37 | 74 | 486 | 42 | 48 | 9 | 33 | 9 | 345 | 32,201 | 605 | 17 |
| 4 | 55 | 15 | 40 | 255 | 21 | 29 | 6 | 19 | 3 | 177 | 16,550 | 306 | 7 |
| 5 | 56 | 22 | 34 | 231 | 21 | 19 | 3 | 14 | 6 | 168 | 15,651 | 299 | 10 |
| 6 | 10 | 4 | 6 | 51 | 3 | 6 | 2 | 2 | - | 38 | 1,752 | 27 | 2 |
| 7 | 37 | 21 | 16 | 191 | 26 | 19 | 9 | 24 | 1 | 112 | 14,358 | 212 | 6 |
| 8 | 118 | 28 | 90 | 337 | 61 | 30 | 12 | 26 | 6 | 202 | 21,512 | 232 | 10 |
| 9 | 117 | 40 | 77 | 399 | 44 | 48 | 16 | 28 | 8 | 255 | 20,862 | 334 | 17 |
| 10 | 55 | 20 | 35 | 210 | 25 | 22 | 8 | 13 | 5 | 137 | 10,985 | 163 | 7 |
| 11 | 62 | 20 | 42 | 189 | 19 | 26 | 8 | 15 | 3 | 118 | 9,877 | 171 | 10 |
| 12 | - | - | - | - | - | - | - | - | - | - | 8 | - | - |
| 13 | - | - | - | - | - | - | - | - | - | - | 312 | 4 | - |
| 14 | - | - | - | 2 | - | - | 1 | 1 | - | - | 33 | 1 | - |
| 15 | - | - | - | - | - | - | - | - | - | - | 116 | - | - |
| 16 | 1 | - | 1 | 1 | - | - | - | - | - | 1 | 181 | 1 | - |
| 17 | - | - | - | 1 | - | 1 | - | - | - | - | 145 | 6 | - |
| 18 | - | - | - | - | - | - | - | - | - | - | 45 | - | - |
| 19 | - | - | - | - | - | - | - | - | - | - | 74 | 3 | - |
| 20 | 4 | 2 | 2 | 8 | 2 | 1 | 1 | - | - | 4 | 1,175 | 3 | - |
| 21 | - | - | - | 9 | - | 4 | - | 1 | - | 4 | 364 | 4 | - |
| 22 | 2 | 1 | 1 | 2 | - | - | - | - | - | 2 | 69 | 2 | - |
| 23 | 18 | 9 | 9 | 47 | 5 | 6 | 1 | 4 | 1 | 30 | 2,476 | 54 | 3 |
| 24 | 1 | - | 1 | 6 | - | 2 | 1 | - | - | 3 | 266 | 4 | - |
| 25 | 3 | - | 3 | 10 | 1 | - | - | - | - | 9 | 454 | 4 | - |
| 26 | 11 | 5 | 6 | 39 | 2 | 1 | 2 | 4 | 1 | 29 | 1,767 | 24 | 2 |
| 27 | 1 | 1 | - | 11 | - | 2 | - | 2 | 1 | 6 | 512 | 11 | - |
| 28 | 28 | 9 | 19 | 120 | 20 | 13 | 6 | 8 | 3 | 70 | 4,226 | 64 | 4 |
| 29 | 6 | 2 | 4 | 9 | 1 | 2 | - | 1 | - | 5 | 349 | 5 | - |
| 30 | 4 | 1 | 3 | 16 | 1 | 1 | 3 | - | - | 11 | 980 | 16 | 1 |
| 31 | 5 | 1 | 4 | 17 | 1 | 3 | 1 | 1 | - | 11 | 1,709 | 26 | - |
| 32 | 2 | - | 2 | 16 | 2 | 1 | - | 1 | - | 12 | 212 | 4 | - |
| 33 | 2 | 1 | 1 | 5 | 1 | - | - | - | - | 4 | 219 | 1 | 1 |
| 34 | 1 | 1 | - | 5 | - | - | - | 1 | - | 4 | 485 | 12 | - |
| 35 | - | - | - | 4 | - | 1 | - | - | - | 3 | 123 | 4 | - |
| 36 | 1 | 1 | - | - | - | - | - | - | - | - | 65 | 2 | - |
| 37 | - | - | - | 3 | 1 | - | - | - | - | 2 | 112 | 1 | - |
| 38 | 3 | 1 | 2 | 4 | - | 2 | - | - | - | 2 | 284 | 6 | - |
| 39 | 4 | 1 | 3 | 8 | - | - | - | 2 | - | 6 | 496 | 8 | 1 |
| 40 | 2 | 1 | 1 | 6 | 1 | - | - | - | - | 5 | 284 | 5 | - |
| 41 | - | - | - | 1 | - | - | - | - | - | 1 | 66 | - | - |
| 42 | - | - | - | - | - | - | - | - | - | - | 112 | 3 | 1 |
| 43 | - | - | - | - | - | - | - | - | - | - | 129 | 1 | 1 |
| 44 | 6 | 1 | 5 | 19 | 2 | 2 | - | 2 | - | 13 | 1,132 | 23 | - |
| 45 | 5 | - | 5 | 4 | - | - | - | - | - | 4 | 562 | 11 | 2 |
| 46 | - | - | - | 3 | 2 | - | - | - | - | 1 | 125 | 1 | - |
| 47 | 5 | 2 | 3 | 15 | 2 | 3 | - | - | 1 | 9 | 820 | 10 | 1 |
| 48 | 2 | - | 2 | 8 | - | 3 | - | - | 1 | 4 | 375 | 10 | - |
| 49 | 117 | 40 | 77 | 399 | 44 | 48 | 16 | 28 | 8 | 255 | 20,862 | 334 | 17 |
| 50 | 9 | 2 | 7 | 28 | 2 | 4 | - | 2 | 1 | 19 | 2,633 | 54 | - |
| 51 | 2 | - | 2 | 7 | - | 2 | - | - | - | 5 | 980 | 15 | - |
| 52 | 1 | - | 1 | 6 | - | - | - | 1 | - | 5 | 304 | 5 | - |
| 53 | 1 | 1 | - | 6 | - | 4 | - | - | - | 2 | 262 | 4 | - |
| 54 | - | - | - | 10 | - | - | - | 2 | - | 8 | 931 | 8 | - |
| 55 | 7 | 3 | 4 | 13 | 3 | 3 | - | - | - | 7 | 933 | 9 | 1 |
| 56 | 3 | 1 | 2 | 11 | - | 1 | 1 | 1 | - | 8 | 1,239 | 17 | 1 |
| 57 | 11 | 4 | 7 | 17 | - | 3 | 1 | 1 | 1 | 11 | 2,017 | 31 | 2 |
| 58 | 17 | 5 | 12 | 70 | 10 | 9 | - | 6 | 2 | 43 | 3,430 | 53 | 3 |
| 59 | 25 | 9 | 16 | 90 | 8 | 10 | 4 | 6 | 4 | 58 | 4,436 | 77 | 2 |
| 60 | 25 | 10 | 15 | 108 | 18 | 8 | 8 | 5 | - | 69 | 3,129 | 52 | 4 |
| 61 | 16 | 5 | 11 | 33 | 3 | 4 | 2 | 4 | - | 20 | 568 | 9 | 4 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 117 | 40 | 77 | 399 | 44 | 48 | 16 | 28 | 8 | 255 | 20,862 | 334 | 17 |

| International Nos. Short List. | | LANARK COUNTY—(continued). | | | | | | | Marginal Index Numbers. |
|-----------------------------------|--|----------------------------|------------|-------------|-----------|---------------------------|---------------|-----------|----------------------------|
| | | Conthridge B. | Glasgow B. | Hamilton B. | Lanark B. | Motherwell & Wishaw B. | Rutherglen B. | Landward. | |
| | Population (Estimated) - - - | 45,045 | 1,127,825 | 39,315 | 6,027 | 67,696 | 25,441 | 295,153 | 1 |
| | Total Births Registered (including Illegitimate) | 829 | 23,193 | 946 | 52 | 1,327 | 239 | 5,692 | 2 |
| | „ „ Corrected for Transfers | 1,034 | 21,982 | 906 | 93 | 1,322 | 363 | 5,879 | 3 |
| | „ „ „ Male - - | 527 | 11,205 | 479 | 47 | 721 | 188 | 3,070 | 4 |
| | „ „ „ Female - - | 507 | 10,777 | 427 | 46 | 601 | 175 | 2,809 | 5 |
| | „ „ „ Illegitimate | 39 | 1,262 | 43 | 4 | 46 | 12 | 317 | 6 |
| | „ Marriages Registered - - | 289 | 10,933 | 316 | 76 | 511 | 238 | 1,777 | 7 |
| | „ Deaths Registered - - - | 508 | 16,461 | 377 | 79 | 573 | 205 | 3,017 | 8 |
| | „ „ Corrected for Transfers | 590 | 15,023 | 422 | 89 | 765 | 317 | 3,305 | 9 |
| | „ „ „ Male - - | 348 | 7,920 | 229 | 35 | 430 | 165 | 1,688 | 10 |
| | „ „ „ Female - - | 242 | 7,103 | 193 | 54 | 335 | 152 | 1,617 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | 1 | 5 | - | - | - | - | 2 | 12 |
| 4 | Measles - - - - - | 9 | 258 | 5 | - | 5 | 2 | 29 | 13 |
| 5 | Scarlet fever - - - - - | - | 28 | - | - | 2 | - | 2 | 14 |
| 6 | Whooping-cough - - - - - | 3 | 87 | 4 | - | 5 | - | 17 | 15 |
| 7 | Diphtheria - - - - - | 3 | 136 | 4 | - | 5 | 7 | 25 | 16 |
| 8 | Influenza - - - - - | 11 | 85 | 7 | - | 9 | - | 27 | 17 |
| 14 (1) | Cerebro-spinal fever - - - - - | 1 | 35 | 1 | - | 1 | - | 7 | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | 2 | 51 | 3 | - | 3 | 2 | 10 | 19 |
| 10 | Tuberculosis of respiratory system - - | 37 | 956 | 16 | 3 | 33 | 17 | 110 | 20 |
| 11 | Other tuberculous diseases - - - - - | 4 | 274 | 7 | 4 | 18 | 3 | 50 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | 54 | - | - | 3 | 1 | 9 | 22 |
| 15 | Cancer, malignant disease - - - - - | 53 | 1,778 | 54 | 12 | 105 | 49 | 368 | 23 |
| 18 | Diabetes mellitus - - - - - | 12 | 158 | 8 | 2 | 15 | 5 | 62 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 8 | 317 | 8 | 1 | 10 | 12 | 94 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - - - | 50 | 1,217 | 35 | 10 | 73 | 29 | 327 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 19 | 354 | 14 | 3 | 21 | 4 | 86 | 27 |
| 24 | Heart disease - - - - - | 109 | 3,074 | 72 | 21 | 158 | 65 | 659 | 28 |
| 25 | Other circulatory diseases - - - - - | 8 | 246 | 6 | 1 | 11 | 7 | 65 | 29 |
| 26 | Bronchitis - - - - - | 31 | 690 | 29 | 2 | 51 | 18 | 142 | 30 |
| 27 | Pneumonia (all forms) - - - - - | 58 | 1,294 | 29 | 3 | 64 | 13 | 222 | 31 |
| 28 | Other respiratory diseases - - - - - | 5 | 145 | 6 | 1 | 5 | 5 | 41 | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - - - | 3 | 166 | 2 | - | 6 | 2 | 38 | 33 |
| 29 | Diarrhœa, &c. (all ages) - - - - - | 17 | 370 | 10 | 3 | 11 | 4 | 58 | 34 |
| 30 | Appendicitis - - - - - | 2 | 86 | 1 | - | 5 | 6 | 19 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | 2 | 52 | 4 | - | 1 | - | 4 | 36 |
| 31 (2) | Other diseases of liver, &c. - - - - - | 1 | 75 | 2 | - | 5 | 4 | 24 | 37 |
| 32 (2) | Other digestive diseases - - - - - | 5 | 197 | 5 | 3 | 9 | 9 | 50 | 38 |
| 33 | Acute and chronic nephritis - - - - - | 14 | 353 | 14 | 4 | 17 | 9 | 76 | 39 |
| 34 | Other dis. of genito-urinary system - - | 6 | 208 | 9 | 2 | 9 | 5 | 40 | 40 |
| 35 | Puerperal sepsis - - - - - | 3 | 51 | - | - | 2 | - | 10 | 41 |
| 36 | Other puerperal causes - - - - - | 2 | 74 | 4 | 1 | 3 | 2 | 22 | 42 |
| 37 | Diseases of skin and locomotor system | 2 | 98 | 2 | - | 8 | 1 | 16 | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 39 | 780 | 26 | 5 | 27 | 12 | 220 | 44 |
| 39 | Old age - - - - - | 15 | 344 | 8 | 4 | 30 | 7 | 141 | 45 |
| 40 | Suicide - - - - - | 3 | 95 | 3 | 1 | 3 | 2 | 17 | 46 |
| 42 | Other violence (41) - - - - - | 29 | 565 | 16 | 2 | 26 | 11 | 160 | 47 |
| 43 | Causes ill-defined or unknown - - - | 23 | 267 | 8 | 1 | 6 | 4 | 56 | 48 |
| | ALL CAUSES - - - | 590 | 15,023 | 422 | 89 | 765 | 317 | 3,305 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | 87 | 1,917 | 63 | 6 | 80 | 20 | 406 | 50 |
| | 1-4 - - - - - | 27 | 754 | 23 | 4 | 24 | 6 | 127 | 51 |
| | 5-9 - - - - - | 9 | 227 | 4 | 1 | 5 | 5 | 48 | 52 |
| | 10-14 - - - - - | 5 | 184 | 2 | 3 | 14 | 4 | 46 | 53 |
| | 15-24 - - - - - | 36 | 666 | 18 | 3 | 39 | 19 | 142 | 54 |
| | 25-34 - - - - - | 25 | 688 | 23 | 2 | 35 | 19 | 131 | 55 |
| | 35-44 - - - - - | 46 | 899 | 19 | 6 | 51 | 14 | 186 | 56 |
| | 45-54 - - - - - | 53 | 1,499 | 36 | 3 | 59 | 19 | 315 | 57 |
| | 55-64 - - - - - | 81 | 2,503 | 71 | 18 | 121 | 61 | 519 | 58 |
| | 65-74 - - - - - | 140 | 3,105 | 91 | 21 | 182 | 86 | 732 | 59 |
| | 75-84 - - - - - | 70 | 2,195 | 63 | 15 | 135 | 52 | 543 | 60 |
| | 85 and over - - - - - | 11 | 386 | 9 | 7 | 20 | 12 | 110 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 590 | 15,023 | 422 | 89 | 765 | 317 | 3,305 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | MIDLOTHIAN COUNTY. | | | | | | | | MORAY COUNTY. | | | |
|----------------------------|-----------------------|---------------------------------|-------------|--------------|-------------|-------------------|-------------|-----------|------------------|-------------|----------|-----------|
| | Midlothian County. | Bonnyrigg and Lasswade B. | Dalkeith B. | Edinburgh B. | Loanhead B. | Musselburgh B. | Penicuik B. | Landward. | Moray County. | Burghead B. | Elgin B. | Forres B. |
| 1 | 559,202 | 5,375 | 7,658 | 469,448 | 4,144 | 17,562 | 4,222 | 50,793 | 40,844 | 1,324 | 9,154 | 4,377 |
| 2 | 9,712 | 85 | 88 | 8,556 | 57 | 177 | 80 | 669 | 738 | 21 | 151 | 63 |
| 3 | 9,030 | 106 | 111 | 7,547 | 66 | 265 | 94 | 841 | 736 | 21 | 141 | 76 |
| 4 | 4,572 | 55 | 50 | 3,824 | 31 | 129 | 47 | 436 | 367 | 14 | 71 | 32 |
| 5 | 4,458 | 51 | 61 | 3,723 | 35 | 136 | 47 | 405 | 369 | 7 | 70 | 44 |
| 6 | 541 | 7 | 9 | 467 | 4 | 9 | - | 45 | 95 | 4 | 22 | 7 |
| 7 | 5,125 | 19 | 71 | 4,512 | 38 | 142 | 39 | 304 | 294 | 5 | 131 | 34 |
| 8 | 7,822 | 45 | 97 | 7,057 | 37 | 132 | 30 | 424 | 530 | 19 | 155 | 39 |
| 9 | 6,987 | 71 | 108 | 5,974 | 41 | 209 | 44 | 540 | 558 | 26 | 128 | 66 |
| 10 | 3,438 | 39 | 58 | 2,928 | 22 | 107 | 17 | 267 | 263 | 10 | 58 | 30 |
| 11 | 3,549 | 32 | 50 | 3,046 | 19 | 102 | 27 | 273 | 295 | 16 | 70 | 36 |
| 12 | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| 13 | 37 | - | - | 36 | - | - | - | 1 | 2 | - | 1 | - |
| 14 | 6 | - | - | 5 | - | - | - | 1 | - | - | - | - |
| 15 | 4 | - | - | 4 | - | - | - | - | - | - | - | - |
| 16 | 48 | 1 | - | 39 | - | 3 | - | 5 | 4 | 1 | - | - |
| 17 | 27 | 1 | 1 | 21 | - | 3 | - | 1 | 1 | - | - | - |
| 18 | 9 | - | - | 8 | - | - | - | 1 | - | - | - | - |
| 19 | 27 | - | 1 | 20 | - | 1 | 2 | 3 | - | - | - | - |
| 20 | 318 | 2 | 5 | 286 | - | 5 | 1 | 19 | 16 | 1 | 1 | 2 |
| 21 | 82 | 2 | - | 74 | - | 1 | - | 5 | 8 | - | 1 | 1 |
| 22 | 41 | 1 | - | 37 | - | 1 | - | 2 | 2 | - | - | - |
| 23 | 1,014 | 17 | 11 | 883 | 5 | 19 | 8 | 71 | 86 | 6 | 16 | 11 |
| 24 | 78 | 1 | 1 | 63 | - | 3 | - | 10 | 5 | - | 1 | - |
| 25 | 195 | 1 | 2 | 165 | 2 | 5 | 3 | 17 | 12 | - | 4 | - |
| 26 | 677 | 7 | 19 | 556 | 5 | 22 | 9 | 59 | 71 | 4 | 22 | 13 |
| 27 | 160 | 1 | 6 | 129 | - | 5 | 2 | 17 | 14 | 2 | 2 | 1 |
| 28 | 1,643 | 10 | 25 | 1,404 | 12 | 56 | 6 | 130 | 114 | 4 | 24 | 15 |
| 29 | 204 | 2 | 1 | 183 | 1 | 6 | 1 | 10 | 13 | - | 2 | - |
| 30 | 293 | 1 | 8 | 256 | 2 | 6 | 2 | 18 | 20 | 1 | 6 | 2 |
| 31 | 375 | 2 | 3 | 337 | 2 | 8 | - | 23 | 26 | 2 | 6 | 4 |
| 32 | 116 | 1 | - | 98 | - | 5 | 2 | 10 | 10 | - | 3 | - |
| 33 | 89 | 1 | 1 | 71 | 1 | 9 | - | 6 | 4 | - | - | - |
| 34 | 81 | - | - | 73 | - | 2 | 1 | 5 | 6 | - | 2 | 1 |
| 35 | 53 | 1 | - | 44 | - | 3 | - | 5 | 3 | - | - | - |
| 36 | 27 | - | 1 | 24 | - | 1 | - | 1 | 1 | - | - | - |
| 37 | 48 | - | 1 | 40 | - | 1 | - | 6 | 6 | - | 2 | - |
| 38 | 121 | 2 | 2 | 99 | 2 | 4 | 1 | 11 | 12 | 2 | 2 | - |
| 39 | 185 | 2 | 2 | 161 | - | 5 | - | 15 | 18 | 2 | 5 | 1 |
| 40 | 123 | 1 | - | 120 | - | 2 | 1 | 4 | 11 | - | 5 | 2 |
| 41 | 20 | - | 1 | 17 | - | - | - | 2 | 2 | - | - | - |
| 42 | 29 | - | - | 24 | - | 4 | - | 1 | 3 | - | - | - |
| 43 | 42 | - | 1 | 38 | - | 1 | - | 2 | - | - | - | - |
| 44 | 303 | 4 | 5 | 250 | 3 | 13 | 1 | 27 | 25 | 1 | 3 | 1 |
| 45 | 153 | 5 | 7 | 121 | 1 | - | 1 | 18 | 32 | - | 13 | 7 |
| 46 | 83 | - | 2 | 77 | - | 2 | - | 2 | 5 | - | 1 | 2 |
| 47 | 230 | 4 | 1 | 181 | 4 | 8 | 3 | 29 | 21 | - | 4 | 3 |
| 48 | 40 | 1 | 1 | 29 | 1 | 5 | - | 3 | 5 | - | 2 | - |
| 49 | 6,987 | 71 | 108 | 5,974 | 41 | 209 | 44 | 540 | 558 | 26 | 128 | 66 |
| 50 | 550 | 6 | 11 | 462 | 6 | 19 | 4 | 42 | 44 | 2 | 9 | 4 |
| 51 | 163 | 2 | - | 139 | 2 | 7 | 1 | 12 | 9 | 1 | 3 | - |
| 52 | 80 | 2 | - | 67 | - | 2 | - | 9 | 7 | 1 | - | 1 |
| 53 | 52 | - | - | 46 | - | 1 | - | 5 | 3 | - | - | - |
| 54 | 231 | 2 | 1 | 194 | 2 | 11 | - | 21 | 8 | - | - | 2 |
| 55 | 265 | 3 | 5 | 225 | - | 10 | 1 | 21 | 25 | - | 5 | 1 |
| 56 | 363 | 2 | 7 | 307 | 2 | 9 | 3 | 33 | 23 | - | 6 | 2 |
| 57 | 595 | 7 | 12 | 512 | 2 | 16 | 3 | 43 | 43 | 3 | 7 | 7 |
| 58 | 1,190 | 11 | 15 | 1,037 | 8 | 26 | 3 | 90 | 70 | 5 | 14 | 6 |
| 59 | 1,710 | 12 | 30 | 1,460 | 11 | 52 | 10 | 135 | 131 | 5 | 11 | 16 |
| 60 | 1,423 | 19 | 20 | 1,213 | 6 | 44 | 15 | 106 | 145 | 9 | 28 | 19 |
| 61 | 365 | 5 | 7 | 312 | 2 | 12 | 4 | 23 | 50 | - | 15 | 8 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 6,987 | 71 | 108 | 5,974 | 41 | 209 | 44 | 540 | 558 | 26 | 128 | 66 |

| International Nos. Short List. | | MORAY COUNTY— (continued). | | | | NAIRN COUNTY. | | | Marginal Index Numbers. |
|-----------------------------------|---|-------------------------------|----------------|------------|-----------|---------------|----------|-----------|----------------------------|
| | | Grantown-on-Spey B. | Lossiemouth B. | Rothies B. | Landward. | Nairn County. | Nairn B. | Landward. | |
| | Population (Estimated) - - - | 1,442 | 3,984 | 1,294 | 19,329 | 8,303 | 4,333 | 3,970 | 1 |
| | Total Births Registered (including Illegitimate) | 14 | 75 | 25 | 389 | 154 | 30 | 124 | 2 |
| | " " Corrected for Transfers | 25 | 78 | 29 | 366 | 147 | 72 | 75 | 3 |
| | " " " Male - - | 10 | 40 | 14 | 186 | 74 | 32 | 42 | 4 |
| | " " " Female - | 15 | 38 | 15 | 180 | 73 | 40 | 33 | 5 |
| | " " " Illegitimate | 3 | 8 | 6 | 45 | 14 | 4 | 10 | 6 |
| | " Marriages Registered - - | 11 | 18 | 6 | 89 | 53 | 38 | 15 | 7 |
| | " Deaths Registered - - | 19 | 50 | 5 | 243 | 119 | 57 | 62 | 8 |
| | " " Corrected for Transfers | 24 | 55 | 19 | 240 | 121 | 68 | 53 | 9 |
| | " " " Male - - | 11 | 25 | 10 | 119 | 70 | 38 | 32 | 10 |
| | " " " Female - | 13 | 30 | 9 | 121 | 51 | 30 | 21 | 11 |
| | CAUSES OF DEATH. | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | - | 12 |
| 4 | Measles - - - - - | 1 | - | - | - | - | - | - | 13 |
| 5 | Scarlet fever - - - - - | - | - | - | - | - | - | - | 14 |
| 6 | Whooping-cough - - - - - | - | - | - | - | - | - | - | 15 |
| 7 | Diphtheria - - - - - | - | - | - | 3 | - | - | - | 16 |
| 8 | Influenza - - - - - | - | - | - | 1 | - | - | - | 17 |
| 14 (1) | Cerebro-spinal fever - - - - - | - | - | - | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | - | - | - | - | - | - | - | 19 |
| 10 | Tuberculosis of respiratory system - | - | 2 | 3 | 7 | 2 | 1 | 1 | 20 |
| 11 | Other tuberculous diseases - - - | - | - | 4 | 2 | - | - | - | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | - | 1 | 1 | - | - | - | 22 |
| 15 | Cancer, malignant disease - - - | 3 | 6 | - | 44 | 17 | 9 | 8 | 23 |
| 18 | Diabetes mellitus - - - - - | - | 1 | - | 3 | 1 | - | 1 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | - | 1 | - | 7 | 2 | 1 | 1 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - | 2 | 10 | 1 | 19 | 18 | 11 | 7 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | - | 2 | - | 7 | 4 | 3 | 1 | 27 |
| 24 | Heart disease - - - - - | 6 | 8 | 1 | 56 | 32 | 19 | 13 | 28 |
| 25 | Other circulatory diseases - - - | 3 | 3 | - | 5 | 11 | 5 | 6 | 29 |
| 26 | Bronchitis - - - - - | 1 | 1 | 1 | 8 | 3 | 2 | 1 | 30 |
| 27 | Pneumonia (all forms) - - - - | 2 | 3 | 1 | 8 | 1 | - | 1 | 31 |
| 28 | Other respiratory diseases - - - | - | 1 | - | 6 | - | - | - | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - | - | - | - | 4 | 1 | 1 | - | 33 |
| 29 | Diarrhoea, &c. (all ages) - - - | - | 2 | 1 | - | 1 | - | 1 | 34 |
| 30 | Appendicitis - - - - - | 1 | - | 1 | 1 | - | - | - | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | - | - | - | 1 | - | - | - | 36 |
| 31 (2) | Other diseases of liver, &c. - - - | - | 1 | - | 3 | 1 | 1 | - | 37 |
| 32 (2) | Other digestive diseases - - - - | - | 6 | - | 2 | 1 | 1 | - | 38 |
| 33 | Acute and chronic nephritis - - - | 2 | - | 1 | 7 | 3 | 3 | - | 39 |
| 34 | Other dis. of genito-urinary system - | - | - | 1 | 3 | - | - | - | 40 |
| 35 | Puerperal sepsis - - - - - | 1 | - | - | 1 | - | - | - | 41 |
| 36 | Other puerperal causes - - - - | - | - | 1 | 2 | 1 | 1 | - | 42 |
| 37 | Diseases of skin and locomotor system - | - | - | - | - | 1 | - | 1 | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | - | 5 | - | 15 | 7 | 2 | 5 | 44 |
| 39 | Old age - - - - - | - | 2 | - | 10 | 8 | 4 | 4 | 45 |
| 40 | Suicide - - - - - | - | - | - | 2 | 1 | 1 | - | 46 |
| 42 | Other violence (41) - - - - - | 1 | 1 | 2 | 10 | 4 | 2 | 2 | 47 |
| 43 | Causes ill-defined or unknown - - | 1 | - | - | 2 | 1 | 1 | - | 48 |
| | ALL CAUSES - - - | 24 | 55 | 19 | 240 | 121 | 68 | 53 | 49 |
| | AGES AT DEATH. | | | | | | | | |
| | Under 1 - - - - - | - | 6 | 3 | 20 | 9 | 1 | 8 | 50 |
| | 1- 4 - - - - - | 1 | 2 | - | 2 | 2 | - | 2 | 51 |
| | 5- 9 - - - - - | - | - | - | 5 | 1 | 1 | - | 52 |
| | 10-14 - - - - - | - | - | 2 | 1 | 1 | - | 1 | 53 |
| | 15-24 - - - - - | 1 | 1 | 3 | 1 | 2 | 1 | 1 | 54 |
| | 25-34 - - - - - | - | 2 | 3 | 14 | 1 | 1 | - | 55 |
| | 35-44 - - - - - | 1 | 1 | 1 | 12 | 3 | 2 | 1 | 56 |
| | 45-54 - - - - - | 2 | 8 | 1 | 15 | 7 | 4 | 3 | 57 |
| | 55-64 - - - - - | 4 | 8 | 1 | 32 | 15 | 9 | 6 | 58 |
| | 65-74 - - - - - | 3 | 9 | 2 | 55 | 35 | 24 | 11 | 59 |
| | 75-84 - - - - - | 11 | 15 | 3 | 60 | 27 | 14 | 13 | 60 |
| | 85 and over - - - - - | 1 | 3 | - | 23 | 18 | 11 | 7 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 24 | 55 | 19 | 240 | 121 | 68 | 53 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | ORKNEY COUNTY. | | | | PEEBLES COUNTY. | | | | PERTH COUNTY. | | | | |
|----------------------------|-------------------|-------------|--------------|-----------|--------------------|-----------------|------------|-----------|------------------|--------------|--------------|----------|--------------------|
| | Orkney County. | Kirkwall B. | Stromness B. | Landward. | Peebles County. | Innerleithen B. | Peebles B. | Landward. | Perth County. | Aberfeldy B. | Abernethy B. | Alyth B. | Auchterarder B. |
| 1 | 21,799 | 3,673 | 1,550 | 16,576 | 14,471 | 2,270 | 5,941 | 6,260 | 119,657 | 1,475 | 618 | 1,807 | 2,182 |
| 2 | 322 | 66 | 20 | 236 | 169 | 10 | 118 | 41 | 1,646 | 27 | 4 | 80 | 21 |
| 3 | 324 | 63 | 21 | 240 | 187 | 23 | 88 | 76 | 1,709 | 16 | 6 | 40 | 26 |
| 4 | 155 | 33 | 9 | 113 | 94 | 14 | 46 | 34 | 862 | 10 | 2 | 23 | 16 |
| 5 | 169 | 30 | 12 | 127 | 93 | 9 | 42 | 42 | 847 | 6 | 4 | 17 | 10 |
| 6 | 27 | 3 | 1 | 23 | 12 | 2 | 5 | 5 | 141 | - | - | 2 | 2 |
| 7 | 151 | 51 | 10 | 90 | 78 | 18 | 35 | 25 | 794 | 10 | 4 | 9 | 15 |
| 8 | 306 | 74 | 21 | 211 | 123 | 21 | 55 | 47 | 1,557 | 30 | 8 | 29 | 27 |
| 9 | 315 | 50 | 25 | 240 | 155 | 31 | 58 | 66 | 1,603 | 31 | 13 | 37 | 28 |
| 10 | 163 | 28 | 11 | 124 | 76 | 12 | 27 | 37 | 774 | 12 | 8 | 19 | 8 |
| 11 | 152 | 22 | 14 | 116 | 79 | 19 | 31 | 29 | 829 | 19 | 5 | 18 | 20 |
| 12 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 13 | - | - | - | - | - | - | - | - | 7 | - | - | - | - |
| 14 | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 15 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 16 | 1 | - | 1 | - | - | - | - | - | 5 | - | - | - | - |
| 17 | 3 | 1 | - | 2 | 1 | - | 1 | - | 7 | - | - | - | - |
| 18 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 19 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 20 | 6 | 2 | - | 4 | 4 | - | 2 | 2 | 31 | - | - | - | 1 |
| 21 | 3 | - | 1 | 2 | 2 | - | 1 | 1 | 19 | 1 | - | 2 | 1 |
| 22 | 3 | 1 | - | 2 | 1 | - | 1 | - | 6 | 1 | - | - | - |
| 23 | 39 | 8 | 5 | 26 | 20 | 4 | 8 | 8 | 209 | 3 | 3 | 5 | 5 |
| 24 | 2 | - | - | 2 | 5 | 2 | 1 | 2 | 16 | - | - | - | - |
| 25 | 3 | - | - | 3 | 2 | - | 1 | 1 | 42 | - | - | 2 | - |
| 26 | 21 | 5 | 3 | 13 | 22 | 4 | 11 | 7 | 213 | 7 | 4 | 1 | 2 |
| 27 | 7 | 1 | - | 6 | - | - | - | - | 37 | 1 | - | 1 | - |
| 28 | 76 | 11 | 5 | 60 | 52 | 9 | 16 | 27 | 359 | 9 | 3 | 14 | 11 |
| 29 | 4 | - | - | 4 | 3 | - | - | 3 | 57 | - | - | 3 | - |
| 30 | 15 | 1 | 1 | 13 | 2 | - | 1 | 1 | 63 | 1 | - | - | - |
| 31 | 6 | - | 1 | 5 | 5 | 2 | 2 | 1 | 65 | - | - | - | 1 |
| 32 | 6 | 2 | - | 4 | - | - | - | - | 17 | - | - | - | 1 |
| 33 | 3 | - | - | 3 | 1 | - | 1 | - | 12 | - | - | - | - |
| 34 | 3 | 2 | - | 1 | - | - | - | - | 15 | - | - | - | - |
| 35 | 4 | - | 1 | 3 | - | - | - | - | 7 | 1 | - | - | - |
| 36 | 1 | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| 37 | 2 | 1 | - | 1 | 2 | - | - | 2 | 13 | - | - | - | - |
| 38 | 4 | - | - | 4 | 3 | 1 | 1 | 1 | 28 | - | - | - | - |
| 39 | 15 | 3 | - | 12 | 7 | 3 | 2 | 2 | 55 | 2 | 1 | 2 | - |
| 40 | 4 | 1 | - | 3 | 2 | 1 | 1 | - | 42 | 2 | 2 | - | - |
| 41 | - | - | - | - | - | - | - | - | 2 | - | - | - | - |
| 42 | 2 | - | - | 2 | 1 | - | 1 | - | 6 | - | - | - | 1 |
| 43 | 1 | - | - | 1 | 1 | - | 1 | - | 8 | - | - | - | - |
| 44 | 11 | 2 | 1 | 8 | 4 | 1 | 1 | 2 | 65 | 1 | - | 3 | 1 |
| 45 | 30 | 3 | 5 | 22 | 5 | 1 | - | 4 | 74 | 2 | - | 4 | - |
| 46 | 2 | - | - | 2 | - | - | - | - | 19 | - | - | - | - |
| 47 | 22 | 4 | - | 18 | 3 | 2 | - | 1 | 60 | - | - | - | - |
| 48 | 15 | 2 | - | 13 | 7 | 1 | 5 | 1 | 40 | - | - | - | 4 |
| 49 | 315 | 50 | 25 | 240 | 155 | 31 | 58 | 66 | 1,603 | 31 | 13 | 37 | 28 |
| 50 | 18 | 4 | 2 | 12 | 4 | 2 | 1 | 1 | 106 | 1 | - | 3 | 1 |
| 51 | 2 | - | - | 2 | 3 | - | - | 2 | 36 | 1 | - | - | 1 |
| 52 | 3 | - | 1 | 2 | - | - | - | - | 8 | - | - | - | - |
| 53 | - | - | - | - | - | - | - | - | 10 | - | - | - | - |
| 54 | 9 | 3 | 2 | 4 | 1 | - | 1 | - | 33 | - | - | - | - |
| 55 | 12 | 1 | - | 11 | 1 | 1 | - | - | 50 | 1 | - | - | 1 |
| 56 | 14 | 2 | - | 12 | 5 | 1 | 2 | 2 | 63 | - | 1 | 3 | 1 |
| 57 | 19 | 3 | 1 | 15 | 6 | 2 | 2 | 2 | 100 | 3 | 1 | 3 | 2 |
| 58 | 42 | 5 | 3 | 34 | 29 | 5 | 14 | 10 | 215 | 3 | 1 | 2 | 6 |
| 59 | 73 | 12 | 3 | 58 | 45 | 6 | 18 | 21 | 426 | 8 | 3 | 7 | 7 |
| 60 | 87 | 17 | 11 | 59 | 48 | 12 | 16 | 20 | 408 | 9 | 5 | 16 | 7 |
| 61 | 36 | 3 | 2 | 31 | 13 | 2 | 4 | 7 | 148 | 5 | 2 | 3 | 2 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 315 | 50 | 25 | 240 | 155 | 31 | 58 | 66 | 1,603 | 31 | 13 | 37 | 28 |

| International Nos. Short List. | | PERTH COUNTY—(continued). | | | | | | | | Marginal Index Numbers |
|-----------------------------------|--|------------------------------|--------------|--------------------|-----------|----------|-------------|----------|-----------|---------------------------|
| | | Blaigowrie and Rattray B. | Callander B. | Coupar-Angus B. | Crieff B. | Doune B. | Dunblane B. | Perth B. | Landward. | |
| | Population (Estimated) - - - | 4,789 | 1,484 | 2,028 | 5,242 | 841 | 2,762 | 36,232 | 60,197 | 1 |
| | Total Births Registered (including Illegitimate) | 53 | 8 | 21 | 46 | 15 | 26 | 759 | 586 | 2 |
| | „ „ Corrected for Transfers | 75 | 13 | 26 | 65 | 15 | 34 | 548 | 845 | 3 |
| | „ „ „ Male - - | 37 | 6 | 16 | 39 | 12 | 15 | 264 | 422 | 4 |
| | „ „ „ Female - - | 38 | 7 | 10 | 26 | 3 | 19 | 284 | 423 | 5 |
| | „ „ „ Illegitimate | 4 | 1 | 2 | 8 | - | 1 | 36 | 85 | 6 |
| | „ Marriages Registered - - | 40 | 11 | 17 | 30 | 9 | 25 | 351 | 273 | 7 |
| | „ Deaths Registered - - | 69 | 20 | 26 | 56 | 7 | 21 | 652 | 612 | 8 |
| | „ „ Corrected for Transfers | 83 | 23 | 34 | 67 | 9 | 31 | 460 | 787 | 9 |
| | „ „ „ Male - - | 43 | 12 | 13 | 26 | 2 | 14 | 228 | 389 | 10 |
| | „ „ „ Female - - | 40 | 11 | 21 | 41 | 7 | 17 | 232 | 398 | 11 |
| | CAUSES OF DEATH. | | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | 1 | - | 12 |
| 4 | Measles - - - - - | 1 | - | - | - | - | - | 4 | 2 | 13 |
| 5 | Scarlet Fever - - - - | - | - | - | - | - | - | - | - | 14 |
| 6 | Whooping-cough - - - | - | - | - | - | - | - | - | - | 15 |
| 7 | Diphtheria - - - - - | - | - | - | - | - | 1 | 4 | - | 16 |
| 8 | Influenza - - - - - | 1 | - | - | - | - | - | 4 | 2 | 17 |
| 14 (1) | Cerebro-spinal fever - - | - | - | - | - | - | - | 1 | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | - | 1 | - | - | - | - | - | - | 19 |
| 10 | Tuberculosis of respiratory system | 1 | 1 | - | 1 | - | 2 | 10 | 15 | 20 |
| 11 | Other tuberculous diseases - - | 3 | - | - | 1 | - | - | 4 | 7 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | - | - | - | - | - | 2 | 3 | 22 |
| 15 | Cancer, malignant disease - - - | 8 | 2 | 4 | 9 | 2 | 6 | 68 | 94 | 23 |
| 18 | Diabetes mellitus - - - - | - | 2 | - | 2 | - | - | 4 | 8 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 2 | 1 | 1 | 3 | 2 | 1 | 11 | 19 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - | 13 | 4 | 6 | 6 | 1 | 2 | 57 | 110 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 3 | - | - | 1 | - | 2 | 11 | 18 | 27 |
| 24 | Heart disease - - - - - | 19 | 6 | 5 | 9 | - | 9 | 94 | 180 | 28 |
| 25 | Other circulatory diseases - - - | 5 | 3 | 1 | 2 | 1 | 2 | 11 | 29 | 29 |
| 26 | Bronchitis - - - - - | 2 | - | 1 | 4 | 1 | 1 | 22 | 31 | 30 |
| 27 | Pneumonia (all forms) - - - - | 5 | 1 | 1 | 5 | - | - | 21 | 31 | 31 |
| 28 | Other respiratory diseases - - - | 1 | - | 2 | 2 | - | - | 4 | 7 | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - | - | - | 1 | 1 | - | 1 | 4 | 5 | 33 |
| 29 | Diarrhœa, &c. (all ages) - - - | 1 | - | - | 1 | - | - | 8 | 5 | 34 |
| 30 | Appendicitis - - - - - | 1 | - | - | - | - | - | 3 | 2 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | - | - | - | - | - | - | - | 1 | 36 |
| 31 (2) | Other diseases of liver, &c. - - - | - | - | - | - | - | - | 7 | 6 | 37 |
| 32 (2) | Other digestive diseases - - - - | 2 | 1 | - | 3 | - | 1 | 9 | 12 | 38 |
| 33 | Acute and chronic nephritis - - - | 4 | - | 1 | - | - | 1 | 14 | 30 | 39 |
| 34 | Other dis. of genito-urinary system | 2 | - | 1 | 2 | 1 | 1 | 8 | 23 | 40 |
| 35 | Puerperal sepsis - - - - - | 1 | - | - | - | - | - | 1 | - | 41 |
| 36 | Other puerperal causes - - - - | - | - | - | 1 | - | - | 2 | 2 | 42 |
| 37 | Diseases of skin and locomotor system | - | 1 | 2 | 2 | - | - | 2 | 1 | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 5 | - | 2 | 1 | - | - | 19 | 33 | 44 |
| 39 | Old age - - - - - | 2 | - | 3 | 4 | 1 | - | 19 | 39 | 45 |
| 40 | Suicide - - - - - | 1 | - | - | 2 | - | - | 7 | 9 | 46 |
| 42 | Other violence (41) - - - - - | - | - | 1 | 3 | - | - | 16 | 40 | 47 |
| 43 | Causes ill-defined or unknown - - | - | - | 2 | 2 | - | 1 | 8 | 23 | 48 |
| | ALL CAUSES - - - | 83 | 23 | 34 | 67 | 9 | 31 | 460 | 787 | 49 |
| | AGES AT DEATH. | | | | | | | | | |
| | Under 1 - - - - - | 10 | 1 | 2 | 2 | - | 1 | 32 | 53 | 50 |
| | 1-4 - - - - - | 4 | - | - | 1 | 1 | 1 | 19 | 8 | 51 |
| | 5-9 - - - - - | - | - | - | 2 | 1 | - | 1 | 4 | 52 |
| | 10-14 - - - - - | - | 1 | 1 | - | - | - | 2 | 6 | 53 |
| | 15-24 - - - - - | - | - | - | 1 | - | - | 11 | 21 | 54 |
| | 25-34 - - - - - | 2 | - | 1 | 3 | - | 2 | 15 | 22 | 55 |
| | 35-44 - - - - - | 1 | - | 3 | - | 1 | - | 25 | 31 | 56 |
| | 45-54 - - - - - | 6 | 1 | 2 | 4 | 1 | 3 | 31 | 43 | 57 |
| | 55-64 - - - - - | 10 | 3 | 5 | 7 | 2 | 2 | 75 | 99 | 58 |
| | 65-74 - - - - - | 17 | 7 | 8 | 21 | 1 | 8 | 114 | 225 | 59 |
| | 75-84 - - - - - | 22 | 7 | 10 | 17 | 2 | 12 | 104 | 197 | 60 |
| | 85 and over - - - - - | 11 | 3 | 2 | 9 | - | 2 | 31 | 78 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 83 | 23 | 34 | 67 | 9 | 31 | 460 | 787 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Number. | RENFREW COUNTY. | | | | | | | | | ROSS AND CROMARTY COUNTY. | | | | |
|---------|-----------------|-------------|------------|-------------|--------------|------------|-----------------|------------|-----------|---------------------------|-------------|-------------|-------------|----------------|
| | Renfrew County. | Barrhead B. | Gourock B. | Greenock B. | Johnstone B. | Paisley B. | Port-Glasgow B. | Renfrew B. | Landward. | Ross and Cromarty County. | Cromarty B. | Dingwall B. | Fortrose B. | Invergordon B. |
| 1 | 317,179 | 12,265 | 9,170 | 81,297 | 13,882 | 91,167 | 19,785 | 16,509 | 73,104 | 62,846 | 785 | 2,828 | 872 | 1,490 |
| 2 | 5,505 | 141 | 90 | 1,643 | 156 | 1,725 | 359 | 133 | 1,258 | 895 | 16 | 64 | 9 | 22 |
| 3 | 5,734 | 214 | 135 | 1,644 | 322 | 1,706 | 466 | 276 | 971 | 940 | 7 | 46 | 8 | 22 |
| 4 | 2,984 | 110 | 62 | 843 | 169 | 901 | 239 | 149 | 511 | 509 | 4 | 25 | 1 | 11 |
| 5 | 2,750 | 104 | 73 | 801 | 153 | 805 | 227 | 127 | 460 | 431 | 3 | 21 | 7 | 11 |
| 6 | 208 | 8 | 5 | 72 | 6 | 62 | 18 | 4 | 33 | 79 | - | 6 | 1 | - |
| 7 | 1,944 | 88 | 45 | 562 | 94 | 645 | 158 | 77 | 275 | 300 | 7 | 44 | 3 | 8 |
| 8 | 3,607 | 102 | 78 | 1,068 | 102 | 1,104 | 176 | 105 | 872 | 907 | 13 | 48 | 24 | 22 |
| 9 | 3,746 | 138 | 99 | 1,042 | 173 | 1,096 | 237 | 175 | 786 | 983 | 19 | 41 | 20 | 26 |
| 10 | 1,938 | 70 | 47 | 561 | 95 | 571 | 127 | 90 | 377 | 492 | 11 | 19 | 13 | 12 |
| 11 | 1,808 | 68 | 52 | 481 | 78 | 525 | 110 | 85 | 409 | 491 | 8 | 22 | 7 | 14 |
| 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | 21 | 1 | - | 2 | 2 | 13 | - | 1 | 2 | 2 | - | - | - | - |
| 14 | 12 | - | 1 | 6 | - | 3 | 2 | - | - | 3 | - | - | - | - |
| 15 | 12 | - | - | 2 | 3 | 5 | - | - | 2 | 4 | - | - | - | - |
| 16 | 41 | 1 | - | 3 | 1 | 23 | - | 2 | 11 | 2 | - | - | - | - |
| 17 | 24 | - | - | 13 | 3 | 1 | 1 | - | 6 | 2 | - | - | - | - |
| 18 | 5 | - | - | - | 1 | 3 | - | - | 1 | - | - | - | - | - |
| 19 | 12 | - | - | 6 | - | - | 1 | 1 | 4 | 2 | - | - | - | - |
| 20 | 178 | 6 | 1 | 64 | 11 | 49 | 19 | 8 | 20 | 47 | 1 | 2 | - | 3 |
| 21 | 52 | - | 2 | 25 | 2 | 10 | 3 | 4 | 6 | 8 | - | 1 | - | - |
| 22 | 12 | - | - | 4 | 1 | 5 | - | - | 2 | 5 | - | 2 | - | - |
| 23 | 482 | 21 | 14 | 115 | 21 | 143 | 30 | 29 | 109 | 109 | 1 | 7 | 3 | 4 |
| 24 | 47 | 2 | 2 | 11 | 5 | 15 | 2 | 1 | 9 | 9 | 1 | 1 | - | - |
| 25 | 82 | 3 | - | 25 | 6 | 21 | 7 | 4 | 16 | 23 | 2 | 1 | - | - |
| 26 | 356 | 20 | 11 | 90 | 12 | 104 | 19 | 11 | 89 | 107 | 1 | 5 | 4 | 2 |
| 27 | 105 | 3 | 3 | 37 | 4 | 29 | 8 | 2 | 19 | 25 | 1 | 2 | - | 1 |
| 28 | 762 | 31 | 29 | 173 | 31 | 213 | 40 | 50 | 195 | 188 | 3 | 13 | 7 | 6 |
| 29 | 70 | 6 | - | 17 | 4 | 26 | 3 | 1 | 13 | 14 | - | - | - | - |
| 30 | 157 | 1 | 3 | 57 | 10 | 46 | 11 | 4 | 25 | 47 | 2 | 2 | - | - |
| 31 | 215 | 8 | 5 | 59 | 10 | 65 | 18 | 13 | 37 | 37 | - | - | - | - |
| 32 | 38 | - | 1 | 12 | - | 12 | 4 | 2 | 7 | 12 | - | - | - | 1 |
| 33 | 55 | 3 | 1 | 11 | 5 | 22 | 3 | - | 10 | 7 | - | - | - | - |
| 34 | 81 | 2 | 2 | 27 | 3 | 26 | 8 | 7 | 6 | 4 | - | - | - | - |
| 35 | 26 | - | 2 | 6 | - | 13 | - | - | 5 | 8 | - | - | - | - |
| 36 | 11 | - | - | 3 | - | 2 | 1 | 2 | 3 | 3 | - | - | - | - |
| 37 | 29 | - | 1 | 8 | - | 9 | 2 | 1 | 8 | 3 | - | - | - | 1 |
| 38 | 55 | 1 | 1 | 14 | 1 | 12 | 6 | 2 | 18 | 12 | - | - | 1 | 1 |
| 39 | 138 | 5 | 2 | 32 | 12 | 41 | 5 | 5 | 36 | 36 | - | 1 | 1 | 3 |
| 40 | 54 | 1 | 3 | 13 | 3 | 12 | 3 | 1 | 18 | 23 | 2 | - | - | - |
| 41 | 7 | - | - | 2 | 1 | - | 2 | - | 2 | 1 | - | - | - | - |
| 42 | 18 | 2 | - | 4 | - | 9 | - | - | 3 | 7 | - | - | - | - |
| 43 | 19 | 1 | - | 8 | 1 | 2 | 1 | 1 | 5 | 2 | - | - | - | - |
| 44 | 226 | 7 | 6 | 66 | 14 | 77 | 16 | 12 | 28 | 29 | 1 | 2 | - | - |
| 45 | 126 | 7 | 1 | 64 | 1 | 24 | 8 | 1 | 20 | 109 | 4 | - | 2 | 2 |
| 46 | 24 | 2 | 1 | 4 | - | 8 | 1 | 1 | 7 | 6 | - | - | 1 | - |
| 47 | 144 | 3 | 3 | 40 | 4 | 43 | 9 | 7 | 35 | 48 | - | 2 | 1 | 2 |
| 48 | 50 | 1 | 4 | 19 | 1 | 10 | 4 | 2 | 9 | 39 | - | - | - | - |
| 49 | 3,746 | 138 | 99 | 1,042 | 173 | 1,096 | 237 | 175 | 786 | 983 | 19 | 41 | 20 | 26 |
| 50 | 397 | 13 | 7 | 123 | 30 | 130 | 31 | 20 | 43 | 47 | 1 | 4 | - | - |
| 51 | 138 | 4 | 2 | 40 | 9 | 45 | 17 | 2 | 19 | 16 | - | 1 | - | 1 |
| 52 | 61 | 1 | - | 16 | 2 | 24 | 3 | 6 | 9 | 11 | - | - | - | 1 |
| 53 | 39 | 1 | 1 | 11 | 4 | 14 | 2 | - | 6 | 6 | - | - | - | - |
| 54 | 160 | 8 | 2 | 56 | 8 | 41 | 13 | 9 | 23 | 26 | - | 2 | - | 1 |
| 55 | 171 | 3 | - | 55 | 8 | 53 | 14 | 6 | 32 | 33 | 2 | 1 | - | - |
| 56 | 220 | 5 | 6 | 69 | 8 | 65 | 21 | 11 | 35 | 50 | - | 3 | - | 2 |
| 57 | 351 | 20 | 11 | 95 | 12 | 100 | 27 | 15 | 71 | 62 | 3 | 3 | 1 | 2 |
| 58 | 578 | 22 | 15 | 154 | 25 | 183 | 29 | 37 | 113 | 85 | 3 | 6 | 5 | 2 |
| 59 | 833 | 27 | 31 | 210 | 46 | 224 | 40 | 35 | 220 | 230 | 4 | 8 | 7 | 8 |
| 60 | 659 | 29 | 21 | 180 | 19 | 181 | 35 | 30 | 164 | 284 | 4 | 7 | 5 | 6 |
| 61 | 139 | 5 | 3 | 33 | 2 | 36 | 5 | 4 | 51 | 133 | 2 | 6 | 2 | 3 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 3,746 | 138 | 99 | 1,042 | 173 | 1,096 | 237 | 175 | 786 | 983 | 19 | 41 | 20 | 26 |

| International Nos. Short List. | | ROSS AND CROMARTY COUNTY—(contd.). | | | ROXBURGH COUNTY. | | | Marginal Index Numbers. |
|-----------------------------------|--|---------------------------------------|---------|-----------|---------------------|-----------|-------------|----------------------------|
| | | Stornoway B. | Tain B. | Landward. | Roxburgh County. | Hawick B. | Jedburgh B. | |
| | Population (Estimated) - - - | 4,557 | 1,421 | 50,893 | 45,783 | 17,102 | 3,447 | 1 |
| | Total Births Registered (including Illegitimate) | 91 | 19 | 674 | 553 | 247 | 80 | 2 |
| | „ „ Corrected for Transfers | 75 | 22 | 760 | 600 | 206 | 70 | 3 |
| | „ „ „ Male - - | 39 | 12 | 417 | 322 | 118 | 35 | 4 |
| | „ „ „ Female - - | 36 | 10 | 343 | 278 | 88 | 35 | 5 |
| | „ „ „ Illegitimate | 4 | 1 | 67 | 40 | 10 | 5 | 6 |
| | „ Marriages Registered - - | 23 | 25 | 190 | 259 | 103 | 22 | 7 |
| | „ Deaths Registered - - - | 102 | 6 | 692 | 552 | 195 | 32 | 8 |
| | „ „ Corrected for Transfers | 71 | 9 | 797 | 594 | 226 | 34 | 9 |
| | „ „ „ Male - - | 31 | 4 | 402 | 280 | 99 | 17 | 10 |
| | „ „ „ Female - - | 40 | 5 | 395 | 314 | 127 | 17 | 11 |
| | CAUSES OF DEATH. | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | 5 | 5 | - | 12 |
| 4 | Measles - - - - - | - | - | 2 | - | - | - | 13 |
| 5 | Scarlet fever - - - - | - | - | 3 | - | - | - | 14 |
| 6 | Whooping-cough - - - | 1 | - | 3 | - | - | - | 15 |
| 7 | Diphtheria - - - - - | 1 | - | 1 | 3 | - | - | 16 |
| 8 | Influenza - - - - - | - | - | 2 | 1 | - | - | 17 |
| 14 (1) | Cerebro-spinal fever - - | - | - | - | - | - | - | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | 1 | - | 1 | 2 | 1 | - | 19 |
| 10 | Tuberculosis of respiratory system | 5 | - | 36 | 11 | 7 | - | 20 |
| 11 | Other tuberculous diseases - - | 1 | - | 6 | 7 | 2 | 1 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | 1 | - | 2 | 3 | 1 | - | 22 |
| 15 | Cancer, malignant disease - - - | 5 | 1 | 88 | 77 | 28 | 4 | 23 |
| 18 | Diabetes mellitus - - - - | - | - | 7 | 9 | 6 | - | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 1 | - | 19 | 15 | 5 | - | 25 |
| 22 | Cerebral hæmorrhage, &c. - - - | 10 | 1 | 84 | 67 | 23 | 3 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 1 | - | 20 | 15 | 9 | - | 27 |
| 24 | Heart disease - - - - - | 13 | 2 | 144 | 188 | 67 | 12 | 28 |
| 25 | Other circulatory diseases - - - | - | - | 14 | 21 | 6 | 1 | 29 |
| 26 | Bronchitis - - - - - | 7 | - | 36 | 12 | 7 | - | 30 |
| 27 | Pneumonia (all forms) - - - - | 3 | - | 34 | 18 | 8 | - | 31 |
| 28 | Other respiratory diseases - - - | - | 1 | 10 | 6 | 2 | - | 32 |
| 32 (1) | Gastric and duodenal ulcer - - - | 3 | - | 4 | 6 | 2 | 1 | 33 |
| 29 | Diarrhoea, &c. (all ages) - - - | - | - | 4 | 2 | 2 | - | 34 |
| 30 | Appendicitis - - - - - | 2 | - | 6 | 1 | - | - | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | 2 | - | 1 | 3 | 3 | - | 36 |
| 31 (2) | Other diseases of liver, &c. - - - | - | 1 | 1 | 4 | - | 1 | 37 |
| 32 (2) | Other digestive diseases - - - - | - | - | 10 | 4 | 2 | - | 38 |
| 33 | Acute and chronic nephritis - - - | 1 | - | 30 | 22 | 8 | 2 | 39 |
| 34 | Other dis. of genito-urinary system | 2 | - | 19 | 14 | 6 | 1 | 40 |
| 35 | Puerperal sepsis - - - - - | - | - | 1 | 1 | - | 1 | 41 |
| 36 | Other puerperal causes - - - - | - | - | 7 | 2 | - | - | 42 |
| 37 | Diseases of skin and locomotor system | - | - | 2 | 3 | 2 | - | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 2 | - | 24 | 18 | 8 | 2 | 44 |
| 39 | Old age - - - - - | 2 | 1 | 98 | 19 | 5 | 3 | 45 |
| 40 | Suicide - - - - - | - | - | 5 | 9 | 5 | - | 46 |
| 42 | Other violence (41) - - - - - | 3 | 2 | 38 | 17 | 6 | 2 | 47 |
| 42 | Causes ill-defined or unknown - - | 4 | - | 35 | 9 | - | - | 48 |
| | ALL CAUSES - - - - - | 71 | 9 | 797 | 594 | 226 | 34 | 49 |
| | AGES AT DEATH. | | | | | | | |
| | Under 1 - - - - - | 4 | - | 38 | 23 | 9 | 3 | 50 |
| | 1-4 - - - - - | - | - | 14 | 9 | 6 | 1 | 51 |
| | 5-9 - - - - - | 1 | - | 9 | 6 | 1 | - | 52 |
| | 10-14 - - - - - | 1 | - | 5 | 4 | 2 | - | 53 |
| | 15-24 - - - - - | 3 | - | 20 | 16 | 10 | - | 54 |
| | 25-34 - - - - - | 3 | - | 27 | 13 | 5 | 1 | 55 |
| | 35-44 - - - - - | 4 | 1 | 40 | 18 | 9 | 1 | 56 |
| | 45-54 - - - - - | 6 | - | 47 | 40 | 19 | 2 | 57 |
| | 55-64 - - - - - | 7 | 2 | 60 | 100 | 35 | 6 | 58 |
| | 65-74 - - - - - | 20 | 1 | 182 | 173 | 66 | 9 | 59 |
| | 75-84 - - - - - | 14 | 4 | 244 | 150 | 52 | 8 | 60 |
| | 85 and over - - - - - | 8 | 1 | 111 | 42 | 12 | 3 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - - - | 71 | 9 | 797 | 594 | 226 | 34 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | ROXBURGH COUNTY —(continued).— | | | SELKIRK COUNTY. | | | | STIRLING COUNTY. | | | | | |
|-------------------------|-----------------------------------|------------|-----------|-----------------|---------------|------------|-----------|------------------|--------------------|-----------------------|------------|----------------|------------|
| | Kelso B. | Melrose B. | Landward. | Selkirk County. | Galashiels B. | Selkirk B. | Landward. | stirling County. | Bridge of Allan B. | Denny and Dunipace B. | Falkirk B. | Grangemouth B. | Kilsyth B. |
| 1 | 3,864 | 2,052 | 19,318 | 21,923 | 12,885 | 5,466 | 3,572 | 173,410 | 2,899 | 5,995 | 38,173 | 13,716 | 8,703 |
| 2 | 49 | 8 | 169 | 265 | 141 | 104 | 20 | 3,255 | 22 | 74 | 913 | 183 | 132 |
| 3 | 52 | 16 | 256 | 257 | 141 | 65 | 51 | 3,231 | 33 | 119 | 677 | 280 | 182 |
| 4 | 22 | 8 | 139 | 131 | 71 | 36 | 24 | 1,629 | 18 | 57 | 352 | 139 | 93 |
| 5 | 30 | 8 | 117 | 126 | 70 | 29 | 27 | 1,602 | 15 | 62 | 325 | 141 | 89 |
| 6 | 2 | 1 | 22 | 18 | 9 | 4 | 5 | 151 | 2 | 1 | 23 | 6 | 3 |
| 7 | 19 | 15 | 100 | 143 | 82 | 53 | 8 | 1,222 | 22 | 40 | 304 | 76 | 76 |
| 8 | 55 | 55 | 215 | 252 | 150 | 77 | 25 | 1,927 | 34 | 39 | 516 | 96 | 63 |
| 9 | 48 | 33 | 253 | 285 | 172 | 79 | 34 | 1,884 | 41 | 56 | 401 | 145 | 89 |
| 10 | 21 | 9 | 134 | 135 | 81 | 34 | 20 | 978 | 12 | 28 | 220 | 77 | 50 |
| 11 | 27 | 24 | 119 | 150 | 91 | 45 | 14 | 906 | 29 | 28 | 181 | 68 | 39 |
| 12 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | - | - | - | 1 | 1 | - | - | 8 | - | - | 3 | - | - |
| 14 | - | - | - | 1 | - | - | 1 | 2 | - | - | - | 1 | - |
| 15 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 16 | 1 | - | 2 | - | - | - | - | 6 | - | - | - | 2 | 1 |
| 17 | - | - | 1 | - | - | - | - | 17 | - | 1 | 5 | - | - |
| 18 | - | - | - | 2 | 2 | - | - | 4 | - | - | 2 | 1 | - |
| 19 | - | - | 1 | 1 | 1 | - | - | 13 | - | - | 3 | 1 | - |
| 20 | - | - | 4 | 5 | 2 | 2 | 1 | 64 | - | 1 | 22 | 4 | - |
| 21 | - | - | 4 | 4 | 2 | 1 | 1 | 25 | - | 1 | 6 | 4 | 3 |
| 22 | 1 | - | 1 | 1 | - | 1 | - | 3 | - | - | - | 1 | - |
| 23 | 6 | 1 | 38 | 44 | 30 | 11 | 3 | 236 | 6 | 3 | 54 | 22 | 8 |
| 24 | - | 1 | 2 | 8 | 5 | 2 | 1 | 44 | 1 | 2 | 7 | 5 | 2 |
| 25 | 1 | - | 9 | 12 | 10 | 2 | - | 53 | 2 | 1 | 10 | 4 | 3 |
| 26 | 8 | 3 | 30 | 27 | 14 | 10 | 3 | 192 | 5 | 10 | 32 | 12 | 6 |
| 27 | 3 | - | 3 | 4 | 3 | 1 | - | 43 | 2 | 2 | 11 | 2 | 2 |
| 28 | 9 | 19 | 81 | 79 | 53 | 18 | 8 | 396 | 8 | 12 | 75 | 25 | 24 |
| 29 | 1 | 1 | 12 | 5 | 1 | 2 | 2 | 53 | 2 | 2 | 15 | 1 | 1 |
| 30 | 2 | - | 3 | 5 | 1 | 4 | - | 62 | - | - | 13 | 6 | 4 |
| 31 | 2 | 3 | 5 | 10 | 7 | 3 | - | 101 | 2 | 2 | 23 | 4 | 5 |
| 32 | - | - | 4 | 3 | 2 | 1 | - | 31 | - | - | 7 | 4 | 2 |
| 33 | 1 | - | 2 | 5 | 5 | - | - | 14 | - | 1 | 1 | 3 | 1 |
| 34 | - | - | - | - | - | - | - | 22 | - | 1 | 5 | 2 | 1 |
| 35 | - | - | 1 | 3 | 1 | 1 | 1 | 14 | - | - | 3 | 1 | 1 |
| 36 | - | - | - | 1 | - | - | 1 | 7 | - | - | 3 | 1 | - |
| 37 | - | - | 3 | 2 | 2 | - | - | 11 | - | - | 2 | 3 | - |
| 38 | 1 | - | 1 | 3 | 1 | 1 | 1 | 25 | - | 2 | 4 | 2 | 2 |
| 39 | 3 | - | 9 | 10 | 7 | 1 | 2 | 69 | 1 | 2 | 13 | 9 | 2 |
| 40 | - | - | 7 | 6 | 2 | 3 | 1 | 25 | - | 1 | 7 | 1 | 1 |
| 41 | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| 42 | - | - | 2 | 1 | 1 | - | - | 10 | - | 1 | 1 | - | 3 |
| 43 | - | - | 1 | - | - | - | - | 19 | - | - | 5 | 2 | - |
| 44 | 1 | - | 7 | 6 | 4 | 2 | - | 106 | 3 | 4 | 21 | 9 | 3 |
| 45 | 2 | 4 | 5 | 27 | 11 | 11 | 5 | 83 | 8 | 2 | 22 | 1 | 1 |
| 46 | - | 1 | 3 | 2 | 1 | 1 | - | 15 | - | - | 3 | 3 | 2 |
| 47 | 2 | - | 7 | 5 | 3 | - | 2 | 79 | 1 | 3 | 15 | 9 | 11 |
| 48 | 4 | - | 5 | 1 | - | - | 1 | 31 | - | 2 | 8 | - | - |
| 49 | 48 | 33 | 253 | 285 | 172 | 79 | 34 | 1,884 | 41 | 56 | 401 | 145 | 89 |
| 50 | 1 | - | 10 | 11 | 5 | 3 | 3 | 174 | 3 | 8 | 33 | 14 | 7 |
| 51 | - | - | 2 | 2 | 2 | - | - | 40 | - | - | 8 | 8 | 2 |
| 52 | 2 | - | 3 | 3 | 2 | 1 | - | 26 | 1 | - | 5 | 5 | 2 |
| 53 | 1 | - | 1 | 2 | 2 | - | - | 22 | - | - | 4 | 3 | 3 |
| 54 | 1 | - | 5 | 7 | 4 | 2 | 1 | 69 | 1 | 4 | 17 | 2 | 3 |
| 55 | 1 | 1 | 5 | 10 | 6 | 3 | 1 | 88 | 1 | 4 | 18 | 5 | 9 |
| 56 | 1 | - | 7 | 14 | 10 | 3 | 1 | 104 | - | 2 | 25 | 11 | 8 |
| 57 | 2 | 3 | 14 | 28 | 20 | 7 | 1 | 171 | 2 | 5 | 46 | 9 | 10 |
| 58 | 12 | 3 | 44 | 25 | 19 | 4 | 2 | 293 | 5 | 9 | 63 | 23 | 12 |
| 59 | 14 | 10 | 74 | 84 | 51 | 21 | 12 | 470 | 8 | 14 | 92 | 40 | 16 |
| 60 | 9 | 10 | 71 | 74 | 40 | 25 | 9 | 358 | 15 | 10 | 78 | 23 | 15 |
| 61 | 4 | 6 | 17 | 25 | 11 | 10 | 4 | 69 | 5 | - | 12 | 2 | 2 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 48 | 33 | 253 | 285 | 172 | 79 | 34 | 1,884 | 41 | 56 | 401 | 145 | 89 |

| International Nos. Short List. | | STIRLING COUNTY— (continued). | | SUTHERLAND COUNTY. | | | WEST LOTHIAN COUNTY. | | | Marginal Index Numbers. |
|-----------------------------------|--|-------------------------------------|-----------|-----------------------|------------|-----------|-------------------------|-----------|-------------|----------------------------|
| | | Stirling B. | Landward. | Sutherland County. | Dornoch B. | Landward. | West Lothian County. | Armada B. | Bathgate B. | |
| | Population (Estimated) - - - | 23,552 | 80,372 | 15,293 | 676 | 14,617 | 83,524 | 5,391 | 10,401 | 1 |
| | Total Births Registered (including Illegitimate) | 714 | 1,217 | 220 | 7 | 213 | 1,377 | 102 | 157 | 2 |
| | „ „ Corrected for Transfers | 485 | 1,455 | 240 | 10 | 230 | 1,662 | 129 | 176 | 3 |
| | „ „ „ Male - - | 245 | 725 | 117 | 3 | 114 | 827 | 65 | 96 | 4 |
| | „ „ „ Female - - | 240 | 730 | 123 | 7 | 116 | 835 | 64 | 80 | 5 |
| | „ „ „ Illegitimate | 30 | 86 | 27 | 1 | 26 | 63 | 3 | 5 | 6 |
| | „ Marriages Registered - - | 213 | 491 | 73 | 11 | 62 | 579 | 57 | 81 | 7 |
| | „ Deaths Registered - - - | 389 | 790 | 244 | 13 | 231 | 727 | 43 | 74 | 8 |
| | „ „ Corrected for Transfers | 275 | 877 | 260 | 17 | 243 | 949 | 86 | 129 | 9 |
| | „ „ „ Male - - | 128 | 463 | 129 | 7 | 122 | 470 | 49 | 60 | 10 |
| | „ „ „ Female - - | 147 | 414 | 131 | 10 | 121 | 479 | 37 | 69 | 11 |
| | CAUSES OF DEATH. | | | | | | | | | |
| 1 | Typhoid fever (including Paratyphoid) | - | - | - | - | - | - | - | - | 12 |
| 4 | Measles - - - - - | 3 | 2 | - | - | - | 4 | - | 1 | 13 |
| 5 | Scarlet fever - - - - | - | 1 | - | - | - | 2 | - | 1 | 14 |
| 6 | Whooping-cough - - - | - | - | 1 | - | 1 | 2 | - | 1 | 15 |
| 7 | Diphtheria - - - - - | 1 | 2 | 1 | - | 1 | 21 | 6 | - | 16 |
| 8 | Influenza - - - - - | 3 | 8 | 3 | - | 3 | 5 | - | 1 | 17 |
| 14 (1) | Cerebro-spinal fever - - | - | 1 | - | - | - | 4 | 1 | 1 | 18 |
| 14 (2) | Other epidemic diseases (2, 3, 9) * | 1 | 8 | - | - | - | 4 | 1 | - | 19 |
| 10 | Tuberculosis of respiratory system | 10 | 27 | 5 | - | 5 | 22 | 1 | 2 | 20 |
| 11 | Other tuberculous diseases - | 2 | 9 | 2 | - | 2 | 10 | - | 4 | 21 |
| 14 (3) | Other infectious and parasitic dis. (12, 13) | - | 2 | 1 | - | 1 | 5 | - | - | 22 |
| 15 | Cancer, malignant disease - - | 39 | 104 | 37 | 5 | 32 | 130 | 12 | 13 | 23 |
| 18 | Diabetes mellitus - - - - | 10 | 17 | 1 | - | 1 | 26 | 2 | 3 | 24 |
| 20 | Other general dis., chronic poisonings (16, 17, 19) | 5 | 28 | 6 | - | 6 | 31 | 3 | 6 | 25 |
| 22 | Cerebral hæmorrhage, &c. - - | 30 | 97 | 26 | 2 | 24 | 96 | 6 | 10 | 26 |
| 23 | Oth. dis. of nerv. syst. and sense org. (21) | 3 | 21 | 8 | 1 | 7 | 24 | 1 | 4 | 27 |
| 24 | Heart disease - - - - - | 62 | 190 | 57 | 1 | 56 | 171 | 16 | 33 | 28 |
| 25 | Other circulatory diseases - - | 11 | 21 | 16 | - | 16 | 24 | 3 | 5 | 29 |
| 26 | Bronchitis - - - - - | 4 | 35 | 8 | 1 | 7 | 33 | 2 | 4 | 30 |
| 27 | Pneumonia (all forms) - - - | 13 | 52 | 9 | 2 | 7 | 59 | 5 | 10 | 31 |
| 28 | Other respiratory diseases - - | 2 | 16 | 2 | - | 2 | 15 | 1 | 2 | 32 |
| 32 (1) | Gastric and duodenal ulcer - - | 1 | 7 | 5 | - | 5 | 13 | 2 | 2 | 33 |
| 29 | Diarrhoea, &c. (all ages) - - | 3 | 10 | 2 | - | 2 | 15 | 3 | 4 | 34 |
| 30 | Appendicitis - - - - - | 1 | 8 | - | - | - | 6 | 1 | 1 | 35 |
| 31 (1) | Cirrhosis of liver - - - - - | 1 | 2 | 2 | - | 2 | 2 | 1 | - | 36 |
| 31 (2) | Other diseases of liver, &c. - - | 4 | 2 | 2 | - | 2 | 6 | 1 | - | 37 |
| 32 (2) | Other digestive diseases - - - | 2 | 13 | 4 | - | 4 | 19 | 1 | 4 | 38 |
| 33 | Acute and chronic nephritis - - | 9 | 33 | 6 | - | 6 | 14 | - | 1 | 39 |
| 34 | Other dis. of genito-urinary system | 1 | 14 | 4 | 1 | 3 | 16 | 1 | 1 | 40 |
| 35 | Puerperal sepsis - - - - - | - | 1 | 1 | - | 1 | 2 | - | - | 41 |
| 36 | Other puerperal causes - - - | 1 | 4 | 1 | - | 1 | 8 | - | - | 42 |
| 37 | Diseases of skin and locomotor system- | 2 | 10 | - | - | - | 3 | - | - | 43 |
| 38 | Congen. debil., prem. birth, malform., &c. | 24 | 42 | 9 | - | 9 | 66 | 10 | 7 | 44 |
| 39 | Old age - - - - - | 9 | 40 | 30 | 2 | 28 | 33 | - | 1 | 45 |
| 40 | Suicide - - - - - | 2 | 5 | - | - | - | 3 | - | - | 46 |
| 42 | Other violence (41) - - - - | 10 | 30 | 6 | 1 | 5 | 52 | 6 | 7 | 47 |
| 43 | Causes ill-defined or unknown - - | 6 | 15 | 5 | 1 | 4 | 3 | - | - | 48 |
| | ALL CAUSES - - - | 275 | 877 | 260 | 17 | 243 | 949 | 86 | 129 | 49 |
| | AGES AT DEATH. | | | | | | | | | |
| | Under 1 - - - - - | 31 | 78 | 16 | 1 | 15 | 104 | 16 | 16 | 50 |
| | 1-4 - - - - - | 8 | 14 | 4 | - | 4 | 42 | 7 | 5 | 51 |
| | 5-9 - - - - - | 2 | 11 | 3 | - | 3 | 17 | 3 | 1 | 52 |
| | 10-14 - - - - - | 1 | 11 | - | - | - | 7 | 1 | - | 53 |
| | 15-24 - - - - - | 7 | 35 | 4 | 1 | 3 | 27 | 5 | 2 | 54 |
| | 25-34 - - - - - | 10 | 41 | 5 | - | 5 | 45 | 3 | 5 | 55 |
| | 35-44 - - - - - | 15 | 43 | 12 | - | 12 | 53 | 6 | 5 | 56 |
| | 45-54 - - - - - | 29 | 70 | 15 | - | 15 | 96 | 11 | 13 | 57 |
| | 55-64 - - - - - | 34 | 147 | 22 | 2 | 20 | 147 | 11 | 31 | 58 |
| | 65-74 - - - - - | 73 | 227 | 58 | 4 | 54 | 222 | 16 | 28 | 59 |
| | 75-84 - - - - - | 56 | 161 | 78 | 8 | 70 | 167 | 4 | 20 | 60 |
| | 85 and over - - - - - | 9 | 39 | 43 | 1 | 42 | 22 | 3 | 3 | 61 |
| | Not stated - - - - - | - | - | - | - | - | - | - | - | 62 |
| | ALL AGES - - - | 275 | 877 | 260 | 17 | 243 | 949 | 86 | 129 | 63 |

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

| Marginal Index Numbers. | WEST LOTHIAN COUNTY— (continued). | | | | | WIGTOWN COUNTY. | | | | | | ZETLAND COUNTY. | | |
|----------------------------|--------------------------------------|---------------|-------------------|-------------|-----------|--------------------|-----------------------|--------------|-------------|------------|-----------|--------------------|------------|-----------|
| | Bo'ness B. | Linlithgow B. | Queensferry B. | Whitburn B. | Landward. | Wigtown County. | Newton- Stewart B. | Stranraer B. | Whithorn B. | Wigtown B. | Landward. | Zetland County. | Lerwick B. | Landward. |
| 1 | 10,394 | 3,550 | 2,013 | 4,081 | 47,694 | 29,723 | 1,993 | 7,192 | 994 | 1,278 | 18,266 | 20,155 | 5,084 | 15,071 |
| 2 | 166 | 33 | 44 | 111 | 764 | 610 | 30 | 177 | 16 | 32 | 355 | 278 | 101 | 177 |
| 3 | 196 | 59 | 64 | 126 | 912 | 632 | 35 | 161 | 16 | 33 | 387 | 278 | 91 | 187 |
| 4 | 103 | 25 | 34 | 60 | 444 | 315 | 20 | 82 | 8 | 13 | 192 | 148 | 47 | 101 |
| 5 | 93 | 34 | 30 | 66 | 468 | 317 | 15 | 79 | 8 | 20 | 195 | 130 | 44 | 86 |
| 6 | 4 | 2 | 3 | 1 | 45 | 100 | 1 | 13 | 2 | 5 | 79 | 17 | 8 | 9 |
| 7 | 109 | 37 | 15 | 19 | 261 | 219 | 14 | 80 | 4 | 9 | 112 | 136 | 79 | 57 |
| 8 | 77 | 21 | 20 | 19 | 473 | 377 | 24 | 128 | 8 | 27 | 190 | 322 | 124 | 198 |
| 9 | 104 | 42 | 29 | 41 | 518 | 410 | 30 | 109 | 10 | 30 | 231 | 331 | 86 | 245 |
| 10 | 50 | 15 | 13 | 21 | 262 | 178 | 11 | 45 | 2 | 18 | 102 | 139 | 31 | 108 |
| 11 | 54 | 27 | 16 | 20 | 256 | 232 | 19 | 64 | 8 | 12 | 129 | 192 | 55 | 137 |
| 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | 2 | - | - | - | 1 | - | - | - | - | - | - | 1 | 1 | - |
| 14 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 15 | - | - | 1 | - | - | 4 | - | - | - | - | 4 | - | - | - |
| 16 | 4 | 3 | - | - | 8 | 5 | 1 | - | - | - | 4 | - | - | - |
| 17 | - | - | - | - | 4 | 7 | - | 5 | - | - | 2 | - | - | 2 |
| 18 | - | - | 1 | - | 1 | - | - | - | - | - | - | 2 | - | - |
| 19 | - | - | - | - | 3 | - | - | - | - | - | - | 4 | - | 4 |
| 20 | 2 | 2 | 2 | 2 | 11 | 6 | 2 | 2 | - | - | 2 | 14 | 3 | 11 |
| 21 | 1 | 2 | - | - | 3 | 2 | - | 1 | - | 1 | - | 6 | 3 | 3 |
| 22 | - | - | - | 1 | 4 | 3 | - | - | - | - | 2 | 1 | - | 1 |
| 23 | 14 | 6 | 2 | 7 | 76 | 62 | 2 | 20 | - | 9 | 31 | 41 | 14 | 27 |
| 24 | 5 | 2 | - | 1 | 13 | 5 | - | 2 | - | - | 3 | 4 | 2 | 2 |
| 25 | 4 | - | - | 1 | 17 | 20 | - | 4 | 3 | 1 | 12 | 10 | 2 | 8 |
| 26 | 18 | 4 | 4 | 3 | 51 | 37 | 4 | 7 | - | 7 | 19 | 27 | 5 | 22 |
| 27 | 7 | - | 1 | 1 | 10 | 8 | 1 | 5 | 2 | - | - | 8 | 2 | 6 |
| 28 | 13 | 7 | 7 | 3 | 92 | 113 | 10 | 30 | 2 | 6 | 65 | 75 | 23 | 52 |
| 29 | 2 | 1 | 1 | 1 | 11 | 6 | 2 | 1 | - | - | 3 | 6 | 1 | 5 |
| 30 | 5 | 2 | 1 | - | 19 | 10 | 3 | 2 | - | - | 5 | 13 | 3 | 10 |
| 31 | 1 | 1 | 2 | 2 | 38 | 19 | 1 | 4 | - | 1 | 13 | 4 | 1 | 3 |
| 32 | 2 | - | 1 | 1 | 8 | 2 | - | - | 1 | - | 1 | 3 | 1 | 2 |
| 33 | 1 | 1 | - | 1 | 6 | 3 | - | - | - | - | 3 | 7 | 3 | 4 |
| 34 | - | - | - | 1 | 7 | 5 | - | 2 | - | - | 3 | 1 | - | 1 |
| 35 | - | - | - | - | 4 | 3 | - | 1 | - | - | 2 | 2 | 1 | 1 |
| 36 | - | - | - | - | 1 | 1 | - | - | - | - | 1 | - | - | - |
| 37 | - | 1 | - | - | 4 | 5 | - | 2 | - | - | 3 | 1 | - | 1 |
| 38 | 3 | 2 | - | 2 | 7 | 3 | - | 1 | - | - | 2 | 7 | 2 | 5 |
| 39 | - | - | 1 | - | 12 | 18 | 2 | 7 | - | 2 | 7 | 13 | 4 | 9 |
| 40 | 2 | - | - | 2 | 10 | 4 | - | 1 | - | 1 | 2 | 1 | - | 1 |
| 41 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| 42 | 1 | 1 | - | 1 | 5 | - | - | - | - | - | - | - | - | - |
| 43 | - | - | 1 | - | 2 | 1 | - | 1 | - | - | - | 2 | 1 | 1 |
| 44 | 8 | 3 | 2 | 6 | 30 | 22 | 1 | 8 | 1 | 1 | 11 | 5 | 1 | 2 |
| 45 | 1 | 2 | 2 | - | 27 | 17 | - | 1 | 1 | - | 15 | 58 | 8 | 50 |
| 46 | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| 47 | 4 | 2 | - | 4 | 29 | 9 | - | 2 | - | - | 7 | 7 | 5 | 2 |
| 48 | 1 | - | - | - | 2 | 10 | 1 | - | - | - | 9 | 6 | - | 6 |
| 49 | 104 | 42 | 29 | 41 | 518 | 410 | 30 | 109 | 10 | 30 | 231 | 331 | 86 | 245 |
| 50 | 13 | 3 | 3 | 6 | 47 | 44 | 1 | 15 | 1 | 1 | 26 | 9 | 1 | 8 |
| 51 | 7 | 1 | 3 | 4 | 15 | 9 | - | 3 | - | - | 6 | - | - | - |
| 52 | 2 | 3 | - | - | 8 | 5 | 1 | - | - | - | 4 | 1 | 1 | - |
| 53 | 2 | - | - | 1 | 3 | 2 | 1 | 1 | - | - | - | 2 | - | 2 |
| 54 | 3 | - | - | - | 17 | 5 | - | 4 | - | - | 1 | 6 | 2 | 4 |
| 55 | 4 | 4 | 1 | 3 | 25 | 12 | 2 | 4 | - | - | 6 | 11 | 4 | 7 |
| 56 | 7 | 3 | 2 | 2 | 28 | 13 | - | 8 | 1 | - | 4 | 9 | 3 | 6 |
| 57 | 9 | 1 | 1 | 6 | 55 | 32 | 1 | 5 | 2 | 1 | 23 | 27 | 11 | 16 |
| 58 | 15 | 6 | 3 | 7 | 74 | 54 | 6 | 10 | 3 | 7 | 28 | 46 | 13 | 33 |
| 59 | 20 | 10 | 8 | 9 | 131 | 98 | 4 | 28 | 2 | 12 | 52 | 67 | 16 | 51 |
| 60 | 21 | 10 | 7 | 3 | 102 | 107 | 9 | 24 | 1 | 7 | 66 | 115 | 28 | 87 |
| 61 | 1 | 1 | 1 | - | 13 | 29 | 5 | 7 | - | 2 | 15 | 38 | 7 | 31 |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | 104 | 42 | 29 | 41 | 518 | 410 | 30 | 109 | 10 | 30 | 231 | 331 | 86 | 245 |

NOTES ON METEOROLOGICAL TABLES, 1938.

Up to and including the year 1930 tables giving monthly values for a large number of individual stations were printed *in extenso*. So far as possible the tables have now been reduced to summary form. More detailed information may be obtained from the Meteorological Office, Edinburgh, and from the following official publications:

The Monthly Weather Report of the Meteorological Office, price 1s. net each month.

The Weekly Weather Report of the Meteorological Office, published in an annual volume, price 7s. 6d. net.

The Book of Normals of Meteorological Elements of the British Isles, price 12s. 6d. complete, but obtainable in sections.

Averages of Temperature for the British Isles for periods ending 1935, price 1s. 3d. net.

Averages of Bright Sunshine for the British Isles for periods ending 1935, price 1s. net.

The observations of pressure in Table II have been reduced to mean sea-level, and reduced for the value of gravity to Lat. 45°.

The Air Temperatures throughout are from standard thermometers exposed in the regulation "Stevenson Screen."

Averages or normals in the case of pressure and rainfall refer to the period 1881-1915. In the case of temperature and sunshine, percentages of and departures from normal are calculated with reference to the period 1906-35; all the absolute values of the District Averages given in Table I refer to the period 1881-1915 however.

In Table II the figures, with the exception mentioned in the footnote, are extracted from the Monthly Reports already published by the Registrar-General for Scotland and relate to the eleven towns, Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Ayr and Dunfermline.

TABLE I.—DISTRICT VALUES of AIR TEMPERATURE, RAINFALL and SUNSHINE.

| DISTRICT. | MONTH. | AIR TEMPERATURE. | | | RAINFALL. | | SUN-SHINE. | NORMAL VALUES 1881-1915. | | | |
|-----------------|--------|------------------|---------|--|-----------------------|---------------------------------------|---|--------------------------|-----------------|-----------------|-----------------|
| | | Highest. | Lowest. | Deviation from Average Daily Mean 1901-30. | Percentage of Normal. | Number of Days Deviation from Normal. | Percentage of Average Duration 1901-30. | Daily Mean Temperature. | Total Rainfall. | Number of Days. | Daily Sunshine. |
| | | YEAR 1938. | | | | | | YEARS 1881-1915. | | | |
| North Scotland. | Jan. | 56 | 24 | +1·3 | 154 | + 4 | 74 | 38·4 | 5·79 | 23 | 0·84 |
| | Feb. | 58 | 17 | +0·7 | 86 | - 3 | 79 | 38·3 | 4·57 | 21 | 1·89 |
| | Mar. | 61 | 27 | +5·5 | 125 | + 2 | 68 | 39·2 | 4·41 | 23 | 3·05 |
| | Apl. | 61 | 20 | +2·1 | 48 | - 3 | 94 | 42·9 | 3·23 | 19 | 4·55 |
| | May | 66 | 19 | -0·4 | 142 | + 3 | 97 | 48·1 | 2·80 | 19 | 5·36 |
| | June | 72 | 32 | +0·3 | 216 | + 8 | 83 | 52·4 | 2·72 | 16 | 5·17 |
| | July | 70 | 36 | -0·5 | 137 | + 3 | 84 | 54·7 | 3·35 | 19 | 4·18 |
| | Aug. | 82 | 32 | +1·6 | 82 | - 5 | 162 | 54·6 | 4·18 | 21 | 3·69 |
| | Sept. | 71 | 26 | +1·6 | 98 | 0 | 95 | 51·8 | 3·78 | 19 | 3·49 |
| | Oct. | 64 | 31 | +1·6 | 192 | + 6 | 95 | 46·4 | 5·00 | 22 | 2·50 |
| | Nov. | 62 | 21 | +2·5 | 154 | + 3 | 80 | 41·8 | 5·63 | 23 | 1·22 |
| | Dec. | 55 | 6 | -0·1 | 86 | - 1 | 84 | 39·1 | 6·18 | 24 | 0·61 |
| | Year | 82 | 6 | +1·4 | 126 | +17 | 95 | 45·6 | 51·64 | 249 | 3·05 |
| East Scotland. | Jan. | 58 | 14 | +2·0 | 162 | + 3 | 124 | 37·2 | 2·57 | 17 | 1·37 |
| | Feb. | 60 | 17 | +1·7 | 43 | - 2 | 87 | 37·4 | 2·24 | 16 | 2·50 |
| | Mar. | 68 | 21 | +7·9 | 31 | - 6 | 101 | 39·2 | 2·48 | 19 | 3·51 |
| | Apl. | 65 | 21 | +2·6 | 21 | - 8 | 96 | 43·2 | 1·85 | 16 | 4·94 |
| | May | 71 | 18 | -0·2 | 148 | + 3 | 99 | 48·2 | 2·24 | 16 | 5·76 |
| | June | 80 | 34 | +0·8 | 172 | + 4 | 91 | 53·7 | 2·13 | 14 | 6·03 |
| | July | 75 | 35 | -0·4 | 142 | + 4 | 77 | 56·4 | 2·87 | 17 | 5·09 |
| | Aug. | 82 | 31 | +0·3 | 54 | - 1 | 123 | 55·8 | 3·15 | 18 | 4·70 |
| | Sept. | 80 | 28 | +1·7 | 136 | + 4 | 88 | 52·3 | 2·24 | 15 | 4·06 |
| | Oct. | 67 | 26 | +1·3 | 142 | + 5 | 109 | 46·5 | 3·27 | 19 | 2·80 |
| | Nov. | 65 | 18 | +3·2 | 144 | + 1 | 109 | 41·1 | 3·11 | 19 | 1·73 |
| | Dec. | 56 | 4 | -0·4 | 98 | + 3 | 117 | 37·9 | 3·11 | 19 | 1·04 |
| | Year | 82 | 4 | +1·7 | 108 | +12 | 99 | 45·7 | 31·26 | 205 | 3·63 |
| West Scotland. | Jan. | 57 | 17 | +1·4 | 178 | + 5 | 98 | 39·4 | 4·57 | 20 | 1·17 |
| | Feb. | 59 | 19 | +1·5 | 82 | - 2 | 112 | 39·3 | 3·94 | 18 | 2·10 |
| | Mar. | 62 | 24 | +5·7 | 97 | + 3 | 65 | 40·7 | 3·58 | 19 | 3·51 |
| | Apl. | 65 | 22 | +1·5 | 20 | - 9 | 122 | 44·7 | 2·76 | 16 | 5·15 |
| | May | 66 | 24 | -0·8 | 149 | + 2 | 101 | 49·7 | 2·91 | 16 | 6·16 |
| | June | 77 | 37 | -0·7 | 219 | + 5 | 89 | 55·0 | 2·87 | 15 | 6·32 |
| | July | 72 | 35 | -1·6 | 149 | + 1 | 94 | 57·1 | 3·46 | 17 | 5·73 |
| | Aug. | 82 | 33 | +0·5 | 67 | - 4 | 134 | 56·6 | 4·41 | 18 | 4·99 |
| | Sept. | 74 | 30 | +1·6 | 131 | + 3 | 81 | 53·5 | 3·66 | 16 | 4·24 |
| | Oct. | 66 | 29 | +1·2 | 201 | + 8 | 95 | 47·9 | 4·69 | 19 | 2·68 |
| | Nov. | 62 | 26 | +4·2 | 203 | + 6 | 64 | 43·2 | 5·16 | 19 | 1·59 |
| | Dec. | 54 | 11 | -0·2 | 80 | 0 | 155 | 40·6 | 5·63 | 22 | 0·96 |
| | Year | 82 | 11 | -1·2 | 131 | -18 | 99 | 47·3 | 47·64 | 215 | 3·67 |

TABLE II.—SUMMARY TABLE of mean Values of Air Pressure, Air Temperature and Wind Direction at the Principal Towns, together with extremes of temperature for Scotland as a whole and generalised figures for Rain in the British Isles.*

| 1938. | Air Pressure at 32° F. and Mean Sea Level. | | AIR TEMPERATURE. | | | | | | | |
|---------------|---|----------------------------|------------------|----------|------------------|------------------------------------|--------------|----------------------------|-----------------------|---------|
| | | | Means of | | Mean of A and B. | Difference of Mean from Normal. | Daily Range. | | Absolute Extremes. | |
| | Mean. | Difference from Normal. | A | B | | | Mean = A-B. | Difference from Normal. | Highest. | Lowest. |
| | | | Maximum. | Minimum. | | | | | | |
| | In. | In. | °F. | °F. | °F. | °F. | °F. | °F. | °F. | °F. |
| January ... | 29·624 | - 0·273 | 45·4 | 35·7 | 40·5 | + 1·2 | 9·7 | + 0·8 | 58 | 14 |
| February ... | 30·197 | + 0·325 | 46·3 | 35·5 | 40·9 | + 1·5 | 10·8 | + 1·3 | 60 | 17 |
| March ... | 30·024 | + 0·194 | 53·0 | 42·4 | 47·7 | + 6·9 | 10·6 | - 0·7 | 68 | 21 |
| April ... | 30·322 | + 0·403 | 54·1 | 38·6 | 46·4 | + 1·9 | 15·5 | + 1·9 | 65 | 20 |
| May ... | 29·941 | - 0·036 | 56·4 | 41·9 | 49·1 | - 0·7 | 14·5 | + 0·1 | 71 | 18 |
| June ... | 29·858 | - 0·140 | 61·5 | 48·1 | 54·8 | - 0·2 | 13·4 | - 1·9 | 80 | 32 |
| July ... | 29·834 | - 0·095 | 64·2 | 50·8 | 57·5 | - 0·9 | 13·4 | - 0·9 | 75 | 35 |
| August ... | 29·960 | + 0·072 | 65·4 | 51·0 | 58·2 | + 0·8 | 14·4 | + 1·1 | 82 | 31 |
| September ... | 29·940 | - 0·037 | 62·0 | 48·8 | 55·4 | + 1·9 | 13·2 | 0·0 | 80 | 26 |
| October ... | 29·635 | - 0·242 | 55·0 | 44·3 | 49·7 | + 1·4 | 10·7 | - 0·6 | 67 | 26 |
| November ... | 29·562 | - 0·288 | 50·4 | 41·5 | 45·9 | + 4·0 | 8·9 | - 1·0 | 65 | 18 |
| December ... | 29·775 | + 0·004 | 43·8 | 34·4 | 39·1 | - 0·6 | 9·4 | + 0·7 | 56 | 4 |
| Means ... | 29·889 | - 0·009 | 54·8 | 42·7 | 48·7 | + 1·4 | 12·0 | + 0·1 | 82 | 4 |

| 1938. | RAIN. | | | | WIND. | | | | | | | | |
|---------------|-----------------------|-----------------------|----------|----------------|----------------------------------|------|----|------|----|------|-----|------|-------|
| | Percentage of Normal. | | | | No. of Observations—Total = 730. | | | | | | | | |
| | Scotland. | England and Wales. | Ireland. | British Isles. | N. | N.E. | E. | S.E. | S. | S.W. | W. | N.W. | Calm. |
| | | | | | | | | | | | | | |
| January ... | 162 | 147 | 144 | 150 | 2 | 1 | 2 | 3 | 6 | 19 | 19 | 8 | 2 |
| February ... | 80 | 52 | 66 | 62 | 7 | 9 | 4 | 3 | 3 | 10 | 9 | 8 | 3 |
| March ... | 97 | 27 | 65 | 52 | 0 | 1 | 0 | 1 | 5 | 21 | 24 | 7 | 3 |
| April ... | 34 | 13 | 7 | 17 | 5 | 6 | 3 | 1 | 1 | 6 | 17 | 16 | 5 |
| May... ... | 136 | 124 | 139 | 130 | 6 | 10 | 8 | 3 | 7 | 8 | 9 | 8 | 3 |
| June ... | 201 | 96 | 155 | 133 | 3 | 3 | 1 | 2 | 6 | 17 | 15 | 11 | 2 |
| July... ... | 143 | 115 | 163 | 132 | 1 | 3 | 4 | 1 | 7 | 19 | 15 | 8 | 4 |
| August ... | 68 | 100 | 83 | 89 | 1 | 10 | 9 | 4 | 4 | 10 | 11 | 8 | 5 |
| September ... | 127 | 94 | 105 | 105 | 2 | 4 | 6 | 5 | 8 | 11 | 11 | 7 | 6 |
| October ... | 186 | 126 | 193 | 154 | 1 | 1 | 2 | 4 | 6 | 22 | 17 | 5 | 4 |
| November ... | 157 | 141 | 156 | 147 | 0 | 4 | 4 | 3 | 8 | 23 | 12 | 3 | 3 |
| December ... | 84 | 121 | 105 | 109 | 4 | 5 | 5 | 9 | 7 | 13 | 11 | 5 | 3 |
| Year ... | 123 | 101 | 117 | 110 | 32 | 57 | 48 | 39 | 68 | 179 | 170 | 94 | 43 |

* In this Table Air Pressure and Wind Observations are based on records at seven towns and the means of Air Temperature and Daily Range of Temperature on records at eleven towns. The Absolute Extremes of Temperature refer to Scotland as a whole. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

TABLE III.—NUMBER OF HOURS BRIGHT SUNSHINE.

| 1938. | NUMBER OF HOURS. | | | | | | | | | | | | YEAR. |
|--------------------------|------------------|------|------|--------|------|-------|-------|------|-------|------|------|------|------------------|
| | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | Total. Hours. |
| NORTH SCOTLAND— | | | | | | | | | | | | | |
| Baltasound ... | 16 | 44 | 66 | 109 | 122 | 128 | 120 | 225 | 94 | 57 | 26 | 11 | 1018 |
| Lerwick ... | 14 | 37 | 59 | 103 | 125 | 136 | 122 | 229 | 91 | 64 | 21 | 4 | 1005 |
| Deerness ... | 18 | 39 | 60 | 108 | 136 | 118 | 130 | 193 | 93 | 70 | 40 | 17 | 1022 |
| Kirkwall ... | 28 | 43 | 69 | 122 | 143 | 138 | 138 | 203 | 110 | 80 | 42 | 21 | 1137 |
| Stornoway ... | 30 | 52 | 55 | 140 | 209 | 101 | 126 | 187 | 112 | 81 | 31 | 36 | 1160 |
| Skye, Duntuiln ... | 15 | 63 | 47 | 127 | 200 | 127 | 137 | 195 | 108 | 60 | 17 | 47 | 1143 |
| Fortrose ... | 36 | 46 | 91 | 120 | 151 | 165 | 122 | 203 | 120 | 105 | 56 | 47 | 1256 |
| Dalwhinnie ... | 21 | 45 | 69 | 129 | 144 | 111 | 99 | 170 | 93 | 65 | 19 | 19 | 984 |
| Fort Augustus ... | 9 | 33 | 51 | 130 | 147 | 115 | 84 | 173 | 95 | 53 | 21 | 1 | 912 |
| Fort-William ... | 6 | 59 | 43 | 139 | 154 | 116 | 92 | 201 | 93 | 42 | 8 | 11 | 964 |
| Inverness ... | 31 | 49 | 115 | 133 | 148 | 170 | 103 | 175 | 102 | 90 | 53 | 42 | 1211 |
| Onich ... | 12 | 64 | 43 | 139 | 157 | 114 | 104 | 185 | 80 | 51 | 11 | 36 | 996 |
| EAST SCOTLAND— | | | | | | | | | | | | | |
| Nairn ... | 33 | 52 | 108 | 114 | 140 | 155 | 100 | 187 | 114 | 104 | 58 | 42 | 1207 |
| Forres ... | 47 | 62 | 115 | 120 | 146 | 168 | 123 | 212 | 125 | 118 | 73 | 54 | 1363 |
| Gordon Castle ... | 47 | 59 | 107 | 102 | 137 | 147 | 124 | 212 | 124 | 117 | 69 | 37 | 1282 |
| Banff ... | 54 | 55 | 94 | 113 | 147 | 158 | 145 | 212 | 122 | 111 | 65 | 29 | 1305 |
| Aberdeen ... | 64 | 62 | 104 | 121 | 147 | 162 | 140 | 199 | 115 | 110 | 74 | 37 | 1335 |
| Braemar ... | 29 | 48 | 98 | 147 | 155 | 153 | 102 | 174 | 94 | 84 | 34 | 16 | 1134 |
| Craibstone ... | 76 | 74 | 116 | 123 | 145 | 161 | 140 | 206 | 114 | 111 | 82 | 47 | 1395 |
| Stonehaven ... | 64 | 66 | 111 | 130 | 168 | 171 | 156 | 202 | 116 | 108 | 77 | 45 | 1414 |
| Arbroath ... | 76 | 74 | 125 | 147 | 199 | 183 | 152 | 194 | 120 | 117 | 71 | 53 | 1511 |
| Carnoustie ... | 69 | 66 | 117 | 143 | 177 | 184 | 142 | 178 | 114 | 113 | 63 | 48 | 1414 |
| Dundee ... | 78 | 63 | 121 | 147 | 184 | 168 | 127 | 174 | 107 | 112 | 70 | 54 | 1405 |
| Montrose ... | 76 | 72 | 126 | 143 | 180 | 162 | 137 | 182 | 106 | 106 | 70 | 54 | 1414 |
| Perth ... | 60 | 62 | 114 | 170 | 184 | 189 | 121 | 150 | 101 | 84 | 38 | 33 | 1306 |
| Dunfermline ... | 52 | 64 | 80 | 157 | 177 | 165 | 133 | 156 | 79 | 77 | 44 | 40 | 1224 |
| Leuchars ... | 79 | 68 | 128 | 135 | 191 | 193 | 137 | 165 | 115 | 111 | 74 | 52 | 1448 |
| St. Andrews ... | 73 | 66 | 128 | 148 | 188 | 202 | 143 | 165 | 113 | 108 | 71 | 49 | 1454 |
| Balerno ... | 40 | 53 | 90 | 145 | 166 | 179 | 120 | 135 | 90 | 87 | 46 | 43 | 1194 |
| Boghall ... | 58 | 55 | 100 | 147 | 171 | 194 | 135 | 146 | 106 | 94 | 56 | 51 | 1313 |
| Edinburgh ... | 70 | 67 | 122 | 151 | 179 | 193 | 131 | 145 | 106 | 103 | 66 | 53 | 1386 |
| Dunbar ... | 69 | 66 | 119 | 148 | 189 | 212 | 141 | 157 | 127 | 117 | 79 | 50 | 1474 |
| North Berwick ... | 49 | 61 | 101 | 153 | 186 | 193 | 146 | 151 | 96 | 91 | 61 | 42 | 1330 |
| Peebles ... | 32 | 44 | 75 | 137 | 145 | 126 | 96 | 133 | 74 | 59 | 45 | 27 | 993 |
| Marchmont ... | 51 | 52 | 93 | 131 | 169 | 162 | 115 | 148 | 107 | 79 | 54 | 41 | 1202 |
| WEST SCOTLAND— | | | | | | | | | | | | | |
| Dunoon (Ben More) ... | 27 | 55 | 50 | 158 | 160 | 123 | 136 | 147 | 71 | 59 | 15 | 36 | 1037 |
| Dunoon ... | 35 | 64 | 60 | 176 | 178 | 125 | 159 | 166 | 87 | 73 | 23 | 47 | 1193 |
| Oban ... | 17 | 79 | 54 | 170 | 171 | 125 | 121 | 194 | 115 | 66 | 19 | 49 | 1180 |
| Tiree ... | 31 | 83 | 63 | 161 | 205 | 149 | 159 | 221 | 121 | 78 | 23 | 41 | 1335 |
| Rothsay ... | 33 | 60 | 60 | 184 | 190 | 165 | 178 | 195 | 105 | 80 | 32 | 57 | 1339 |
| Cardross ... | 32 | 50 | 58 | 165 | 179 | 160 | 162 | 170 | 96 | 74 | 27 | 42 | 1215 |
| Helensburgh ... | 36 | 63 | 58 | 182 | 178 | 147 | 150 | 184 | 95 | 68 | 23 | 49 | 1233 |
| Stirling ... | 38 | 56 | 95 | 173 | 165 | 172 | 127 | 154 | 101 | 94 | 48 | 53 | 1276 |
| Greenock ... | 26 | 41 | 60 | 178 | 176 | 162 | 163 | 182 | 102 | 72 | 21 | 18 | 1201 |
| Paisley ... | 32 | 44 | 73 | 178 | 168 | 189 | 159 | 162 | 96 | 82 | 28 | 39 | 1250 |
| Renfrew (Abbotsinch) ... | 32 | 47 | 79 | 179 | 169 | 181 | 155 | 163 | 97 | 80 | 29 | 46 | 1248 |
| Carlisle ... | 40 | 54 | 78 | 164 | 175 | 171 | 125 | 156 | 89 | 82 | 46 | 55 | 1235 |
| Glasgow ... | 27 | 49 | 56 | 162 | 189 | 170 | 156 | 158 | 74 | 70 | 20 | 43 | 1174 |
| Auchincruive ... | 25 | 58 | 77 | 179 | 177 | 162 | 153 | 189 | 92 | 74 | 37 | 38 | 1261 |
| Ayr ... | 22 | 57 | 74 | 192 | 185 | 173 | 159 | 194 | 87 | 69 | 32 | 46 | 1290 |
| Kilmarnock ... | 32 | 63 | 69 | 174 | 189 | 168 | 168 | 172 | 97 | 75 | 32 | 39 | 1278 |
| Prestwick ... | 18 | 43 | 58 | 183 | 187 | 166 | 159 | 200 | 94 | 48 | 32 | 46 | 1234 |
| Troon ... | 26 | 54 | 73 | 189 | 181 | 172 | 169 | 199 | 107 | 78 | 27 | 43 | 1318 |
| Turnberry ... | 31 | 70 | 85 | 206 | 200 | 163 | 179 | 208 | 101 | 75 | 43 | 64 | 1425 |
| Dumfries ... | 45 | 66 | 80 | 180 | 181 | 191 | 134 | 172 | 86 | 85 | 59 | 53 | 1323 |
| Eskdalemuir ... | 39 | 60 | 64 | 177 | 167 | 161 | 105 | 157 | 79 | 65 | 28 | 43 | 1145 |
| Ruthwell ... | 30 | 61 | 73 | 178 | 170 | 177 | 124 | 164 | 85 | 81 | 34 | 32 | 1209 |

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and
Number of Days of RAIN at Selected Stations.

| 1938. | AMOUNTS. | | | | | | | | | | | | | Number of Days of Rain exceeding ·01 inch. |
|-------------------------|----------|-------|--------|--------|------|-------|-------|------|-------|-------|-------|------|--------|--|
| | Jan. | Feb. | March. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | Year. | YEAR. |
| NORTH SCOTLAND— | In. | In. | In. | In. | In. | In. | In. | In. | In. | In. | In. | In. | In. | |
| Baltasound ... | 6·62 | 2·95 | 4·94 | 2·27 | 3·85 | 4·47 | 3·66 | 1·76 | 2·63 | 7·18 | 4·73 | 5·81 | 50·87 | 315 |
| Lerwick ... | 5·85 | 2·21 | 4·03 | 1·55 | 3·75 | 3·62 | 2·95 | 1·26 | 1·78 | 5·40 | 4·98 | 4·37 | 41·75 | 266 |
| Deerness ... | 5·26 | 2·82 | 3·07 | 1·44 | 3·17 | 4·30 | 2·85 | 2·48 | 2·29 | 6·35 | 4·39 | 4·42 | 42·84 | 271 |
| Kirkwall ... | 5·80 | 2·92 | 3·25 | 1·50 | 3·39 | 4·54 | 2·90 | 2·27 | 2·16 | 7·12 | 5·08 | 4·11 | 45·04 | 263 |
| Skallary ... | 6·07 | 3·06 | 4·65 | 0·91 | 2·17 | 4·08 | 3·58 | 3·72 | 4·23 | 8·54 | 8·50 | 4·73 | 54·24 | 275 |
| Stornoway ... | 7·11 | 3·56 | 4·32 | 0·85 | 2·85 | 4·62 | 2·67 | 4·52 | 4·19 | 8·66 | 5·72 | 4·41 | 53·48 | 281 |
| Duntuiln ... | 6·33 | 4·39 | 6·05 | 0·96 | 3·66 | 5·00 | 3·90 | 4·74 | 4·70 | 10·27 | 8·52 | 5·51 | 64·03 | 280 |
| Wick ... | 3·54 | 2·05 | 2·11 | 1·56 | 2·61 | 3·51 | 3·46 | 2·37 | 2·93 | 4·45 | 2·80 | 1·96 | 33·35 | 245 |
| Achnashellach ... | 13·33 | 7·83 | 16·58 | 3·23 | 3·80 | 8·44 | 6·42 | 5·09 | 5·57 | 15·47 | 14·63 | 7·78 | 108·17 | 270 |
| Fortrose ... | 3·42 | 1·37 | 1·27 | 0·60 | 2·09 | 3·30 | 4·47 | 1·54 | 2·80 | 5·26 | 3·71 | 1·48 | 31·31 | 215 |
| Dalwhinnie ... | 9·61 | 4·46 | 4·46 | 0·96 | 3·33 | 5·60 | 3·85 | 1·51 | 4·44 | 11·13 | 10·34 | 6·17 | 65·86 | 248 |
| Fort Augustus ... | 9·17 | 5·32 | 7·66 | 1·13 | 2·79 | 4·57 | 4·71 | 3·12 | 3·61 | 9·55 | 9·80 | 5·02 | 66·45 | 236 |
| Fort-William ... | 16·13 | 13·48 | 17·38 | 1·79 | 4·70 | 9·10 | 6·80 | 5·21 | 5·34 | 14·06 | 17·98 | 8·93 | 120·90 | 262 |
| Inverness ... | 3·89 | 1·13 | 1·42 | 0·47 | 2·08 | 3·44 | 4·36 | 1·76 | 2·89 | 4·59 | 4·66 | 2·06 | 32·75 | 204 |
| Onich ... | 15·12 | 10·56 | 17·83 | 1·87 | 4·59 | 9·90 | 8·48 | 5·18 | 6·75 | 13·71 | 16·79 | 9·89 | 120·67 | 278 |
| EAST SCOTLAND— | | | | | | | | | | | | | | |
| Nairn ... | 2·48 | 1·11 | 1·02 | 0·48 | 2·15 | 3·03 | 4·55 | 1·33 | 3·44 | 3·65 | 3·06 | 0·97 | 27·27 | 225 |
| Forres ... | 1·91 | 1·06 | 0·70 | 0·47 | 2·56 | 3·42 | 4·03 | 2·91 | 3·12 | 3·30 | 2·48 | 1·03 | 26·99 | 205 |
| Gordon Castle ... | 2·53 | 1·40 | 0·97 | 0·47 | 3·14 | 3·11 | 4·60 | 2·47 | 3·84 | 2·28 | 2·31 | 1·27 | 28·39 | 205 |
| Banff ... | 2·98 | 1·45 | 0·70 | 0·44 | 2·70 | 2·70 | 4·24 | 1·28 | 2·80 | 2·44 | 2·44 | 2·92 | 27·09 | 202 |
| Aberdeen ... | 2·39 | 1·03 | 0·51 | 0·78 | 2·59 | 3·33 | 4·62 | 1·13 | 3·60 | 2·96 | 2·68 | 3·83 | 29·45 | 205 |
| Balmoral ... | 4·62 | 1·36 | 0·47 | 0·40 | 2·44 | 3·29 | 4·72 | 1·36 | 2·81 | 4·21 | 4·46 | 3·11 | 33·25 | 229 |
| Braemar ... | 5·23 | 2·20 | 0·88 | 0·47 | 2·83 | 4·93 | 4·01 | 1·71 | 3·05 | 5·55 | 5·57 | 3·30 | 39·73 | 220 |
| Craibstone ... | 2·66 | 0·87 | 0·48 | 0·52 | 2·55 | 3·19 | 4·25 | 1·63 | 4·40 | 2·94 | 2·81 | 4·30 | 30·60 | 217 |
| Logie Coldstone ... | 3·41 | 1·24 | 0·48 | 0·53 | 2·64 | 3·98 | 4·50 | 1·91 | 4·26 | 3·68 | 2·86 | 2·57 | 32·06 | 224 |
| Stonehaven ... | 2·54 | 1·16 | 0·71 | 0·58 | 2·31 | 3·71 | 3·67 | 1·06 | 3·66 | 3·48 | 3·45 | 3·30 | 29·63 | 216 |
| Arbroath ... | 2·98 | 0·59 | 0·37 | 0·14 | 3·62 | 3·06 | 3·60 | 0·92 | 2·98 | 2·91 | 4·15 | 3·02 | 28·34 | 172 |
| Carnoustie ... | 3·01 | 0·51 | 0·38 | 0·13 | 3·28 | 2·45 | 3·42 | 1·13 | 3·15 | 2·97 | 3·42 | 2·34 | 26·19 | 190 |
| Dundee ... | 3·94 | 0·44 | 0·42 | 0·05 | 3·84 | 2·93 | 4·48 | 1·42 | 3·24 | 4·00 | 3·72 | 3·30 | 31·78 | 186 |
| Kettins ... | 5·34 | 0·67 | 0·36 | 0·09 | 3·82 | 2·48 | 4·01 | 1·74 | 2·78 | 4·25 | 4·02 | 3·83 | 33·39 | 186 |
| Montrose ... | 2·78 | 0·89 | 0·28 | 0·38 | 2·90 | 2·98 | 3·22 | 0·58 | 2·78 | 2·99 | 3·09 | 2·63 | 25·50 | 182 |
| Crieff ... | 6·22 | 2·48 | 1·54 | 0·29 | 3·29 | 4·53 | 3·77 | 2·81 | 4·21 | 7·06 | 7·79 | 3·55 | 47·54 | 222 |
| Perth ... | 4·70 | 0·58 | 0·62 | 0·14 | 3·54 | 2·97 | 3·13 | 1·42 | 3·40 | 5·47 | 4·28 | 2·23 | 32·48 | 177 |
| Cupar ... | 4·96 | 0·62 | 0·74 | 0·04 | 3·91 | 2·87 | 3·77 | 2·27 | 2·95 | 4·59 | 3·64 | 2·83 | 33·19 | 194 |
| Dunfermline ... | 4·42 | 0·69 | 1·12 | 0·16 | 4·13 | 3·68 | 3·52 | 1·65 | 2·96 | 5·40 | 4·70 | 2·14 | 34·57 | 203 |
| Kirkcaldy ... | 3·81 | 0·59 | 0·99 | 0·12 | 4·70 | 3·78 | 3·36 | 1·62 | 3·03 | 4·93 | 4·85 | 1·00 | 32·78 | 187 |
| Leuchars ... | 3·47 | 0·47 | 0·48 | 0·08 | 4·31 | 2·50 | 3·26 | 2·12 | 2·93 | 3·52 | 3·39 | 2·55 | 29·08 | 184 |
| St. Andrews ... | 3·87 | 0·53 | 0·52 | 0·09 | 3·63 | 2·62 | 3·26 | 3·49 | 2·64 | 3·84 | 3·97 | 3·25 | 31·71 | 189 |
| Balerno ... | 4·97 | 1·26 | 1·29 | 0·27 | 3·78 | 4·26 | 3·33 | 1·61 | 3·09 | 6·73 | 5·93 | 2·78 | 39·30 | 208 |
| Boghall ... | 4·38 | 1·03 | 1·01 | 0·22 | 3·81 | 4·33 | 3·22 | 2·03 | 3·22 | 6·10 | 5·21 | 2·29 | 36·85 | 216 |
| Edinburgh ... | 3·32 | 0·58 | 0·57 | 0·15 | 4·18 | 2·87 | 2·43 | 1·15 | 2·15 | 4·50 | 4·46 | 2·13 | 28·49 | 211 |
| Dunbar ... | 2·15 | 0·58 | 0·25 | 0·13 | 2·67 | 2·60 | 2·40 | 2·49 | 3·69 | 4·15 | 2·81 | 1·89 | 25·81 | 183 |
| North Berwick ... | 2·29 | 0·65 | 0·39 | 0·05 | 3·20 | 3·27 | 2·85 | 3·12 | 3·11 | 4·15 | 3·60 | 2·29 | 28·97 | 192 |
| Marchmont ... | 2·77 | 0·85 | 0·74 | 0·38 | 2·90 | 4·03 | 3·43 | 3·06 | 2·47 | 5·16 | 4·23 | 2·86 | 32·88 | 217 |
| St. Abbs Head, ... | 3·03 | 0·62 | 0·58 | 0·37 | 2·50 | 2·62 | 2·91 | 1·98 | 2·27 | 4·04 | 3·26 | 2·80 | 26·98 | 191 |
| West Linton ... | 5·56 | 1·53 | 2·20 | 0·53 | 4·43 | 4·99 | 3·58 | 2·17 | 2·91 | 8·01 | 6·69 | 3·24 | 45·84 | 212 |
| Peebles ... | 5·09 | 0·65 | 0·94 | 0·37 | 3·27 | 5·34 | 3·35 | 1·78 | 2·31 | 6·71 | 5·31 | 3·72 | 38·84 | 185 |
| Kelso (Broom-lands) ... | 2·06 | 0·91 | 0·72 | 0·28 | 2·63 | 2·44 | 2·67 | 1·40 | 2·08 | 4·23 | 3·47 | 1·84 | 24·73 | 192 |
| Wolfelee ... | 4·83 | 1·58 | 1·26 | 0·17 | 3·30 | 3·93 | 4·92 | 1·04 | 2·59 | 6·21 | 7·65 | 3·46 | 40·94 | 213 |

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and Number of Days of RAIN at Selected Stations—*continued*.

| 1938. | AMOUNTS. | | | | | | | | | | | | | Number of Days of Rain exceeding '01 inch. |
|-------------------------------|----------|------|--------|--------|------|-------|-------|------|-------|-------|-------|-------|--------|--|
| | Jan. | Feb. | March. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | Year. | YEAR. |
| WEST SCOTLAND— | | | | | | | | | | | | | | |
| Ardtornish ... | 14·12 | 6·87 | 10·15 | 1·59 | 3·19 | 9·70 | 6·04 | 4·34 | 8·71 | 13·88 | 14·25 | 8·50 | 101·24 | 264 |
| Colonsay ... | 6·75 | 2·79 | 4·37 | 0·50 | 3·45 | 4·99 | 4·24 | 4·56 | 3·97 | 8·61 | 8·25 | 5·45 | 57·93 | 278 |
| Dunoon (Ben More) ... | 15·64 | 8·36 | 10·42 | 1·67 | 5·14 | 9·07 | 6·89 | 5·74 | 8·98 | 16·93 | 17·66 | 10·07 | 116·57 | 268 |
| Dunoon ... | 11·69 | 5·80 | 8·63 | 0·90 | 5·84 | 8·81 | 5·18 | 4·39 | 8·04 | 14·56 | 13·66 | 6·60 | 94·10 | 246 |
| Glenbranter ... | 15·10 | 7·65 | 12·86 | 1·27 | 4·95 | 9·27 | 6·42 | 4·44 | 9·04 | 18·56 | 18·17 | 10·95 | 118·68 | 246 |
| Oban ... | 10·92 | 4·98 | 9·63 | 1·02 | 3·54 | 6·76 | 5·80 | 4·70 | 5·70 | 10·75 | 13·74 | 6·88 | 84·42 | 246 |
| Rothsay ... | 8·73 | 3·06 | 3·82 | 0·37 | 4·63 | 7·65 | 4·98 | 3·14 | 5·55 | 10·20 | 10·31 | 5·42 | 67·86 | 252 |
| Tiree ... | 6·51 | 3·26 | 4·30 | 0·35 | 2·65 | 3·52 | 3·81 | 4·25 | 4·86 | 6·64 | 7·46 | 3·81 | 51·42 | 258 |
| Cardross... .. | 8·50 | 2·53 | 3·64 | 0·52 | 3·03 | 5·49 | 4·21 | 1·89 | 4·56 | 8·90 | 9·22 | 5·38 | 57·87 | 245 |
| Helensburgh ... | 8·19 | 3·77 | 5·51 | 0·86 | 4·44 | 6·30 | 4·87 | 2·44 | 5·00 | 10·30 | 10·15 | 6·44 | 68·27 | 246 |
| Balfron ... | 7·88 | 2·63 | 3·60 | 0·68 | 3·70 | 6·06 | 4·45 | 2·06 | 4·58 | 8·83 | 9·67 | 4·06 | 58·20 | 239 |
| Stirling ... | 7·81 | 1·72 | 2·54 | 0·36 | 3·96 | 4·59 | 3·46 | 2·01 | 3·62 | 7·61 | 6·81 | 3·15 | 47·64 | 217 |
| Greenock ... | 10·14 | 4·33 | 6·62 | 0·85 | 3·90 | 7·39 | 4·57 | 2·48 | 5·03 | 11·72 | 12·37 | 6·73 | 76·13 | 236 |
| Paisley ... | 7·31 | 2·53 | 3·11 | 0·59 | 3·43 | 5·20 | 3·92 | 2·03 | 3·09 | 7·88 | 8·15 | 2·97 | 50·21 | 223 |
| Renfrew (Abbots- inch) ... | 6·88 | 2·69 | 3·00 | 0·69 | 3·20 | 4·89 | 3·66 | 2·46 | 3·04 | 8·22 | 8·09 | 2·94 | 49·76 | 224 |
| Dungavel ... | 8·67 | 2·65 | 5·16 | 0·75 | 4·39 | 5·37 | 6·73 | 3·74 | 4·23 | 11·63 | 9·54 | 3·02 | 65·88 | 248 |
| Carluke ... | 4·99 | 0·93 | 2·00 | 0·43 | 3·59 | 3·98 | 3·07 | 2·07 | 2·44 | 7·64 | 5·85 | 2·26 | 39·25 | 242 |
| Glasgow ... | 5·62 | 1·71 | 2·85 | 0·68 | 4·36 | 5·33 | 5·20 | 2·74 | 3·82 | 8·12 | 6·55 | 2·78 | 49·76 | 242 |
| Auchincruive ... | 5·12 | 1·28 | 2·30 | 0·38 | 2·42 | 4·31 | 4·31 | 2·97 | 3·27 | 7·86 | 5·37 | 2·16 | 41·75 | 231 |
| Ayr ... | 4·71 | 1·14 | 2·30 | 0·10 | 2·36 | 3·70 | 4·32 | 1·82 | 3·27 | 7·14 | 4·92 | 1·75 | 37·53 | 186 |
| Colmonell ... | 4·62 | 2·24 | 0·98 | 0·44 | 2·38 | 4·36 | 5·27 | 2·06 | 3·88 | 6·52 | 5·82 | 4·49 | 43·06 | 220 |
| Kilmarnock ... | 5·75 | 1·73 | 3·65 | 0·66 | 3·79 | 4·50 | 4·78 | 2·73 | 4·16 | 10·37 | 6·10 | 2·22 | 50·44 | 232 |
| Prestwick ... | 4·13 | 1·09 | 2·11 | 0·30 | 2·54 | 3·31 | 3·98 | 2·04 | 3·40 | 6·70 | 4·73 | 1·65 | 35·98 | 216 |
| Troon ... | 4·84 | 1·23 | 2·77 | 0·35 | 3·15 | 3·48 | 3·83 | 2·00 | 3·09 | 7·12 | 4·43 | 1·66 | 37·95 | 216 |
| Turnberry ... | 5·34 | 2·02 | 1·89 | 0·48 | 2·30 | 3·73 | 4·66 | 2·07 | 2·83 | 7·25 | 4·77 | 2·78 | 40·12 | 224 |
| Dumfries ... | 4·97 | 1·99 | 1·91 | 0·29 | 4·22 | 4·60 | 5·13 | 1·67 | 3·68 | 6·96 | 8·66 | 3·85 | 47·93 | 199 |
| Eskdalemuir ... | 9·23 | 4·48 | 3·86 | 0·92 | 6·19 | 9·31 | 8·87 | 3·02 | 4·69 | 10·98 | 11·68 | 4·61 | 77·84 | 248 |
| Ruthwell ... | 4·32 | 1·63 | 1·61 | 0·24 | 3·71 | 3·59 | 4·90 | 1·90 | 2·29 | 5·82 | 5·35 | 2·75 | 38·11 | 210 |
| Glenlee ... | 9·99 | 4·67 | 3·72 | 0·79 | 5·41 | 7·73 | 6·71 | 2·58 | 5·70 | 11·28 | 13·19 | 5·47 | 77·24 | 233 |

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE

By J. Skinner & Co., Ltd., Thistle Street, Edinburgh.

Wt. 458/50. 375 1.40. J.S.&Co.,Ltd. G. 157.



